

TS 153 – OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT

INTENDED USE

For screening Oxacillin Resistant microorganisms.

COMPOSITION

Ingredients	Concentration
Oxacillin	1mg
Polymyxin B	25000IU

(per vial sufficient for 500 ml medium)

Applied in Medium


TM 1402 - OXACILLIN RESISTANCE SCREENING AGAR BASE

INSTRUCTION FOR USE

Rehydrate the contents of one vial aseptically with 2 ml of sterile distilled water. Mix well and aseptically add it to 500 ml sterile, molten, cooled (45-50°C) TM 1402 - OXACILLIN RESISTANCE SCREENING AGAR BASE. Mix well and dispense as desired.

STORAGE

Vials should be stored in sealed container at 2-8°C.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

***For Lab Use Only**
Revision: 4 March., 2022