



# Clinical Microbiology

The Trusted **CLINICAL MICROBIOLOGY** Brand  
in More Than **77 Countries**

ISO 9001:2015 | ISO 13485:2016 | ISO 11133:2014 | GMP | CE Certified

[www.tmmedia.in](http://www.tmmedia.in)





Titan Biotech Ltd. started its journey in 1992 to pursue innovation in the field of biotechnology and advanced life science. The strong hold on technical expertise has given wings to our business journey with the remarkable market presence in more than 77 countries. Under the brand 'TM Media', Titan Biotech Limited has flourished with its microbiology products in full length around the world.

The Research and Development department supports our objective to evolve and keep pace with the industry's growing needs. The product range has emerged manifold with more than 1800 products for categories including Biological Media Bases, Dehydrated Culture Media, Media Supplements, Readymade Culture Media (in all forms), Molecular Bio Grade Chemicals, Antibiotic Sensitivity Discs, Plant Tissue Culture Media, Laboratory Chemicals and Microbiological Consumables. We understand our customers' choices very well, thus Culture Media are available from veg. and non veg. sources. TM Media has expatiated its product list for applications in various industries including Pharmaceutical, Nutraceutical, Medical & Diagnostic, Food & Beverages, Biotechnology & Fermentation, Cosmetic, Veterinary & Animal Feed, Agriculture industries as well as for research institute.


Our quality standards of production facility and products are regulated and certified by International organizations.

We are glad to have support from , ,  and  for trade relations.

The entirety of the company is grounded with belief in relationship and quality. We own the responsibility to fulfill customers' particular requirements. Quality & Good Service relationship is our formula for success.



## CLINICAL MICROBIOLOGY



Clinical Microbiology is one of the broad and emerged segment of Microbiology that studies the microbes which can cause infectious diseases for the development of new diagnostic technologies and new therapeutic treatments. We are frequently exposed and surrounded by such infection causing microorganisms. Such microbes can cause a mild infection to even death. Therefore, it is mandatory to have the appropriate knowledge and early detection of such micro-organisms for current therapeutic strategies, especially for clinical microbiologist.

We are offering a wide range of Culture Media, Chromogenic Media, Transport Medium, Antibiotic Sensitivity Discs, Lab Consumables to fulfil the requirements in Diagnostic Laboratories at an affordable price. It is an initiative to improve the quality and safety standards efficiently so that the objective of providing excellence in such labs is achieved. To provide accuracy in results, TM Media maintains its stringent Quality Standards for a long time.



# Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE
TM 008	<b>ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 &amp; 2:2007)</b> for detection of <i>Vibrio parahaemolyticus</i> species	50.00	500 gm
TM 456	<b>AMIES TRANSPORT MEDIUM W/O. CHARCOAL</b> for transportation and preservation of bacteriological samples	10.00	100 gm 500 gm
TM 009	<b>AMIES TRANSPORT MEDIUM W/ CHARCOAL</b> for transportation and preservation of bacteriological samples	20.00	100 gm 500 gm
TM 028	<b>AZIDE BLOOD AGAR BASE</b> for selective isolation and cultivation of Staphylococci & Streptococci from mixed bacterial flora	33.20	500 gm
TM 303	<b>BILE BROTH BASE</b> for cultivation of Enterobacteriaceae group	30.00	100 gm 500 gm
TM 037	<b>BILE ESCULIN AGAR BASE</b> for differential & presumptive identification of group D Streptococci from food & pharma products	63.50	500 gm
TS 090	<b>ESCULIN SUPPLEMENT (0.5g/vl)</b>	#16 vl	5 vl
TM 039	<b>BISMUTH SULPHITE AGAR</b> for selective isolation of Salmonellae from faeces, urine, sewage and other materials	52.33	100 gm 500 gm
TM 360	<b>BLOOD AGAR BASE (INFUSION AGAR)</b> for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm
TM 040	<b>BLOOD AGAR BASE W/ LOW pH</b> for isolation and cultivation of fastidious organisms after addition of blood	40.00	100 gm 500 gm
TM 041	<b>BLOOD AGAR BASE No. 2</b> for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *</b>	#24 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#24 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#24 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#24 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TM 361	<b>BRAIN HEART INFUSION AGAR</b> for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.50	100 gm 500 gm
TM 362	<b>BRAIN HEART INFUSION BROTH</b> for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm
TM 364	<b>BRILLIANT GREEN AGAR BASE, MODIFIED</b> for selective isolation of Salmonellae other than <i>Salmonella typhi</i> from faeces and foods etc	58.00	100 gm 500 gm
TS 013	<b>SULPHA SUPPLEMENT *</b>	#18 vl	5 vl
TM 1894	<b>BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017)</b> For selective isolation and cultivation of <i>Legionella</i> species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm
TS 018	<b>LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *</b>	#5 vl	5 vl
TS 019	<b>LEGIONELLA SUPPLEMENT (Twin Pack) (Part A &amp; B) *</b>	#5 vl	5 vl
TS 115	<b>LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *</b>	#5 vl	5 vl 25 vl
TS 254	<b>PCP SUPPLEMENT *</b>	#5 vl	5 vl
TM 324	<b>BUFFERED GLUCOSE BROTH (MR-VP MEDIUM)</b> used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TM 1154	<b>C. BOTULINUM ISOLATION AGAR BASE</b> for isolation of <i>Clostridium botulinum</i> from food and clinical samples	74.00	500 gm
TS 104	<b>C.B.I. SUPPLEMENT *</b>	#14 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#7 vl	5 vl



## Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE
TM 405	<b>C.I.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)</b> for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TM 056	<b>CAMPYLOBACTER AGAR BASE</b> for selective isolation of <i>Campylobacter</i> species from faecal, food and environmental samples	39.50	500 gm
TS 007	<b>CAMPYLOBACTER SUPPLEMENTS I (BLASER-WANG) *</b>	#26 vl	5 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENTS III (SKIRROW) *</b>	#26 vl	5 vl
TM 415	<b>CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) (CARY &amp; BLAIR TRANSPORT MEDIUM)</b> for collection and shipment of clinical specimen	12.60	100 gm 500 gm
TM 060	<b>CETRIMIDE AGAR BASE</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm
TS 020	<b>NALIDIXIC SELECTIVE SUPPLEMENT *</b>	#11 vl	5 vl
TM 064	<b>CHOCOLATE AGAR BASE</b> for isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>	45.50	500 gm
TS 021	<b>HAEMOGLOBIN POWDER *</b>	#22 vl	100 gm 5 vl
TS 022	<b>VITAMINS GROWTH SUPPLEMENT VITAMINS AND AMINO ACIDS MIXTURE (DOUBLE PACK) *</b>	#22 vl	25 vl 5 vl
TS 023	<b>YEAST AUTOLYSATE SUPPLEMENT *</b>	#22 vl	25 vl
TM 068	<b>CLOSTRIDIUM DIFFICILE AGAR BASE</b> for isolation of <i>Clostridium difficile</i> from food and pathological specimens	69.10	500 gm
TS 024	<b>CLOSTRIDIUM DIFFICILE SUPPLEMENT</b>	#15 vl	5 vl 25 vl
TM 071	<b>COLUMBIA BLOOD AGAR BASE</b> for isolation and cultivation of fastidious bacteria with or without blood	44.00	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *</b>	#23 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *</b>	#23 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *</b>	#23 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#23 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#23 vl	5 vl 25 vl
TS 089	<b>STAPH-STREPTO SUPPLEMENT *</b>	#23 vl	5 vl
TS 025	<b>G. VAGINALIS SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl
TS 026	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl
TS 027	<b>CAMPYLOBACTER SUPPLEMENT VI (BUTZLER) *</b>	#23 vl	5 vl 25 vl
TS 256	<b>STREPTOCOCCUS SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl 25 vl
TM 087	<b>DEOXYCHOLATE AGAR</b> for direct differential count of coliforms in dairy products and also for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens	45.00	100 gm 500 gm
TM 369	<b>DEOXYCHOLATE CITRATE AGAR</b> for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm
TM 308	<b>DEXTRROSE BROTH (GLUCOSE BROTH)</b> for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TM 336	<b>EMB AGAR</b> differential media for isolation of gram-negative enteric bacteria from clinical and non clinical samples	36.00	100 gm 500 gm
TM 372	<b>ENDO AGAR</b> for confirmation of members of coliform group from clinical and non-clinical specimens	41.50	100 gm 500 gm
TM 294	<b>FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (ISO 6759:1993) (Part I)</b> an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples (Part II)	19.00 4.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE
TM 117	<b>GN BROTH, HAJNA</b> for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm
TM 374	<b>HARTLEY'S DIGEST BROTH</b> for cultivation of various bacteria from blood especially <i>Streptococci</i> and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm
TM 121	<b>HEKTOEN ENTERIC AGAR (ISO 21567:2004)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens	76.67	100 gm 500 gm
TM 141	<b>KLIGLER IRON AGAR</b> for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H <sub>2</sub> S production	57.50	100 gm 500 gm
TM 1223	<b>LISTERIA ENRICHMENT BROTH (DOUBLE PACK) *</b> (Part I) for selective enrichment of <i>Listeria monocytogenes</i> from clinical specimens (Part II)	26.00 37.00	500 gm
TM 375	<b>LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM)</b> for isolation and cultivation of <i>Mycobacterium</i> species	37.24	100 gm 500 gm
TS 047	<b>GRUFT MYCOBACTERIAL SUPPLEMENT *</b>	#54 vl	5 vl
TM 1561	<b>MeReSA AGAR BASE</b> for selective isolation and identification of methicillin resistant <i>Staphylococcus aureus</i> from clinical specimens	80.12	500 gm
TS 231	<b>MeReSa SELECTIVE SUPPLEMENT *</b>	#13 vl	5 vl
TS 219	<b>CEFOXITIN SUPPLEMENT *</b>	#13 vl	5 vl
TM 1898	<b>MacCONKEY AGAR</b> For cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours	55.00	100 gm 500 gm
TM 206	<b>MANNITOL SALT AGAR BASE</b> for selective isolation of pathogenic <i>Staphylococci</i> from clinical and non-clinical samples	111.00	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#3 vl	5 vl
TM 339	<b>MUELLER HINTON AGAR</b> for cultivation of <i>Neisseria</i> & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm
TM 236	<b>MUELLER HINTON AGAR NO.2</b> for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby Bauer technique	38.00	100 gm 500 gm
TM 1933	<b>MYCOBIOTIC AGAR *</b> for the selective isolation and cultivation of pathogenic fungi	35.55	100 gm
TM 233	<b>MYCOPLASMA AGAR BASE (PPLO AGAR BASE)</b> for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm
TS 014	<b>HORSE SERUM *</b>	4.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT *</b>	139 vl	5 vl 25 vl
TM 341	<b>NUTRIENT AGAR</b> for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm
TM 350	<b>NUTRIENT BROTH</b> for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm
TM 330	<b>PEPTONE WATER</b> general purpose growth medium and used as the base of carbohydrate fermentation media	15.00	100 gm 500 gm
TM 268	<b>PSEUDOMONAS ISOLATION AGAR</b> for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE
TM 386	<b>SS AGAR (SALMONELLA SHIGELLA AGAR)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm
TM 622	<b>SABOURAUD CHLORAMPHENICOL AGAR</b> for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm
TM 1286	<b>SALMONELLA DIFFERENTIAL AGAR (DOUBLE PACK) *</b> (Part I) for selective isolation and identification of <i>Salmonellae</i> from clinical samples (Part II)	25.00 10.00	100 gm 500 gm
TM 389	<b>SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III &amp; IV) 1976, reaffirmed 2005) (Part I)</b> for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological material (Part II)	19.00 4.00	100 gm 500 gm
TM 853	<b>SELENITE BROTH BASE W/O BISELENITE</b> for enrichment of <i>Salmonella</i> from food, dairy products and pathological materials	19.00	500 gm
428	<b>SODIUM BISELENITE</b>	*	100 gm
TM 544	<b>STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 &amp; 2:2013)</b> for determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm
TM 420	<b>STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART)</b> for preservation and transport of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm
TM 436	<b>TCBS AGAR (VIBRIO SELECTIVE AGAR)</b> for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning	89.00	100 gm 500 gm
TM 424	<b>TRIPLE SUGAR IRON AGAR</b> for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.52	100 gm 500 gm
TM 1109	<b>TRYPTONE TELLURITE AGAR BASE</b> for selective isolation of pathogens from clinical samples, especially from nose, throat and vagina	47.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#11 vl	5 vl 25 vl
TM 394	<b>UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE)</b> for detection of urease producing bacteria	24.00	100 gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl) *</b>	#208 vl	5 vl 25 vl
TM 425	<b>UREA BROTH (UREA BROTH MEDIUM) (as per IP 2007)</b> for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	38.70	500 gm
TM 1642	<b>VRE AGAR BASE (VANCOMYCIN RESISTANT ENTEROCOCCI AGAR)</b> for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	42.65	100 gm 500 gm
TS 216	<b>MEROPENEM SUPPLEMENT *</b>	#12 vl	5 vl
TS 218	<b>VANCOMYCIN SUPPLEMENT *</b>	#24 vl	5 vl 25vl
TM 1643	<b>VRE BROTH BASE (VANCOMYCIN RESISTANT ENTEROCOCCI BROTH)</b> for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	37.00	100 gm 500 gm
TS 216	<b>MEROPENEM SUPPLEMENT *</b>	#27 vl	5 vl
TM 1155	<b>VIRAL TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM)</b> for transportation of viral specimens at ambient temperature	20.00	500 gm
TM 395	<b>VOGEL-JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE)</b> for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#17 vl	5 vl 25 vl
TM 917	<b>WILSON BLAIR AGAR W/ BG (BRILLIANT GREEN)</b> for isolation and preliminary identification of <i>Salmonella typhi</i> from clinical samples	52.32	100 gm 500 gm
TM 492	<b>XLD AGAR</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm



## Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE
TM 1841	<b>CHROMOGENIC A. RAMBACH AGAR *</b> (Part I) For detection and isolation of <i>Salmonella</i> species in clinical sample (Part II)	30.70 10 ml	500 gm
TM 1523	<b>CHROMOGENIC BACILLUS AGAR *</b> for isolation & differentiation between various species of <i>Bacillus</i> using chromogenic substrates	49.20	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#20 vl	5 vl 25 vl
TM 1197	<b>CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) *</b> For fast isolation and identification of <i>Candida</i> species from mixed flora	42.70	100 gm 500 gm
TM 1588	<b>CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED *</b> for fast isolation and identification of <i>Candida</i> species from clinical and non-clinical specimens	42.05	100 gm 500 gm
TS 213	<b>CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TM 1833	<b>CHROMOGENIC CLED AGAR BASE *</b> for isolation and differentiation of UTI pathogens	43.00	500 gm
TM 1338	<b>CHROMOGENIC COLIFORM AGAR W/SLS *</b> for simultaneous detection of total coliforms and <i>Escherichia coli</i> in water and foods	27.00	100 gm 500 gm
TM 1340	<b>CHROMOGENIC ECC AGAR *</b> for presumptive identification of <i>Escherichia coli</i> and other coliforms in food & environmental samples	55.83	100 gm 500 gm
TM 1341	<b>CHROMOGENIC ECC SELECTIVE AGAR BASE *</b> for detection of <i>Escherichia coli</i> and coliforms in water and food samples	26.48	100 gm 500 gm
TS 187	<b>CHROMOGENIC ECC SELECTIVE SUPPLEMENT *</b>	#38 vl	5 vl
TM 1631	<b>CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR *</b> for isolation and identification of <i>Enterobacter sakazakii</i> from dairy and food products	51.67	100 gm 500 gm
TM 1632	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE *</b> for identification and differentiation of <i>Enterococcus faecium</i> from faeces, sewage and water supplies	54.20	100 gm 500 gm
TS 215	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *</b>	#19 vl	5 vl
TM 1633	<b>CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE *</b> for selective isolation of <i>Klebsiella</i> species from water by membrane filter technique	40.80	100 gm 500 gm
TS 204	<b>CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#25 vl	5 vl
TM 1634	<b>CHROMOGENIC LISTERIA AGAR BASE (Modified) *</b> for selective identification and differentiation of <i>Listeria</i> species	67.25	100 gm 500 gm
TS 205	<b>CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TM 1635	<b>CHROMOGENIC MeReSA AGAR BASE *</b> for isolation and identification of Methicillin resistant <i>Staphylococcus aureus</i> from clinical samples	83.30	100 gm 500 gm
TS 206	<b>CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT *</b>	#12 vl	5 vl
TS 219	<b>CEFOXITIN SUPPLEMENT *</b>	#12 vl	5 vl
TM 1636	<b>CHROMOGENIC MM AGAR *</b> for identification and differentiation of <i>Salmonella</i> and non- <i>Salmonella</i> from water and clinical samples	49.13	100 gm 500 gm
TM 1638	<b>CHROMOGENIC M-LAURYL SULPHATE AGAR *</b> for enumeration and differentiation of <i>E. coli</i> and other coliforms by membrane filter technique	88.00	100 gm 500 gm
TM 1426	<b>CHROMOGENIC SALMONELLA AGAR *</b> for isolation and differentiation of <i>Salmonella</i> species from coliforms	27.90	100 gm 500 gm
TM 1839	<b>CHROMOGENIC SALMONELLA AGAR *</b> for identification of <i>Salmonella</i> species from other organisms in the family Enterobacteriaceae	55.20	100 gm 500 gm
TS 252	<b>CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl

## Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE
TM 1824	<b>CHROMOGENIC SALMONELLA AGAR, MODIFIED *</b> for isolation and differentiation of <i>Salmonella</i> species from coliforms	42.34	100 gm 500 gm
TM 1199	<b>CHROMOGENIC UTI AGAR *</b> for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm
TM 1909	<b>CHROMOGENIC UTI AGAR *</b> for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm
TM 1639	<b>CHROMOGENIC UTI AGAR, MODIFIED *</b> for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm
TS 207 TS 208	<b>DMACA REAGENT (10 ml/vl)</b> <b>TDA REAGENT (10 ml/vl)</b>		1 vl 1 vl
TM 1825	<b>CHROMOGENIC UTI SELECTIVE AGAR *</b> for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm
TM 1907	<b>CHROMOGENIC VRE AGAR BASE *</b> for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm
TS 253	<b>CHROMOGENIC VRE AGAR SUPPLEMENT *</b>	#20 vl	5 vl

## Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 034	<b>BLOOD AGAR PLATE W / GENTAMICIN (5MCG/PLATE) *</b> for selective isolation of <i>Streptococcus pneumoniae</i>	20 Plts 50 Plts
TMP 001	<b>BRAIN HEART INFUSION AGAR PLATE</b> for cultivation of fastidious pathogenic bacteria, yeasts and molds	50 Plts
TMP 035	<b>BRAIN HEART INFUSION AGAR PLATE W / BLOOD *</b> for cultivation of fastidious pathogenic bacteria requiring blood for growth	20 Plts 50 Plts
TMP 066	<b>BURKHOLDERIA CEPACIA SELECTIVE AGAR (BCSA) (AS PER USP)</b> for use in qualitative procedures for the selective and differential isolation of Burkholderia cepacia complex from respiratory secretions of patients with cystic fibrosis.	50 Plts
TMP 002GT	<b>CETRIMIDE AGAR PLATE (g irradiated) (Triple Pack)</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product (as per USP/EP/BP/JP/IP) and clinical specimens	50 Plts
TMP 020	<b>CHOCOLATE AGAR PLATE *</b> for isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>	20 Plts 50 Plts
TMP 1199	<b>CHROMOGENIC UTI AGAR PLATE *</b> for identification and confirmation of microorganisms causing urinary tract infections	20 Plts 50 Plts
TMP 014	<b>CLED AGAR W / BROMOTHYMOL BLUE PLATE</b> for isolation and differentiation of urinary pathogens on the basis of lactose fermentation	50 Plts
TMP 031	<b>COLUMBIA 5% BLOOD AGAR PLATE *</b> for isolation and cultivation of fastidious organisms	20 Plts 50 Plts
TMP 025	<b>EMB AGAR, LEVINE PLATE</b> for isolation, enumeration and differentiation of Enterobacteriaceae	50 Plts
TMP 037	<b>HEKTOEN ENTERIC AGAR PLATE</b> for differential & selective isolation of <i>Salmonella</i> and <i>Shigella</i> from enteric pathological specimens	50 Plts
TMP 1898	<b>MacCONKEY AGAR " TBL</b> for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours.	50 Plts

## Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 015	<b>MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl)</b> for selective isolation and differentiation of coliform organisms and other enteric pathogens	50 Plts
TMP 016	<b>MacCONKEY AGAR PLATE (W/O CV, NaCl W/ 0.5% SODIUM TAUROCHOLATE)</b> for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	50 Plts
TMP 021	<b>MANNITOL SALT AGAR PLATE</b> for selective isolation of pathogenic Staphylococci	50 Plts
TMP 005	<b>MUELLER HINTON AGAR PLATE</b> for determination of susceptibility of microorganisms to antimicrobial agents	50 Plts
TMP 061	<b>MUELLER HINTON AGAR PLATE W/ 5% SHEEP BLOOD</b> for determination of susceptibility of <i>Streptococcus</i> species to antimicrobial agents	20 Plts 50 Plts
TMP 006GT	<b>NUTRIENT AGAR PLATE (g irradiated) (Triple Pack)</b> A general purpose medium used for cultivation of wide variety of microorganisms	50 Plts
TMP 010G	<b>SABOURAUD CHLORAMPHENICOL AGAR PLATE (g irradiated)</b> for selective cultivation of yeasts and moulds	50 Plts
TMP 011G	<b>SABOURAUD DEXTROSE AGAR PLATE (g irradiated)</b> for cultivation of yeast, moulds and aciduric microorganisms	50 Plts
TMP 058	<b>SALMONELLA SHIGELLA AGAR PLATE (SS AGAR PLATE)</b> for differentiation and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuff etc	50 Plts
TMP 017	<b>SHEEP BLOOD AGAR PLATE *</b> for cultivation of fastidious organisms and studying haemolytic reactions	20 Plts 50 Plts
TMP 019	<b>SHEEP BLOOD SOYABEAN CASEIN DIGEST AGAR PLATE *</b> for cultivation of wide variety of microorganisms and studying haemolytic reactions	20 Plts 50 Plts
TMP 022	<b>TCBS AGAR PLATE</b> for selective isolation of <i>Vibrio cholerae</i> and enteropathogenic <i>Vibrios</i>	50 Plts
TMP 024	<b>XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	50 Plts

## Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE
TRM 360	<b>BLOOD AGAR BASE (INFUSION AGAR) W/O BLOOD</b> for selective isolation of fastidious pathogenic microorganisms after addition of blood	100 ml x 25
TRM 361	<b>BRAIN HEART INFUSION AGAR</b> for cultivation of fastidious microorganisms like bacteria, yeasts and molds	100 ml x 25
TRM 405	<b>C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)</b> for isolation and differentiation of urinary pathogen by lactose fermentation	100 ml x 25
TRM 054	<b>C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR)</b> for isolation and differentiation of microorganisms based on lactose fermentation	100 ml x 25
TRM 1199	<b>CHROMOGENIC UTI AGAR *</b> for presumptive identification of microorganisms mainly causing urinary tract infections	100 ml x 25
TRM 349	<b>MacCONKEY AGAR W/O CV, W/ 0.15% BILE SALTS</b> for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric pathogens	100 ml x 25

## Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE
TRM 378	<b>MacCONKEY AGAR W/ SODIUM TAUROCHOLATE W/O CV &amp; NaCl</b> for selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food, water samples	100 ml x 25
TRM 339	<b>MUELLER HINTON AGAR</b> for cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms	100 ml x 25
TRM 341	<b>NUTRIENT AGAR</b> general purpose medium for cultivation of less fastidious microorganisms	100 ml x 25
TRM 544	<b>PLATE COUNT AGAR (STANDARD PLATE AGAR)</b> for determination of plate count of microorganisms in food, waste water and clinical samples	100 ml x 25
TRM 344	<b>POTATO DEXTROSE AGAR</b> for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25
TRM 622	<b>SABOURAUD CHLORAMPHENICOL AGAR</b> for selective isolation and cultivation of yeast and molds	100 ml x 25
TRM 387	<b>SABOURAUD DEXTROSE AGAR</b> for cultivation of yeast, molds and aciduric bacteria from clinical and non-clinical samples	100 ml x 25
TRM 1927	<b>VIOLET RED GLUCOSE AGAR</b> for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	100 ml x 25
TRM 492	<b>XLD AGAR</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species.	100 ml x 25

## Ready-To-Use Broth Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE
TMK 016	<b>GN BROTH, HAJNA</b> for the selective enrichment of Gram negative organisms of the enteric group from clinical & non clinical sample	100 ml x 25

## Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE
TMT 033	<b>BRAIN HEART INFUSION BROTH</b> for the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from clinical and non-clinical specimens.	5ml x 25 5ml x 50
TMT 040	<b>MOLECULAR TRANSPORT MEDIUM (VIRAL LYSIS TRANSPORT MEDIUM)</b> For the stabilization, transportation and inactivation of infectious viral agents. Quantity: 1.5 ml medium in 10 to 15 ml self stand tube	1.5ml x 50
TMT 008	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH</b> for selective enrichment of <i>Salmonella</i> species from clinical samples	10ml x 25 10ml x 50
TMT 028	<b>STERILE SALINE 0.85%</b> Used as a diluent	10ml x 25
TMT 014	<b>STERILE SALINE 0.9%</b> Used as a diluent	10ml x 25 10ml x 50

## Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE
TMT 016	<b>TETRATHIONATE BROTH</b> for selective isolation of Salmonellae from foods and other pathological materials	10ml x 25 10ml x 50
TMT 017	<b>TRYPTOPHAN MEDIUM</b> for detection of indole production	10ml x 25 10ml x 50
TMT 030	<b>TWEEN 80</b> Recommended as a surfactant and emulsifier.	10ml x 25
TMT 037	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50
TMT 034	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50
TMT 036	<b>UNIVERSAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50
TMT 012	<b>UNIVERSAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50
TMT 018	<b>UREA INDOLE MEDIUM *</b> for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production	10ml x 25 10ml x 50
TMT 020	<b>VIRAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube.	3ml x 50
TMT 039	<b>VIRAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50
TMT 035	<b>VIRAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50
TMT 038	<b>VIRAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50

## Ready-To-Use Slants (For Tuberculosis Tests)

CODE	PRODUCT NAME	PACK SIZE
TMS 01	<b>L.J. MEDIUM SLANT (10 Slants) *</b> for cultivation of <i>Mycobacterium tuberculosis</i>	1Kit
TMS 07	<b>TUBERCULOSIS FIRST LINE KIT (7 Slants) *</b> with five antitubular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) + 2 controls	1Kit
TMS 08	<b>TUBERCULOSIS SECOND LINE KIT (10 Slants) *</b> with seven antitubular drugs (Kanamycin, Amikacin, Ethionamide, D-Cycloserine, Clarithromycin Ciprofloxacin, p-Amino salicylic acid) + 3 controls	1Kit



## Ready-To-Use Slants (Glass Tube)

CODE	PRODUCT NAME	PACK SIZE
TMS 02	<b>KLIGLER IRON AGAR SLANT (10 Slants) *</b> for differential identification of Gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H <sub>2</sub> S Production	1Kit
TMS 03	<b>LYSINE IRON AGAR SLANT (10 Slants) *</b> for detection of enteric organism especially <i>Salmonella arizone</i> , based on their ability to decarboxylate or deaminate lysine and to form hydrogen sulphide (H <sub>2</sub> S)	1Kit
TMS 05	<b>SIMMON'S CITRATE AGAR SLANT (10 Slants) *</b> to differentiate gram-negative bacteria on the basis of citrate utilization	1Kit
TMS 09	<b>UREA AGAR SLANT (10 Slants) *</b> to differentiate enterobacteriaceae on the basis of their ability to produce urease	1Kit

## Blood Culturing System (Ready-To-Use Broth Media) (Aluminium-Capped Bottle)

CODE	PRODUCT NAME	PACK SIZE
TMK 362	<b>BRAIN HEART INFUSION BROTH</b> for detection of fastidious microorganisms in blood	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 362S	<b>BHI SUPPLEMENTED W/ 0.05% SPS</b> for detection of microorganisms associated with blood culture	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 303	<b>BILE BROTH BASE</b> for cultivation of Enterobacteriaceae group	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 319S	<b>FLUID THIOGLYCOLLATE MEDIUM w/ 0.05% SPS</b> for cultivation of aerobes, anaerobes and microaerophiles	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 308S	<b>GLUCOSE BROTH W/ 0.05% SPS (BLOOD CULTURE BOTTLE)</b> for detection of microorganisms in blood	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 374	<b>HARTLEY DIGEST BROTH</b> for isolation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i>	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 374S	<b>HARTLEY DIGEST BROTH W/ 0.5% SPS</b> for isolation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i>	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 350	<b>NUTRIENT BROTH</b> for general cultivation of microorganisms	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 332	<b>TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM)</b> for detection of microorganisms in blood	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)
TMK 332S	<b>TRYPTONE SOYA BROTH W/ 0.05% SPS</b> for detection of microorganisms in blood	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)

## Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME	PACK SIZE
THTS 001	<b>STERILE SWABS W/0.85% SALINE</b> for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 No.
THTS 415	<b>TRANSPORT SWABS W/ CARY - BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL)</b> for holding clinical specimens during collection, like, <i>Enterobacter aerogenes</i> , <i>Klebsiella pneumoniae</i> , <i>Neisseria meningitidis</i> , <i>Salmonella typhimurium</i> , <i>Vibrio cholerae</i> etc.	10 No.
THTS 715	<b>TRANSPORT SWABS W/ DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING)</b> for transportation of microorganisms from sanitized surface.	10 No.
THTS 341	<b>TRANSPORT SWABS W/ NUTRIENT AGAR</b> for enumeration of Enterobacteriaceae	10 No.
THTS 420	<b>TRANSPORT SWABS W/ STUART TRANSPORT MEDIUM</b> for preservation and transport of <i>Neisseria</i> species and other fastidious organisms, like, <i>Haemophilus influenzae</i> , <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> etc.	10 No.
THTS 456	<b>TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/O CHARCOAL</b> for transportation and preservation of clinical samples like, <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> , <i>Salmonella typhi</i> etc.	10 No.
THTS 009	<b>TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/ CHARCOAL</b> for transportation and preservation of microbiological samples	10 No.
THTS 010	<b>TRANSPORT SWABS W/ BUFFERED PEPTONE SODIUM CHLORIDE 7.0 pH</b> use for transport of specimen	10 No.
THTS 002	<b>TRANSPORT SWABS W/ AMINES MEDIUM (A)</b> with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat.	50 No.
THTS 003	<b>TRANSPORT SWABS W/ AMINES MEDIUM (B)</b> 1.0ml medium and two swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening.	50 No.
THTS 004	<b>TRANSPORT SWABS W/ AMINES MEDIUM (C)</b> with 1.0ml medium and three swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening and multiple body sides.	50 No.
THTS 005	<b>TRANSPORT SWABS W/ AMINES MEDIUM (D)</b> with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from nasopharyngeal, paediatric and urogenital	50 No.
THTS 006	<b>TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NACL</b> with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from nose, throat, axilla, perineum, groin for MRSA Screening	50 No.
THTS 007	<b>TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NACL</b> with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from rectum.	50 No.
THTS 008	<b>TRANSPORT SWAB W/ SELENITE MEDIUM (A)</b> with 2.0ml Medium recommended for enrichment of enteric organisms from fecal specimens	50 No.
THTS 012	<b>TRANSPORT SWAB W/ CARY BLAIR MEDIUM</b> for recovery of aerobic, anaerobic and fastidious bacteria from faecal specimen.	50 No.

**Swab &  
Validate**



## Viral Transport Swab Kits


CODE	PRODUCT NAME	PACK SIZE
TMVT 001	<b>VIRAL TRANSPORT KIT (Single Nylon Flocked Swab)</b> w/3ml viral transport medium in 10 ml stand tube and one sterile flocked nylon swab	50 nos
TMVT 002	<b>VIRAL TRANSPORT KIT (with Throat Swab / Nylon Flocked Swab )</b> w/3ml viral transport medium in 10 ml stand tube, one Nasopharyngeal swab and throat swab (viscose)	50 nos
TMVT 003	<b>VIRAL TRANSPORT KIT (Double Nylon Flocked Swab)</b> w/3ml viral transport medium in 10 ml stand tube with two sterile Flocked Swabs	50 nos
TMVT 009	<b>VIRAL TRANSPORT KIT (Single Viscose Swab)</b> w/3ml viral transport medium in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 nos
TMVT 010	<b>VIRAL TRANSPORT KIT (Nylon flocked and Polyester Swab)</b> w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 nos
TMVT 011	<b>VIRAL TRANSPORT KIT (Single Polyester swab)</b> w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 nos
TMVT 006	<b>VIRAL TRANSPORT KIT (Nylon Flocked Swab and Viscose Swab)</b> W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint	50 nos
TMVT 007	<b>VIRAL TRANSPORT KIT (Double Nylon Flocked Swab)</b> W/ 1.3 ml viral transport medium in 5-10 ml polystyrene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint	50 nos
TMVT 008	<b>VIRAL TRANSPORT KIT (Single Nylon Flocked Swab)</b> W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint.	50 nos

## VIRAL TRANSPORT KIT

Consistent  
Validated  
Performance



With  
Breakpoint



Without  
Breakpoint

# Molecular Transport Kit

CODE	PRODUCT NAME	PACK SIZE
MTM 001	<b>MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab)</b> w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint.	50 nos.
MTM 002	<b>MOLECULAR TRANSPORT KIT (Nasal and Throat Swab)</b> w/ 3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint	50 nos.
MTM 003	<b>MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab)</b> w/3ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polystyrene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 nos.
MTM 009	<b>MOLECULAR TRANSPORT KIT (Single Viscose Swab)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium)	50 nos.
MTM 010	<b>MOLECULAR TRANSPORT KIT (Nylon Flocked and Polyester Swab)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 nos.
MTM 011	<b>MOLECULAR TRANSPORT KIT (Single Polyester Swab)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 nos.
MTM 006	<b>MOLECULAR TRANSPORT KIT (Nasal and Throat Swab)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint.	50 nos.
MTM 007	<b>MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 nos.
MTM 008	<b>MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint.	50 nos.



## Differentiation Discs\*

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TBL 046	<b>BACITRACIN DISCS</b> for identification of <i>Streptococcus pyogenes</i>	50 Discs/vl	TBL 028	<b>NITRATE REAGENT DISCS (Double Pack)</b> For detection of nitrate reduction <b>Part I</b> : Discs <b>Part II (a)</b> : Reagent A <b>Part II (b)</b> : Reagent B	50 Discs/vl 2.5 ml/vl 2.5 ml/vl
TBL 021	<b>BILE ESCULIN DISCS</b> for detection of esculin hydrolysis in the presence of bile	50 Discs/vl	TBL 029	<b>ONPG DISCS</b> Testing for ONPG	50 Discs/vl
TBL 022	<b>DMACA INDOLE DISCS</b> For indole testing	50 Discs/vl	TBL 030	<b>OXIDASE DISCS</b> for detection of oxidase production by microorganism	50 Discs/vl
TBL 027	<b>NITRATE DISCS</b> Substrate for nitrate reduction	50 Discs/vl	TBL 056	<b>STERILE DISCS</b>	50 Discs/vl

## Differentiation Tests Strips\*

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TBL 023	<b>KOVAC'S REAGENT STRIPS</b> for indole testing	25 Strips/1 vl	TBL 024	<b>LEAD ACETATE PAPER STRIPS</b> For detection of H <sub>2</sub> S production	25 Strips/1 vl

\* Storage temperature for all the above mentioned discs is between 2 to 8 °C.

\* For long storage purposes use, store at (-20 °C).

**Effortless Antimicrobial  
Sensitivity Tests (AST)  
for Fastidious Organisms**



**Mueller Hinton Agar Plate  
w/5% Sheep Blood (TMP 061)**



# Antibiotic Sensitivity Discs\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 001	AMIKACIN	AK	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 017	CHLORAMPHENICOL	C	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 003	AMOXICLAV (Amoxicillin / Clavulanic Acid)	AMC	30 mcg (20/10 mcg)	5 ct   1 B. set 1 vl   5 vl	TBD 018	CIPROFLOXACIN	CIP	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 004	AMPICILLIN*	AMP	10 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 019	CLARITHROMYCIN	CL	15 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 005	AMPICILLIN / SULBACTAM*	A/S	20 mcg (10/10 mcg)	5 ct   1 B. set 1 vl   5 vl	TBD 020	CLINDAMYCIN	CD	2 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 006	AZITHROMYCIN	AT	15 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 054	COLISTIN (Methane Sulphate)	CLM	10 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 046	AZTREONAM	AZT	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole / Trimethoprim)	COT	25 mcg (23.75/1.25 mcg)	5 ct   1 B. set 1 vl   5 vl
TBD 047	CARBENICILLIN	CB	100 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 023	DOXYCYCLINE HCl	DO	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 007	CEFACTOR*	CF	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 055	ERTAPENEM	ETP	10 mcg	1 vl   5 vl
TBD 009	CEFAZOLIN*	CZ	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 024	ERYTHROMYCIN	E	15 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 048	CEFDINIR	CDR	5 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 056	FAROPENEM	FAR	5 mcg	1 vl   5 vl
TBD 049	CEFEPIME	CPM	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 057	FLUCONAZOLE (Antifungal)	FLC	25 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 010	CEFIXIME	CFM	5 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 058	GATIFLOXACIN	GAT	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 011	CEFOPERAZONE	CS	75 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 059	GEMIFLOXACIN	GEM	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 012	CEFOTAXIME (CEPHOTAXIME)	CTX	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 025	GENTAMICIN*	GEN	10 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 075	CEFOXITIN	CXN	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 060	GENTAMICIN	HLG	120 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 050	CEFPODOXIME	CPD	10 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 061	IMIPENEM	IPM	10 mcg	1 vl   5 vl
TBD 051	CEFPROZIL	CPR	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 026	KANAMYCIN	K	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 013	CEFTRIAZONE*	CTR	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 062	LEVOFLOXACIN	LE	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 052	CEFTAZIDIME / CLAVULANIC ACID	CAC	30/10 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 063	LINEZOLID	LZ	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 053	CEFTIZOXIME	CZX	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 027	LOMEFLOXACIN	LOM	10 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 014	CEFTAZIDIME*	CAZ	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 028	MEROPENEM*	MR	10 mcg	1 vl   5 vl
TBD 015	CEFUROXIME*	CXM	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 064	MINOCYCLINE	MI	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 016	CEPHALOTHIN*	CEP	30 mcg	5 ct   1 B. set 1 vl   5 vl					

Pack Size : 5 ct = 5 x 50 Discs in Plastic Container | 1 Blister Set (B. set) = 5 x 50 Discs in Blister Pack | 1 vl = 100 Discs in vial | 5 vl = 5 x 100 Discs in vial

## Antibiotic Sensitivity Discs\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 065	MOXIFLOXACIN	MO	5 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 037	RIFAMPICIN	R	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 029	NALIDIXIC ACID	NA	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 038	SPARFLOXACIN	SPX	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 030	NETILLIN (Netimicin Sulphate)	NET	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 070	SPECTINOMYCIN	SPT	100 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 031	NITROFURANTOIN	NIT	300 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 039	STREPTOMYCIN	S	10 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 032	NORFLOXACIN	NX	10 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 071	STREPTOMYCIN	HLS	300 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 033	OFLOXACIN	OF	5 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 072	TEICOPLANIN	TEI	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 066	OXACILLIN	OX	1 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 040	TETRACYCLINE	TE	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 067	PEFLOXACIN	PF	5 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 073	TICARCILLIN*	TI	75 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 034	PENICILLIN-G*	P	10 units	5 ct   1 B. set 1 vl   5 vl	TBD 041	TICARCILLIN / CLAVULANIC ACID*	TCC	75/2.5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 035	PIPERACILLIN*	PC	100 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 042	TOBRAMYCIN	TOB	10 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 068	PIPERACILLIN / TAZOBACTAM	PIT	100/10 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 043	TRIMETHOPRIM	TR	5 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 036	POLYMYXIN-B	PB	300 units	5 ct   1 B. set 1 vl   5 vl	TBD 044	VANCOMYCIN	VA	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 074	VORICONAZOLE (Antifungal)	VRC	1 mcg	5 ct   1 B. set 1 vl   5 vl

## Antibiotic Sensitivity Discs\*

Concentration of Antibiotics as per Non CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 002	AMOXICILLIN	AX	10 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 008	CEFADROXIL (CEPHADROXIL)	CFR	30 mcg	5 ct   1 B. set 1 vl   5 vl
TBD 045	AMOXICILLIN	AX	30 mcg	5 ct   1 B. set 1 vl   5 vl	TBD 021	CLOXACILLIN	CX	5 mcg	5 ct   1 B. set 1 vl   5 vl



Pack Size : 5 ct = 5 x 50 Discs in Plastic Container | 1 Blister Set (B. set) = 5 x 50 Discs in Blister Pack | 1 vl = 100 Discs in vial | 5 vl = 5 x 100 Discs in vial

## Culture Strain-Freeze-Dried Disc\*

CODE	PRODUCT NAME	PACK SIZE
TMCS 001	<i>Aspergillus brasiliensis</i> NCPF 2275	10
TMCS 002	<i>Bacillus cereus</i> (Recently renamed as <i>bacillus toyonensis</i> ) NCTC 10320	10
TMCS 003	<i>Bacillus cereus</i> NCTC 7464	10 25
TMCS 004	<i>Bacillus subtilis</i> NCTC 10400	10 25
TMCS 005	<i>Bacteroides fragilis</i> NCTC 9343	10
TMCS 006	<i>Burkholderia cepacia</i> NCTC 10661	10
TMCS 007	<i>Campylobacter jejuni</i> NCTC 11322	10
TMCS 008	<i>Campylobacter jejuni</i> NCTC 11351	10
TMCS 009	<i>Candida albicans</i> NCPF 3255	10 25
TMCS 010	<i>Candida albicans</i> NCPF 3179	10 25
TMCS 011	<i>Candida krusei</i> NCPF 3953	10
TMCS 012	<i>Candida parasilopsis</i> NCPF 8334	10
TMCS 013	<i>Citrobacter freundii</i> NCTC 9750	10
TMCS 014	<i>Clostridium perfringens</i> NCTC 8237	10
TMCS 015	<i>Clostridium sporogenes</i> NCTC 532	10
TMCS 016	<i>Enterobacter aerogenes</i> NCTC 10006	10 25
TMCS 017	<i>Enterobacter cloacae</i> NCTC 13380	10
TMCS 018	<i>Enterococcus faecalis</i> NCTC 775	10 25
TMCS 019	<i>Enterococcus faecalis</i> NCTC 12697	10 25
TMCS 020	<i>Enterococcus faecalis</i> NCTC 13379	10
TMCS 021	<i>Enterococcus hirae</i> NCTC 13383	10
TMCS 022	<i>Enterobacter cloacae</i> NCTC 13406	10
TMCS 023	<i>Escherichia coli</i> (CRE) NCTC 13476	10
TMCS 024	<i>Escherichia coli</i> NCTC 12241	10 25
TMCS 025	<i>Escherichia coli</i> NCTC 11954	10 25
TMCS 026	<i>Escherichia coli</i> NCTC 10418	10 25
TMCS 027	<i>Escherichia coli</i> NCTC 12923	10 25
TMCS 028	<i>Escherichia coli</i> NCTC 11560	10
TMCS 029	<i>Escherichia coli</i> NCTC 9001	10
TMCS 030	<i>Escherichia coli</i> NCTC (mcr-1) NCTC 13846	10
TMCS 031	<i>Escherichia coli</i> 0157 non-toxigenic NCTC 12900	10
TMCS 032	<i>Haemophilus influenza</i> NCTC 12699	10
TMCS 033	<i>Haemophilus influenza</i> NCTC 11931	10
TMCS 034	<i>Haemophilus influenza</i> NCTC 8468	10
TMCS 035	<i>Haemophilus influenza</i> NCTC 12975	10
TMCS 036	<i>Klebsiella aerogenes</i> / <i>Raoultella planticola</i> NCTC 9528	10
TMCS 037	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13438	10
TMCS 038	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13440	10
TMCS 039	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13442	10
TMCS 040	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13443	10
TMCS 041	<i>Klebsiella pneumoniae</i> NCTC 9633	10 25
TMCS 042	<i>Klebsiella pneumoniae</i> NCTC 13368	10



CODE	PRODUCT NAME	PACK SIZE
TMCS 043	<i>Lactobacillus brevis</i> NCTC 13386	10
TMCS 044	<i>Legionella anisa</i> NCTC 11974	10
TMCS 045	<i>Legionella pneumophila</i> serogroup 1 NCTC 11192	10
TMCS 046	<i>Listeria innocua</i> NCTC 11288	10
TMCS 047	<i>Listeria monocytogenes</i> NCTC 7973	10 25
TMCS 048	<i>Listeria monocytogenes</i> NCTC 13372	10
TMCS 049	<i>Listeria monocytogenes</i> NCTC 11994	10
TMCS 050	<i>Listeria monocytogenes</i> NCTC 10527	10
TMCS 051	<i>Neisseria gonorrhoea</i> NCTC 8375	25
TMCS 052	<i>Neisseria gonorrhoea</i> NCTC 12700	25
TMCS 053	<i>Proteus mirabilis</i> NCTC 13376	10
TMCS 054	<i>Proteus mirabilis</i> NCTC 10975	10
TMCS 055	<i>Proteus mirabilis</i> NCTC 11938	10
TMCS 056	<i>Proteus vulgaris</i> NCTC 4175	10 25
TMCS 057	<i>Pseudomonas aeruginosa</i> NCTC 12903	10 25
TMCS 058	<i>Pseudomonas aeruginosa</i> NCTC 12924	10 25
TMCS 059	<i>Pseudomonas aeruginosa</i> NCTC 13359	10
TMCS 060	<i>Pseudomonas aeruginosa</i> NCTC 10662	10
TMCS 061	<i>Rhodococcus equi</i> NCTC 1621	10
TMCS 062	<i>Sacharomyces cerevisiae</i> NCPF 3178	10
TMCS 063	<i>Sacharomyces cerevisiae</i> NCTC 10716	10
TMCS 064	<i>Salmonella enteritidis</i> NCTC 12694	10
TMCS 065	<i>Salmonella nottingham</i> NCTC 7832	10
TMCS 066	<i>Salmonella poona</i> NCTC 4840	10
TMCS 067	<i>Salmonella typhimurium</i> NCTC 12023	10 25
TMCS 068	<i>Serratia marcescens</i> NCTC 13382	10
TMCS 069	<i>Shigella sonnei</i> NCTC 12984	10
TMCS 070	<i>Staphylococcus aureus</i> NCTC 12981	10 25
TMCS 071	<i>Staphylococcus aureus</i> NCTC 12973	10 25
TMCS 072	<i>Staphylococcus aureus</i> NCTC 7447	10 25
TMCS 073	<i>Staphylococcus aureus</i> NCTC 10788	10 25
TMCS 074	<i>Staphylococcus aureus</i> (MRSA) NCTC 12493	10
TMCS 075	<i>Staphylococcus aureus</i> NCTC 6571	10
TMCS 076	<i>Staphylococcus aureus</i> (MRSA) NCTC 13373	10
TMCS 077	<i>Staphylococcus epidermidis</i> NCTC 13360	10 25
TMCS 078	<i>Streptococcus agalactiae</i> NCTC 8181	10
TMCS 079	<i>Streptococcus dysgalactiae</i> subsp. <i>Equisimilis</i> NCTC 13762	10
TMCS 080	<i>Streptococcus pneumoniae</i> NCTC 12695	10 25
TMCS 081	<i>Streptococcus pneumoniae</i> NCTC 12977	10
TMCS 082	<i>Streptococcus pyogenes</i> NCTC 12696	10 25
TMCS 083	<i>Vibrio parahaemolyticus</i> NCTC 10885	10
TMCS 084	<i>Yersinia enterocolitica</i> NCTC 12982	10 25

NCTC - National Collection of Type Cultures | CRE - Carbapenem Resistant Enterobacteriaceae | NCPF - National Collection of Pathogenic Fungi | CPE - Carbapenem Producing Enterobacteriaceae


## Microbiological Lab Consumables

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

### Anaerobic Box System

TMC 011	<b>ANAEROBIC BOX - L</b> Transparent unbreakable poly box, Size: 28.5cm x 22cm x 11cm   Capacity: 7 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 2 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack		1
TMC 012	<b>ANAEROBIC BOX - L</b> Transparent unbreakable poly box, Size: 19.8cm x 13.7 cms x 9 cms   Capacity: 2.5 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 1 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack		1


### Anaerobic Jar System

TMC 001	<b>ANAEROBIC JAR SYSTEM (3.5 Ltr )</b> <b>POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES, PRESSURE VALVE WITH SEAFTY VALVE &amp; TWO WAY PRESSURE GAUGE, PETRI PLATE CARRIER, INDICATOR TABLETS &amp; GAS PACK)</b> A system to provide anaerobic environment to bacteria.		1
TMC 001A	<b>POLYCARBONATE JAR (WITH PRESSURE GAUGE)</b> Anaerobic system consists of plastic container (used to place agar plates).		1
TMC 001B	<b>PETRI PLATES CARRIER</b> Stainless Steel Carrier for 10 petri plates.		1
TMC 001C	<b>ANAEROBE INDICATOR TABLET *</b> Indicator for detection of anaerobic condition in the jar.		1 x 5 1 x 10
TMC 001D	<b>ANAEROBE GAS PACK *</b> Carbon dioxide generating pack		1 x 5
TMC 013	<b>ANAEROBIC JAR SYSTEM (3.5 Ltr )</b> <b>POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES PETRI PLATE CARRIER, INDICATOR TABLETS &amp; GAS PACK)</b> A system to provide anaerobic environment to bacteria.		1

### Spreaders

TMC 002	<b>L - SHAPED SPREADERS (PP)</b> For spreading bacterial samples on agar plates		50 Spreaders 5 x 10 Nos
---------	--	--	-------------------------------

### Disposable Loops

TMC 003	<b>STERILE NEEDLE (P. P.)</b> Straight loop, for stabbing into medium		50 Needle 5 X 10 nos.
TMC 004	<b>STERILIZED DISPOSABLE LOOP (P. P.)</b> Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1 l		50 Loops 5 X 10 nos.
TMC 005	<b>STERILIZED DISPOSABLE LOOP (P. P.)</b> Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10 l		50 Loops 5 X 10 nos.
TMC 006	<b>STERILIZED NEEDLE LOOP (ABS)</b> Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1 l		50 Loops 5 X 10 nos.
TMC 007	<b>STERILIZED NEEDLE LOOP (ABS)</b> Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10 l		50 Loops 5 X 10 nos.

## Microbiological Lab Consumables

CODE	PRODUCT NAME	PACK SIZE
------	--------------	-----------

### Inoculating Metal Loop Holder & Loops

<b>TMC 050</b>	<b>ASSORTED NICHROME LOOP</b> Each packet contains 3 pieces of each Nichrome loop having diameter 4 mm (0.01 ml), 2.5 mm (0.05 ml), 1.3 mm (1 l) and straight wire, double wound	<b>50 Pcs</b>
<b>TMC 008</b>	<b>METAL LOOP HOLDER</b> Size: Length 200 mm	<b>10 Pcs</b>
<b>TMC 009</b>	<b>NICROME LOOP</b> Size: Replacement Dia 2.5 mm loop end, length 50 mm	<b>50 Pcs</b>
<b>TMC 047</b>	<b>NICROME LOOP</b> Size: Dia 1.3 double wound, calibrated to 1.0 l	<b>50 Pcs</b>
<b>TMC 048</b>	<b>NICROME LOOP</b> Size: Dia 3 mm, double wound calibrated to 0.06 ml	<b>50 Pcs</b>
<b>TMC 049</b>	<b>NICROME LOOP</b> Size: Dia 4 mm, double wound calibrated to 0.01 ml	<b>50 Pcs</b>



### Infrared Sterilizer for Inoculation Loops

Most advanced technology with intelligent temperature controller.

Accurate, Reliable and Quick sterilization.

Stainless steel body is safe to use and easy to clean.

Long life and graceful instrument with zero pollution emittance.

Maximum Temperature	<b>900°C</b>
Sterilization Cycle	<b>5 – 7 Seconds</b>
Chamber Length	<b>130 mm</b>
Heating Time	<b>Less than 20 minutes</b>
Environment Humidity	<b>95%</b>
Power	<b>AC 220 V ± 15%, 130.</b>





## Petri Plates ( $\gamma$ -Irradiated)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
PP 007	<b>65 mm PETRI PLATES</b> <b>STERILE DISPOSABLE SCORED TOP PETRI PLATES</b> Polystyrene, Optically Clear (Gamma Irradiated) <b>Size</b> : 65 mm x 12 mm Pack of 10 Plates	10 x 40	PP 001	<b>90 mm PETRI PLATES</b> <b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear (Gamma Irradiated) <b>Size</b> : 90 mm Diameter x 15 mm Individually Packed	1 x 450
	<b>STERILE DISPOSABLE SCORED TOP PETRI PLATES</b> Polystyrene, Optically Clear, Domed Bottom (Gamma Irradiated) <b>Size</b> : 65 mm x 12 mm Pack of 10 Plates	10 x 50	PP 002	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear (Gamma Irradiated) <b>Size</b> : 90 mm Diameter x 15 mm Pack of 20 Plates	20 x 25
			PP 003	<b>150 mm PETRI PLATES</b> <b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Gamma Irradiated) <b>Size</b> : 150 mm Diameter x 20 mm Pack of 10 Plates	10 x 10

## Petri Plates (Non $\gamma$ -Irradiated)

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
PP 008	<b>65 mm PETRI PLATES</b> <b>DISPOSABLE SCORED TOP PETRI PLATES</b> Polystyrene, Optically Clear (Non-Gamma Irradiated), Clean Room <b>Size</b> : 65 mm x 12 mm Pack of 10 Plates	10 x 40	PP 006	<b>150 mm PETRI PLATES</b> <b>DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Non-Gamma Irradiated), Clean Room <b>Size</b> : 150 mm Diameter x 20 mm Pack of 10 Plates	10 x 10
PP 010	<b>DISPOSABLE SCORED TOP PETRI PLATES</b> Polystyrene, Optically Clear, Domed Bottom (Non-Gamma Irradiated), Clean Room <b>Size</b> : 65 mm x 12 mm Pack of 10 Plates	10 x 50	PP 004	<b>90 mm PETRI PLATES</b> <b>DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear (Non-Gamma Irradiated), Clean Room <b>Size</b> : 90 mm Diameter x 15 mm Individually Packed	1 x 450
			PP 005	<b>DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear (Non-Gamma Irradiated), Clean Room <b>Size</b> : 90 mm Diameter x 15 mm Pack of 20 Plates	20 x 25

## Stainless Steel Petri Plate Carrier ( $\gamma$ -Irradiated)

CODE	PRODUCT NAME	PACK SIZE
TMC 051	<b>PETRI PLATE CARRIER WITH HANDLE</b> Made out of S.S 304, Size: for dia 90mm petri plates for 12 plates.	1
TMC 052	<b>PETRI PLATE CARRIER WITH HANDLE</b> Made out of S.S 304, Size: for dia 55mm petri plates for 15 plates.	1

## Durham Tubes

CODE	PRODUCT NAME	PACK SIZE
TMC 053	<b>DURHAM TUBES</b> Neutral glass, autoclave, Length:25mm-27mm, Diameter:6-7mm	1 X 100No

## Mccartney Bottle

CODE	PRODUCT NAME	PACK SIZE
TMC 032	<b>MCCARTNEY BOTTLE W/ ALUMINIUM CAP</b> Neutral glass, autoclavable	1 X 100No



## Disposable Sterile Bottle

CODE	PRODUCT NAME	PACK SIZE
TMC 054	<b>DISPOSABLE STERILE MEDIA BOTTLES-125 ML</b> Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by $\gamma$ irradiation	1 X 50 No 1 X 100 No
TMC 055	<b>DISPOSABLE STERILE MEDIA BOTTLES-250 ML</b> Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by $\gamma$ irradiation.	1 X 50 No 1 X 100 No
TMC 056	<b>DISPOSABLE STERILE MEDIA BOTTLES-500 ML</b> Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by $\gamma$ irradiation	1 X 25 No 1 X 100 No

## Sampling Aid Auto Analyser Sampler Cup

CODE	PRODUCT NAME	PACK SIZE
TMC 058	<b>AUTO SAMPLER CUP</b> Suitable for SMART lab system (Transasia), Double wall cup,spherical outside,conical innerside, Capacity: 1 ml	1 X 1000No

## Swabs

CODE	PRODUCT NAME	PACK SIZE
TMC 036	<b>STERILE COTTON SWAB W/ TUBE</b> In Screw capped polypropylene tube, cotton bud w/ polypropylene stick. Size: 75mm, Packed in 12mm diameter tube, Individually packed 	1 X 100 No
TMC 033	<b>STERILE COTTON SWAB W/ TUBE</b> In polypropylene tube, cotton bud w/ polypropylene stick. Size: 150 mm, Packed in 12 mm diameter tube, individually packed. 	1 X 100 No
TMC 037	<b>STERILE COTTON SWAB</b> With polypropylene stick Size: 150 mm, individually packed	1 X 100 No
TMC 038	<b>CLEAN SWAB</b> With polypropylene stick, recommended for surface sampling	1 X 50 No 1 X 100 No
TMC 039	<b>STERILE CLEAN SWAB W/ TUBE</b> In Polypropylene tube, Polyester swab w/ polypropylene stick, Recommended for surface sampling, Individually packed	1 X 100 No
TMC 040	<b>CLEAN SWAB</b> With polypropylene stick, Sterile (gamma irradiated), recommended for surface sampling, Individually packed	1 X 100 No
TMC 041	<b>PURE VISCOSE SWAB</b> With Polypropylene Stick, Size: 150 x 2.5mm	1 X 500 No
TMC 035	<b>STERILE PURE VISCOSE SWAB</b> With Polypropylene Stick (gamma irradiated), Size: 150 x 2.5mm, Individually packed	1 X 500 No
TMC 034	<b>STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED)</b> For nasopharyngeal or urethral specimen collection and viral transport	1 X 50 No 1 X 100 No 1 X 500 No
TMC 042	<b>STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) (RNAse / DNAse free)</b> Recommended for viral transport	1 X 50 No
TMC 043	<b>STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT</b> Recommended for clinical sampling	1 X 50 No 1 X 100 No 1 X 500 No
TMC 044	<b>STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (RNAse / DNAse free)</b> Recommended for viral transport.	1 X 50 No
TMC 045	<b>STERILE POLYESTER TIPPED SWAB</b> Recommended for Tracheal Specimen collection	1 X 50 No 1 X 100 No
TMC 046	<b>STERILE POLYESTER SWAB WITH BREAKPOINT (SCORED)</b> Recommended for Tracheal Specimen collection	1 X 50 No

## Cryo Product

CODE	PRODUCT NAME	PACK SIZE
TMC 060	<b>ICE COLD PACK</b> Keep colder for a long time. Content non-toxic and safe.	10X100 No 10X200 No

## Autoclave Accessories

CODE	PRODUCT NAME	PACK SIZE
TMC 014	<b>DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 11" X (B) 7"</b> Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 015	<b>DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 10" X (B) 6"</b> Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 016	<b>DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 12" X (B) 10"</b> Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 017	<b>DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 20" X (B) 14"</b> Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 018	<b>DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 32" X (B) 24"</b> Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares	250 nos. 500 nos.
TMC 019	<b>DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 40" X (B) 20"</b> Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 020	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 11" X (B) 7"</b> Clear, red autoclavable disposable bag, maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares	250 nos. 500 nos.
TMC 021	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 10" X (B) 6"</b> Clear, red autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 022	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 12" X (B) 10"</b> Clear, red autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 023	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 20" X (B) 14"</b> Clear, red autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 024	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 32" X (B) 24"</b> Clear, red autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 025	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 40" X (B) 20"</b> Clear, red autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 026	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 11" X (B) 7"</b> Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 027	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 10" X (B) 6"</b> Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.

## Autoclave Accessories

CODE	PRODUCT NAME	PACK SIZE
TMC 028	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 12" X (B) 10" )</b> Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 029	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 20" X (B) 14" )</b> Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 030	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 32" X (B) 24" )</b> Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.
TMC 031	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS (SIZE : (H) 40" X (B) 20" )</b> Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos. 500 nos.





# Biological Indicators\*

TERRAGENE®

## Spore Strips

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 001	<i>Bacillus atrophaeus</i> 10 <sup>6</sup> (formerly <i>Bacillus subtilis</i> ) Spore Strips 10 <sup>6</sup> (ATCC 93722)	Gas & Dry Heat (ETO)	1 x 100 No.
TBI 004	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup> Spore Strips 10 <sup>6</sup> (ATCC 7953)	Steam Sterilization	1 x 100 No.

## Spore Ampoules

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 006	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup> (Vol. 2ml)	Steam Sterilization For the monitoring of industrial steam sterilization processes of liquids	1 x 25 No. 1 x 50 No.
TBI 013	<i>Bacillus subtilis</i> 10 <sup>6</sup> SPORE AMPOULES	Steam Sterilization For the monitoring of industrial steam sterilization processes of liquids	1 x 200 No.

## Self-contained Biological Indicators (SCBI)

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 010	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup>	Steam Sterilization	1 x 30 No. 1 x 100 No.

## Spore Coupon

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 011	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup>	Vaporized Hydrogen Peroxide (H <sub>2</sub> O <sub>2</sub> ) sterilization processes	1 x 100 No.

## Culture Media

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBIM 001	Culture media Ampoule with pH indicator	Culture Media for Spore Strips & Spore Coupons	1 x 50 No.



## Chemical Indicators

TERRAGENE®

### Self Adhesive Sterilization Indicators For Radiation

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 001	RADIATION CHEMICAL PROCESS INDICATOR (Class 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.

### Self Adhesive Sterilization Indicators For Ethylene Oxide

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 002	ETHYLENE OXIDE (EO) CHEMICAL PROCESS INDICATOR (Class 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.

### Sterilization Indicators For Steam

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 005	BOWIE & DICK TEST PACK (Class 2)	Class 2 for Steam Sterilization Process	1 x 1 Pack 1 x 20 Pack
TCI 006	STEAM CHEMICAL PROCESS INDICATOR (Class 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.
TCI 012	MOVING FRONT INTEGRATOR INDICATOR (Class 5)	21mm x 52mm	1 x 250 No.

### Chemical Indicator Tape

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 007	SELF ADHESIVE AUTOCLAVE TAPE	19mm x 50m	1 1 x 5
TCI 008	SELF ADHESIVE ETO TAPE	19mm x 50m	1

### Chemical Indicator Test Strip

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 009	DRY HEAT INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.
TCI 010	STEAM INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.

### Self Adhesive Sterilization Indicators For Vaporized Hydrogen Peroxide (H<sub>2</sub>O<sub>2</sub>)

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 011	VAPORIZED H <sub>2</sub> O <sub>2</sub> STERILIZATION PROCESS INDICATOR (Class 1)	Circular Indicator with Text (15mm)	1 x 1000 No.

## Staining and Indicator Solution

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TBL 041	ACID FAST DECOLOURIZER	125 ml 500 ml	TBL 092	LEISHMAN'S STAIN (Twin Pack)	250 ml 500 ml
TBL 090	BASIC FUCHSIN 0.1%	125 ml 500 ml	TBL 093	LEISHMAN STAIN SOLUTION	250 ml
TBL 025	GRAM'S CRYSTAL VIOLET Bacteriological Stain	125 ml 500 ml	TBL 051	LITMUS BLUE SOLUTION	125 ml 500 ml
TBL 032	GRAM'S DECOLOURIZER	125 ml 500 ml	TBL 052	LITMUS RED SOLUTION	125 ml 500 ml
TBL 034	GRAM'S IODINE Bacteriological Mordant	125 ml 500 ml	TBL 019	LOEFFLER'S METHYLENE BLUE	125 ml 500 ml
TBL 026	GRAM'S SAFRANINE Counter Stain for Bacteria	125 ml 500 ml	TBL 035	LUGOL'S IODINE	125 ml 500 ml
TBL 016	GIEMSA'S STAIN SOLUTION	100 ml 500 ml	TBL 094	NEISSER'S METHYLENE BLUE	100 ml
TBL 008	HAEMATOXYLIN STAIN (Delafield) For nuclear staining in histology and cytology.	125 ml 500 ml	TBL 089	NEUTRAL RED	125 ml
TBL 042	HARRIS HAEMATOXYLIN (Papanicolaou's Solution 1) Cytological Stain	125 ml 500 ml	TBL 039	PAPANICOLAOU'S-EA-36	125 ml 500 ml
TBL 053	JSB STAIN SOLUTION NO. 1	125 ml	TBL 055	PAPANICOLAOU'S EA-50 (Papanicolaous 3b)	125 ml 500 ml
TBL 054	JSB STAIN SOLUTION NO. 2	125 ml	TBL 049	PAPANICOLAOU'S EA-65	125 ml 500 ml
TBL 033	LACTOPHENOL COTTON BLUE	100 ml 500 ml	TBL 038	PAPANICOLAOU'S-OG-6 (Papanicolaou's 2b Orange)	125 ml 500 ml
			TBL 070	PHENOLPHTHALEIN, 1% w/v	125 ml 500 ml
			TBL 040	STRONG CARBOL FUCHSIN (ZN)	125 ml 500 ml
			TBL 013	UNIVERSAL INDICATOR SOLUTION PH 4-11	125 ml 500 ml

## Readymade Staining Kits

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TK 005	ALBERT'S METACHROMATIC STAIN - KIT i) ALBERT'S STAIN A-125 ml ii) ALBERT'S STAIN B-125 ml	1Kit	TK 002	FIELD'S STAIN - KIT for Malarial Parasite i) FIELD'S STAIN A-125 ml ii) FIELD'S STAIN B-125 ml	1Kit
TK 003	CAPSULE STAIN - KIT for Bacterial Capsule Staining i) METHYLENE BLUE (AQUEOUS)-125 ml ii) NIGROSIN STAIN-100 ml	1Kit	TK 011	PAPANICOLAOU'S STAIN - KIT i) PAPANICOLAOU'S EA-50-125 ml ii) PAPANICOLAOU'S-OG-6-125 ml iii) HARRIS HAEMATOXYLIN-125 ml (Papanicolaou's Solution 1) Cytological Stain	1Kit
TK 004	GRAM'S STAIN - KIT Bacteriological Stain i) GRAM'S CRYSTAL VIOLET-125 ml Bacteriological Stain ii) GRAM'S DECOLOURIZER-125 ml Bacteriological Stain iii) GRAM'S IODINE-125 ml Bacteriological Stain iv) GRAM'S SAFRANINE 0.5% w/v-125 ml Counter Stain for Bacteria	1Kit	TK 009	SCHAEFFER & FULTON'S SPORE STAIN - KIT i) SCHAEFFER & FULTON'S SPORE STAIN A-100 ml ii) SCHAEFFER & FULTON'S SPORE STAIN B-100 ml	1Kit
			TK 001	ZN ACID FAST STAIN - KIT for Acid Fast Bacteria i) ACID FAST DECOLOURIZER-125 ml ii) STRONG CARBOL FUCHSIN (ZN)-125 ml iii) LOEFFLER'S METHYLENE BLUE-125 ml	1Kit

## Analytical Reagent

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TR 002	BARIUM CHLORIDE SOLUTION, 10% w/v	500 ml	TR 008	KOVAC'S INDOLE REAGENT	100 ml
TR 105	BARRITT REAGENT A (for VP test)	100 ml	TR 029	MILLON'S REAGENT (For Protein)	125 ml 500 ml
TR 106	BARRITT REAGENT B (for VP test)	100 ml	TR 060	NESSLER'S REAGENT (For detection of Ammonia and Ammonium Salt)	100 ml
TR 044	C.S.F. DILUTING FLUID	125 ml	TR 113	NESSLER'S REAGENT (For Serum Urea Nitrogen)	100 ml
TS 207	DMACA REAGENT (10 ml/vl)	1 vl	TR 020	OXIDASE REAGENT	100 ml
TR 107	EDTA (di-Sodium) 5%	125 ml	TR 114	POTASSIUM CHROMATE, 5% w/v	125 ml
TR 108	EOSINE YELLOW STAIN SOLUTION 2% W/V	125 ml 500 ml	TR 115	POTASSIUM OXALATE, 5% w/v	125 ml
TR 052	FEHLING SOLUTION A	500 ml	TS 170	PYR REAGENT (10 ml/vl)	1 vl
TR 053	FEHLING SOLUTION B	500 ml	TR 013	SODIUM CITRATE, 3.8% w/v	500 ml
TR 109	FIELD'S STAIN SOLUTION A	125 ml 500 ml	TR 015	SULPHANILIC ACID 0.8%	100 ml
TR 110	FIELD'S STAIN SOLUTION B	125 ml 500 ml	TR 085	5-SULPHOSALICYLIC ACID 3%	125 ml
TR 111	FOLIN & WU'S PHOSPHATE, MOLYBDATE SOLUTION	100 ml 500 ml	TS 208	TDA REAGENT (10 ml/vl)	1 vl
			TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml

## Standard Solutions

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TR 102	BUFFER Sol. pH 4.0	500 ml	TR 028	α-NAPHTHYLAMINE SOLN.	100 ml
TR 103	BUFFER Sol. pH 7.0	500 ml	TR 070	SILVER NITRATE SOLUTION, 0.1N	500 ml
TR 104	BUFFER Sol. pH 9.2	500 ml	TR 071	SILVER NITRATE SOLUTION, 0.05N	500 ml
TR 048	EDTA 0.1M (0.2N) VOLUMETRIC SOLUTION	500 ml	TR 117	SODIUM HYDROXIDE 1N	500 ml 2.5 ltr
TR 049	EDTA 0.5M (1N) VOLUMETRIC SOLUTION	500 ml	TR 116	SODIUM HYDROXIDE SOLUTION (N/10)	500 ml 2.5 ltr
TR 118	HYDROCHLORIC ACID 0.1N	500 ml 2.5 ltr	TR 074	SODIUM THIOSULPHATE, 0.1N	500 ml 1 Ltr
TR 132	IODINE SOLUTION N/10 (0.1 N)	500 ml			
TR 112	McFARLAND STANDARD KIT (Each set contains 1 tube of 0.5, 1, 2, 3, 4 Mcfarland Standard)	1 Nos			

## pH Indicator Paper Strips

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TBL 031	pH INDICATOR PAPER 1.0 - 14.0	200 lvs	TBL 057	pH INDICATOR PAPER 6.5 - 9.0	200 lvs
TBL 036	pH INDICATOR PAPER 2.0 - 10.5	200 lvs	TBL 061	pH INDICATOR PAPER 8.0 - 10.5	200 lvs
TBL 037	pH INDICATOR PAPER 2.0 - 4.5	200 lvs	1634	LITMUS PAPER - BLUE	200 lvs
TBL 044	pH INDICATOR PAPER 3.8 - 5.3	200 lvs	1636	LITMUS PAPER - RED	200 lvs
TBL 047	pH INDICATOR PAPER 3.5 - 6.0	200 lvs	1635	STARCH IODIDE PAPERS	200 lvs
TBL 048	pH INDICATOR PAPER 5.0 - 7.5	200 lvs			

## Buffer

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
TR 102	Buffer sol. pH 4.0	500 ml	284	BUFFER CAPSULES pH 4.0	10 Cap 10 x 10
TR 103	Buffer sol. pH 7.0	500 ml	285	BUFFER CAPSULES pH 7.0	10 Cap 10 x 10
TR 104	Buffer sol. pH 9.2	500 ml	286	BUFFER CAPSULES pH 9.2	10 Cap 10 x 10

## Chemicals for Laboratory Use

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
569	ACETIC ACID, Glacial CAS 64-19-7	500 ml 2.5 ltr 5 ltr 25 ltr	2560	CHLOROAUIC ACID, min.49% Au (Gold chloride) CAS 16903-35-8	1 gm
568	ACETONE CAS 67-64-1	500 ml 2.5 ltr 25 ltr	192	CHROMIUM TRIOXIDE, EXTRA PURE (Chromium (VI) Oxide/Chromic Acid) CAS 1333-82-0	500 gm
241	AMMONIUM CHLORIDE, EXTRA PURE CAS 12125-02-9	500 gm 5 kg 50 kg	309	CITRIC ACID, (Mono), EXTRA PURE CAS 5949-29-1	500 gm 5 kg 25 kg
049	AMMONIA SOLUTION 25% CAS 1336-21-6	500 ml 2.5 ltr 5 ltr 25 ltr	666	DETERGENT TABOLENE (Neutral pH, W/O. Phosphate) (For glass ware cleaning)	500 ml 5 ltr
791	ALUMINIUM SULPHATE, EXTRA PURE CAS 7784-31-8	500 gm 5 kg 50 kg	327	EDTA DISODIUM, EXTRA PURE CAS 6381-92-6	100 gm 500 gm 5 kg 25 kg
279	BORAX POWDER, (Deca) (Sodium Tetraborate), EXTRA PURE CAS 1303-96-4	500 gm 5 kg 50 kg	1682	FIELD'S STAIN A, POWDER	25 gm 1 kg
1614	BROMOCRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple) CAS 115-40-2	5 gm 25 gm 100 gm	1683	FIELD'S STAIN B, POWDER	25 gm 1 kg
1656	BROMOPHENOL BLUE INDICATOR, AR GRADE CAS 115-39-9	5 gm 25 gm	718	FORMALDEHYDE SOLUTION 37-41% CAS 50-00-0	500 ml 2.5 ltr 5 ltr 30 ltr

## Chemicals for Laboratory Use

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
598	GLYCEROL, (Glycerine), EXTRA PURE CAS 56-81-5	500 ml 2.5 ltr 5 ltr	376	PARAFFIN WAX (With Ceresin) (Solid) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	500 gm 1 kg 2 kg
1672 A	GRAM'S IODINE CAS 12298-68-9	25 gm	1671	PHENOL RED (pH Indicator) CAS 143-74-8	5 gm 25 gm 100 gm
1015	HYDROQUINONE, EXTRA PURE (Quinol) CAS 123-31-9	500 gm	2972	PHOSPHOMOLYBDIC ACID, EXTRA PURE CAS 51429-74-4	25 gm
345	IMMERSION OIL Optically clear non fluorescent for microscopy	25 ml 100 ml 500 ml	981	PHOSPHOTUNGSTIC ACID, EXTRA PURE CAS 12501-23-4	100 gm 500 gm
353	ISO PROPYL ALCOHOL CAS 67-63-0	500 ml 2.5 ltr 5 ltr 25 ltr	753	POTASSIUM ALUM, EXTRA PURE CAS 7784-24-9	500 gm 5 kg 50 kg
356	MAGNESIUM CHLORIDE (Hexa), EXTRA PURE CAS 7791-18-6	500 gm 5 kg 50 kg	389	POTASSIUM DIHYDROGENORTHOPH POSPHATE (Mono Potassium Phosphate), (ANH.), EXTRA PURE CAS 7778-77-0	500 gm 5 kg 50 kg
359	MAGNESIUM SULPHATE, (Hepta), AR GRADE CAS 10034-99-8	500 gm 5 kg	737	POTASSIUM FERRICYANIDE, EXTRA PURE CAS 13746-66-2	100 gm 500 gm 50 kg
358	MAGNESIUM SULPHATE, (Hepta), EXTRA PURE CAS 10034-99-8	500 gm 5 kg 50 kg	631	POTASSIUM FERROCYANIDE, EXTRA PURE CAS 13943-58-3	500 gm 50 kg
1604	METHYL ORANGE (ORANGE III) CAS 547-58-0 C.I. 13025	25 gm 100 gm 1 kg	504	POTASSIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-58-3	500 gm 5 kg 50 kg
1605	METHYL RED CAS 493-52-7 C.I. 13020	25 gm 100 gm	393	POTASSIUM IODATE, EXTRA PURE CAS 7758-05-6	100 gm 500 gm 25 kg
4206	MICROSIL (Microsil is a ecofriendly disinfectant useful for fumigation, surface and water disinfection. It contains Silver Nitrate 0.01% and Hydrogen Peroxide - 10% )	1 Ltr.	394	POTASSIUM IODIDE (Confirming IP), EXTRA PURE CAS 7681-11-0	100 gm 500 gm 25 kg
609	PARAFFIN LIQUID, (HEAVY) CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr	400	POTASSIUM PERMANGANATE, EXTRA PURE CAS 7722-64-7	500 gm 5 kg 50 kg
622	PARAFFIN LIQUID, (LIGHT) CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr	2237	POTASSIUM PERSULPHATE, EXTRA PURE (Potassium Peroxodisulphate) CAS 7727-21-1	500 gm 50 kg
4173	PARAFFIN WAX (Solid) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	1 kg	1646	SAFRANINE-T (Safranin-O) CAS 477-73-6 C.I. 50240	25 gm 100 gm 500 gm
4174	PARAFFIN WAX (Block Form) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	1 kg	419	SILVER NITRATE, EXTRA PURE CAS 7761-88-8	10 gm 25 gm
2175	PARAFFIN WAX (Solid) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	1 kg 2 kg			



## Chemicals for Laboratory Use

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
424	<b>SODIUM AZIDE, EXTRA PURE</b> CAS 26628-22-8	100 gm 500 gm 25 kg	469	<b>SODIUM THIOSULPHATE, (Penta), EXTRA PURE</b> CAS 10102-17-7	500 gm 5 kg 50 kg
429	<b>SODIUM BICARBONATE, EXTRA PURE</b> (Sodium Hydrogen Carbonate) CAS 144-55-8	500 gm 5 kg 50 kg	2401	<b>SODIUM HYPOCHLORITE 4%</b> CAS 7681-52-9	500 ml 1 ltr 5 ltr 25 ltr
924	<b>SODIUM CHLORIDE</b> for Tissue Culture, Molecular Biology Grade CAS 7647-14-5	500 gm 5 kg 50 kg	1668	<b>THYMOL BLUE</b> CAS 76-61-9	5 gm 25 gm
459	<b>di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE</b> CAS 7558-79-4	500 gm 5 kg 50 kg	1667	<b>THYMOLPHTHALEIN (pH Indicator)</b> CAS 125-20-2	5 gm 25 gm
779	<b>SODIUM HYDROXIDE FLAKES</b> CAS 1310-73-2	500 gm 5 kg 50 kg	1663	<b>UNIVERSAL INDICATOR POWDER</b> (pH 2 to 10) (Store at 2-8°C)	25 gm 100 gm
439	<b>SODIUM HYDROXIDE PELLETS, EXTRA PURE</b> CAS 1310-73-2	500 gm 5 kg 50 kg	1665	<b>WRIGHT'S STAIN</b> (Wright's Eosin Methylene Blue) CAS 68988-92-1	25 gm 100 gm

**READY TO USE**

**Sheep Blood  
Agar Plate  
(TMP 017)**





**TITAN BIOTECH LIMITED**

*Manufacturer & Exporter*

ISO 9001:2015 | ISO 13485:2016 | ISO 11133:2014 | GMP | CE Certified



+91-9999168770



marketing@titanbiotechltd.com



www.tmmedia.in