



PRICE LIST 2025-26

**Fulfilling**

# MICROBIOLOGY

**Needs**

2500+  
Culture Media

Diverse  
Applications

Internationally  
Certified

Introduced  
Colony Counter

Remarkable presence in

**100+**  
Countries

Market presence

**32+**  
Years



13485:2016



9001:2015



11133:2014



GMP Certified



CE Marking



Certified



Certified



Certified







## SERVICES

A team of experts are dedicated to provide the highest levels of technical support and customer service. The technical service department is available to answer questions about products. Along with it our technical sales representative is equipped with knowledge for product selection and evaluation.

## ORDERS

The foremost mandatory point is that the order must carry complete details such as TM Media Product Code, Product Name, Pack Size and Price. In case the adequate information is not shared, the order will not be processed further. Orders, once placed, will not be edited or cancelled. Orders placed with us for execution, may be supplied directly through our stockist which is company's prerogative. All correspondence related to Purchase Orders should be done at our Headquarters (Delhi, India).

## PRICE

The price mentioned in this list are applicable from 1<sup>st</sup> May 2025. No previous Price list is applicable. This Price list to be treated for further order and confirm these prices when placing an order. The prices are subject to change without prior notice. With mutual consent, the order will be finalized in case of change in price. All the amendments for the year 2025-26 will be updated on website [www.tmmedia.in/](http://www.tmmedia.in/) product catalogue.

## TAXES AND DUTIES

Good and Service Tax (GST) is applicable on the products above the prices mentioned. State Road Permit/ E-Way Bills is also essential (if applicable), without which order despatch will not be processed. In case of any exemptions from GST, the certificate must be shared with the order otherwise GST will be charged extra as applicable.

Our GST No. is 08AAACT0078J1ZA.

## STANDARD PACK SIZE

The orders for Culture Media and Media Bases are accepted in lot of 20\*500 gm, 50\*100 gm. Order for liquid items like Inorganic Acids, Ammonia Solution, Organic Solvents, other Chemicals are accepted in lots of 20\*500 ml (Plastic Bottles), 4\*2.5 ltr and 2\*5 ltr. In case of Chemical in powder form, the order size begins with 20\*500 gm. A similar standard is followed for Media Supplements and other products. This is essential to avoid breakage during transit. Every possible care is taken care during packaging as a standard operating procedure. Though we cannot assure breakage / leakage on delivery, we accept no responsibility of transportation.

## DANGEROUS GOODS

Highly inflammable and corrosive materials are not accepted by road carriers and passenger trains and hence quick delivery cannot be assured.

To know about material safety for product, Material Safety Data Sheet (MSDS) is available on website [www.tmmedia.in](http://www.tmmedia.in).

## INSURANCE

If requested, the goods can be insured and charged on the invoice.

## DELIVERY & FREIGHT

TM Media takes pride to provide the best customer service. As a mandate, the orders are processed and delivered within the specified schedule shared on the sales quote. In case of orders that require special handling, an additional fee might be applicable. All orders of the net value (after discount) of Rs. 25,000/- or more will be supplied F.O.R destination by general road transporter (if the location falls under ODA location supply would be till transporter godown). For orders with net value less than (after discount) Rs. 25,000/-, the consignment will be dispatched on freight to pay basis. The amount mentioned is without GST.

This is not applicable for the products on Page no. 327-330. Freight charges will be prepaid and added to the invoice as a separate item. There is a minimum charge per shipment for shipping and handling. A hazardous charge will be processed for shipment of hazardous materials. We recommend consolidating all hazardous materials onto a single order if possible to minimize hazardous charges. Please report all questions regarding a shipment to Customer Service within 7 days of receipt.

## PAYMENTS

The payment must be made along with orders. In case of credit is given from the date of receipt of the consignment, the terms of payment must be met without any delay. In case the party fails to adhere, an interest of 18% will be charged from the due date. Payments must be made in demand draft, pay order, cheques drawn in favour of "Titan Biotech Ltd."

## BANK DETAILS

<b>A/C Name</b>	Titan Biotech Limited
<b>Bank Name</b>	ICICI Bank
<b>A/C No.</b>	135351000043
<b>Branch Add.</b>	Plot no. C9, Netaji Subhash Place, New Delhi-110034
<b>IFSC Code</b>	ICIC0001353

## STANDING ORDERS

Standing orders are welcome and such requests must be received at least 10 working days prior to the scheduled shipment.

## DAMAGE

In the event of damaged goods, it is advised to retain goods and packaging. Kindly advise our office and the local carrier without delay.

## RETURNS

Any issue related to product return must be coordinated with our representative. Request for returns must be made within 7 days of receipt. No returns will be entertained if there has been any error from customer. Perishable or temperature sensitive products cannot be returned for any reason. These items include but are not limited to:

- **Blood Culture Media • Reagents • Diagnostic Tests • Prepared Culture Media**
- **Susceptibility and Differentiation Disks • Dehydrated Culture Media • Chemicals**

The return will be accepted after due submission of adequate information, sufficing the reason of return. If the requested information is not received within 7 days we shall consider that we have dealt with complaint and the matter will be treated as "closed". Full and final replacement along with return invoice should be completed within 15 days.

## COPYRIGHT

No imitation of our brand logo of TM Media or brand packaging is allowed. If found otherwise, Titan Biotech Ltd. has full authority to take such situation in court for legal action. Titan Biotech Ltd. will take no responsibility of any damage caused by fake or imitated products. It is advised that the customers must avoid such sellers for their own best interests. To know if the product is authentic, please reach out to [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)

## TECHNICAL SUPPORT AND DOCUMENTATION

All the product information and quality control specifications, which include ISO guidelines, GMP guidelines, USP/JP/EP/BP/IP and also CLSI guidelines are provided in the TM Media Manual. For a copy of the manual please contact your local Technical Sales Representative or Technical Service at [customer care@titanbiotechltd.com](mailto:customer care@titanbiotechltd.com) Also, Technical Data (TD), Material Safety Data Sheet (MSDS), Certificates of Analysis (COA) are available 24/7 on [www.tmmedia.in](http://www.tmmedia.in).

## DISCLAIMER

All the items listed here are for Laboratory use only and we assume no responsibility whatsoever, if used otherwise.

## FORCE MAJEURE

We and our authorized stockists shall not be responsible for any delay or part supply due to circumstances beyond our control such as pandemic, riots, strikes, civil commotion, shortage of raw material, natural calamities, government restrictions and budgetary changes by the Government etc. However, the period of delay would be informed to the customers.

## JURISDICTION

All disputes are subject to Alwar, Rajasthan jurisdiction only.

Dear valued customers,

As Managing Director of Titan Biotech Limited, a leading biotechnology company since 1992, I extend my warmest greetings. Our unwavering commitment to quality and customer satisfaction drives us to deliver cutting-edge products.

We are thrilled to announce exciting innovations for 2025–2026. Our expanded Lab Consumables range includes specialized Sterile Membranes, Cleanroom Marking Tapes, Location Markers, Syringe Filters, and many more for enhanced efficiency and reliability. The new Culture Media formulations reflect our commitment to continuous improvement.

Our R&D team's dedication is evident in every product, ensuring we meet your evolving needs.

Titan Biotech Limited prioritizes quality, innovation, and customer satisfaction. Every product that carries the TM Media name is subjected to rigorous quality control measures, ensuring it meets the highest international standards, including Halal, ISO 11133, ISO 13485, ISO 9001, FSSAI, GMP, Regn. Certificate European Union, and FSSC 22000. This guarantees the reliability and consistency you need for your critical applications. Our investment in R&D allows us to offer cutting-edge solutions that anticipate future needs.

We believe in building long-term relationships with our customers. Our dedicated support team is always ready to assist you with tailored solutions. With a presence in over 100 countries, Titan Biotech Limited is a trusted partner for laboratories and institutions worldwide.

Our diverse product portfolio ensures you have access to a wide range of high-quality, reliable, and innovative products from a single source. Choosing TM Media means choosing a partner committed to your success.

Thank you for choosing Titan Biotech Limited. We look forward to continuing this journey together.

**Suresh Singla**

Managing Director  
Titan Biotech Limited



# We believe in Quality & Relationship

ISO 13485:2016




ISO 11133:2014



GMP



Regn. Certificate European Union



ISO 9001:2015



FSSC 22000




FSSAI



Halal





- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ol style="list-style-type: none"> <li>1. Product Name</li> <li>2. Synonym of Product Name</li> <li>3. Use of the Product</li> <li>4. Received/Opened Date</li> <li>5. For in Vitro Diagnostics</li> <li>6. ISO Certification Number 13485:2016</li> <li>7. Caution</li> <li>8. Best Before</li> <li>9. Country of Origin</li> <li>10. Copyright Clause</li> <li>11. Company Name &amp; Address</li> <li>12. Company Logo</li> <li>13. Symbol for Certification of Good Manufacturing Practices</li> <li>14. Symbol for European Conformity</li> <li>15. Manufacturer Symbol</li> </ol> | <ol style="list-style-type: none"> <li>16. Customer Care Cell (Contact No. &amp; Email ID)</li> <li>17. Website URL</li> <li>18. ISO Certification 9001:2015 &amp; 11133:2014</li> <li>19. QR Code Scan for Technical Data</li> <li>20. Product Code Number</li> <li>21. Pack Size</li> <li>22. Lot/Batch Number</li> <li>23. Product's Brand Name</li> <li>24. Disposal Procedure</li> <li>25. Instructions for Preparation of Medium</li> <li>26. pH Range</li> <li>27. Composition of the Medium</li> <li>28. Formula Weight</li> </ol> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Dehydrated Culture Media



25 Kg



5 Kg



500 gm



100 gm



RTU Plates



Bottles



Tubes & Slants



Swabs W/ Medium

## Ready-to-Use Culture Media

## Antibiotic Sensitivity Discs



1 Vial



5 Ct.



1 Blister Set



Pouch



Bottle



Glass Bottle



Vial

## Plant Tissue Culture Media & Ingredients



## Laboratory Chemicals



25 Kg



5 Kg



1 Kg & 500 gm



100 gm



5 Kg



1 Kg



500 gm



100 gm

## Molecular Biology Grade Chemicals

## Pharma Grade Chemicals



50 kg



25 kg



25 Ltr

## Food Grade Chemicals

## Anytime, Anywhere, Anybody



Q | [www.tmmmedia.in](http://www.tmmmedia.in)

A one-stop digital hub for all your technical data needs. We offer our customers anytime, anywhere access to a wealth of essential information, right at your fingertips.



### Easy Access

With just one click, access a vast repository of Technical Data (TD), Certificate Of Analysis (COA), and Material Safety Data Sheets (MSDS) for your products.

### Time-Saving Solution

Download multiple documents for various products at once by simply entering the product name, code, and batch number.



### Streamlined Experience

No need for tedious logins and complex navigation. Our user-friendly interface allows you to effortlessly find and download the information you need.

### Reliable Information

Trust in the accuracy and integrity of our data. We take pride in delivering up-to-date technical information, ensuring compliance and peace of mind.







SCDA and DENA Plates (55 mm & 90 mm) | Air Sampler  
Anaerobic Jar and Box System | Surface Sampling Swabs



Water Testing

R2A Agar | SCDM | Cetrimide Agar | MacConkey Agar  
Mannitol Salt Agar | XLD Agar  
Rappaport Vassiliadis Salmonella Enrichment Broth  
Manifold System | Membrane Filtration Funnel



Sterility Testing

Combo Sterility Kit | FTM | SCDM | SCDA  
Transport Swabs W/ Dey-Engley  
Neutralizing Broth ( $\gamma$ -Irradiated)



Media Filling

SCDM Bag | Lactose Monohydrate Sulphite Medium  
(Sterile SCDA) (Medium R) (as per EP/BP)



In-Process  
Validation

Biological and Chemical Indicators



Chemicals

Disodium Phosphate Dihydrate | Mono Potassium  
Phosphate | Phosphoric Acid IP | Sodium Dihydrogen  
Orthophosphate IP | Citric Acid Anhydrous IP | Methyl  
Sulfonyl Methane USP | Citric Acid Monohydrate IP  
Acetic Acid USP | Calcium Sulphate Dihydrate BP

## MacConkey Agar

25+ variants for every unique requirement

## Blood Culture Bottle

Available in two sizes, Paediatric and Adult

## Muller Hinton Agar

10+ Variants to improve your AST testing  
From bacteria to fungal, we have got the maximum microbial species covered

## Sheep Blood Agar

Get the best results from hemolytic reactions

## Chromogenic UTI Agar

Isolate many at once

## Antibiotic Sensitivity Discs

Check the sensitivity of bacterial and fungal species with discs containing antibiotic concentrations as per CLSI standards

***Salmonella***

SS Agar | Bismuth Sulphite Agar  
 Hektoen Enteric (HE) Agar Medium  
 Brilliant Green Agar  
 Xylose-lysine-deoxycholate (XLD) Agar

***Escherichia coli***

EC O157:H7 Enrichment Broth  
 EC O157:H7 Selective Broth (Twin Pack)

***Campylobacter***

Chromogenic Campylobacter Agar Base  
 Campylobacter Agar Base  
 Campylobacter Cefex Broth Base

***Staphylococcus aureus***

Mannitol Salt Agar

***Clostridium botulinum***

C. Botulinum Isolation Agar Base  
 Tryptose Sulphite Neomycin Agar  
 Iron Medium Base



## **Gram-Positive Bacteria and Fungi**

Anaerobic Agar | Bile Esculin Agar  
Brain Heart Infusion (BHI) Agar and Broth  
Malt Extract Agar | Potato Dextrose Agar  
Mannitol Salt Agar | Blood Agar Base

## ***Enterobacteriaceae***

Lysine Iron Agar | MR-VP Medium  
Simmons Citrate Agar | Triple Sugar Iron (TSI) Agar  
MacConkey Agar

## **Gram-Negative Non-Fermentative Bacilli**

Acetamide Agar | Esculin Agar  
Yeast Extract Agar | Pseudomonas Agar  
Cetrimide Agar

## **Air Sampler**

Microbial Air Monitoring System  
TME 003 | TME 004 | TME 005



## Yeast Mannitol Agar w/ Congo Red

For Starter Cultures and cultivation of Rhizobium species

## King's B Medium

For Starter Cultures & Mass Production of Pseudomonas species

## Potato Dextrose Agar

For Cultures of fungal species

## Jensen's Medium

for Starter Cultures & Mass Production of Azotobacter

## Trichoderma Harzianum Selective Agar Base

for Starter Cultures & selectively culturing *Trichoderma harzianum*

## Yeast Extract | Peptone | Beef Extract | Tryptone

Amino acid source for mass production of Bio-Fungicides, Bio-Fertilizers, and Bio-Pesticides





## TM 1199 | Chromogenic UTI Agar

Chromogenic UTI Agar is a differential medium used for the presumptive identification of microorganisms causing urinary tract infections. The media facilitates identification of bacterial colonies on the basis of genus-specific enzymatic reactions with chromogenic substrates that result in different contrasted colony colours. The media contains two specific chromogenic substrates that are cleaved by enzymes produced by *Enterococcus spp.*, *Escherichia coli*, and coliforms. Enterococci spp. producing  $\beta$ -glucosidase grow as blue colonies as they are able to cleave one of the chromogens, whereas *E. coli* cleaves the other chromogen and grows as pink colonies.

## TM 146 | Lactobacillus MRS Agar (MRS Agar)

Lactobacillus MRS Agar (MRS Agar) is used to isolate and cultivate Lactobacilli species from dairy products, food samples, the oral cavity, faeces, and other sources. It was developed by de Man, Rogosa, and Sharpe as an alternative for the non-selective cultivation of fastidious Lactobacilli. The medium is composed of peptone and dextrose, polysorbate 80, acetate, magnesium, and manganese. Peptone and dextrose provide carbon, nitrogen, and other growth-promoting elements. Polysorbate 80, acetate, magnesium, and manganese provide other growth factors for culturing a variety of Lactobacilli and may also inhibit the growth of some other organisms.

## TM 206 | Mannitol Salt Agar Base

Mannitol Salt Agar Base is used for selective isolation of pathogenic Staphylococci from clinical and non-clinical samples. Staphylococci have the unique ability to grow on media containing a high concentration of salt. This medium is recommended for the isolation of coagulase-positive staphylococci from cosmetics, milk, food, and other specimens. The additional property of lipase activity in *Staphylococcus aureus* can be detected by the addition of Egg Yolk Emulsion. The lipase activity can be visualised as yellow, opaque zones around the colonies.

## TM 339 | Mueller Hinton Agar

Mueller Hinton Agar is a non-differential standard culture medium used for routine susceptibility testing of non-fastidious microorganisms to antibiotics. It is recommended by the FDA, WHO, and CLSI for testing the most commonly encountered aerobic and facultative anaerobic bacteria in clinical material. The good batch-to-batch reproducibility, low levels of sulphonamide, trimethoprim, and tetracycline inhibitors, and the non-selective nature of the medium make it an excellent choice for testing antibiotics.

## TM 344 | Potato Dextrose Agar

Potato Dextrose Agar (PDA) is a general-purpose medium used for the isolation and enumeration of yeast and moulds. It is recommended for testing foods, dairy products, and cosmetic samples with the plate count method. It can also be used for growing clinically significant yeast and molds. The nutritionally rich base (potato infusion) encourages mold sporulation and pigment production in some dermatophytes. It can be supplemented with acid or antibiotics to inhibit bacterial growth.

## TMH 103 | Soya Casein Digest Agar (as per USP/EP/JP/BP/IP)

Soybean Casein Digest Agar is used for the cultivation of various microorganisms from pharmaceutical products in accordance with a harmonized method. This medium is recommended by various pharmacopoeia as a sterility testing medium. It is also used in the validation of sterility checking procedures in accordance with the microbial limit testing harmonized methodology of USP/EP/BP/JP/IP. This medium is also used in microbial limit tests and antimicrobial preservative-effective tests. Gunn et al. used this medium for the growth of fastidious organisms and the study of haemolytic reactions after the addition of 5% v/v blood.



**TM 386 | SS Agar (Salmonella Shigella Agar)**

Salmonella Shigella Agar (SS Agar) medium is recommended as a differential and selective medium for the isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuffs, and for microbial limit tests. The medium inhibits gram-positive bacteria and coliforms by the action of the selective inhibitory components brilliant green, bile salts, thiosulphate, and citrate, whereas differentiation of enteric organisms is achieved by the incorporation of lactose in the medium. Organisms that ferment lactose produce acid, which, in the presence of a neutral red indicator, results in the formation of red colonies, while the lactose-nonfermenter produces colourless colonies. The latter group contains the majority of the intestinal pathogens, including *Salmonella* and *Shigella*. The sodium thiosulphate and ferric citrate enable the detection of hydrogen sulfide production, as evidenced by colonies with black centres. This formulation, which is highly selective, is not recommended for the primary isolation of *Shigella*, as some *Shigella* spp. may be inhibited.

**TM 492 | XLD Agar**

Xylose Lysine Deoxycholate Agar (XLD) is a moderately selective and differential medium for the isolation and differentiation of gram-negative enteric pathogens from clinical specimens, food, and other samples. XLD Agar was especially designed to allow the growth of *Shigella* species and is a proven medium for the isolation of this organism. It has also been found to be an excellent medium for isolating *Salmonella* species. XLD Agar complies with ISO 6579:2002. It is also included in the USP microbial limit test for screening specimens for the presence or absence of *Salmonella* and is recommended for the testing of foods, dairy products, and water. The medium utilizes xylose fermentation, lysine decarboxylation, and H<sub>2</sub>S production reactions to differentiate the target organisms, whereas the selective agent, i.e., sodium deoxycholate, helps inhibit the growth of gram-positive organisms.

**TM 377 | Luria Broth**




Luria Broth serves as a vital medium for growing and maintaining recombinant *Escherichia coli* strains. Its rich nutritional profile and straightforward composition make it a go-to choice in Molecular Biology and Genetic Research, offering the flexibility for easy modifications to suit specific experimental needs. The inclusion of Tryptone and Yeast Extract creates a nutritionally abundant environment, enabling rapid growth of recombinant *E. coli*, as all necessary growth factors, including B-vitamins, are readily available, eliminating the need for the bacteria to synthesize them. Furthermore, Sodium Chloride plays a crucial role in maintaining osmotic equilibrium within the medium.

**TM 054 | C.L.E.D. Agar W/Andrade Indicator**

C.L.E.D. (Cystine-Lactose-Electrolyte-Deficient) Medium is recommended for use in urinary bacteriology, promoting the growth of all urinary pathogens. It is also recommended for dip stick procedures and as a dip inoculum transport medium for urine specimens. C.L.E.D. Medium was modified by Bevis by the incorporation of Andrade's indicator. It is used to isolate and differentiate microorganisms based on lactose fermentation. This medium provides sharper differentiation between lactose fermenters (LF) and lactose non-fermenters (NLF). The addition of Andrade's indicator enhances the appearance of colonies and aids in the identification of microorganisms.

**TMP 017 | Sheep Blood Agar Plate**

Sheep Blood Agar Plate is a Ready-to-Use Culture Media Plate containing Sheep Blood Agar, which is both a differential and enriched medium used for the isolation, cultivation, and detection of haemolytic activity of fastidious organisms like *Streptococci* and *Pneumococci*. The nutritional components of the medium containing 5% defibrinated sheep blood allow for better recovery of the pathogenic organisms from clinical samples. This medium helps in differentiating the microorganism on the basis of their haemolytic reaction as  $\alpha$ ,  $\beta$ , or  $\gamma$ -haemolytic organisms.






## TM 360 | Blood Agar Base (Infusion Agar)

Blood Agar Base is a highly nutritious medium generally used as a basal medium for preparing blood agar by supplementation with blood. It can also be used as a general-purpose medium without the addition of blood. The addition of blood makes the medium more nutritious by providing additional growth factors required by fastidious organisms. It also helps in visualizing the haemolytic reactions. This medium can also be used with added phenolphthalein phosphate for the detection of phosphate-producing Staphylococci, with added salt and agar for the assessment of surface contamination on equipment and pig carcasses, and to determine the salinity range of marine Flavobacteria. It can also be used for the preparation of *Salmonella typhi* antigens. It is recommended by APHA and Standard Methods for testing food samples.



## TM 379 | MacConkey Agar (W/ 0.15% Bile Salts, CV & NaCl)

MacConkey Agar stands as a cornerstone in diagnostic microbiology, expertly crafted for the selective isolation and differentiation of Gram-negative enteric bacteria, particularly coliforms, from a diverse array of clinical and non-clinical samples. Its formulation, incorporating Bile Salts and Crystal Violet, cleverly inhibits the growth of most Gram-positive organisms, paving the way for Gram-negative bacteria to flourish. The differential aspect of this medium hinges on lactose fermentation. Bacteria capable of fermenting lactose produce acid, causing a shift in the neutral red pH indicator to a vibrant pink or red, often accompanied by a tell-tale zone of precipitated bile. In stark contrast, non-lactose fermenters, such as Shigella and Salmonella, yield colourless colonies, leaving the Agar's appearance unchanged. This clear visual distinction empowers microbiologists to readily identify and further investigate key enteric pathogens, making MacConkey agar an indispensable tool in various fields, from clinical diagnostics to food and water safety testing.



## TM 362 | Brain Heart Infusion Broth

Brain Heart Infusion (BHI) Broth is a highly nutritious medium used to isolate a wide variety of microorganisms, including fastidious bacteria and fungi. This medium is recommended by the Food and Drug Administration. It is also used to prepare the inocula for antimicrobial susceptibility testing. BHI Broth is a modification of the original formulation by Rosenow, where he added pieces of brain tissue to dextrose broth. This medium is well buffered to support the growth of a wide variety of organisms. With the addition of 10% defibrinated sheep blood, it is useful for the isolation and cultivation of *Histoplasma capsulatum* and other fungi. For selective isolation of fungi, the addition of gentamicin and/or chloramphenicol is recommended. This medium is not suitable for obtaining characteristic haemolytic reactions even after the addition of blood because of its glucose content.



## TM 1197 | Chromogenic Candida Agar

Chromogenic Candida Differential Agar is a selective and differential medium that facilitates rapid isolation of yeasts from mixed cultures and allows differentiation of Candida species, namely *C. albicans*, *C. krusei*, *C. tropicalis*, and *C. glabrata*, on the basis of coloration and colony morphology. On this medium, results are obtained within 48 hours, and it is useful for the rapid and presumptive identification of common yeasts in the mycology and clinical microbiology laboratories.















## Categories

## Page no.

<b>01</b>	<b>Dehydrated Culture Media (Including Veg.)</b>	<b>21-170</b>
	Dehydrated Culture Media (A to Z)	26-150
	Chromogenic Dehydrated Culture Media	151-157
	Dehydrated Culture Media (as per BIS)	158-160
	Dehydrated Culture Media (as per ISO)	160-166
	Harmonized Culture Media (Pharmaceuticals Testing) (as per USP/JP/EP/BP/IP)	167-169
	Sterile Dehydrated Culture Media ( $\gamma$ -irradiated)	169-170
<b>02</b>	<b>Media Supplements</b>	<b>171-186</b>
<b>03</b>	<b>Biological Media Bases (Including Veg.)</b>	<b>187-190</b>
<b>04</b>	<b>Ready-to-Use Culture Media</b>	<b>191-215</b>
	Ready-to-Use Culture Media Plates (90 mm, 55 mm)	192-199
	Ready-to-Use Culture Media Plates (100 mm, Bi Plate)	199-200
	Ready-to-Use Agar & Broth Media (Glass Bottles)	200-204
	Blood Culturing System (Ready-to-Use Broth Media & Bags)	204-206
	Ready-to-Use Liquid Medium (Tubes)	206-208
	Ready-to-Use Liquid Medium (Tubes) (2-2.5 ml)	208-209
	Ready-to-Use Slants, Butts & Kits	209-211
	Combo Sterility Kits	211
	Transport Swab with Medium	212-214
	Surface Sampling Swabs	217
	Viral Transport Kits	217-218
	Universal Transport Kits	218
	Molecular Transport Kits	219
<b>05</b>	<b>Antibiotic Sensitivity Discs</b>	<b>220-227</b>
<b>06</b>	<b>Differentiation Discs &amp; Test Strips</b>	<b>228</b>
<b>07</b>	<b>Staining and Indicator Solution &amp; Readymade Staining Kits</b>	<b>229</b>
<b>08</b>	<b>Analytical Reagent &amp; Standard Solutions</b>	<b>230</b>
<b>09</b>	<b>Culture Strains</b>	<b>231-233</b>
<b>10</b>	<b>Microbiological Lab Consumables</b>	<b>234-249</b>
	Anaerobic Box Systems, Jar Systems & Accessories	234
	Spreader, Needles & Inoculating Loops	235
	Petri Plates (Culture Vessels & Accessories)	237-238
	Stainless Steel Petri Plate Carriers	239
	Maccartney Bottle & Disposable Sterile Bottles	239
	High Temperature Liquid Sample Bottles	240
	Swabs	240



	Categories	Page no.
10	<b>Microbiological Lab Consumables</b>	<b>234-249</b>
	Filtration Funnels	241
	Membrane Filtration Funnels	241
	Membrane Filters 	241-242
	Cold Pack & Marker Pens 	242
	Manifold Systems	242
	Autoclave Accessories & Disposable Autoclave Bags	244
	Micropipette Tips	245
	Transfer Pipettes	245
	TMFlex™ Sampling Bags & Whirl Bags	247
	Centrifuge Tubes	248
	Cleanroom Tapes & Location Markers 	248
	Receiver Flasks 	249
	Spatulas 	249
	Silicon Cork 	249
	Syringe Filters 	249
11	<b>Microbiological Lab Equipments</b>	<b>250-254</b>
	Loop Sterilizers	250
	Microbial Air Monitoring System (Air Samplers)	251-252
	Petri Dish Revolving Tables (Manual & Electric) 	253
	Colony Counter 	254
	Vacuum Pumps 	254
12	<b>Biological Indicators &amp; Chemicals Indicators</b>	<b>255-257</b>
13	<b>Plant Tissue Culture Media</b>	<b>258-262</b>
14	<b>Plant Tissue Culture Media Ingredients</b>	<b>263-271</b>
15	<b>Pure Antibiotic Powder</b>	<b>272-274</b>
16	<b>Molecular Biology Grade Chemicals</b>	<b>276-279</b>
17	<b>Laboratory Chemicals (EP &amp; AR Grade)</b>	<b>280-325</b>
18	<b>pH Indicator Paper Strips &amp; pH Buffer Capsules</b>	<b>325</b>
19	<b>Acids &amp; Solvents</b>	<b>326</b>
20	<b>Pharma Grade Chemicals</b>	<b>327</b>
21	<b>Food Grade Chemicals</b>	<b>328-330</b>



Dehydrated Culture Media is a combination of complex nutrient substrates formulated for the cultivation of microorganisms. The components of Dehydrated Culture Media, must satisfy the nutritional requirements like nitrogen, carbon and trace elements of microorganisms, in order to live and replicate.

Constituents	Source
Amino-Nitrogen	Peptone, Protein Hydrolysate, Infusions and Extracts
Energy Sources	Blood Serum, Yeast Extract or Vitamins, Nicotinamide Adenine Dinucleotide
Buffer Salts	Phosphates, Acetates and Citrates
Mineral Salts and Metal	Phosphate, Sulfate, Magnesium, Calcium, Iron
Selective Agents	Chemicals, Antimicrobials and Dyes
Indicator Dyes	Phenol Red, Neutral Red
Gelling Agents	Agar, Gelatine, Alginate, Silica Gel, Gellan Gum

## Features

- Longer hydration time
- Optimum pH range
- Absolute clarity in the medium
- Gel strength of about 300-500 dynes / cm<sup>2</sup>
- Perfect composition of ingredients

## Benefits

- Equally spread and longer life of colony size
- Better colony characteristic and performance
- Healthy environment for microorganisms to grow
- Balanced solidification of agar for streaking and spreading
- Healthier and full size colony

## General Instructions For Users

**Dissolving of medium:** Accurately weigh the appropriate amount of dehydrated medium. Add part of the required amount of distilled water / deionized water and swirl to dissolve. Now add remaining water from the sides of container with gentle heating to dissolve it completely. While performing it, one should avoid overheating, scorching or burning.

**pH adjustment:** The pH value of the media shall produce the equivalent value at 25°C as mentioned on the label. For best results, prepare the medium with distilled or deionized water only. If old material is being used, it is recommended to check pH, and correct if necessary before use. pH adjustment (if required) should be carried out with 0.1N Hydrochloric Acid or Sodium Hydroxide Solution.

**Sterilization:** Generally, sterilization is done at 121°C for 15 mins at 15 psi using autoclave. Volume larger than 2 ltr may require more autoclaving time to achieve proper sterilization. Colour of the media may vary from other brands but the growth of microorganisms will be same as desired. Some media are only required heat with frequent agitation until the medium boils, so as to maintain the heat sensitive nutrients in the media. So, it is always recommended to follow the instructions as per the label or the technical data sheet of the product.

## Pressure-Temperature Relations in autoclave

(Figure based on complete replacement of air by steam)

Pressure (in psi)	Temperature	
5	109°C	228°F
10	115°C	240°F
15	121°C	250°F
20	126°C	259°F
25	130°C	267°F
30	135°C	275°F

**Note:** Efficiency of the autoclave should be ascertained from time to time using various biological or chemical indicators (Refer to page 256-257)

**Adding Enrichment and Supplement:** Enrichments and Supplements are heat sensitive. Cool the medium to 45-55°C and add enrichments or supplement to the basal medium. Mix the enrichments or supplements thoroughly.

**Dispensing of the Media:** Cool the agar based medium to 40-50°C and pour as desired.

**For Plating :** After autoclaving pour into Petri plates, place them in upright position to cool under laminar flow & immediately cover with lid.

**For Broth :** After dissolving the media, dispense the required quantity into the tubes and then autoclave. Sterile broth may be cooled to room temperature or laminar flow as desired.

**For Slant :** After dissolving the media, dispense appropriate quantity (8 ml) into the tubes and then autoclave. Remove from autoclave and keep in slanted position to solidify.

**Storage of prepared medium:** If the prepared media are not to be used within 24 hours then these should be stored at low temperature i.e. 2-8°C in moisture proof container. Do not refrigerate the medium. Petri plates should be kept in upright position. Also, it is recommended to use Paraffin and then to keep in plastic zip bags when stored at 2-8°C. Ensure it does not retain moisture.

## Disposal Of Media

All samples and cultures should be handled carefully and should not be discard without autoclaving. These should be discarded after autoclaving at 15 psi (121°C) for 20 minutes. Whereas, high number of pathogenic organisms can be disastrous to mankind, hence they must be disposed off safely under the approved strict guidelines of biological safety and regulations.

### Check List

- ◆ Read instructions carefully given over the labels and note the best before date of each lot before use.
- ◆ Confirm the physical characteristics of Dehydrated Culture Media, it should be homogenous and free flowing.
- ◆ Since the Culture Media are highly hygroscopic, store them in cool (preferred below 25°C, unless and otherwise specified) and dry place. Protect it from direct sunlight and humid place.
- ◆ Ensure proper capping box after use.
- ◆ Efficiency of the autoclave should be ascertained from time to time using various physical measurements or Biological/Chemicals indicators.
- ◆ Avoid contaminated apparatus and glassware.
- ◆ The petri plates should be sterilized by keeping washed and dried plates in oven at 150°C for 2 hours.
- ◆ Never store the prepared media at 0°C.
- ◆ Bring the stored media to room temperature before use or as per instructions for use.

### Safety Measures

- ◆ Take care while using hazardous chemicals and use methods which reduce the risk of inhalation, ingestion and contact with skin, eyes and clothing. To avoid mishappening wear protective clothing and equipment's.
- ◆ Do not eat, drink or smoke while handling and using chemicals.
- ◆ Wash hands and exposed areas thoroughly and change contaminated clothings.
- ◆ Consult doctor immediately if affected by chemicals and use appropriate first aid.



# Dehydrated Culture Media

The Science behind every Perfect Culture



Production capacity  
2000 MT/Annum

**Over 2500 Formulations**  
For Selective Isolation to Mass Production

## Key Features

- Batch-to-batch consistency
- In-house manufacturing of raw materials
- Fast solubility and high clarity
- Superior stability and shelf life
- Dust-free powder for easy handling
- Optimized powder flowability
- Tailored for critical and high-sensitivity tests

## Assured Reproducibility, Traceability & High Performance with

- Animal-based & Plant-based formulations
- Harmonized & Sterile Media
- Innovative Chromogenic Media for faster and clearer differentiation

## Designed for Applications including

- Selective Isolation
- Preservation & Viability Maintenance
- Diagnosis & Differentiation
- Microbial Limit Test
- Sterility Testing
- Fermentation
- Enrichment
- Mass Production
- Environmental Monitoring
- Starter Cultures



Crafted in Compliance  
with



Bureau of Indian  
Standards (BIS)

## Pharmacopoeial Standards



11133:2014  
9001:2015  
13485:2016

ISO  
Guidelines

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 001	<b>A-1 MEDIUM</b> for determination of faecal coliforms in water and foods by MPN technique		31.50	100 gm 500 gm
TM 1938	<b>AATCC BACTERIOSTASIS AGAR</b> for the detection of antibacterial activity of fabrics		35.00	500 gm
TM 1939	<b>AATCC BACTERIOSTASIS BROTH (FDA BROTH)</b> for routine antibacterial testing of antiseptics and disinfectants		20.00	500 gm
TM 002	<b>AC AGAR</b> for cultivation of various microorganisms especially for sterility testing		35.20	500 gm
TM 003	<b>AC BROTH</b> for cultivation of aerobes and sterility testing of biological products without mercurial preservatives		34.20	500 gm
TM 401	<b>ACETAMIDE AGAR (DOUBLE PACK)</b> for confirmation of <i>Pseudomonas aeruginosa</i> in water samples	(Part I) (Part II)	10.00 22.63	500 gm -
TM 1942	<b>ACETAMIDE AGAR, MODIFIED (DOUBLE PACK)</b> for confirmation of <i>Pseudomonas aeruginosa</i> in water samples	(Part I) (Part II)	03.00 21.73	500 gm -
TM 351	<b>ACETAMIDE BROTH (DOUBLE PACK)</b> for confirmation of <i>Pseudomonas aeruginosa</i> in water samples	(Part I) (Part II)	02.00 01.40	100 gm 500 gm
TM 1943	<b>ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018)</b> for confirmation of non-fermentative Gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i>	(Part I) (Part II)	02.00 01.40	100 gm 500 gm
TM 1128	<b>ACETAMIDE NUTRIENT BROTH (DOUBLE PACK)</b> for the detection of microbial utilization of acetamide	(Part I) (Part II)	00.56 02.00	100 gm 500 gm
TM 1324	<b>ACETATE AGAR</b> for the isolation and cultivation of <i>Leuconostoc</i> and <i>Pediococcus</i> species		61.90	500 gm
TM 006	<b>ACETATE DIFFERENTIAL AGAR</b> for the differentiation of <i>Shigella</i> species from <i>E.coli</i> and non fermentative gram-negative <i>bacilli</i>		29.18	500 gm
TM 1944	<b>ACETATE DIFFERENTIAL AGAR, MODIFIED</b> for the differentiation of <i>Shigella</i> species from <i>Escherichia coli</i> in accordance with FDA BAM		29.28	500 gm
TM 1129	<b>ACETOBACTER AGAR (GLUCOSE)</b> for maintenance of dextrose positive <i>Acetobacter</i> species		38.00	500 gm
TM 1911	<b>ACETOBACTER BROTH (GLUCOSE)</b> For glucose positive <i>Acetobacter</i> species		23.00	500 gm
TM 1130	<b>ACETOBACTER AGAR (MANNITOL)</b> for maintenance of mannitol positive <i>Acetobacter</i> species		48.00	500 gm
TM 1912	<b>ACETOBACTER BROTH (MANNITOL)</b> For mannitol positive <i>Acetobacter</i> species		33.00	500 gm
TM 1131	<b>ACETOBACTER AGAR W/LIVER EXTRACT</b> for maintenance of dextrose positive <i>Acetobacter</i> species		57.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1945	<b>ACID BROTH</b> for cultivation of acid tolerant microorganisms from canned food	27.50	500 gm
TM 1946	<b>ACTIDIONE AGAR W/ACTIDIONE®</b> for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds	75.26	500 gm
TM 1947	<b>ACTIDIONE AGAR BASE W/O ACTIDIONE®</b> for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds	75.25	500 gm
TM 1133	<b>ACTINOMYCETES AGAR</b> for cultivation and maintenance of anaerobic <i>Actinomyces</i> species	77.22	500 gm
TM 1134	<b>ACTINOMYCETES BROTH</b> for cultivation and maintenance of anaerobic <i>Actinomyces</i> species	57.22	500 gm
TM 007	<b>ACTINOMYCETE ISOLATION AGAR</b> for isolation and propagation of <i>Actinomycetes</i> from soil and water	21.70	500 gm
TM 1948	<b>ADAMS AGAR</b> for examination of sporulation in Yeasts	22.70	500 gm
TM 1136	<b>AEROMONAS ISOLATION MEDIUM BASE</b> for selective & differential isolation of <i>Aeromonas hydrophila</i> from clinical & environmental samples	56.30	500 gm
TS 099	<b>AEROMONAS SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl
TM 1949	<b>AEROMONAS SELECTIVE AGAR (BSIBG AGAR)</b> for the selective isolation of <i>Aeromonas</i> species from food and clinical samples	45.48	500 gm
TM 1137	<b>AEROMONAS STARCH DNA AGAR BASE</b> for selective isolation and enumeration of <i>Aeromonas</i> species from food and clinical samples	52.00	500 gm
TS 097	<b>AMPICILLIN SUPPLEMENT *</b>	#10 vl	5 vl
TM 1482	<b>AEROMONAS PSEUDO SELECTIVE AGAR</b> for detecting <i>Pseudomonas</i> and <i>Aeromonas</i> species in foodstuffs and waste water	44.86	500 gm
TM 1950	<b>AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH CHLORAMPHENICOL) (as per EP/BP)</b> for selective cultivation of Yeasts and Moulds	61.41	500 gm
TM 1951	<b>AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS) (as per EP/BP)</b> for selective cultivation of Yeasts and Moulds	61.36	500 gm
TS 138	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *</b>	#6 vl	5 vl 25 vl
TM 1952	<b>AGAR MEDIUM F (CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE) (as per EP/BP)</b> for detection and enumeration of <i>Enterobacteria</i>	50.12	500 gm
TM 977	<b>AGAR MEDIUM J (DEOXYCHOLATE CITRATE AGAR) (as per BP/EP/IP)</b> for selective isolation of enteric pathogens	69.01	100 gm 500 gm
TM 1953	<b>AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per EP)</b> for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products	57.59	100 gm 500 gm
TM 1954	<b>AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per BP)</b> for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products	58.09	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1955	<b>AGAR MEDIUM M (TRIPLE SUGAR, IRON AGAR) (as per BP/EP)</b> for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation and hydrogen sulphide production	64.02	100 gm 500 gm
TM 636	<b>AGAR MEDIUM O (BAIRD PARKER AGAR BASE) (as per USP/EP/BP)</b> for the isolation and enumeration of coagulase positive <i>Staphylococci</i> from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl) *</b>	#4 vl	5 vl
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#3 vl	5 vl 25 vl
TM 1956	<b>AGAR MEDIUM S (R-2 A AGAR) (as per EP/BP)</b> for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm
TM 1326	<b>AK AGAR NO. 2 (SPORULATING AGAR) (ARRET AND KIRSHBAUM MEDIUM)</b> for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of <i>Penicillin</i> and other antibiotics	30.80	500 gm
TM 1940	<b>AKI MEDIUM</b> for identification of <i>Vibrio</i> species in accordance with FDA	24.00	500 gm
TM 1889	<b>ALEKSANDROW AGAR</b> for isolation and detection of Potassium Solubilizing Bacteria from soil sample	29.60	500 gm
TM 1890	<b>ALEKSANDROW BROTH</b> for enrichment of Potassium Solubilizing Bacteria from soil samples	09.60	500 gm
TM 1443	<b>ALOA LISTERIA AGAR BASE (L. MONO DIFFERENTIAL AGAR BASE)</b> for selective and differential isolation of <i>Listeria monocytogenes</i>	72.00	100 gm 500 gm
TS 227	<b>L. MONO SELECTIVE SUPPLEMENT I *</b>	#14 vl	5 vl
TS 228	<b>L. MONO SELECTIVE SUPPLEMENT II *</b>	#14 vl	5 vl
TS 321	<b>L. MONO ENRICHMENT SUPPLEMENT I</b>	#14 vl	5 vl
TM 647	<b>ALGAE CULTURE AGAR</b> for isolation and cultivation of algae from soil and water	16.87	500 gm
TM 648	<b>ALGAE CULTURE BROTH</b> for isolation and cultivation of algae from soil and water	01.87	100 gm 500 gm
TM 008	<b>ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 &amp; 2:2007)</b> for detection and enrichment of <i>Vibrio</i> species.	50.00	500 gm
TM 352	<b>ALKALINE PEPTONE WATER (pH 8.4)</b> for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm
TMV 352	<b>ALKALINE PEPTONE WATER (pH 8.4) (VEG.)</b> for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm
TM 649	<b>ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for enrichment of <i>Vibrio</i> species	15.00	100 gm 500 gm
TM 1878	<b>ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&amp;2:2007)</b> for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm
TM 301	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP)</b> for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 301	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) (VEG.)</b> for sterility testing of turbid or viscous biological products	28.50	100 gm 500 gm
TM 302	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP)</b> for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TM 1957	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM, STERILE POWDER</b> for evaluation of sterility in manufacturing process	29.00	500 gm
TM 456	<b>AMIES TRANSPORT MEDIUM W/O. CHARCOAL</b> for transportation and preservation of bacteriological samples	09.75	100 gm 500 gm
TM 009	<b>AMIES TRANSPORT MEDIUM W/ CHARCOAL</b> for transportation and preservation of bacteriological samples	19.75	100 gm 500 gm
TM 556	<b>AMMONIUM PHOSPHATE AGAR</b> for detection of the ability of microorganisms to utilize ammonium phosphate as nitrogen source	26.50	500 gm
TM 1958	<b>AMPICILLIN DEXTRIN AGAR BASE</b> for differential and selective isolation of <i>Aeromonas</i> species from water samples	37.38	500 gm
TS 319	<b>AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT</b>	#14 vI	5 vI
TM 1959	<b>AMPICILLIN DEXTRIN BROTH BASE</b> for differential and selective isolation of <i>Aeromonas</i> species from water samples	22.38	500 gm
TS 319	<b>AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT</b>	#22 vI	5 vI
TM 010	<b>ANAEROBIC AGAR</b> for cultivation of anaerobic bacteria especially <i>Clostridium</i> species	58.00	100 gm 500 gm
TM 011	<b>ANAEROBIC AGAR (BREWER)</b> for isolation and sensitivity testing of anaerobic and microaerophilic organisms	53.00	500 gm
TM 1497	<b>ANAEROBIC BASAL AGAR</b> for cultivation of anaerobic microorganisms, like <i>Bacteroides</i> and other fastidious anaerobes	46.00	500 gm
TM 1498	<b>ANAEROBIC BASAL BROTH</b> for cultivation of anaerobic microorganisms like <i>Bacteroides</i> and other fastidious anaerobes	35.40	500 gm
TM 927	<b>ANAEROBIC BLOOD AGAR BASE</b> for isolation and cultivation of Group A and B <i>Streptococci</i> from clinical samples	40.00	500 gm
TS 095	<b>NEOMYCIN SUPPLEMENT *</b>	#13 vI	5 vI
TM 1960	<b>ANAEROBIC BLOOD AGAR BASE</b> for cultivation of anaerobic microorganisms, including very fastidious organisms from clinical specimens	44.00	500 gm
TS 266	<b>VITAMIN K1 SUPPLEMENT *</b>	#12 vI	5 vI
TM 1961	<b>ANAEROBIC CNA AGAR BASE *</b> for selective isolation of anaerobic <i>Streptococci</i>	44.14	100 gm
TM 1962	<b>ANAEROBIC EGG AGAR BASE</b> Anaerobic Egg Agar Base supplemented with egg yolk emulsion is recommended for the detection of <i>Clostridium perfringens</i> in foods	55.00	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vI) *</b>	#15 vI	5 vI
TM 651	<b>ANAEROBIC FERMENTATION MEDIUM BASE</b> for detection of fermentation reactions of anaerobic microorganisms	40.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1499	<b>ANAEROBIC THIOGLYCOLLATE MEDIUM BASE</b> for cultivation of anaerobes	40.50	500 gm
TM 557	<b>ANAEROBIC TRYPTONE SOYA AGAR</b> for screening anaerobes in cosmetic products like talcum powder	50.41	500 gm
TM 1859	<b>ANDRADE 0.5% LACTOSE PEPTONE WATER</b> for determination of coliform bacteria particularly <i>Enterobacteriaceae</i> on the basis of their ability to ferment lactose	15.01	100 gm 500 gm
TM 1797	<b>ANDRADE LACTOSE PEPTONE WATER</b> to study fermentation reactions of members of the <i>Enterobacteriaceae</i>	25.01	500 gm
TM 012	<b>ANDRADE PEPTONE WATER</b> a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TMV 012	<b>ANDRADE PEPTONE WATER (VEG.)</b> a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TM 936	<b>ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV ) 1976, reaffirmed 2005)</b> a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TM 652	<b>ANDRADE PEPTONE WATER W/ MEAT EXTRACT</b> a basal medium to study fermentation reactions of members of the <i>Enterobacteriaceae</i>	18.10	500 gm
TM 1963	<b>ANDRADE PEPTONE WATER, MODIFIED</b> for carbohydrate fermentation studies of particularly <i>Enterobacteriaceae</i> members in accordance with FDA BAM, 1998	23.02	500 gm
TM 2451	<b>ANTIBIOTIC ASSAY MEDIUM A</b> for microbiological diffusion assay of several antibiotics in accordance with EP	30.40	100 gm 500 gm
TM 390	<b>ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR)</b> for microbiological assay of $\beta$ -lactam and other antibiotics	30.50	100 gm 500 gm
TMV 390	<b>ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) (VEG.)</b> for microbiological assay of $\beta$ -lactam and other antibiotics	30.50	100 gm 500 gm
TM 1729	<b>ANTIBIOTIC ASSAY MEDIUM NO.1 (as per USP)</b> for microbiological assay of $\beta$ -lactam & other antibiotics	30.50	100 gm 500 gm
TM 359	<b>ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR)</b> for microbiological assay of antibiotics	25.50	500 gm
TMV 359	<b>ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) (VEG.)</b> for microbiological assay of antibiotics	25.50	500 gm
TM 1731	<b>ANTIBIOTIC ASSAY MEDIUM NO.2 (as per USP)</b> for microbiological assay of antibiotics	25.50	500 gm
TM 1732	<b>ANTIBIOTIC ASSAY MEDIUM B (as per IP)</b> for microbiological assay of antibiotics	25.50	500 gm
TM 1964	<b>ANTIBIOTIC ASSAY MEDIUM B (as per BP)</b> for the microbiological assay of Colistimethate sodium sulphate using <i>Bordetella bronchiseptica</i> and <i>Escherichia coli</i>	44.77	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 015	<b>ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH)</b> for microbiological assay of antibiotics	17.50	100 gm 500 gm
TMV 015	<b>ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) (VEG.)</b> for microbiological assay of antibiotics	17.50	100 gm 500 gm
TM 1734	<b>ANTIBIOTIC ASSAY MEDIUM NO. 3 (as per USP)</b> for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm
TM 1735	<b>ANTIBIOTIC ASSAY MEDIUM C (as per IP)</b> for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm
TM 1965	<b>ANTIBIOTIC ASSAY MEDIUM C (as per BP)</b> for turbidimetric assay of a wide variety of antibiotics	20	500 gm
TM 427	<b>ANTIBIOTIC ASSAY MEDIUM NO. 4 (YEAST MEAT AGAR)</b> for detection of Penicillin-G in milk using <i>Bacillus stearothermophilus</i>	26.50	500 gm
TMV 427	<b>ANTIBIOTIC ASSAY MEDIUM NO.4 (VEG.)</b> detection of Penicillin-G in milk using <i>Bacillus stearothermophilus</i>	26.50	500 gm
TM 1737	<b>ANTIBIOTIC ASSAY MEDIUM NO. 4 (as per USP)</b> for detection of Penicillin in milk and for microbiological assay of different antibiotics	26.50	500 gm
TM 017	<b>ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT)</b> (as per IP/ USP) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm
TMV 017	<b>ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR) (VEG.)</b> for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm
TM 1967	<b>ANTIBIOTIC ASSAY MEDIUM E</b> used in the microbiological assay of Neomycin sulphate and Framycetin sulphate using <i>Bacillus subtilis</i> and <i>Bacillus pumilus</i>	28.67	500 gm
TM 018	<b>ANTIBIOTIC ASSAY MEDIUM NO. 6</b> for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay	30.00	500 gm
TMV 018	<b>ANTIBIOTIC ASSAY MEDIUM NO. 6 (VEG.)</b> for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay	30.00	500 gm
TM 019	<b>ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH)</b> for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TMV 019	<b>ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) (VEG.)</b> for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 1743	<b>ANTIBIOTIC ASSAY MEDIUM NO. 8 (as per USP)</b> for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 1968	<b>ANTIBIOTIC ASSAY MEDIUM F</b> for microbiological assay of Amphotericin B and Nystatin using <i>Saccharomyces cerevisiae</i> and <i>Candida tropicalis</i>	60.00	500 gm
TM 020	<b>ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR)</b> for assaying the products containing Polymyxin-b	50.00	500 gm
TMV 020	<b>ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) (VEG.)</b> for assaying the products containing Polymyxin-b	50.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 1746	<b>ANTIBIOTIC ASSAY MEDIUM NO. 9 (as per USP)</b> for microbiological plate assay of Carbenicillin, Colistimethate sodium and Polymyxin-b		50.00	500 gm
TM 021	<b>ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR)</b> for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 10 ml	500 gm
TMV 021	<b>ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) (VEG.)</b> for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate sodium	(Part I) (Part II)	42.00 10 ml	500 gm
TM 1748	<b>ANTIBIOTIC ASSAY MEDIUM NO. 10 (as per USP)</b> for antibiotic assay of Carbenicillin, Colistimethate sodium and Polymyxin-b	(Part I) (Part II)	42.00 10 ml	500 gm
TM 1970	<b>ANTIBIOTIC ASSAY MEDIUM H</b> for the microbiological turbidimetric assay of Apramycin using <i>Salmonella choleraesuis</i>		18.00	500 gm
TM 2449	<b>ANTIBIOTIC ASSAY MEDIUM H</b> for the microbiological assay of Teicoplanin using <i>Bacillus subtilis</i> as a test organism		23.00	500 gm
TM 022	<b>ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR)</b> for microbiological assay of antibiotics		30.50	100 gm 500 gm
TMV 022	<b>ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (VEG.)</b> for microbiological assay of antibiotics		30.50	100 gm 500 gm
TM 1751	<b>ANTIBIOTIC ASSAY MEDIUM NO. 11 (as per USP)</b> for microbiological assay of antibiotics		30.50	100 gm 500 gm
TM 1966	<b>ANTIBIOTIC ASSAY MEDIUM D</b> for the microbiological assay of Erythromycin estolate using <i>Klebsiella pneumoniae</i>		19.50	100 gm
TM 653	<b>ANTIBIOTIC ASSAY MEDIUM D (as per IP)</b> for microbiological assay of antibiotics		30.50	100 gm 500 gm
TM 023	<b>ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR)</b> for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>		62.50	500 gm
TMV 023	<b>ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) (VEG.)</b> for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>		62.50	500 gm
TM 024	<b>ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH)</b> for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>		30.00	500 gm
TMV 024	<b>ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) (VEG.)</b> for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>		30.00	500 gm
TM 1753	<b>ANTIBIOTIC ASSAY MEDIUM NO. 13 (as per USP)</b> for turbidimetric microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i> and to study the effectiveness of antibiotics on yeasts and molds		30.00	500 gm
TM 025	<b>ANTIBIOTIC ASSAY MEDIUM NO. 19</b> for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>		60.00	500 gm
TMV 025	<b>ANTIBIOTIC ASSAY MEDIUM NO. 19 (VEG.)</b> for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>		60.00	500 gm
TM 1755	<b>ANTIBIOTIC ASSAY MEDIUM NO. 19 (as per USP)</b> for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>		60.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1969	<b>ANTIBIOTIC ASSAY MEDIUM G</b> for the microbiological assay of Bleomycin sulphate using <i>Mycobacterium smegmatis</i>	38.00	500 gm
TM 026	<b>ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH)</b> for microbiological assay of Amphotericin B using <i>Candida tropicalis</i>	42.50	500 gm
TMV 026	<b>ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) (VEG.)</b> for microbiological assay of Amphotericin B using <i>Candida tropicalis</i>	42.50	500 gm
TM 654	<b>ANTIBIOTIC ASSAY MEDIUM NO. 32</b> for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of <i>Bacillus subtilis</i> ATCC 6633	30.80	500 gm
TMV 654	<b>ANTIBIOTIC ASSAY MEDIUM NO. 32 (VEG.)</b> for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of <i>Bacillus subtilis</i> ATCC 6633	30.80	500 gm
TM 1760	<b>ANTIBIOTIC ASSAY MEDIUM NO. 32 (as per USP)</b> for assay of dihydrostreptomycin and Vancomycin by plate assay method by preparing inoculum of <i>Bacillus subtilis</i>	30.80	500 gm
TM 655	<b>ANTIBIOTIC ASSAY MEDIUM NO. 34</b> for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	23.00	500 gm
TM 1761	<b>ANTIBIOTIC ASSAY MEDIUM NO. 34 (as per USP)</b> for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	23.00	500 gm
TM 656	<b>ANTIBIOTIC ASSAY MEDIUM NO. 35</b> for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i>	40.00	500 gm
TMV 656	<b>ANTIBIOTIC ASSAY MEDIUM NO. 35 (VEG.)</b> for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i>	40.00	500 gm
TM 1763	<b>ANTIBIOTIC ASSAY MEDIUM NO, 35 (as per USP)</b> for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	40.00	500 gm
TM 1971	<b>ANTIBIOTIC ASSAY MEDIUM I</b> for the microbiological turbidimetric assay of Apramycin using <i>Salmonella cholerasuis</i>	18.00	500 gm
TM 1974	<b>ANTIBIOTIC ASSAY MEDIUM NO. 36</b> a general purpose medium for cultivation of a wide variety of fastidious microorganisms	40.00	100 gm 500 gm
TM 345	<b>ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 345	<b>ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP)(VEG.)</b> for isolation of various fastidious microorganisms with or without added blood	40.00	100 gm 500 gm
TM 332	<b>ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH)</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMV 332	<b>ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) (VEG.)</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1476	<b>ANTIBIOTIC ASSAY MEDIUM NO. 37 (as per USP)</b> for sterility testing of molds and cultivation of various microorganisms	30.00	100 gm 500 gm
TM 658	<b>ANTIBIOTIC ASSAY MEDIUM NO. 38</b> for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm
TMV 658	<b>ANTIBIOTIC ASSAY MEDIUM NO. 38 (VEG.)</b> for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm
TM 1770	<b>ANTIBIOTIC ASSAY MEDIUM NO. 38 (as per USP)</b> for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm
TM 659	<b>ANTIBIOTIC ASSAY MEDIUM NO. 39</b> for microbiological assay of Neomycin and Streptomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm
TMV 659	<b>ANTIBIOTIC ASSAY MEDIUM NO. 39 (VEG.)</b> for microbiological assay of Neomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm
TM 1772	<b>ANTIBIOTIC ASSAY MEDIUM NO. 39 (as per USP)</b> for microbiological assay of Neomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm
TM 660	<b>ANTIBIOTIC ASSAY MEDIUM NO. 40</b> for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> ( <i>Enterococcus faecium</i> )	47.10	500 gm
TMV 660	<b>ANTIBIOTIC ASSAY MEDIUM NO. 40 (VEG.)</b> for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i>	47.10	500 gm
TM 1774	<b>ANTIBIOTIC ASSAY MEDIUM NO. 40 (as per USP)</b> for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i>	47.10	500 gm
TM 661	<b>ANTIBIOTIC ASSAY MEDIUM NO. 41</b> for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm
TMV 661	<b>ANTIBIOTIC ASSAY MEDIUM NO. 41 (VEG.)</b> for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm
TM 1776	<b>ANTIBIOTIC ASSAY MEDIUM NO. 41 (as per USP)</b> for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm
TM 1972	<b>ANTIBIOTIC ASSAY MEDIUM L - AOAC</b> for microbiological assay of Monensin using <i>Bacillus subtilis</i>	28.64	500 gm
TM 1973	<b>ANTIBIOTIC ASSAY MEDIUM M - AOAC</b> for microbiological assay of Lasalocid using <i>Bacillus subtilis</i>	33.64	500 gm
TM 1460	<b>ANTIBIOTIC SULPHONAMIDE SENSITIVITY TEST AGAR (ASS AGAR)</b> for testing antimicrobial activity of antibiotics and sulphonamides and also for detecting the presence of antimicrobial substances	40.04	500 gm
TM 027	<b>ANTIFUNGAL ASSAY AGAR</b> for assay of antifungal activity in pharmaceutical and other products by cylinder plate/disc method	75.76	500 gm
TM 1975	<b>ANTIMICROBIAL INHIBITOR TEST AGAR pH 6.0</b> for residual analysis of antimicrobial components in meat and organ samples, using <i>Bacillus subtilis</i>	25.00	500 gm
TM 1976	<b>ANTIMYCOTIC SENSITIVITY TEST AGAR</b> for testing antimycotic sensitivity by diffusion method using antimycotic sensitivity discs	85.00	500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1329	<b>APRY AGAR BASE</b> for detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bacillii</i> and <i>Zygosaccharomyces rouxii</i> in food products	107.50	500 gm
TS 137	<b>POTASSIUM SORBATE 10% (10ml/vl)</b>	#5 vl	5 vl
TM 1330	<b>APRY BROTH BASE</b> for detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bacillii</i> and <i>Zygosaccharomyces rouxii</i> in food products	82.55	500 gm
TS 138	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT</b>	#6 vl	5 vl 25 vl
TM 1323	<b>APT AGAR</b> for cultivation of hetero-fermentative Lactobacilli and other organisms by extra thiamine content	61.20	500 gm
TM 1462	<b>APT BROTH</b> for cultivation of hetero-fermentative Lactic acid bacteria by extra thiamine content	46.20	500 gm
TM 1470	<b>ARABINOSE AGAR BASE</b> for differentiation between <i>Enterococcus faecium</i> & <i>Streptococcus faecalis</i>	54.10	500 gm
TS 168	<b>ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *</b>	#19 vl	5 vl
TM 1140	<b>ARGININE DIHYDROLASE BROTH</b> for detection of Arginine dihydrolase producing microorganisms	19.30	500 gm
TM 1505	<b>L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006)</b> for confirmation of <i>Enterococcus sakazakii</i> from milk and milk products	09.01	500 gm
TM 1141	<b>ASCOSPORE AGAR</b> for detection of ascosporegenous yeasts	43.50	500 gm
TM 1977	<b>ASEPTIC PACKING LINE MEDIUM</b> a fluid medium used in validating aseptic packing lines	17.50	500 gm
TM 662	<b>ASHBY'S GLUCOSE AGAR</b> for cultivation of <i>Azotobacter</i> species by using glucose as carbon source	40.70	500 gm
TM 663	<b>ASHBY'S MANNITOL AGAR</b> for isolation of <i>Azotobacter</i> species from soil	40.70	500 gm
TM 1978	<b>ASHBY'S SUCROSE AGAR</b> for growth and maintenance of <i>Azotobacter</i> species from soil samples	40.70	500 gm
TM 1979	<b>ASHBY'S SUCROSE BROTH</b> for growth and maintenance of <i>Azotobacter</i> species	25.70	500 gm
TM 1331	<b>ASLA AGAR BASE</b> for selective isolation and cultivation of <i>Propionibacterium</i> species	16.19	500 gm
TS 139	<b>PROPIONIBACTERIA GROWTH SUPPLEMENT</b>	#62 vl	5 vl
TM 1980	<b>ASPARAGINE BROTH FOR PSEUDOMONAS</b> for presumptive identification and enumeration of <i>Pseudomonas aeruginosa</i> by MPN method	04.24	100 gm 500 gm
TM 664	<b>ASPARAGINE BROTH *</b> for identification and enumeration of <i>Pseudomonas aeruginosa</i>	28.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 665	<b>ASPARAGINE GELATIN LACTATE MEDIUM BASE</b> for isolation of sulphur bacteria		15.25	100 gm
TM 599	<b>ASPARAGINE NITRATE MEDIUM</b> for cultivation and isolation of denitrifying bacteria from soil		27.70	100 gm
TM 666	<b>ASPARAGINE PROLINE BROTH</b> for cultivation of <i>Pseudomonas aeruginosa</i> from water by membrane filter technique		14.50	100 gm 500 gm
TMV 666	<b>ASPARAGINE PROLINE BROTH (VEG.)</b> for cultivation of <i>Pseudomonas aeruginosa</i> from water by membrane filter technique		14.50	100 gm
TM 667	<b>ASPERGILLUS DIFFERENTIATION MEDIUM BASE</b> detection of aflatoxin producing <i>Aspergillus</i> species from foods		45.50	500 gm
TS 053	<b>CHLORAMPHENICOL SELECTIVE SUPPLEMENT *</b>		#22 vl	5 vl 25 vl
TM 1941	<b>ATCC 2039 BROTH (DOUBLE PACK)</b> for maintenance of cultures of <i>Streptococci</i> and other microorganisms	(Part I) (Part II)	22.05 20.00	500 gm
TM 431	<b>AYERS AND JOHNSON AGAR (STOCK CULTURE AGAR)</b> for maintenance of cultures of <i>Streptococci</i> and other microorganisms		50.00	500 gm
TM 028	<b>AZIDE BLOOD AGAR BASE</b> for selective isolation and cultivation of <i>Staphylococci</i> & <i>Streptococci</i> from mixed bacterial flora		33.20	500 gm
TM 412	<b>AZIDE DEXTROSE BROTH</b> for detection of faecal <i>Streptococci</i> in water, sewage, food and other materials		34.70	500 gm
TM 029	<b>AZIDE DEXTROSE BROTH W/ BCP</b> for cultivation of faecal <i>Streptococci</i> in water		34.70	500 gm
TM 638	<b>AZOSPIRILLUM MEDIUM W/ 0.17% AGAR (DOUBLE PACK)</b> for cultivation of <i>Azospirillum</i> species	(Part I) (Part II)	08.08 04.00	100 gm 500 gm
TM 1981	<b>AZOSPIRILLUM MEDIUM W/O AGAR (DOUBLE PACK)</b> for cultivation of <i>Azospirillum</i> species	(Part I) (Part II)	06.33 04.00	500 gm -
TM 1982	<b>AZOTOBACTER AGAR (GLUCOSE)</b> for isolation and cultivation of Glucose positive <i>Azotobacter</i> species from soil		31.40	500 gm
TM 353	<b>AZOTOBACTER AGAR (DEXTROSE)</b> for isolation and cultivation of dextrose positive <i>Azotobacter</i> species from soil		31.40	500 gm
TM 1648	<b>AZOTOBACTER BROTH (DEXTROSE)</b> for enrichment & cultivation of <i>Azotobacter</i> species from soil		16.40	500 gm
TM 354	<b>AZOTOBACTER AGAR (MANNITOL)</b> for isolation, cultivation and identification of mannitol positive <i>Azotobacter</i> species from soil		41.40	500 gm
TM 1983	<b>AZOTOBACTER BROTH (MANNITOL)</b> for cultivation of mannitol positive <i>Azotobacter</i> species from soil		26.40	500 gm
TM 1649	<b>AZOTOBACTER MEDIUM (MANNITOL)</b> for isolation, cultivation and enrichment of <i>Azotobacter</i> species		26.40	500 gm
TM 1877	<b>AZOTOBACTER AGAR (SUCROSE)</b> for isolation, cultivation and identification of sucrose positive <i>Azotobacter</i> species from soil		36.37	500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1865	<b>B12 ASSAY AGAR (USING E. COLI MUTANT CULTURE) *</b> for microbiological assay of Vitamin B12 by plate method using <i>E.coli</i> mutant as test organism	51.50	100 gm
TM 1866	<b>B12 ASSAY AGAR (USING L. LEICHMANNII) *</b> for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i> as test organism	84.50	100 gm
TM 1985	<b>B12 ASSAY MEDIUM (USING L. LEICHMANNII) *</b> for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i>	84.53	100 gm
TM 1986	<b>B12 ASSAY MEDIUM *</b> for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i>	79.36	100 gm
TM 1879	<b>B12 CULTURE AGAR (E. COLI MAINTENANCE MEDIUM) (E. COLI MUTANT CULTURE AGAR)</b> for propagation, cultivation and maintenance of <i>E. coli</i> mutant used in microbiological assay of Vitamin B12	37.85	100 gm
TM 1880	<b>B12 CULTURE AGAR (L. LEICHMANNII MAINTENANCE MEDIUM)</b> for propagation, cultivation and maintenance of <i>L.leichmannii</i> ATCC 7830	42.10	100 gm
TM 030	<b>B.A.G.G BROTH BASE (BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE)</b> for detection of faecal <i>Streptococci</i> from various clinical and non-clinical samples	36.00	500 gm
TM 1984	<b>B.C.P-D.C.L.S. Agar</b> for the selective isolation of <i>Salmonella</i> and <i>Shigella</i> species	67.52	500 gm
TM 2442	<b>BAT AGAR (ALICYCLOBACILLUS AGAR)</b> for the isolation of <i>Alicyclobacillus</i> species in fruit juices	28.95	500 gm
TM 938	<b>B.C. MOTILITY TEST MEDIUM (BC MOTILITY MEDIUM)</b> for motility testing of <i>Bacillus cereus</i>	23.00	500 gm
TM 035	<b>B.C.G. DEXTROSE AGAR (SNYDER TEST AGAR)</b> for estimation of <i>Lactobacilli</i> , an indication of caries activity	65.00	500 gm
TM 1987	<b>B.D.G - BROTH HAJNA</b> for the detection of enteric bacilli from food and in treated drinking water	35.60	500 gm
TM 033	<b>BG SULPHA AGAR (BRILLIANT GREEN SULPHA AGAR)</b> for isolation and detection of <i>Salmonella</i> species from food	59.09	100 gm 500 gm
TM 1988	<b>BHI CC AGAR (BRAIN HEART INFUSION CC AGAR) *</b> for selective isolation and cultivation of fastidious pathogenic fungi from specimens heavily contaminated with bacteria	52.50	100 gm
TM 1989	<b>BHI AGAR (BRAIN HEART INFUSION AGAR) (SPECIAL INFUSION AGAR)</b> for the cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds from clinical and non clinical samples	52.50	100 gm 500 gm
TM 1990	<b>BHI AGAR MODIFIED (BRAIN HEART INFUSION AGAR, MODIFIED)</b> for the cultivation of a wide variety of organisms like Bacteria, Yeasts and Moulds	53.00	500 gm
TM 1991	<b>BHI AGAR (BRAIN HEART INFUSION AGAR WITH 1% AGAR)</b> for the cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	47.00	500 gm
TM 1992	<b>BHI W/ 0.1% AGAR (BRAIN HEART INFUSION W/ 0.1% AGAR)</b> for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1993	<b>BHI W/ 6.5% NaCl (BRAIN HEART INFUSION BROTH WITH 6.5 % NaCl)</b> for the selective cultivation of salt tolerant microorganisms	97.00	500 gm
TM 1994	<b>BHI AGAR W/ 3.0% AGAR (BRAIN HEART INFUSION AGAR WITH 3.0% AGAR)</b> for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm
TM 1995	<b>BHI W/ PABA(BRAIN HEART INFUSION W/ PABA)</b> for examination of blood from patients under Sulphonamide therapy	282.05	500 gm
TM 1996	<b>BHI AGAR W/ PABA (BRAIN HEART INFUSION W/ PABA AND AGAR)</b> for culturing blood from patients under Sulphonamide therapy	38.05	500 gm
TM 668	<b>B.T.B. LACTOSE AGAR</b> for isolation of pathogenic <i>Staphylococci</i>	33.17	100 gm 500 gm
TM 669	<b>B.T.B. LACTOSE AGAR, MODIFIED</b> for differentiating lactose positive and lactose negative colonies of <i>Enterobacteriaceae</i>	40.04	500 gm
TM 045	<b>BPL AGAR (BRILLIANT GREEN PHENOL RED LACTOSE AGAR)</b> for isolation and identification of <i>Salmonella</i> except <i>Salmonella typhi</i> in faeces, urine and milk	30.00	500 gm
TM 216	<b>B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT)</b> for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TMV 216	<b>B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ VEG. EXTRACT)</b> for mass cultivation of anaerobes for vaccine production	52.00	500 gm
TM 1998	<b>BYE AGAR</b> for the cultivation of <i>Mycoplasma</i> or <i>Pleuropneumonia</i> like organisms and L-forms of bacteria	41.00	500 gm
TM 1120	<b>BACILLUS CEREUS AGAR BASE</b> selective isolation and enumeration of <i>Bacillus cereus</i>	41.00	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#25 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#7 vl	5 vl
TM 1881	<b>BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004)</b> selective isolation and enumeration of <i>Bacillus cereus</i>	46.03	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#11 vl	5 vl
TM 941	<b>BACILLUS DIFFERENTIATION AGAR</b> for differentiation of <i>Bacillus cereus</i> and <i>Bacillus subtilis</i> based on mannitol fermentation	22.00	500 gm
TM 942	<b>BACILLUS MEDIUM (DOUBLE PACK)</b> for cultivation of <i>Bacillus licheniformis</i>	(Part I) (Part II) 07.50 20.00	100 gm 500 gm
TM 1144	<b>BACTEROIDES BILE ESCULIN AGAR BASE (BBE AGAR BASE)</b> for selective isolation, identification and cultivation of <i>Bacteroides fragilis</i> group	61.52	500 gm
TS 100	<b>BACTEROIDES SELECTIVE SUPPLEMENT *</b>	#17 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1999	<b>BAIRD PARKER AGAR BASE (FPT)</b> for the isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other materials	63.00	100 gm 500 gm
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#80 vl	5 vl 25 vl
TM 358	<b>BAIRD PARKER AGAR BASE</b> for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other products	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#3 vl	5 vl
TS 004	<b>B. P. SULPHA SUPPLEMENT *</b>	#8 vl	5 vl
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#80 vl	5 vl 25 vl
TMV 358	<b>BAIRD PARKER AGAR BASE (VEG.)</b> for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other products	63.00	100 gm 500 gm
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#3 vl	5 vl
TS 004	<b>B. P. SULPHA SUPPLEMENT *</b>	#8 vl	5 vl
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#80 vl	5 vl 25 vl
TM 1579	<b>BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 &amp; 2:1999)</b> for isolation & enumeration of coagulase positive <i>Staphylococci</i> from food & pharma products	56.00	500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#80 vl	5 vl 25 vl
TM 635	<b>BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005.)</b> for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other products	65.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#3 vl	5 vl
TM 636	<b>BAIRD PARKER AGAR BASE (AGAR MEDIUM O) (as per USP/EP)</b> for the isolation and enumeration of coagulase positive <i>Staphylococci</i> from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#3 vl	5 VL 25 vl
TMH 119	<b>BAIRD PARKER AGAR BASE (as per EP/IP/BP)</b> for the isolation and enumeration of coagulase positive <i>Staphylococci</i> from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml /vl) *</b>	#4 vl	5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#3 vl	5 vl
TM 2000	<b>BAIRD PARKER AGAR W/O EGG YOLK EMULSION</b> recommended for direct enumeration of coagulase positive <i>Staphylococci</i>	47.73	100 gm 500 gm
TM 943	<b>BAIRD PARKER AGAR BASE W/ SULPHA</b> for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other products	63.00	500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml /vl)*</b>	#4 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml /vl)*</b>	#4 vl	5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl)*</b>	#3 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 670	<b>BAIRD STAPHYLOCOCCUS ENRICHMENT BROTH BASE</b> for selective enrichment of pathogenic <i>Staphylococci</i>	43.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#12 vl	5 vl 25 vl
TM 032	<b>BALANCED SENSITIVITY TEST MEDIUM</b> for antimicrobial susceptibility testing by agar diffusion	65.02	500 gm
TM 2001	<b>BASAL MINERAL MEDIUM</b> for cultivation of <i>Beggiatoa</i> species	01.53	500 gm
TM 359	<b>BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 2) (as per IP)</b> for microbiological assay of antibiotics	25.50	500 gm
TM 019	<b>BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8)</b> for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 1743	<b>BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) (as per USP)</b> for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm
TM 2002	<b>BEER SPOILAGE ISOLATION BROTH</b> for recommended as a selective medium for the detection of contaminating/spoilage microorganisms	109.08	100 gm
TM 2003	<b>BEER SPOILAGE ISOLATION AGAR</b> for selective medium recommended for the detection of contaminating/spoilage microorganisms	69.90	100 gm
TM 2004	<b>BENNET'S AGAR</b> for the sporulation and cultivation of <i>Nocardia</i> and <i>Streptomyces</i> species	29.00	500 gm
TM 1997	<b>BENNET'S BROTH</b> for the cultivation and maintenance of species of <i>Nocardia</i> , <i>Streptomyces</i> and <i>Micromonospora</i>	14.00	500 gm
TM 671	<b>B. MEAT EXTRACT AGAR</b> general purpose medium	33.00	100 gm
TM 672	<b>B. MEAT EXTRACT BROTH</b> general purpose medium	18.00	500 gm
TM 1891	<b>BIFIDOBACTERIUM AGAR</b> for the cultivation and maintenance of <i>Bifidobacterium</i> species	49.30	500 gm
TM 1892	<b>BIFIDOBACTERIUM BROTH</b> for the cultivation of <i>Bifidobacterium</i> species	78.65	500 gm
TM 238	<b>Bi.G.G.Y AGAR (NICKERSON MEDIUM)</b> for detection, selective isolation, differentiation & presumptive identification of <i>Candida tropicalis</i>	45.00	500 gm
TM 303	<b>BILE BROTH BASE</b> for cultivation of <i>Enterobacteriaceae</i> group	30.00	100 gm 500 gm
TM 036	<b>BILE ESCULIN AGAR (ISO 10273:1994)</b> for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	64.50	100 gm 500 gm
TM 673	<b>BILE ESCULIN AGAR W/ KANAMYCIN</b> for selective isolation and presumptive identification of <i>Bacteroides fragilis</i> from mixed flora	44.60	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 037	<b>BILE ESCULIN AGAR BASE</b> for differential & presumptive identification of group <i>D Streptococci</i> from food & pharma products	63.50	500 gm
TS 090	<b>ESCULIN SUPPLEMENT (0.5g/vl) *</b>	#16 vl	5 vl
TM 2005	<b>BILE ESCULIN AGAR, MODIFIED</b> for isolation and presumptive identification of group <i>D Streptococci/Enterococci</i> from food and pharmaceutical products	44.50	500 gm
TM 038	<b>BILE ESCULIN AZIDE AGAR</b> for selective isolation and presumptive identification of faecal <i>Streptococci</i>	56.65	500 gm
TM 1883	<b>BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000)</b> for isolation and presumptive identification of faecal <i>Streptococci</i>	56.65	500 gm
TM 2006	<b>BILE ESCULIN AZIDE AGAR, MODIFIED</b> for rapid, selective detection and enumeration of <i>Enterococci</i> and Group <i>D Streptococci</i>	56.25	500 gm
TM 1793	<b>BILE ESCULIN AZIDE BROTH</b> for selective isolation and presumptive identification of faecal <i>Enterococci</i>	43.00	500 gm
TM 2007	<b>BILE ESCULIN AZIDE BROTH, MODIFIED</b> used to differentiate between <i>Enterococci</i> and Group <i>D Streptococci</i>	42.75	500 gm
TM 304	<b>BILE PEPTONE TRANSPORT MEDIUM</b> for transporting specimens in hot climates prone to Cholera outbreak	25.00	500 gm
TM 410	<b>BILE SALT AGAR</b> for isolation and enumeration of bile tolerant enteric bacilli	43.00	100 gm 500 gm
TM 674	<b>BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005.)</b> for isolation and enumeration of bile tolerant enteric bacilli	40.00	100 gm 500 gm
TM 039	<b>BISMUTH SULPHITE AGAR</b> for selective isolation of <i>Salmonellae</i> from faeces, urine, sewage and other materials	52.33	100 gm 500 gm
TM 2458	<b>BISMUTH SULPHITE AGAR-TBL</b> for selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	 52.33	500 gm
TMV 039	<b>BISMUTH SULPHITE AGAR (VEG.)</b> for selective isolation of <i>Salmonellae</i> from faeces, urine, sewage and other materials	52.33	100 gm 500 gm
TM 946	<b>BISMUTH SULPHITE AGAR (as per USP)</b> for selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	52.32	100 gm 500 gm
TM 414	<b>BISMUTH SULPHITE AGAR (as per IP) (DOUBLE PACK)</b> for selective isolation and identification of <i>Salmonella</i>	(Part I) 40.04 (Part II) 22.54	100 gm 500 gm
TM 2008	<b>BISMUTH SULPHITE AGAR MEDIUM (as per USP)</b> for the selective isolation of <i>Salmonellae</i> from faeces, urine, sewage and other materials	52.32	100 gm 500 gm
TM 2009	<b>BISMUTH SULPHITE AGAR MODIFIED</b> for the selective isolation and preliminary identification of <i>Salmonella typhi</i> and other <i>Salmonellae</i> from pathological materials, sewage, water supplies, food etc.	40.00	100 gm 500 gm
TM 360	<b>BLOOD AGAR BASE (INFUSION AGAR)</b> for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm
TMV 360	<b>BLOOD AGAR BASE (INFUSION AGAR) (VEG.)</b> for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm



# B

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2010	<b>BLOOD AGAR BASE, MODIFIED</b> for recommended as a base to which blood may be added for use in the isolation and cultivation of fastidious pathogenic microorganisms	33.64	500 gm
TM 040	<b>BLOOD AGAR BASE W/ LOW pH</b> for isolation and cultivation of fastidious organisms after addition of blood	40.00	100 gm 500 gm
TM 041	<b>BLOOD AGAR BASE No. 2</b> for isolation, cultivation and detection of haemolytic activity of <i>Streptococci</i> , <i>Pneumococci</i> and other fastidious microorganisms	42.50	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *</b>	#24 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#24 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#24 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#24 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TM 1842	<b>BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017)</b> for isolation, cultivation and detection of haemolytic activity of <i>Streptococci</i> , <i>Pneumococci</i> and other fastidious microorganisms	42.50	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)*</b>	#26 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#26 vl	5 vl 25vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#26 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#26 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TM 2011	<b>BLOOD AGAR BASE NO. 2 WITH 1.2% AGAR</b> especially to permit the maximum recovery of fastidious pathogenic microorganisms without interfering with their haemolytic reactions	39.50	500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)*</b>	#26 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#26 vl	5 vl 25vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#26 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#26 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TM 1145	<b>BLOOD FREE CAMPYLOBACTER BROTH BASE</b> for selective isolation of <i>Campylobacter</i> species	33.50	500 gm
TS 101	<b>CCDA SELECTIVE SUPPLEMENT *</b>	#30 vl	5 vl
TM 1146	<b>BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&amp;2:2017)</b> for selective isolation and differentiation of <i>Campylobacter</i> species	45.50	500 gm
TS 102	<b>CAMPYLOBACTER SUPPLEMENT V (BFCSA) *</b>	#22 vl	5 vl
TS 103	<b>CAT SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 947	<b>BLUE AGAR</b> for study of carbohydrate fermentation by adding <i>carbohydrates</i>	35.08	500 gm
TM 1510	<b>BOLTON BROTH BASE (ISO 10272-1:2017)</b> for selective enrichment of <i>Campylobacter</i> species from foods	27.60	500 gm
TS 179	<b>BOLTON SELECTIVE SUPPLEMENT *</b>	#37 vl	5 vl
TM 044	<b>BORDET GENGOU AGAR BASE</b> for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	40.00	500 gm
TS 012	<b>BRODETELLA SELECTIVE SUPPLEMENT *</b>	#25 vl	5 vl
TM 1147	<b>BORDET GENGOU AGAR BASE W/ 1.6% AGAR</b> for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	36.00	500 gm
TS 012	<b>BORDETELLA SELECTIVE SUPPLEMENT *</b>	#28 vl	5 vl
TM 2012	<b>BORDET GENGOU BROTH</b> for the selective enrichment of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	140.50	500 gm
TM 948	<b>BORIC ACID BROTH</b> for detection and presumptive identification of <i>E.coli</i> on the basis of the ability to grow at 43°C and gas production	34.60	500 gm
TM 581	<b>BRAIN HEART CC AGAR *</b> for selective isolation and cultivation of fastidious fungi like <i>Histoplasma capsulatum</i> and <i>Blastomyces dermatitidis</i> from samples heavily contaminated with bacteria	52.50	100 gm
TM 361	<b>BRAIN HEART INFUSION AGAR</b> for cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	52.00	100 gm 500 gm
TMV 361	<b>BRAIN HEART INFUSION AGAR (VEG.)</b> for cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	52.00	100 gm 500 gm
TM 1990	<b>BRAIN HEART INFUSION AGAR, MODIFIED (BHI AGAR MODIFIED)</b> for the cultivation of a wide variety of organisms like Bacteria, Yeasts and Moulds	53.00	500 gm
TM 1991	<b>BRAIN HEART INFUSION AGAR WITH 1% AGAR (BHI AGAR W/ 1% AGAR)</b> for the cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	47.00	500 gm
TM 1992	<b>BRAIN HEART INFUSION W/ 0.1% AGAR (BHI W/ 0.1% AGAR)</b> for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm
TM 1993	<b>BRAIN HEART INFUSION BROTH WITH 6.5 % NaCL (BHI W/ 6.5% NaCL)</b> for the selective cultivation of salt tolerant microorganisms	97.00	500 gm
TM 1994	<b>BRAIN HEART INFUSION AGAR WITH 3.0% AGAR (BHI AGAR W/ 3.0% AGAR)</b> for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm
TM 362	<b>BRAIN HEART INFUSION BROTH</b> for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm
TMV 362	<b>BRAIN HEART INFUSION BROTH (VEG.)</b> for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm
TM 1995	<b>BRAIN HEART INFUSION W/ PABA (BHI W/ PABA)</b> for examination of blood from patients under Sulphonamide therapy	37.50	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1913	<b>BRAIN HEART INFUSION BROTH (ISO 6880-1983)</b> for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and for enrichment of <i>Staphylococcus aureus</i>	37.00	500 gm
TM 305	<b>BREWER THIOGLYCOLLATE MEDIUM</b> for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm
TMV 305	<b>BREWER THIOGLYCOLLATE MEDIUM (VEG.)</b> for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm
TM 306	<b>BREWER THIOGLYCOLLATE MEDIUM</b> for sterility testing of biological products and for isolation of aerobes and anaerobes	38.50	100 gm 500 gm
TMV 306	<b>BREWER THIOGLYCOLLATE MEDIUM, MODIFIED (LINDEN THIOGLYCOLLATE MEDIUM) (VEG.)</b> for sterility testing of biological products & for isolation of aerobes and anaerobes	38.50	100 gm 500 gm
TM 677	<b>BREWER THIOGLYCOLLATE MEDIUM, MODIFIED</b> for sterility testing of biological products and for isolation of aerobes and anaerobes	20.60	100 gm 500 gm
TM 364	<b>BRILLIANT GREEN AGAR BASE, MODIFIED</b> for selective isolation of <i>Salmonellae</i> other than <i>Salmonella typhi</i> from faeces and foods etc	58.09	100 gm 500 gm
TS 013	<b>SULPHA SUPPLEMENT *</b>	#18 vl	5 vl
TM 951	<b>BRILLIANT GREEN AGAR MEDIUM (BRILLIANT GREEN AGAR, MODIFIED) (as per USP)</b> for isolation of <i>Salmonellae</i> other than <i>Salmonella typhi</i> from faeces, foods and dairy products	58.09	100 gm 500 gm
TM 1953	<b>BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR (AGAR MEDIUM L) (as per EP)</b> for selective isolation of <i>Salmonellae</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products	57.59	100 gm 500 gm
TM 2106	<b>BRILLIANT GREEN AGAR MEDIUM 16. (as per IP)</b> for selective isolation of <i>Salmonellae</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products etc.	50.09	100 gm 500 gm
TM 047	<b>BRILLIANT GREEN AGAR BASE W/ 1.2% AGAR</b> for selective isolation of <i>Salmonellae</i> other than <i>Salmonella typhi</i> from faeces, foods & dairy products	50.09	100 gm 500 gm
TS 013	<b>SULPHA SUPPLEMENT*</b>	#20 vl	5 vl
TM 046	<b>BRILLIANT GREEN AGAR BASE W/ PHOSPHATES</b> for selective isolation & cultivation of <i>Salmonellae</i> by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species	51.69	500 gm
TS 013	<b>SULPHA SUPPLEMENT*</b>	#20 vl	5 vl
TM 1512	<b>BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975)</b> for selective isolation of <i>Salmonella</i>	54.69	500 gm
TS 013	<b>SULPHA SUPPLEMENT*</b>	#20 vl	5 vl
TM 952	<b>BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005)</b> for selective isolation of <i>Salmonellae</i> by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species	52.00	100 gm 500 gm
TS 013	<b>SULPHA SUPPLEMENT*</b>	#20 vl	5 vl
TM 048	<b>BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR)</b> for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm
TMV 048	<b>BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) (VEG.)</b> for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 365	<b>BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%)</b> (ISO 4831:2006, ISO 4832:2006) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm
TMV 365	<b>BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (VEG.)</b> for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 678	<b>BRILLIANT GREEN BILE BROTH 2% (BIS 5401-2 : 2012)</b> for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 033	<b>BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR)</b> for isolation and detection of <i>Salmonella</i> species from foods	59.09	100 gm 500 gm
TMV 033	<b>BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) (VEG.)</b> for isolation and detection of <i>Salmonella</i> species from foods	59.09	100 gm 500 gm
TM 2021	<b>BRILLIANT GREEN PHENOL RED LACTOSE AGAR</b> for selective isolation of <i>Salmonella</i> species from water samples	46.69	500 gm
TM 1463	<b>BROMO CRESOL PURPLE AGAR W/O CARBOHYDRATE (LACTOSE)</b> for detection and confirmation of coliform bacteria in water and foods	28.03	100 gm 500 gm
TM 2016	<b>BROMO CRESOL PURPLE AGAR W/LACTOSE</b> for the isolation of coliforms	33.03	100 gm 500 gm
TM 049	<b>BROMO CRESOL PURPLE AZIDE BROTH</b> for confirmation of the presence of faecal <i>Streptococci</i> in water	35.93	500 gm
TM 568	<b>BROMO CRESOL PURPLE BROTH BASE (YEAST FERMENTATION BROTH BASE)</b> for differentiation of various microorganisms based on their fermentation of specific carbohydrates	18.04	500 gm
TM 2013	<b>BROMO CRESOL PURPLE BROTH W/DEXTROSE</b> for identification of <i>Escherichia coli</i> and coliform bacteria from water samples	28.02	500 gm
TM 2014	<b>BROMOTHYMOL LACTOSE BLUE AGAR</b> It is a selective medium used for the isolation of Gram-negative bacteria from urine & faeces	72.73	500 gm
TM 514	<b>BRUCELLA AGAR BASE</b> for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species	43.10	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)</b>	#26 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#26 vl	5 vl 25vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#26 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#26 vl	5 vl
TS 014	<b>HORSE SERUM*</b>	-	100 ml
TMV 514	<b>BRUCELLA AGAR BASE (VEG.)</b> for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species	43.10	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)</b>	#26 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#26 vl	5 vl 25vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#26 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#26 vl	5 vl
TS 014	<b>HORSE SERUM*</b>	-	100 ml

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 680	<b>BRUCELLA AGAR BASE, MODIFIED</b> for cultivation of <i>Campylobacter</i> species	44.10	500 gm
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III, (SKIRROW)*</b>	#23 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT*</b>	#23 vl	5 vl
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT*</b>	#24 vl	5 vl 25 vl
TS 014	<b>HORSE SERUM*</b>	600 ml	100 ml
TM 1513	<b>BRUCELLA AGAR BASE W/ 1.0% DEXTROSE</b> for cultivation of <i>Brucella</i> species and for isolation and subculture of anaerobes by adding blood	45.00	500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT*</b>	#36 vl	5 vl 25 vl
TS 014	<b>HORSE SERUM*</b>	900 ml	100 ml
TM 681	<b>BRUCELLA AGAR BASE W/ HEMIN AND VITAMIN K</b> for cultivation of <i>Brucella</i> species and for isolation and subculture of anaerobes by adding blood	43.12	500 gm
TM 050	<b>BRUCELLA BROTH BASE</b> for cultivation & enrichment of <i>Brucella</i> or <i>Campylobacter</i> species	28.10	100 gm 500 gm
TS 007	<b>CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *</b>	#23 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *</b>	#23 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *</b>	#23 vl	5 vl
TM 682	<b>BRUCELLA SELECTIVE MEDIUM BASE</b> for isolation and identification of <i>Brucella</i> species	43.50	500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl 25 vl
TM 1514	<b>BRYANT AND BURKEY AGAR</b> for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	34.05	500 gm
TM 683	<b>BRYANT AND BURKEY MEDIUM</b> for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	33.00	500 gm
TM 1464	<b>BRYANT AND BURKEY BROTH BASE (WITH RESAZURIN)</b> for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	31.51	500 gm
TM 030	<b>BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE (B.A.G.G BROTH BASE)</b> for detection of faecal <i>Streptococci</i> from various clinical and non-clinical samples	36.01	500 gm
TM 684	<b>BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE</b> for selective isolation and cultivation of <i>Legionella</i> species	40.00	500 gm
TS 015	<b>LEGIONELLA SELECTIVE SUPPLEMENT *</b>	#5 vl	5 vl 25 vl
TS 016	<b>LEGIONELLA SELECTIVE SUPPLEMENT II *</b>	#5 vl	5 vl
TS 017	<b>LEGIONELLA SELECTIVE SUPPLEMENT III *</b>	#5 vl	5 vl
TS 018	<b>LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *</b>	#5 vl	5 vl
TS 019	<b>LEGIONELLA SUPPLEMENT *</b>	#5 vl	5 vl
TM 1894	<b>BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017)</b> For selective isolation and cultivation of <i>Legionella</i> species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm
TS 018	<b>LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *</b>	#5 vl	5 vl
TS 019	<b>LEGIONELLA SUPPLEMENT *</b>	#5 vl	5 vl
TS 115	<b>LEGIONELLA (GVPC) SELECTIVE SUPPLEMENT*</b>	#5 vl	5 vl 25 vl
TS 254	<b>PCP SUPPLEMENT *</b>	#5 vl	5 vl
TM 324	<b>BUFFERED GLUCOSE BROTH (MR-VP MEDIUM)</b> used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 324	<b>BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (VEG.)</b> used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TM 685	<b>BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (IS: 5887 (Part I, III and IV) 1976, reaffirmed 2005)</b> for differentiation of coli-aerogenes group by MR-VP test	15.00	100 gm 500 gm
TM 2015	<b>BUFFERED GLYCEROL SALINE BASE</b> for collection and transportation of faecal specimens	08.30	100 gm 500 gm
TM 1333	<b>BUFFERED LISTERIA ENRICHMENT BROTH BASE (BLE Broth Base) (as per FDA)</b> for selective isolation of <i>Listeria monocytogenes</i>	47.95	500 gm
TS 092	<b>LISTERIA SELECTIVE SUPPLEMENT II *</b>	#21 vl	5 vl 25 vl
TMH 101	<b>BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP)</b> dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TMHV 101	<b>BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.)</b> dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TM 307	<b>BUFFERED PEPTONE WATER</b> (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm
TMV 307	<b>BUFFERED PEPTONE WATER (VEG.)</b> for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm
TM 2017	<b>BUFFERED PEPTONE WATER</b> for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation	20.00	100 gm 500 gm
TS 248	<b>EC O157:H7 SELECTIVE SUPPLEMENT *</b>	#25 vl	5 vl 25 vl
TM 686	<b>BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005)</b> for pre-enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.07	100 gm 500 gm
TM 1837	<b>BUFFERED PEPTONE WATER (as per EP)</b> for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	16.10	500 gm
TM 2018	<b>BUFFERED PEPTONE WATER (6 FOLD STRENGTH PHOSPHATE BUFFER)</b> a pre-enrichment medium used for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation	78	500 gm
TM 2019	<b>BUFFERED PEPTONE WATER WITH NaCl</b> recommended as a diluent for carrying microbial limit test from clinical and non clinical specimens	16.09	500 gm
TM 687	<b>BUFFERED PEPTONE WATER W/ NaCl (as per IP)</b> used as diluents for carrying out microbial limit test	16.09	500 gm
TM 2020	<b>BUFFERED PEPTONE WATER W/ PYRUVATE</b> for the isolation of <i>Enterohemorrhagic E. coli</i> (EHEC)	42.10	100 gm 500 gm
TS 267	<b>ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT) *</b>	#24 vl	5 vl
TM 688	<b>BUFFERED TRYPTONE GLUCOSE YEAST EXTRACT BROTH</b> for cultivation and characterization of <i>Clostridia</i> isolated from food samples	85.00	500 gm
TM 567	<b>BUFFERED YEAST AGAR</b> for cultivation of yeasts and molds in brewery	41.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1934	<b>BURKHOLDERIA CEPACIA AGAR BASE</b> for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	36.53	500 gm
TS 323	<b>BURKHOLDERIA SELECTIVE SUPPLEMENT</b>	#28 vl	5 vl
TM 2022	<b>BURKHOLDERIA CEPACIA SELECTIVE AGAR BASE</b> for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	50.58	500 gm
TS 322	<b>BCSA SELECTIVE SUPPLEMENT</b>	#10 vl	5 vl
TM 558	<b>BURK'S MEDIUM</b> for isolation and cultivation of nitrogen fixing bacteria like <i>Azotobacter</i> species	21.30	500 gm
TM 559	<b>BUSHNELL HAAS AGAR</b> for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	23.27	500 gm
TM 053	<b>BUSHNELL HAAS BROTH</b> for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	03.27	100 gm 500 gm
TM 1151	<b>CAE AGAR BASE (CITRATE AZIDE ENTEROCOCCUS AGAR BASE)</b> for detection of <i>Enterococci</i> in Meat, dairy product and other food products	58.40	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#9 vl	5 vl 25 vl
TM 1152	<b>CAL AGAR (CELLOBIOSE ARGININE LYSINE AGAR)</b> for isolation and biochemical identification of <i>Yersinia enterocolitica</i>	46.00	100 gm
TM 1153	<b>CAL BROTH (CELLOBIOSE ARGININE LYSINE BROTH)</b> for isolation and biochemical identification of <i>Yersinia enterocolitica</i>	26.00	100 gm
TM 1154	<b>C. BOTULINUM ISOLATION AGAR BASE</b> for isolation of <i>Clostridium botulinum</i> from food and clinical samples	74.00	500 gm
TS 104	<b>C.B.I. SUPPLEMENT *</b>	#14 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml /vl)*</b>	#7vl	5 vl
TM 2023	<b>CFC AGAR BASE (CEPHALOTHIN-SODIUM FUSIDATE-CETRIMIDE AGAR)</b> for selective isolation of <i>Pseudomonas</i> species	52.40	100 gm 500 gm
TS 268	<b>MODIFIED CFC SELECTIVE SUPPLEMENT *</b>	#20 vl	5 vl
TM 2024	<b>CFC BROTH BASE</b> for selective isolation of <i>Pseudomonas</i> species	37.40	500 gm
TS 268	<b>MODIFIED CFC SELECTIVE SUPPLEMENT *</b>	#20 vl	5 vl
TM 930	<b>CHO MEDIUM BASE (FERMENTATION BROTH)</b> for studies of anaerobic fermentation by adding carbohydrates	26.00	500 gm
TM 054	<b>C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR)</b> for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm
TMV 054	<b>C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) (VEG.)</b> for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm
TM 405	<b>C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)</b> for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TMV 405	<b>C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) (VEG.)</b> for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TM 2025	<b>C.L.E.D. AGAR BASE W/O INDICATOR</b> for isolation, enumeration and presumptive identification of bacterial flora in the urinary tract	36.13	100 gm 500 gm
TS 269	<b>BROMO THYMOL BLUE SUPPLEMENT*</b>	#14 vl	5 vl
TM 2026	<b>C.L.E.D. AGAR W/BROMO THYMOL BLUE</b> for isolation, enumeration and identification of urinary pathogens on the basis of lactose fermentation	36.15	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1422	<b>CPC AGAR BASE</b> for cultivation of <i>Vibrio</i> species from foods	65.08	100 gm
TS 141	<b>CPC SUPPLEMENT*</b>	#4 vl	5 vl
TM 2027	<b>CPC AGAR BASE W/ 1% CELLOBIOSE</b> for the cultivation and identification of <i>Vibrio</i> species from foods in accordance with FDA BAM, 1998	60.08	100 gm
TS 270	<b>MODIFIED CPC SUPPLEMENT</b>	#4 vl	5 vl
TS 271	<b>COLISTIN SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl
TM 1423	<b>C. PERFRINGENS SPORULATION BROTH</b> for promoting sporulation in <i>Clostridium perfringens</i>	33.10	500 gm
TM 1424	<b>CRAMP AGAR BASE (CONGO RED-ACID MORPHOLINE PROPANE SULPHONIC ACID PIGMENTATION AGAR)</b> for cultivation of <i>Yersinia</i> species with plasmids	32.54	100 gm
TM 954	<b>CSMA BROTH (DISINFECTANT TEST MEDIUM)</b> for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm
TM 2028	<b>C.T. AGAR</b> for cultivation of <i>Myxobacteria</i> species	41.71	500 gm
TM 1156	<b>CAFFEIC ACID FERRIC CITRATE TEST AGAR (CAFC MEDIUM)</b> for selective and presumptive identification of <i>Cryptococcus neoformans</i> and its differentiation from other species	33.70	100 gm
TM 2029	<b>CALCIUM CARBONATE AGAR</b> for the differentiation of microorganisms especially yeasts based on the production of acid from glucose	75.00	500 gm
TM 560	<b>CALCIUM CASEINATE AGAR</b> for detection and enumeration of proteolytic microorganism in food	30.20	500 gm
TM 1157	<b>CAMPYLO THIOGLYCOLLATE MEDIUM BASE (CAMPY-THIO MEDIUM)</b> for isolation, maintenance and transport of <i>Campylobacter</i> species	26.80	500 gm
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *</b>	#38 vl	5 vl
TM 056	<b>CAMPYLOBACTER AGAR BASE</b> for selective isolation of <i>Campylobacter</i> species from faecal, food and environmental samples	39.50	500 gm
TS 007	<b>CAMPYLOBACTER SUPPLEMENTS I (BLASER-WANG)*</b>	#26 vl	5 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENTS III (SKIRROW)*</b>	#26 vl	5 vl
TM 1158	<b>CAMPYLOBACTER CEFEX AGAR BASE</b> for isolation and cultivation of <i>Campylobacter</i> species	49.35	500 gm
TS 074	<b>PARK AND SENDER'S SELECTIVE SUPPLEMENT B *</b>	#11 vl	5 vl
TM 1335	<b>CAMPYLOBACTER CEFEX BROTH BASE</b> for selective isolation of <i>Campylobacter</i> species from faecal samples, foods and environment	33.35	500 gm
TS 073	<b>PARK AND SENDER'S SELECTIVE SUPPLEMENT A *</b>	#15 vl	5 vl
TS 074	<b>PARK AND SENDER'S SELECTIVE SUPPLEMENT B *</b>	#15 vl	5 vl
TM 956	<b>CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE)</b> for cultivation of <i>Campylobacter</i> species	37.00	500 gm
TS 067	<b>CAMPYLOBACTER SUPPLEMENT IV (Preston)*</b>	#27 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 603	<b>CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE)</b> for selective enrichment and cultivation of <i>Campylobacter</i> species	25.00	500 gm
TS 067	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*</b>	#40 vI	5 vI
TM 690	<b>CAMPYLOBACTER NITRATE BROTH</b> for identification of <i>Campylobacter</i> species by Nitrate reduction	27.00	500 gm
TM 1517	<b>CANDIDA AGAR</b> for isolation and differentiation of <i>Candida albicans</i>	41.10	500 gm
TM 057	<b>CANDIDA BCG AGAR BASE</b> for primary isolation and identification of <i>Candida</i> species	66.00	500 gm
TM 691	<b>CANDIDA MEDIUM</b> for selective isolation and cultivation of <i>Candida</i> species	35.50	500 gm
TM 1159	<b>CARBOHYDRATE CONSUMPTION BROTH BASE</b> for cultivation and differentiation of <i>Listeria</i> species	16.10	500 gm
TM 523	<b>CARBON UTILIZATION AGAR (ISP MEDIUM NO. 9)</b> for characterization of <i>Streptomyces</i> based on carbon utilization	24.83	100 gm 500 gm
TM 2030	<b>CARROT AGAR</b> for sporangial production and study of mating techniques of <i>Phytophthora</i> spp.	19.00	500 gm
TM 415	<b>CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) (CARY &amp; BLAIR TRANSPORT MEDIUM)</b> for collection and shipment of clinical specimen	12.60	100 gm 500 gm
TM 569	<b>CASEIN HYDROLYSATE AGAR W/ 1.5% AGAR</b> used as a general purpose culture medium	35.50	500 gm
TM 692	<b>CASEIN HYDROLYSATE AGAR W/ 2.5% AGAR</b> for large scale cultivation of <i>Vibrio cholerae</i> for cholera vaccine production	45.50	500 gm
TM 2031	<b>CASITOSE BROTH</b> for production of <i>Staphylococcal enterotoxin</i> for use in Cat test and in serological studies	29.33	500 gm
TM 2032	<b>CASITOSE BROTH, MODIFIED</b> used as a general purpose medium	169	500 gm
TM 2033	<b>CASITOSE YEAST EXTRACT BROTH (CAYE)</b> for cultivation of <i>Vibrio cholerae</i> cultures while testing their enterotoxigenicity	36.50	500 gm
TM 2034	<b>CASITOSE YEAST EXTRACT SALTS BROTH BASE (CAYES)</b> for isolation of <i>Escherichia coli</i> in food in accordance with APHA	37.21	500 gm
TM 570	<b>CASEIN HYDROLYSATE BROTH</b> for production of <i>Staphylococcus enterotoxin</i> for use in Cat test and in serological studies	29.33	500 gm
TM 693	<b>CASEIN HYDROLYSATE BROTH, MODIFIED</b> used as general purpose culture medium	20.50	500 gm
TM 694	<b>CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYE) (CASAMINO ACID YEAST EXTRACT BROTH)</b> for use in cultivation of <i>Vibrio cholerae</i> while testing their enterotoxigenicity	36.50	500 gm
TM 695	<b>CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYES) (CASAMINO ACID YEAST EXTRACT SALT BROTH)</b> for isolation of <i>Escherichia coli</i> in foods	37.21	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 958	<b>CASEIN MAGNESIUM BROTH</b> for cultivation of recombinant strains of <i>E.coli</i>	16.00	500 gm
TM 345	<b>CASEIN SOYA PEPTONE DIGEST AGAR (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (ANTIBIOTIC ASSAY MEDIUM NO. 36)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm 5 kg
TMV 345	<b>CASEIN SOYA PEPTONE DIGEST AGAR (VEG.) (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (VEG.) (ANTIBIOTIC ASSAY MEDIUM NO. 36)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TM 332	<b>CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH)</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMV 332	<b>CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (VEG.)</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TM 696	<b>CASEIN YEAST MAGNESIUM AGAR (NZYM AGAR)</b> for cultivation of recombinant strains of <i>Escherichia coli</i>	35.98	500 gm
TM 697	<b>CASEIN YEAST MAGNESIUM BROTH (NYZM BROTH)</b> for cultivation of recombinant strains of <i>Escherichia coli</i>	21.00	500 gm
TM 513	<b>CASMAN AGAR</b> for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	43.60	500 gm
TM 611	<b>CASMAN BROTH BASE</b> for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	29.60	500 gm
TM 2035	<b>CETRIMIDE AGAR BASE (W 1.3% AGAR)</b> for the selective isolation of <i>Pseudomonas aeruginosa</i> from various materials	44.70	100 gm 500 gm
TS 020	<b>NALIDIXIC SELECTIVE SUPPLEMENT *</b>	#12 vI	5 vI
TM 060	<b>CETRIMIDE AGAR BASE</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm
TS 020	<b>NALIDIXIC SELECTIVE SUPPLEMENT *</b>	#11 vI	5 vI
TMV 060	<b>CETRIMIDE AGAR BASE (VEG.)</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm
TS 020	<b>NALIDIXIC SELECTIVE SUPPLEMENT *</b>	#11 vI	5 vI
TM 416	<b>CETRIMIDE AGAR BASE (AGAR MEDIUM) (as per IP)</b> for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm
TMH 113	<b>CETRIMIDE AGAR (as per USP/EP/JP/BP)</b> for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm
TMHV 113	<b>CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.)</b> for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	500 gm
TM 422	<b>CETRIMIDE BROTH</b> for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.30	100 gm 500 gm
TMV 422	<b>CETRIMIDE BROTH (VEG.)</b> for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.30	100 gm 500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1522	<b>CETRIMIDE BROTH BASE (ISO 8360-2:1988)</b> for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique	31.90	500 gm
TM 061	<b>CHAPMAN STONE AGAR</b> for selective isolation of <i>Staphylococci</i> causing food poisoning	202.50	500 gm
TM 062	<b>CHARCOAL AGAR BASE</b> for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> for vaccine production	62.50	500 gm
TS 012	<b>BORDETELLA SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl
TM 1160	<b>CHARCOAL BLOOD AGAR BASE</b> for cultivation of <i>Bordetella pertussis</i> for vaccine production & also for maintenance of stock cultures	54.50	500 gm
TM 063	<b>CHARCOAL AGAR BASE W/ NIACIN</b> for cultivation & isolation of <i>Bordetella pertussis</i> & <i>Haemophilus influenzae</i>	51.00	500 gm
TS 012	<b>BORDETELLA SELECTIVE SUPPLEMENT *</b>	#20 vl	5 vl
TM 604	<b>CHINA BLUE LACTOSE AGAR</b> for differentiation and enumeration of microorganisms in milk	38.30	500 gm
TM 962	<b>CHLAMYDOSPORE AGAR</b> for differentiation of <i>Candida albicans</i> from other <i>Candida</i> on the basis of chlamyospore formation	37.10	100 gm 500 gm
TM 498	<b>CHLORAMPHENICOL YEAST GLUCOSE AGAR (IS : 5403:1999 Reaffirmed 2005)</b> for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm
TMV 498	<b>CHLORAMPHENICOL YEAST GLUCOSE AGAR (VEG.)</b> for selective enumeration of yeasts and molds in milk and milk products	40.00	100 gm
TM 2036	<b>CHLORELLA AGAR</b> for the isolation and maintenance of <i>Chlorella</i> species	34.60	500 gm
TM 2037	<b>CHLORELLA BROTH</b> for the cultivation & enumeration of <i>Chlorella</i> species	17.60	500 gm
TM 064	<b>CHOCOLATE AGAR BASE</b> for isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>	45.50	500 gm
TS 021	<b>HAEMOGLOBIN POWDER *</b>	-	100 gm
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#22 vl	5 vl 25 vl
TS 023	<b>YEAST AUTOLYSATE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TM 2264	<b>CHOCOLATE NO. 2 AGAR BASE</b> for the cultural isolation of <i>Neisseria</i> and <i>Haemophilus</i> species from a variety of clinical specimens	76.00	500 gm
TS 021	<b>HAEMOGLOBIN POWDER *</b>	20.00	100 gm
TS 272	<b>VITAMINO GROWTH SUPPLEMENT, MODIFIED</b>	#27 vl	5 vl
TM 411	<b>CHOLERA MEDIUM BASE</b> for selective isolation of <i>Vibrio</i> species from samples contaminated with <i>Enterobacteriaceae</i>	65.10	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#2 vl	5 vl 25 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2038	<b>CHOPPED LIVER BROTH (CL BROTH)</b> for the cultivation and enrichment of anaerobic bacteria from food specimen	112.00	500 gm
TM 065	<b>CHRISTENSEN CITRATE AGAR</b> for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm
TM 066	<b>CHRISTENSEN CITRATE SULPHITE AGAR</b> for differentiation of enteric bacilli based on citrate utilization and H <sub>2</sub> S production	24.29	500 gm
TM 2039	<b>CHRISTENSEN CITRATE SULPHITE AGAR, W/ 1.5% AGAR</b> for differentiation of enteric bacilli on the basis of citrate utilization and hydrogen sulphide production in accordance with FDA BAM, 1998	25.29	500 gm
TM 1841	<b>CHROMOGENIC A. RAMBACH AGAR *</b> for detection and isolation of <i>Salmonella</i> species in clinical sample	(Part I) (Part II) 30.70 10 ml	500 gm -
TM 1523	<b>CHROMOGENIC BACILLUS AGAR</b> for isolation & differentiation between various species of <i>Bacillus</i> using chromogenic substrates	49.20	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#11 vl	5 vl 25 vl
TM 2110	<b>CHROMOGENIC BACILLUS AGAR BASE</b> for isolation and differentiation between various species of <i>Bacillus</i> by chromogenic method	49.22	100 gm 500 gm
TS 281	<b>BACILLUS SELECTIVE SUPPLEMENT</b>	#11 vl	5 vl
TM 1885	<b>CHROMOGENIC BACILLUS CEREUS AGAR</b> for isolation and differentiation of <i>Bacillus cereus</i> from food	40.98	100 gm 500 gm
TS 255	<b>BACILLUS CEREUS SELECTIVE SUPPLEMENT*</b>	#25 vl	5 vl
TM 2111	<b>CHROMOGENIC BIFIDOBACTERIUM AGAR</b> for the differentiation of <i>Bifidobacterium</i> and <i>Lactobacillus</i> species	59.48	100 gm 500 gm
TM 2112	<b>CHROMOGENIC CAMPYLOBACTER AGAR BASE</b> for selective isolation and presumptive identification of <i>Campylobacter</i> species	59.53	100 gm 500 gm
TS 145	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)*</b>	#01 vl	5 vl 25 vl
TM 1197	<b>CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) *</b> for fast isolation and identification of <i>Candida</i> species from mixed flora	42.70	100 gm 500 gm
TM 2113	<b>CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE</b> selective and differential medium for rapid isolation and identification of <i>Candida</i> species from mixed cultures	31.02	100 gm 500 gm
TS 282	<b>CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *</b>	#32 vl	5 vl
TM 1588	<b>CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED</b> for fast isolation and identification of <i>Candida</i> species from clinical and non-clinical specimens	42.05	100 gm 500 gm
TS 213	<b>CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TM 1833	<b>CHROMOGENIC CLED AGAR BASE</b> for isolation and differentiation of UTI pathogens	43.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2114	<b>CHROMOGENIC CLOSTRIDIAL AGAR BASE</b> for selective isolation and presumptive identification of <i>Clostridium</i> species	47.81	100 gm 500 gm
TM 1858	<b>CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014)</b> for determination of coliforms and <i>Escherichia coli</i> in water samples	26.45	100 gm 500 gm
TM 2115	<b>CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014)</b> for recommended for detection of total coliforms and <i>Escherichia coli</i> in water samples	25.92	100 gm 500 gm
TM 1338	<b>CHROMOGENIC COLIFORM AGAR W/SLS *</b> for simultaneous detection of total coliforms and <i>Escherichia coli</i> in water and foods	27.00	100 gm 500 gm
TM 2116	<b>CHROMOGENIC COLIFORM AGAR MODIFIED *</b> recommended for the simultaneous detection of <i>Escherichia coli</i> and thermotolerant coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm
TM 2117	<b>CHROMOGENIC COLISTIN RESISTANT AGAR BASE *</b> recommended for isolation and differentiation of gram negative colistin resistant microorganisms	38.50	500 gm
TS 283	<b>CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *</b>	#13 vl	5 vl
TM 2118	<b>CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017)</b> recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food product	32.40	500 gm
TM 1854	<b>CHROMOGENIC EC 0157:H7 AGAR (ISO 16654:2001)</b> for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food and environmental samples	28.85	100 gm 500 gm
TS 248	<b>CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TM 1340	<b>CHROMOGENIC ECC AGAR</b> for presumptive identification of <i>Escherichia coli</i> and other coliforms in food and environmental samples	55.83	100 gm 500 gm
TM 1341	<b>CHROMOGENIC ECC SELECTIVE AGAR BASE *</b> for detection of <i>Escherichia coli</i> and coliforms in water and food samples	26.48	100 gm 500 gm
TS 187	<b>CHROMOGENIC ECC SELECTIVE SUPPLEMENT *</b>	#19 vl	5 vl
TM 2119	<b>CHROMOGENIC E. COLI AGAR</b> for the detection and enumeration of <i>Escherichia coli</i> in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm
TM 1339	<b>CHROMOGENIC E. COLI AGAR (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (TBX AGAR) (ISO 16649-1 &amp; 2:2001, ISO 16649-3:2015, ISO 11133:2014) *</b> for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2120	<b>CHROMOGENIC EC BROTH W/ RUG *</b> recommended for detection of <i>Escherichia coli</i> in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm
TM 2121	<b>CHROMOGENIC EC 0157:H7 AGAR, MODIFIED *</b> recommended for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#5 vl	5 vl 25 vl
TM 2441	<b>CHROMOGENIC EC0157:H7 SELECTIVE AGAR BASE, MODIFIED *</b> for presumptive enumeration of <i>Escherichia coli</i> O157:H7 by membrane filtration technique from food samples	66.82	100 gm 500 gm
TS 313	<b>CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT, MODIFIED *</b>	#8 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2122	<b>CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED *</b> for detection of <i>Escherichia coli</i> and coliforms in water and food samples	39.30	500 gm
TM 2123	<b>CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7 *</b> for isolation and selective differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm
TS 248	<b>CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT I *</b>	#44 vl	5 vl 25 vl
TM 1343	<b>CHROMOGENIC ECD W/ MUG *</b> for detection of <i>Escherichia coli</i> by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm
TM 1631	<b>CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR *</b> for isolation and identification of <i>Enterobacter sakazakii</i> from dairy and food products	51.67	100 gm 500 gm
TM 1853	<b>CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) *</b> for isolation and identification of <i>Cronobacter sakazakii</i> from milk and milk products	30.75	100 gm 500 gm
TM 1344	<b>CHROMOGENIC ENTEROCOCCI BROTH *</b> for identification and differentiation of <i>Enterococci</i> from water	18.59	100 gm 500 gm
TM 1632	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE</b> for identification and differentiation of <i>Enterococcus faecium</i> from faeces, sewage and water supplies	29.00	100 gm 500 gm
TS 215	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *</b>	#19 vl	5 vl
TM 1633	<b>CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE *</b> for selective isolation of <i>Klebsiella</i> species from water can be used by membrane filter technique	40.80	100 gm 500 gm
TS 204	<b>CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#25 vl	5 vl
TM 2124	<b>CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE *</b> for the selective and differential isolation, enumeration and identification of <i>Listeria monocytogenes</i> and <i>Listeria</i> species based on PCPLC activity	67.20	500 gm
TS 285	<b>LECITHIN SOLUTION *</b>	#16 vl	5 vl
TS 286	<b>MODIFIED L.MONO SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl
TM 1845	<b>CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR *</b> for selective identification and differentiation of <i>Listeria monocytogenes</i>	70.30	100 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TS 031	<b>CHROMOGENIC ENRICHMENT SUPPLEMENT *</b>	#15 vl	5 vl
TM 1634	<b>CHROMOGENIC LISTERIA AGAR BASE (Modified) *</b> for selective identification and differentiation of <i>Listeria</i> species	67.25	100 gm 500 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TM 004	<b>CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 &amp; 2:2004, ISO 11133:2014) *</b> for selective identification and differentiation of <i>Listeria</i> species	70.05	100 gm 500 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT</b>	#15 vl	5 vl
TS 031	<b>CHROMOGENIC ENRICHMENT SUPPLEMENT</b>	#15 vl	5 vl
TM 1635	<b>CHROMOGENIC MeReSA AGAR BASE *</b> for isolation and identification of <i>Methicillin resistant Staphylococcus aureus</i> from clinical samples	83.30	100 gm 500 gm
TS 206	<b>CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT</b>	#12 vl	5 vl
TS 219	<b>CEFOXITIN SUPPLEMENT *</b>	#12 vl	5 vl
TM 1636	<b>CHROMOGENIC MM AGAR *</b> for identification and differentiation of <i>Salmonella</i> and non- <i>Salmonella</i> from water and clinical samples	49.13	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2127	<b>CHROMOGENIC M-COLICONFIRM BROTH *</b> recommended for detection of <i>E.coli</i> & other total coliforms in water samples by membrane filtration	17.43	500 gm
TS 287	<b>ECC SELECTIVE SUPPLEMENT MODIFIEDTTC SOLUTION 1% (10 ml/vl) *</b>	#29 vl	5 vl
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#21 vl	5 vl 25 vl
TM 1638	<b>CHROMOGENIC M-LAURYL SULPHATE AGAR *</b> for enumeration and differentiation of <i>E. coli</i> and other coliforms by membrane filter technique	88.00	100 gm 500 gm
TM 1198	<b>CHROMOGENIC OGYE AGAR BASE *</b> for isolation and enumeration of yeasts and moulds from milk and milk products using chromogenic substrate	37.10	100 gm 500 gm
TS 071	<b>OXYTETRA SELECTIVE SUPPLEMENT *</b>	#27 vl	5 vl 25 vl
TM 2125	<b>CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) *</b> for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	46.82	100 gm 500 gm
TM 1426	<b>CHROMOGENIC SALMONELLA AGAR *</b> for isolation and differentiation of <i>Salmonella</i> species from <i>coliforms</i>	27.90	100 gm 500 gm
TM 1839	<b>CHROMOGENIC SALMONELLA AGAR *</b> for identification of <i>Salmonella</i> species from other organisms in the family <i>Enterobacteriaceae</i>	54.00	100 gm 500 gm
TS 252	<b>SALMONELLA SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl
TM 1824	<b>CHROMOGENIC SALMONELLA AGAR, MODIFIED *</b> for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	42.34	100 gm 500 gm
TM 1337	<b>CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE *</b> for isolation and identification of <i>Staphylococci</i>	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl) *</b>	#4 vl	5 vl
TM 1339	<b>CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)</b> (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2126	<b>CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM</b> recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm
TM 1199	<b>CHROMOGENIC UTI AGAR *</b> for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm
TM 1909	<b>CHROMOGENIC UTI AGAR *</b> for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm
TM 1639	<b>CHROMOGENIC UTI AGAR,MODIFIED *</b> for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm
TS 207	<b>DMACA REAGENT (10 ml/vl) TDA REAGENT (10 ml/vl) *</b>	-	1 vl
TS 208	<b>TDA REAGENT (10 ml/vl) *</b>	-	1 vl
TM 1825	<b>CHROMOGENIC UTI SELECTIVE AGAR *</b> for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1640	<b>CHROMOGENIC VIBRIO AGAR *</b> for selective isolation and differentiation of <i>Vibrio</i> species	67.50	100 gm 500 gm
TM 1907	<b>CHROMOGENIC VRE MEDIA BASE *</b> for identification of <i>Vancomycin</i> Resistant <i>Enterococci</i> from clinical specimens	50.95	100 gm 500 gm
TS 253	<b>CHROMOGENIC VRE AGAR SUPPLEMENT *</b>	#20 vl	5 vl
TM 2266	<b>CHRYSOIDIN AGAR WITH MUG (OXGALL CHRYSOIDIN AGAR WITH MUG)</b> for the isolation and differentiation of <i>Enterobacteriaceae</i> and several other Gram negative rods. It can also be used for the identification of <i>E. coli</i> from clinical and non-clinical specimens	48.23	500 gm
TM 637	<b>CHU'S MEDIUM NO. 10</b> for cultivation of Blue Green Algae	0.123	100 gm
TM 501	<b>CIN AGAR (YERSINIA SELECTIVE AGAR BASE)</b> for selective isolation and enumeration <i>Yersinia enterocolitica</i> from clinical and food samples	58.00	500 gm
TS 057	<b>YERSINIA SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TM 067	<b>CITRATE AGAR</b> for cultivation of Iron Bacteria from soil	27.20	100 gm 500 gm
TM 2040	<b>CITRATE AZIDE AGAR</b> for selective cultivation of <i>Enterococci</i> in dairy products	55.41	100 gm 500 gm
TM 2041	<b>CITRATE AZIDE TWEEN CARBONATE BASE</b> for the identification of <i>Enterococci</i> in meat, meat products, dairy products and other foodstuffs	56.00	500 gm
TS 273	<b>CATC SUPPLEMENT*</b>	#18 vl	5 vl
TM 1525	<b>CLAUSEN MEDIUM</b> used as sterility medium as per Nordic Pharmacopoeia Board	39.61	500 gm
TM 644	<b>CLOSTRIDIAL AGAR</b> for selective isolation of pathogenic <i>Clostridia</i> from mixed flora	46.40	100 gm 500 gm
TM 645	<b>CLOSTRIDIUM BROTH BASE</b> for identification of spores of <i>Clostridium tyrobutyricum</i>	35.50	500 gm
TM 2042	<b>CLOSTRIDIUM BRAZIER AGAR BASE</b> for isolation and differentiation of <i>Clostridium difficile</i> with added supplements	47.66	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml /vl) *</b>	#9vl	5 vl
TS 024	<b>CLOSTRIDIUM DIFFICILE SUPPLEMENT *</b>	#21vl	5 vl 25 vl
TM 068	<b>CLOSTRIDIUM DIFFICILE AGAR BASE</b> for isolation of <i>Clostridium difficile</i> from food and pathological specimens	69.10	500 gm
TS 024	<b>CLOSTRIDIUM DIFFICILE SUPPLEMENT *</b>	#15 vl	5 vl 25 vl
TM 2043	<b>CLOSTRIDIUM DIFFICILE MANNITOL TAUROCHOLATE BROTH BASE</b> for cultivation of <i>Clostridium difficile</i> from certain clinical specimens	55.63	500 gm
TS 274	<b>CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT *</b>	#9 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1886	<b>CLOSTRIDIUM PERFRINGENS AGAR BASE</b> for identification and enumeration of <i>Clostridium perfringens</i> from food	60.05	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#9 vl	5 vl
TM 1836	<b>COAGULASE MANNITOL AGAR BASE</b> for isolation and differentiation of pathogenic <i>Staphylococci</i> from clinical specimens	47.02	100 gm 500 gm
TM 070	<b>COAGULASE MANNITOL BROTH BASE</b> for detection of coagulase production and mannitol fermentation in differentiation of <i>Staphylococci</i>	35.00	100 gm 500 gm
TM 698	<b>COLIFORM BROTH</b> for isolation and cultivation of coliform organisms from milk and milk products	57.14	500 gm
TM 2132	<b>COLIFORM BROTH, MODIFIED *</b> for the detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	100 gm 500 gm
TM 1908	<b>COLIFORM BROTH W/ SLS</b> for detection of <i>E.coli</i> and other <i>Enterobacteriaceae</i> in water samples	15.10	100 gm 500 gm
TM 699	<b>COLIFORM PA BROTH</b> for determination of presence or absence of Coliform bacteria in treated water	92.40	500 gm
TMH 116	<b>COLUMBIA AGAR (as per USP/EP/JP/BP)</b> for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	100 gm 500 gm
TS 217	<b>GENTAMYCIN SUPPLEMENT</b>	#12 vl	5 vl
TMHV 116	<b>COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG)</b> for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	500 gm
TS 217	<b>GENTAMYCIN SUPPLEMENT</b>	#12 vl	5 vl
TM 701	<b>COLUMBIA AGAR (MEDIUM Q) (as per BP)</b> for detection of <i>Clostridium perfringens</i> from pharmaceutical products	44.00	500 gm
TS 217	<b>GENTAMYCIN SUPPLEMENT</b>	#12 vl	5 vl
TM 071	<b>COLUMBIA BLOOD AGAR BASE</b> for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT*</b>	#23 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*</b>	#23 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*</b>	#23 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*</b>	#23 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT*</b>	#23 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT*</b>	#23 vl	5 vl 25 vl
TS 089	<b>STAPH-STREPTO SUPPLEMENT*</b>	#23 vl	5 vl
TS 025	<b>G. VAGINALIS SELECTIVE SUPPLEMENT*</b>	#23 vl	5 vl
TS 026	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT*</b>	#23 vl	5 vl
TS 027	<b>CAMPYLOBACTER SUPPLEMENT VI (BUTZLER)*</b>	#23 vl	5 vl 25 vl
TS 256	<b>STREPTOCOCCUS SELECTIVE SUPPLEMENT</b>	#23vl	5 vl 25 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 071	<b>COLUMBIA BLOOD AGAR BASE (VEG.)</b> for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *</b>	#23 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *</b>	#23 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *</b>	#23 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT*</b>	#23 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#23 vl	5 vl 25 vl
TS 089	<b>STAPH-STREPTO SUPPLEMENT *</b>	#23 vl	5 vl
TS 025	<b>G. VAGINALIS SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl
TS 026	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl
TS 027	<b>CAMYLOBACTER SUPPLEMENT VI (BUTZLER) *</b>	#23 vl	5 vl 25 vl
TS 256	<b>STREPTOCOCCUS SELECTIVE SUPPLEMENT</b>	#23 vl	5 vl 25 vl
TM 072	<b>COLUMBIA BLOOD AGAR BASE W/ HEMIN</b> an efficient and enriched base for fastidious microorganisms	44.00	500 gm
TM 2044	<b>COLUMBIA BLOOD AGAR BASE W/ 1% AGAR</b> for isolation and cultivation of fastidious bacteria	39.00	500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT*</b>	#26 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*</b>	#26 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*</b>	#26 vl	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*</b>	#26 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT*</b>	#26 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT*</b>	#26 vl	5 vl 25 vl
TS 089	<b>STAPH-STREPTO SUPPLEMENT*</b>	#26 vl	5 vl
TS 025	<b>G. VAGINALIS SELECTIVE SUPPLEMENT*</b>	#26 vl	5 vl
TS 026	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT*</b>	#26 vl	5 vl
TS 027	<b>CAMYLOBACTER SUPPLEMENT VI (BUTZLER)*</b>	#26 vl	5 vl 25 vl
TS 256	<b>STREPTOCOCCUS SELECTIVE SUPPLEMENT</b>	#26 vl	5 vl 25 vl
TM 2045	<b>COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017)</b> recommended for selective detection and enumeration of <i>Campylobacter</i> species from food chain	44.00	500 gm
TM 073	<b>COLUMBIA BROTH BASE</b> for cultivation of fastidious microorganisms from clinical sources	35.00	500 gm
TM 074	<b>COLUMBIA C.N.A. AGAR BASE</b> for selective isolation of gram positive cocci from clinical and non clinical samples   Store between 10- 20°C *	44.00	500 gm
TM 970	<b>COLUMBIA C.N.A. AGAR BASE (1% AGAR) *</b> for selective isolation of pathogenic gram-positive cocci from clinical and non clinical samples	39.00	500 gm
TM 971	<b>CONN'S AGAR</b> for cultivation of fungi	38.00	500 gm
TM 075	<b>COOKE ROSE BENGAL AGAR BASE</b> for selective isolation and cultivation of fungi	36.54	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 702	<b>COOKED MEAT MEDIUM (R.C. MEDIUM) (MEAT GRANULES)</b> for cultivation of aerobes and anaerobes especially pathogenic <i>Clostridia</i> and also for maintenance of stock cultures	125.00	100 gm 500 gm
TM 366	<b>COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE)</b> for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm
TM 703	<b>COOKED MEAT MEDIUM (R.C. MEDIUM) (as per BIS)</b> for cultivation of aerobes and anaerobes especially pathogenic <i>Clostridia</i> and also for maintenance of stock cultures. It is recommended by BIS committee under the specifications IS:5887(Part II)-1976	115.40	100 gm 500 gm
TM 076	<b>CORN MEAL AGAR</b> for production of chlamydo spores by <i>Candida albicans</i> & maintenance of fungal stock cultures	17.00	100 gm 500 gm
TM 2046	<b>CORN MEAL AGAR W/ DEXTROSE</b> for cultivation of phytopathological and other fungi	19.00	500 gm
TM 972	<b>CORN MEAL PEPTONE YEAST AGAR</b> for cultivation of fungi	64.00	500 gm
TM 1164	<b>CRAIG'S MEDIUM</b> for cultivation of <i>Vibrio cholerae</i> to determine its enterotoxigenicity	34.50	500 gm
TM 2047	<b>CRONOBACTER SELECTIVE BROTH (CSB) (ISO 22964:2017)</b> for screening <i>Cronobacter</i> (formerly <i>Enterobacter sakazakii</i> ) from food	28.04	100 gm 500 gm
TS 218	<b>VANCOMYCIN SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TM 705	<b>CRYSTAL VIOLET LACTOSE AGAR</b> for differentiation of pure cultures of pathogenic and nonpathogenic <i>Staphylococci</i>	33.00	500 gm
TM 706	<b>CRYSTAL VIOLET LACTOSE BROTH</b> for detection of Coliforms in water filtration control works	16.00	500 gm
TM 1952	<b>CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE (AGAR MEDIUM F) (as per EP/BP)</b> for detection and enumeration of <i>Enterobacteria</i>	50.12	500 gm
TM 516	<b>CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM)</b> for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organism	50.00	100 gm 500 gm
TM 2048	<b>CRYSTAL VIOLET TETRAZOLIUM AGAR BASE</b> for detection of gram-negative psychrotrophic bacteria causing food spoilage	23.50	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#11 vl	5 vl 25 vl
TM 973	<b>CYANOPHYCEAN AGAR</b> for isolation and cultivation of Blue Green algae	20.30	500 gm
TM 2446	<b>CYCLOSERINE-CEFOXITIN FRUCTOSE AGAR (CCFA)</b> for the isolation and presumptive identification of <i>Clostridium difficile</i> , a recognized cause of pseudomembranous (antimicrobial agent-associated) colitis	69.20	500 gm
TS 315	<b>CYCLOSERINE –CEFOXITIN SUPPLEMENT *</b>	#8 vl #8 vl	5 vl 25 vl
TM 078	<b>CYSTINE HEART AGAR BASE</b> for isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	51.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 707	<b>CYSTINE TELLURITE AGAR BASE</b> for selective isolation and differentiation of <i>Corynebacterium diptheriae</i> types	40.05	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#25 vl	5 vl 25 vl
TM 079	<b>CYSTINE TRYPTONE AGAR</b> for detection & maintenance and subculturing of motility and fermentation studies with the addition of various sugars	28.50	100 gm 500 gm
TM 367	<b>CZAPEK DOX AGAR</b> semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm
TM 080	<b>CZAPEK DOX AGAR, MODIFIED</b> for cultivation and maintenance of fungi	45.36	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#22 vl	5 vl 25 vl
TM 368	<b>CZAPEK DOX BROTH</b> semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm
TM 1528	<b>CZAPEK DOX LIQUID MEDIUM</b> for cultivation of fungi and bacteria by utilizing sodium nitrate as a nitrogen source	33.40	500 gm
TM 708	<b>CZAPEK MALT AGAR</b> for isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	94.00	100 gm 500 gm
TM 2049	<b>CZAPEK YEAST AUTOLYSATE AGAR (CYA AGAR)</b> for the isolation and cultivation of heat resistant filamentous fungi (molds) from foods	54.01	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#20 vl	5 vl 25 vl
TM 709	<b>CZAPEK YEAST EXTRACT AGAR</b> for cultivation and maintenance of <i>Aspergillus brasiliensis</i>	51.40	500 gm
TS 063	<b>TOLUIDINE BLUE (0.1gm/vl)</b>	#12 vl	5 vl 25 vl
TM 081	<b>DNASE TEST AGAR BASE (W/O INDICATOR) *</b> for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic <i>Staphylococci</i>	42.00	100 gm
TM 974	<b>DNASE TEST AGAR W/ METHYL GREEN *</b> for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic <i>Staphylococci</i>	42.05	100 gm
TM 580	<b>DNASE TEST AGAR W/ TOLUIDINE BLUE *</b> for detection of deoxyribonuclease activity of microorganisms and for identification of <i>Staphylococci</i>	42.10	100 gm
TMV 580	<b>DNASE TEST AGAR W/ TOLUIDINE BLUE (VEG.) (Store between 10-25° C)</b> for detection of deoxyribonuclease activity of microorganisms and for identification of <i>Staphylococci</i>	42.10	100 gm
TM 710	<b>DNASE TEST AGAR BASE (W/O. DNA AND TOLUIDINE BLUE)</b> with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi	40.00	100 gm 500 gm
TM 082	<b>D.C.L.S. AGAR</b> for selective isolation and detection of <i>Salmonella</i> and <i>Shigella</i> species from faecal samples	45.53	100 gm 500 gm
TM 711	<b>D.C.L.S. AGAR, HAJNA</b> for isolation of gram negative enteric bacilli	73.52	100 gm 500 gm
TM 083	<b>D.T.M. AGAR BASE (DERMATOPHYTE TEST AGAR BASE)</b> for selective isolation of Dermatophytes	40.20	100 gm 500 gm
TS 028	<b>DERMATO SUPPLEMENT *</b>	#25 vl	5 vl



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 976	<b>DAVIS SUPPLEMENTED MINIMUM MEDIUM W/O DEXTROSE</b> for enrichment and determination of titre Coliforms in water samples	30.60	500 gm
TM 084	<b>DECARBOXYLASE AGAR BASE</b> for differentiation of bacteria based on their ability to decarboxylate the amino acid	24.00	500 gm
TM 085	<b>DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE)</b> for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm
TMV 085	<b>DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) (VEG.)</b> for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm
TM 086	<b>DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005)</b> for cultivation and differentiation of bacteria based on their decarboxylase activity	09.02	100 gm 500 gm
TM 2455	<b>DEMI FRASER BROTH</b> for cultivation and maintenance of <i>listeria spp.</i>	57.40	500 gm
TM 087	<b>DEOXYCHOLATE AGAR</b> for direct differential count of coliforms in dairy products and also for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens	45.00	100 gm 500 gm
TM 369	<b>DEOXYCHOLATE CITRATE AGAR</b> for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm
TMV 369	<b>DEOXYCHOLATE CITRATE AGAR (VEG.)</b> for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm
TM 1870	<b>DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005)</b> for isolation of <i>Shigella</i> species from food samples	55.45	100 gm 500 gm
TM 977	<b>DEOXYCHOLATE CITRATE AGAR (AGAR MEDIUM J) (as per BP/EP/IP)</b> for selective isolation of enteric pathogens	69.02	100 gm 500 gm
TM 2051	<b>DESOXYCHOLATE-CITRATE AGAR MEDIUM 14 (as per IP)</b> for the a selective isolation and identification of <i>Salmonella</i> in accordance	69.02	100 gm 500 gm
TM 1529	<b>DEOXYCHOLATE CITRATE AGAR W/ 1.5% AGAR</b> for the isolation of entric pathogens	48.50	500 gm
TM 088	<b>DEOXYCHOLATE CITRATE AGAR, MODIFIED (HYNES)</b> for selective isolation of <i>Salmonella</i> and <i>Shigella</i> species	52.00	500 gm
TM 714	<b>DEOXYCHOLATE CITRATE AGAR W/O SUCROSE</b> for isolation and identification of enteric pathogens	45.00	100 gm 500 gm
TM 089	<b>DEOXYCHOLATE LACTOSE AGAR</b> for isolation and enumeratiron of coliforms in water, milk and dairy products	42.50	100 gm 500 gm
TM 1546	<b>DEV GELATIN AGAR (GELATIN DEV AGAR)</b> for determination of total microbial count and detection of gelatin liquefying microorganisms	50.00	500 gm
TM 712	<b>DEV GLUCOSE BROTH</b> for detection of microbial decomposition of glucose	28.02	500 gm
TM 713	<b>DEV LACTOSE PEPTONE BROTH</b> for enrichment and determination of titre Coliforms in water samples	25.01	500 gm
TM 1617	<b>DEV LACTOSE PEPTONE BROTH</b> for enrichment and determination of titre Coliforms in water samples	35.62	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2050	<b>DEV NUTRIENT AGAR</b> for the enumeration of microorganisms in water, food and other materials	43.00	500 gm
TM 1846	<b>DEV TRYPTOPHAN BROTH (as per ISO 9308)</b> for subcultivation of <i>Coliform</i> , differentiation & for indole testing in bacteriological examination of water	16.00	500 gm
TM 334	<b>DEXTROSE AGAR</b> for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm
TMV 334	<b>DEXTROSE AGAR (VEG.)</b> for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm
TM 090	<b>DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED)</b> for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm
TS 275	<b>CC SUPPLEMENT *</b>	#22 vl	5 vl
TMV 090	<b>DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) (VEG.)</b> for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm
TM 308	<b>DEXTROSE BROTH (GLUCOSE BROTH)</b> for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TMV 308	<b>DEXTROSE BROTH (GLUCOSE BROTH) (VEG.)</b> for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TM 631	<b>DEXTROSE MANNITOL AGAR (GILLIES AGAR NO. 1)</b> for primary isolation of <i>Salmonella</i> and <i>Shigella</i> and for detection of urease production, dextrose and mannitol fermentation	46.05	500 gm
TM 335	<b>DEXTROSE PEPTONE AGAR (GLUCOSE PEPTONE AGAR)</b> for general cultivation of microorganisms	50.00	500 gm
TM 309	<b>DEXTROSE PEPTONE BROTH</b> for routine sterility testing and for cultivation of fastidious organisms	35.00	500 gm
TM 1165	<b>DEXTROSE PROTEOSE PEPTONE AGAR BASE</b> for isolation of <i>Corynebacterium diphtheriae</i>	42.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (10ml /vl) *</b>	#24 vl	5 vl 25 vl
TM 517	<b>DEXTROSE SALT AGAR</b> for enumeration of Yeasts & Molds in butter and other dairy products	35.00	500 gm
TM 310	<b>DEXTROSE SALT BROTH</b> for enumeration of Yeasts & Molds in butter and other dairy products	20.00	500 gm
TM 2052	<b>DEXTROSE STARCH AGAR</b> for propagating pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms	65.00	500 gm
TM 092	<b>DEXTROSE TRYPTONE AGAR</b> for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods	30.04	500 gm
TM 2053	<b>DEXTROSE TRYPTONE AGAR, MODIFIED</b> for the isolation and cultivation of aciduric and thermophilic aerobic flat-sour sporeformers from canned food, sugar etc	32.29	500 gm
TM 311	<b>DEXTROSE TRYPTONE BROTH</b> for enrichment and cultivation of mesophilic and thermophilic organisms in foods	15.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 2054	<b>DEXTROSE TRYPTONE BROTH, MODIFIED</b> for the detection and enumeration of mesophilic and thermophilic aerobic microorganisms in foods		17.29	500 gm
TM 715	<b>DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING)</b> for disinfectant testing, where neutralization agent is important for determining its bactericidal activity		54.00	500 gm
TMV 715	<b>DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) (VEG.)</b> for disinfectant testing, where neutralization agent is important for determining its bactericidal activity		54.00	500 gm
TM 716	<b>DEY-ENGLEY NEUTRALIZING BROTH</b> for neutralizing and testing antiseptics and disinfectants		39.00	500 gm
TMV 716	<b>DEY-ENGLEY NEUTRALIZING BROTH (VEG.)</b> for neutralizing and testing antiseptics and disinfectants		39.00	500 gm
TM 1530	<b>DEY-ENGLEY (D/E) NEUTRALIZING BROTH (W/O BROMO CRESOL PURPLE) (as per USP)</b> for neutralization of antiseptics and disinfectants in determining its bactericidal activity		39.00	500 gm
TM 717	<b>DEY-ENGLEY NEUTRALIZING BROTH BASE *</b> for disinfectant testing where the neutralization of the antiseptics and disinfectants is important for determining its bactericidal activity		17.50	500 gm
TM 1900	<b>DEY-ENGLEY NEUTRALIZING BROTH W/ 1.0% SLS &amp; 1.0% TWEEN 80</b> for environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity		54.00	500 gm
TM 1904	<b>DEY-ENGLEY NEUTRALIZING BROTH W/ 10.0% TWEEN 80 (DOUBLE PACK)</b> for environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	(Part I) (Part II)	40.00	500 gm -
TM 605	<b>DIAGNOSTIC SENSITIVITY TEST AGAR (DST AGAR)</b> for antibiotic sensitivity testing of fastidious pathogens like <i>Neisseria</i> , <i>Streptococcus</i> and <i>Haemophilus</i> species with blood enrichment		43.00	100 gm 500 gm
TM 477	<b>DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE)</b> a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes		18.70	100 gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl)*</b>		#268 vl	5 vl 25 VL
TM 447	<b>DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR</b> it is used for enrichment of blood cultures		30.00	500 gm
TMV 447	<b>DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR (VEG.)</b> it is used for enrichment of blood cultures		30.00	500 gm
TM 980	<b>DIAMALT AGAR (as per APHA)</b> for isolation and identification of Yeasts from water sample		170.00	500 gm
TM 981	<b>DICHLORAN GLYCEROL MEDIUM BASE</b> for selective isolation and enumeration of Yeasts and Moulds from food samples		31.60	100 gm 500 gm
TM 982	<b>DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL</b> for selective isolation and enumeration of yeasts and moulds from food samples		31.60	100 gm 500 gm
TS 053	<b>CHLORAMPHENICOL SELECTIVE SUPPLEMENT *</b>		#32 vl	5 vl 25 vl
TMV 982	<b>DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL (VEG.)</b> for selective isolation and enumeration of yeasts and moulds from food samples		31.60	100 gm 500 gm
TS 053	<b>CHLORAMPHENICOL SELECTIVE SUPPLEMENT *</b>		#32 vl	5 vl 25 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm
TM 983	DIFFERENTIAL BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and differentiation of <i>Legionella</i> species	37.37	100 gm
TS 276	V.P. SUPPLEMENT *	#3 vl	5 vl
TM 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR for enumeration and cultivation of <i>Clostridia</i> from water	42.50	500 gm
TM 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE for cultivation of <i>Clostridia</i> from water	29.00	100 gm 500 gm
TMV 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (VEG.) for cultivation of <i>Clostridia</i> from water	29.00	100 gm 500 gm
TM 2055	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (ISO 6461-1:1986) for cultivation of <i>Clostridia</i> from water	29.00	500 gm
TM 1166	DIHYDROLASE BROTH BASE for detection of dihydrolase reaction of <i>Vibrio parahaemolyticus</i>	43.03	500 gm
TM 718	DILUTING FLUID A (as per USP) for sterility testing of pharma products	01.00	500 gm
TM 1531	DILUTING FLUID D (as per USP) for sterility testing of pharma products	02.00	500 gm
TM 719	DILUTING FLUID K (as per USP) for sterility testing of pharma products	18.00	500 gm
TM 984	DIPHThERIA VIRULENCE AGAR BASE for determination of toxigenicity of <i>Corynebacterium diphtheriae</i>	37.50	500 gm
TS 134	K L VIRULENCE ENRICHMENT (20 ml/vl)	#134 vl	5 vl 25 vl
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl)*	#67 vl	5 vl 25 vl
TM 516	DISINFECTANT TEST BROTH (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organism	50.00	100 gm 500 gm
TM 313	DISINFECTANT TEST BROTH (USING S. AUREUS AS TEST ORGANISM) for enrichment of <i>Staphylococcus aureus</i>	20.00	500 gm
TM 312	DISINFECTANT TEST BROTH (as per AOAC) for checking disinfectants	20.00	500 gm
TM 954	DISINFECTANT TEST MEDIUM (CSMA BROTH) for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm
TM 2056	DOUBLE MODIFIED LYSINE IRON AGAR BASE for selective and differential cultivation of <i>Salmonella</i> species	63.12	100 gm 500 gm
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT*	#8 vl	5 vl
TM 986	DOUBLE SUGAR AGAR, RUSSELL for differentiation of gram-negative enteric bacilli based on their ability to ferment dextrose and lactose, with or without gas formation	44.02	500 gm
TM 987	DOYLE'S ENRICHMENT BROTH BASE for selective enrichment of <i>Campylobacter</i> species	31.20	500 gm
TS 135	DOYLE'S ANTIBIOTIC SUPPLEMENT *	#32 vl	5 vl 25 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1167	<b>DRAKE'S MEDIUM 10</b> for cultivation of <i>Pseudomonas</i> species from water	23.20	500 gm
TM 1168	<b>DRIGALSKI LACTOSE AGAR, MODIFIED</b> for detection and differentiation of enteric pathogens	40.04	500 gm
TM 1169	<b>DRIGALSKI LITMUS LACTOSE AGAR</b> for detection and differentiation of enteric pathogens	41.20	500 gm
TM 2057	<b>DRIGALSKI SELECTIVE AGAR</b> for the selective isolation of <i>Enterobacteria</i> from urine stool and other clinical samples on the basis of their ability to ferment lactose	49.08	500 gm
TM 1170	<b>DROSOPHILA MEDIUM</b> for cultivation of <i>Drosophila</i>	339.69	500 gm
TM 099	<b>DUBOS BROTH BASE</b> for cultivation of <i>Mycobacterium tuberculosis</i> and other <i>Mycobacterium</i> species	06.50	100 gm 500 gm
TS 178	<b>ALBUMIN GLUCOSE SUPPLEMENT *</b>	#385 vl	5 vl
TM 100	<b>DUBOS OLEIC AGAR BASE</b> for cultivation of <i>Mycobacterium tuberculosis</i>	20.00	100 gm 500 gm
TS 062	<b>OLEIC ALBUMIN SUPPLEMENT *</b>	#125 vl	5 vl 25 vl
TM 720	<b>DUBOS OLEIC BROTH BASE</b> for cultivation of <i>Mycobacterium tuberculosis</i>	05.00	100 gm 500 gm
TS 062	<b>OLEIC ALBUMIN SUPPLEMENT *</b>	#500 vl	5 vl 25 vl
TM 721	<b>DULCITOL SELENITE BROTH (SELENITE BROTH WITH DULCITOL) (DOUBLE PACK)</b> for selective enrichment of <i>Salmonella</i> species	(Part I) 19.00 (Part II) 04.00	500 gm -
TM 985	<b>E.T. MEDIUM</b> for production of <i>Clostridia</i> for enterotoxin production	39.00	500 gm
TM 417	<b>EC BROTH</b> for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm
TMV 417	<b>EC BROTH (VEG.)</b> for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm
TM 2058	<b>EC BLUE BROTH</b> for detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	500 gm
TM 2059	<b>EC0157:H7 ENRICHMENT BROTH</b> recommended as an enrichment broth for the rapid growth of <i>E. coli</i> O157:H7 from food samples	22.50	500 gm
TM 2060	<b>EC 0157:H7 SELECTIVE BROTH (TWIN PACK)</b> recommended for the isolation of <i>Escherichia coli</i> O157:H7 from food samples	23.44	500 gm
TM 988	<b>ECD AGAR</b> for selective isolation of coliforms, especially <i>E.coli</i> in water & food by membrane filter technique	53.00	500 gm
TM 1368	<b>ECD MUG AGAR (ISO 21528-2017) *</b> for confirmatory presence of <i>Escherichia coli</i> by fluorescence in UV and positive indole test while inhibiting accompanying intestinal flora	53.07	500 gm
TM 1804	<b>EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993)</b> for selective enrichment of <i>Enterobacteriaceae</i> in bacteriological examination of foods	43.47	500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 107	<b>EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL)</b> (as per USP/BP/JP/EP) for selective enrichment of <i>Enterobacteriaceae</i>	45.01	100 gm 500 gm
TMHV 107	<b>EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) (VEG.)</b> for selective enrichment of <i>Enterobacteriaceae</i>	45.01	500 gm
TM 989	<b>EE BROTH, MODIFIED</b> for selective enrichment of <i>Enterobacteriaceae</i> in the bacteriological examination of foods	45.00	500 gm
TM 336	<b>EMB AGAR</b> differential for isolation of gram-negative enteric bacteria from clinical and non-clinical samples	36.00	100 gm 500 gm
TMV 336	<b>EMB AGAR (VEG.)</b> differential for isolation of gram-negative enteric bacteria from clinical and non-clinical samples	36.00	100 gm 500 gm
TM 723	<b>EMB AGAR BASE</b> for study of different enteric bacteria by adding different carbohydrates	27.50	100 gm 500 gm
TM 371	<b>EMB AGAR, LEVINE</b> for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> from pharma, dairy & food products	37.50	100 gm 500 gm
TMV 371	<b>EMB AGAR, LEVINE (VEG.)</b> for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> from pharma, dairy & food products	37.50 37.50	100 gm 500 gm
TM 1171	<b>EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005)</b> for isolation, enumeration and differentiation of <i>Enterobacteriaceae</i>	37.50	100 gm 500 gm
TM 2061	<b>EMB AGAR, LEVINE (LEVIN EOSIN- METHYLENE BLUE AGAR) (as per IP)</b> for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in accordance with Indian Pharmacopoeia	37.46	100 gm 500 gm
TM 1678	<b>EMB AGAR, LEVINE (as per USP)</b> for isolation, enumeration and differentiation of <i>Enterobacteriaceae</i>	37.45	100 gm 500 gm
TM 314	<b>EMB BROTH</b> for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm
TMV 314	<b>EMB BROTH (VEG.)</b> for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm
TM 1838	<b>ENTEROBACTERIA ENRICHMENT BROTH MOSSEL (as per USP/EP/BP/JP)</b> for enrichment of <i>Enterobacteriaceae</i> of food products	42.93	100 gm 500 gm
TM 955	<b>EDWARD'S MEDIUM BASE, MODIFIED</b> for isolation of <i>Streptococcus agalactiae</i> and other <i>Streptococci</i> associated with bovine mastitis	41.33	100 gm
TM 1173	<b>EDWARDS AND BRUNER SEMISOLID MEDIUM</b> for detection of motility and separation of H and O phases of enteric bacilli	102.00	500 gm
TM 2062	<b>EGG MEAT MEDIUM</b> for the determination of proteolytic activity and maintaining stock cultures of anaerobic	150.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 724	<b>EGG YOLK AGAR BASE</b> for isolation and identification of <i>Clostridia</i> and certain other anaerobes	75.10	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#7 vl	5 vl
TM 2063	<b>EGG YOLK AGAR BASE, MODIFIED</b> for identification of anaerobic bacteria by means of their egg yolk reaction	50.41	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#10 vl	5 vl
TM 315	<b>EIJKMAN LACTOSE BROTH</b> for differentiating <i>E. coli</i> from other coliforms based on their ability to liberate gas from lactose	28.50	500 gm
TM 316	<b>ELLIKER BROTH (LACTOBACILLI BROTH)</b> for cultivation of <i>Lactobacilli</i> & <i>Streptococci</i> which are important in dairy industry	48.50	500 gm
TM 1174	<b>ELLNERS BROTH</b> for induction of spore formation in <i>Clostridium perfringens</i>	67.60	500 gm
TM 1175	<b>EMERSON AGAR</b> for cultivation of <i>Actinomycetaceae</i> , <i>Streptomyetaceae</i> and molds	41.50	500 gm
TM 1176	<b>EMERSON YSS AGAR</b> for isolation of <i>Actinomycetes</i> and other fungi	40.50	500 gm
TM 372	<b>ENDO AGAR</b> for confirmation of members of coliform group from clinical and non-clinical specimens	41.50	100 gm 500 gm
TM 373	<b>ENDO AGAR BASE</b> for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm
TS 211	<b>BASIC FUCHSIN (6 gm /vl) *</b>	#1 vl	1 vl
TMV 373	<b>ENDO AGAR BASE (VEG.)</b> for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm
TS 211	<b>BASIC FUCHSIN (6 gm /vl) *</b>	#1 vl	1 vl
TM 2064	<b>ENDO AGAR W/ NAACL</b> for detection and isolation of pathogenic enteric bacilli	37.70	500 gm
TM 2065	<b>ENDO AGAR MODIFIED</b> for the detection of coliform and other enteric organisms	38.60	500 gm
TM 518	<b>ENDO BROTH</b> for cultivation and enumeration of coliform bacteria from water	23.00	500 gm
TM 1533	<b>ENDO DEV AGAR</b> for isolation and differentiation of <i>Escherichia coli</i> in the bacteriological analysis of water	58.00	500 gm
TM 2066	<b>ENRICHMENT BROTH FOR ECO157:H7</b> used as an enrichment broth for the growth of <i>E. coli</i> O157:H7	26.50	500 gm
TM 627	<b>ENRICHMENT MEDIUM</b> a highly nutritive medium which can be used for enrichment purpose	64.00	500 gm
TM 2067	<b>ENRICHED THIOGLYCOLLATE BROTH</b> for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria	31.06	500 gm
TM 726	<b>ENTAMOEBA MEDIUM</b> for cultivation of <i>Entamoeba histolytica</i>	33.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2068	<b>ENTERIC FERMENTATION BASE</b> used with added carbohydrate and indicator for differentiating microorganisms based on fermentation reactions	18.00	500 gm
TM 2069	<b>ENTEROCOCCUS AGAR BASE</b> for selective isolation and differentiation of <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i>	54.77	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#10 vl	5 vl 25 vl
TM 727	<b>ENTEROCOCCUS CONFIRMATORY AGAR</b> for confirmation of the presence of <i>Enterococci</i> in water	30.40	500 gm
TM 728	<b>ENTEROCOCCUS CONFIRMATORY BROTH</b> for confirmation of the presence of <i>Enterococci</i> in water	80.40	500 gm
TM 2070	<b>ENTEROCOCCUS DIFFERENTIAL AGAR BASE (TITG AGAR BASE)</b> for selective isolation and differentiation of <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i>	43.00	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#12 vl	5 vl 25 vl
TM 729	<b>ENTEROCOCCUS PRESUMPTIVE BROTH</b> for detection of <i>Enterococci</i> in water and other materials of sanitary importance	15.43	500 gm
TM 022	<b>ERYTHROMYCIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP)</b> for microbiological assay of antibiotics	30.50	100 gm 500 gm
TM 730	<b>ESCULIN AGAR</b> for cultivation and differentiation of bacteria hydrolysing esculin and producing H <sub>2</sub> S	41.50	500 gm
TM 731	<b>ESCULIN AZIDE BROTH</b> for selective cultivation and identification of <i>Streptococci</i>	37.80	500 gm
TMV 731	<b>ESCULIN AZIDE BROTH (VEG.)</b> for selective cultivation and identification of <i>Streptococci</i>	37.80	500 gm
TM 732	<b>ESCULIN FERMENTATION BROTH</b> for cultivation and differentiation of bacteria based on their ability to hydrolyze esculin	34.50	500 gm
TM 102	<b>ESCULIN IRON AGAR</b> for cultivation and identification of <i>Enterococci</i> based on their ability to hydrolyze esculin	16.50	100 gm
TM 2071	<b>ESCULIN MANNITOL AGAR</b> recommended as a selective and differential media for the isolation of <i>Staphylococci</i> and <i>Enterococci</i> based on mannitol fermentation and esculin hydrolysis	54.04	500 gm
TM 103	<b>ETHYL VIOLET AZIDE BROTH (E.V.A BROTH)</b> for selective and confirmatory detection of <i>Enterococci</i> as an indicator of faecal pollution in water	35.80	500 gm
TM 1179	<b>ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005)</b> for selective and confirmatory detection of <i>Enterococci</i> as an indicator of faecal pollution in water	35.80	100 gm 500 gm
TM 991	<b>ETHYL VIOLET AZIDE DEXTROSE AGAR</b> for detecting & confirming <i>Streptococci</i> and faecal pollution indication in water	51.10	500 gm
TM 105	<b>EUGONIC AGAR</b> for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	44.40	500 gm
TM 104	<b>EUGONIC BROTH</b> for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	29.40	500 gm
TM 2072	<b>EUGONIC LT 100 MEDIUM BASE W/O TWEEN 80</b> for the cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	47.40	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 2073	<b>EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017)</b> for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products		32.40	500 gm
TM 154	<b>EXTRACT AGAR (FDA AGAR)</b> general purpose medium for routine testing of disinfectants and antiseptics		35.00	500 gm
TM 965	<b>FAGI AGAR</b> for detection of <i>Escherichia coli</i> in water		23.20	500 gm
TM 966	<b>FAGI BROTH</b> for detection of <i>Escherichia coli</i> in water		03.20	100 gm 500 gm
TM 154	<b>FDA AGAR (EXTRACT AGAR)</b> general purpose medium for routine testing of disinfectants and antiseptics		35.00	500 gm
TM 935	<b>FDA BROTH (ATCC BACTERIOSTASIS BROTH)</b> for routine antimicrobial testing of antiseptics and disinfectants		20.00	500 gm
TM 630	<b>FNA MEDIUM (FLUORESCHEIN DENITRIFICATION AGAR)</b> for differentiation of <i>Pseudomonas</i> from other bacilli based on their ability to reduce nitrates or nitrites to nitrogen gas denitrification and detection of fluorescein pigment		30.50	500 gm
TM 2074	<b>FEELEY GORMAN AGAR</b> for the isolation and presumptive identification of <i>Legionella</i> species		39.65	500 gm
TM 2075	<b>FEELEY GORMAN BROTH (F.G. BROTH)</b> for the cultivation of <i>Legionella</i> species		22.65	500 gm
TM 2076	<b>FERMENTATION MEDIUM BASE FOR C. PERFRINGENS</b> for determination of fermentation reaction of <i>Clostridium perfringens</i> with added carbohydrate		22.25	500 gm
TM 2077	<b>FERMENTATION MEDIUM FOR NEISSERIA</b> for studying fermentation reaction of fastidious microorganism such as <i>Neisseriae</i>		29.52	500 gm
TM 2078	<b>FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS</b> for studying fermentation by <i>Staphylococcus</i> and <i>Micrococcus</i> species		23.24	500 gm
TM 2079	<b>FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS, W/ 0.2% AGAR</b> for studying fermentation by <i>Staphylococcus</i> species in accordance with FDA BAM, 1998.		23.04	500 gm
TM 2080	<b>FLUCONAZOLE TESTING MEDIUM (TWIN PACK) *</b> for fluconazole susceptibility testing using <i>Candida</i> species	(Part I) (Part II)	02.00 29.31	100 gm 500 gm
TM 733	<b>FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK)</b> for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm
TMV 733	<b>FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) (VEG.)</b> for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm
TM 1536	<b>FLUID CASEIN DIGEST SOYA-LECITHIN POLYSORBATE 20 MEDIUM (DOUBLE PACK) (as per USP/IP)</b> for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm
TM 2081	<b>FLUID LACTOSE MEDIUM</b> as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples		13.00	100 gm 500 gm
TMV 2081	<b>FLUID LACTOSE MEDIUM (VEG.)</b> as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples		13.00	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 1537	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per USP) for detection of coliform bacteria in water, foods and dairy products		13.00	100 gm 500 gm
TM 1538	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per IP) for detection of coliform bacteria in water, foods and dairy products		13.00	100 gm 500 gm
TM 734	FLUID LACTOSE MEDIUM W/ SOYA LECITHIN AND POLYSORBATE 20 (DOUBLE PACK) for microbial evaluation of oral hygiene products	(Part I) (Part II)	18.00 40.00	100 gm 500 gm
TM 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) sterility testing medium for Molds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm
TMV 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) (VEG.) sterility testing medium for Molds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm
TM 2082	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TM 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (ISO 6579:1993) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TMV 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (VEG.) (DOUBLE PACK) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 1539	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per USP) for isolation of <i>Salmonellae</i> in foods, dairy products and materials of sanitary importance and clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 1540	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per IP) for isolation of <i>Salmonellae</i> in foods, dairy products and materials of sanitary importance and clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) for isolation of <i>Salmonellae</i> from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm
TMV 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) (VEG.) for isolation of <i>Salmonellae</i> from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm
TM 1684	FLUID TETRATHIONATE MEDIUM (as per USP) an enrichment medium for isolation of <i>Salmonellae</i> from samples contaminated with <i>Salmonellae</i>		46.00	100 gm 500 gm
TM 2083	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG, MODIFIED for the selective enrichment method for isolating <i>Salmonellae</i> from food and other materials of sanitary importance in accordance with FDA BAM, 1998		35.11	500 gm
TM 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles		29.75	100 gm 500 gm
TMV 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) (VEG.) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles		29.75	100 gm 500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 318	<b>FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP)</b> for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm
TMV 318	<b>FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) (VEG.)</b> for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	500 gm
TM 319	<b>FLUID THIOGLYCOLLATE MEDIUM (as per IP)</b> for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm
TM 320	<b>FLUID THIOGLYCOLLATE MEDIUM W/ MEAT EXTRACT</b> for sterility testing and for cultivation of aerobic, anaerobic and microaerophilic organisms	34.75	500 gm
TM 2085	<b>FLUID THIOGLYCOLLATE MEDIUM W/0.5% SOYALECITHIN &amp; 4% POLYSORBATE 20 (DOUBLE PACK)</b> this medium is used for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophilies	34.75	500 gm
TM 1689	<b>FLUOROGENIC LMX BROTH MODIFIED (as per MANAFI &amp; OSSMER)</b> selective medium for detection of total coliforms and <i>E.coli</i> from foods and water	17.03	100 gm
TM 1200	<b>FLUOROGENIC PSEUDOMONAS AGAR BASE (MUG PSEUDOMONAS AGAR) *</b> for selective isolation of <i>Pseudomonas aeruginosa</i> by fluorogenic method	46.75	100 gm 500 gm
TM 2086	<b>FOLIC ACID ASSAY MEDIUM *</b> for microbiological assay of Folic Acid using <i>Enterococcus hirae</i> ATCC 8043 as the test organism	74.93	100 gm
TM 2087	<b>FOLIC ACID CASEI MEDIUM, MODIFIED *</b> for the microbiological assay of folic acid in blood serum using <i>Lactobacillus casei</i> ATCC 7469 as the test organism	93.72	100 gm
TM 2088	<b>FOLIC ACID CULTURE AGAR</b> for the maintenance of <i>Enterococcus hirae</i> ATCC 8043	48.00	100 gm
TM 2089	<b>FOLIC ACID INOCULUM MEDIUM</b> for the preparation of inoculum of <i>Enterococcus hirae</i> ATCC 8043	38.00	100 gm
TM 2090	<b>FOLIC ACID MEDIUM, AOAC</b> for the microbiological assay of folic acid using <i>Enterococcus hirae</i> ATCC 8043	111.58	100 gm
TM 2091	<b>FORGET FREDETTE AGAR</b> for selective isolation of anaerobic microorganisms from a mixture of aerobic and anaerobic flora	40.50	500 gm
TM 2092	<b>FRASER BROTH BASE</b> recommended as a primary as well as secondary enrichment medium, for the isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	54.92	100 gm 500 gm
TS 034	<b>FRASER SUPPLEMENT*</b>	#18 vl	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT*</b>	#18 vl	5 vl
TM 1472	<b>FRASER BROTH BASE (ISO 11290-1: 2017)</b> for isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	57.35	100 gm 500 gm
TS 034	<b>FRASER SUPPLEMENT*</b>	#19 vl	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT*</b>	#19 vl	5 vl
TM 2093	<b>FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH)</b> for the selective enrichment of <i>Listeria</i> species from foods	54.97	500 gm
TS 034	<b>FRASER SUPPLEMENT*</b>	#18 vl	5 vl
TM 2094	<b>FRASER BROTH W/ SUPPLEMENTS</b> for the selective enrichment of <i>Listeria</i> species from food samples	55.47	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 113	<b>FRASER SECONDARY ENRICHMENT BROTH BASE</b> for isolation, cultivation & enrichment of <i>Listeria monocytogenes</i> from foods & environmental samples	57.85	100 gm 500 gm
TS 033	<b>FRASER ENRICHMENT SUPPLEMENT</b>	#9 vl	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT *</b>	#9 vl	5 vl
TM 1544	<b>FREY MYCOPLASMA BROTH BASE</b> for cultivation of avian <i>Mycoplasma</i>	22.30	500 gm
TM 2095	<b>FRIIS LIQUID MEDIUM BASE</b> for the detection of non-avian <i>Mycoplasmas</i> in pharmaceutical products in accordance with <i>European pharmacopoeia</i>	18.01	500 gm
TS 277	<b>FRIIS SUPPLEMENT *</b>	#28 vl	5 vl
TS 014	<b>HORSE SERUM *</b>	2.25 ltr	100 ml
TS 311	<b>PIG SERUM *</b>	108 ml	100 ml
TM 2096	<b>FRISS SOLID MEDIUM BASE</b> for the detection of non-avian <i>Mycoplasmas</i> in pharmaceutical products in accordance with <i>European pharmacopoeia</i>	08.80	500 gm
TM 967	<b>FUCHSIN LACTOSE BROTH</b> for detection of coliforms in water	13.01	500 gm
TM 340	<b>FUNGAL AGAR (MYCOLOGICAL AGAR)</b> or cultivation and maintenance of fungi	35.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#15 vl	5 vl 25 vl
TM 114	<b>FUNGAL AGAR W/ LOW pH (MYCOLOGICAL AGAR W/ LOW pH)</b> for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm
TM 326	<b>FUNGAL BROTH (MYCOLOGICAL BROTH)</b> for cultivation of fungi	50.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#15 vl	5 vl 25 vl
TM 115	<b>FUNGAL BROTH W/ LOW pH (MYCOLOGICAL BROTH W/ LOW pH)</b> for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm
TM 1189	<b>FUNGI KIMMIG AGAR BASE</b> for cultivation, isolation, identification and preservation of fungal strains	50.00	500 gm
TM 1542	<b>FUNGOBIOTIC AGAR (MYCOBIO AGAR)</b> for isolation of dermatophytes and other pathogenic fungi	35.55	100 gm
TM 1347	<b>GARROD ACTINOMYCES MEDIUM</b> for cultivation of pathogenic anaerobic species, like <i>Actinomyces israeli</i> and <i>Actinomyces bovis</i>	39.00	500 gm
TM 1545	<b>GBS MEDIUM BASE</b> for fast detection of group B <i>Streptococci</i> in pathological samples	110.20	500 gm
TS 184	<b>GBS SUPPLEMENT *</b>	#10 vl	5 vl
TS 014	<b>HORSE SERUM *</b>	2.25 ltr	100 ml

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 116	<b>GC AGAR BASE</b> for selective isolation and cultivation of <i>Gonococci</i>	72.00	100 gm 500 gm
TS 036	<b>GC SUPPLEMENT W/ANTIBIOTICS *</b>	#14 vl	5 vl 25 vl
TS 021	<b>HAEMOGLOBIN POWDER *</b>	20.00	100 gm
TS 038	<b>V.C.N. SUPPLEMENT *</b>	#14 vl	5 vl 25 vl
TS 039	<b>V.C.N.T. SUPPLEMENT *</b>	#14 vl	5 vl 25 vl
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#14 vl	5 vl 25 vl
TS 041	<b>LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *</b>	#14 vl	5 vl 25 vl
TS 023	<b>YEAST AUTOLYSATE SUPPLEMENT *</b>	#14 vl	5 vl 25 vl
TS 043	<b>VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *</b>	#14 vl	5vl 25 vl
<b>TMV 116</b>	<b>GC AGAR BASE (VEG.)</b> for selective isolation and cultivation of <i>Gonococci</i>	72.00	100 gm 500 gm
TS 036	<b>GC SUPPLEMENT W/ANTIBIOTICS *</b>	#14 vl	5 vl 25 vl
TS 021	<b>HAEMOGLOBIN POWDER *</b>	20.00	100 gm
TS 038	<b>V.C.N. SUPPLEMENT *</b>	#14 vl	5 vl 25 vl
TS 039	<b>V.C.N.T. SUPPLEMENT *</b>	#14 vl	5 vl 25 vl
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#14 vl	5 vl 25 vl
TS 041	<b>LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *</b>	#14 vl	5 vl 25 vl
TS 023	<b>YEAST AUTOLYSATE SUPPLEMENT *</b>	#14 vl	5 vl 25 vl
TS 043	<b>VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *</b>	#14 vl	5vl 25 vl
TM 117	<b>GN BROTH, HAJNA</b> for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm
<b>TMV 117</b>	<b>GN BROTH, HAJNA (VEG.)</b> for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm
TM 1935	<b>GN BROTH MEDIUM 11 (as per IP)</b> for enrichment of <i>Shigella</i> from pharmaceutical products	34.00	100 gm 500 gm
TM 1190	<b>GTC AGAR BASE</b> for cultivation of <i>Enterococci</i> from food within 18 hours	48.75	500 gm
TS 109	<b>GTC SUPPLEMENT *</b>	#21 vl	5 vl
TS 108	<b>SODIUM BICARBONATE SOLUTION (20 ml/vl) *</b>	#11 vl	5 vl
TM 1191	<b>GASSNER LACTOSE AGAR</b> for detection and isolation of pathogenic <i>Enterobacteriaceae</i> from foodstuffs	76.87	500 gm
TM 735	<b>GELATIN AGAR</b> for cultivation and identification of <i>Vibrio</i> species	65.00	500 gm
TM 1122	<b>GELATIN IRON AGAR</b> for detection of gelatin liquefaction and H <sub>2</sub> S production	159.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2098	<b>GELATIN PEPTONE AGAR</b> for the cultivation of non fastidious bacteria	20.00	500 gm
TM 300	<b>GELATIN MANNITOL SALT AGAR (STAPHYLOCOCCUS AGAR NO. 110)</b> for selective isolation and differentiation of <i>Staphylococci</i>	149.50	100 gm 500 gm
TM 1192	<b>GELATIN PHOSPHATE BUFFER</b> for detection of toxin in food products suspected with <i>Clostridium botulinum</i>	06.00	100 gm 500 gm
TM 992	<b>GELATIN PHOSPHATE SALT AGAR (GPS AGAR)</b> for cultivation and characterization of <i>Vibrio cholerae</i> from foods	40.00	500 gm
TM 993	<b>GELATIN SALT AGAR</b> for cultivation and differentiation of <i>Vibrio</i> species from foods	65.00	500 gm
TM 631	<b>GILLIES AGAR NO. 1 (DEXTROSE MANNITOL AGAR)</b> for primary isolation of <i>Salmonella</i> and <i>Shigella</i> and for detection of urease production, dextrose and mannitol fermentation	42.50	500 gm
TM 736	<b>GILLIES AGAR NO. 2 (SUCROSE SALICIN AGAR)</b> for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species	48.28	100 gm
TM 118	<b>GIOLITTI-CANTONI BROTH BASE</b> for selective enrichment of <i>Staphylococcus aureus</i> from foods	54.20	500 gm
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#18 vl	5 vl
TM 118A	<b>GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003)</b> for selective enrichment of <i>Staphylococcus aureus</i> from foods	55.20	500 gm
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#18 vl	5 vl
TM 994	<b>GLUCONATE TEST MEDIUM</b> for detection of gluconate oxidizing microorganisms	43.50	500 gm
TM 2099	<b>GLUCOSE AGAR</b> for differentiation of <i>Enterobacteriaceae</i> in urine, water and food samples	20.88	500 gm
TM 1547	<b>GLUCOSE AGAR</b> for determining the fermentation reaction of presumptive <i>Enterobacteriaceae</i>	41.52	500 gm
TM 1548	<b>GLUCOSE AGAR, MODIFIED</b> maintenance medium for stock cultures of a variety of microorganisms	35.00	500 gm
TM 1193	<b>GLUCOSE AZIDE BROTH</b> for enumeration of faecal <i>Streptococci</i> from water by MPN technique	30.30	500 gm
TM 308	<b>GLUCOSE BROTH (DEXTROSE BROTH)</b> for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TMV 308	<b>GLUCOSE BROTH (DEXTROSE BROTH) (VEG.)</b> for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm
TM 737	<b>GLUCOSE BROTH (W/O pH indicator)</b> for study of dextrose fermentation	20.00	100 gm 500 gm
TM 738	<b>GLUCOSE CITRATE BROTH BASE</b> for cultivation of fastidious microorganisms	23.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 739	<b>GLUCOSE CYSTEINE AGAR BASE W/ THIAMINE</b> for cultivation and enumeration of <i>Pasteurella tularensis</i> by adding blood or Hemin		58.00	100 gm 500 gm
TM 2100	<b>GLUCOSE OF MEDIUM (ISO 21528-2:2017)</b> recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria		20.38	500 gm
TM 335	<b>GLUCOSE PEPTONE AGAR (DEXTROSE PEPTONE AGAR)</b> for general cultivation of microorganisms		50.00	500 gm
TM 324	<b>GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM)</b> used in differentiation of bacteria by MR-VP test		17.00	100 gm 500 gm
TMV 324	<b>GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) (VEG.)</b> used in differentiation of bacteria by MR-VP test		17.00	100 gm 500 gm
TM 1194	<b>GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK)</b> for enrichment of <i>Vibrio parahaemolyticus</i> and marine isolates	(Part I) (Part II)	48.00 04.00	100 gm 500 gm
TM 119	<b>GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005)</b> for enrichment of <i>Vibrio parahaemolyticus</i> in drinking water. It is recommended by BIS committee under specification	(Part I) (Part II)	48.00 04.00	100 gm 500 gm
TM 931	<b>GLUCOSE STARCH AGAR (as per AOAC)</b> for sterility testing of canned foods		68.00	500 gm
TM 1549	<b>GLUCOSE YEAST EXTRACT ACETATE BROTH</b> for cultivation of <i>Lactobacillus</i> species		40.60	500 gm
TM 585	<b>GLUCOSE YEAST EXTRACT AGAR</b> for cultivation of <i>Lactobacilli</i> in pharma products		28.40	100 gm 500 gm
TM 2101	<b>GLUCOSE YEAST EXTRACT BC AGAR MEDIUM</b> recommended for cultivation and enumeration of <i>Bacillus coagulans</i>		31.30	100 gm 500 gm
TM 586	<b>GLUCOSE YEAST PEPTONE AGAR</b> for isolation of yeasts from soil samples		50.00	500 gm
TM 130	<b>GLYCEROL ASPARAGINE AGAR BASE (ISP MEDIUM NO. 5)</b> for cultivation of <i>Streptomyces</i> species as per International Streptomyces Project		23.00	100 gm 500 gm
TM 2102	<b>GLYCEROL MANNITOL ACETAMIDE CETRIMIDE AGAR (DOUBLE PACK)</b> for the enumeration of <i>Pseudomonas aeruginosa</i> from contaminated materials	(Part I) (Part II)	31.16 10.01	500 gm -
TM 2103	<b>GUM LISTERIA MEDIUM</b> for the isolation of <i>Listeria monocytogenes</i> from clinical and non-clinical specimens		18.44	500 gm
TM 519	<b>GREEN YEAST &amp; MOLD BROTH</b> for cultivation of fungi from beverages		73.20	500 gm
TM 1348	<b>H BROTH</b> for preparation of 'H' antigen, used in the identification and differentiation of <i>Salmonella</i> species		21.50	500 gm
TM 1349	<b>HC AGAR BASE</b> for enumeration of molds in cosmetic products supplemented with Polysorbate 80		54.50	500 gm
TM 1350	<b>HS MEDIUM</b> for cultivation of aerobic as well as anaerobic bacteria and sterility testing		29.50	500 gm
TM 298	<b>H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH)</b> for large scale cultivation of bacteria for Vaccine production		25.00	500 gm
TMV 298	<b>H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) (VEG.)</b> for large scale cultivation of bacteria for Vaccine production		25.00	500 gm
TM 1352	<b>HAEMOPHILUS TEST AGAR BASE</b> for the susceptibility testing of <i>Haemophilus influenzae</i>		43.00	500 gm
TS 144	<b>HAEMOPHILUS GROWTH SUPPLEMENT *</b>		#24 vl	5 vl



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2447	<b>HALF FRASER BROTH</b> for collection and shipment of clinical specimens	55.47	500 gm
TM 2093	<b>HALF FRASER BROTH (FRASER BROTH BASE, MODIFIED)</b> for the selective enrichment of <i>Listeria</i> species from foods	54.97	500 gm
TS 034	<b>FRASER SUPPLEMENT*</b>	#19 vl	5 vl
TM 1937	<b>HALF FRASER BROTH BASE (ISO 11290-1:2017)</b> for the selective enrichment of <i>Listeria</i> species from foods	55.00	500 gm
TS 034	<b>FRASER SUPPLEMENT *</b>	#19 vl	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl
TM 1871	<b>HALOPHILIC AGAR</b> for isolation and cultivation of halophilic bacteria	325.00	500 gm
TM 1872	<b>HALOPHILIC BROTH</b> for isolation and cultivation of halophilic bacteria	305.00	500 gm
TM 1195	<b>HANAHAN'S BROTH (SOB MEDIUM)</b> for cultivation of recombinant strains of <i>Escherichia coli</i>	28.00	500 gm
TM 374	<b>HARTLEY'S DIGEST BROTH</b> for cultivation of various bacteria from blood especially <i>Streptococci</i> and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm
TMV 374	<b>HARTLEY'S DIGEST BROTH (VEG.)</b> for cultivation of various bacteria from blood especially <i>Streptococci</i> and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm
TM 120	<b>HEART INFUSION AGAR (BEEF HEART INFUSION AGAR)</b> for isolation and cultivation of various fastidious microorganisms	40.00	100 gm 500 gm
TM 2104	<b>HEART INFUSION AGAR, MODIFIED</b> for isolation and cultivation of fastidious pathogenic microorganisms like <i>Neisseria</i> , <i>Streptococci</i> etc. and for confirmation of diarrheagenic <i>Escherichia coli</i> in accordance with FDA BAM, 1998	37.50	500 gm
TM 2105	<b>HEART INFUSION YEAST EXTRACT AGAR BASE</b> for the isolation and cultivation of <i>Campylobacter</i> in accordance with FDA BAM 1998	42.00	500 gm
TS 278	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA*</b>	#24 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT*</b>	#24 vl	5 vl
TM 520	<b>HEART INFUSION BROTH (BEEF HEART INFUSION BROTH)</b> for isolation and cultivation of various fastidious microorganisms	25.00	100 gm 500 gm
TM 121	<b>HEKTOEN ENTERIC AGAR (ISO 21567:2004)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens	76.67	100 gm 500 gm
TMV 121	<b>HEKTOEN ENTERIC AGAR (VEG.)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens	76.67	100 gm 500 gm
TM 2107	<b>HEKTOEN ENTERIC AGAR MEDIUM (as per USP)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens	72.66	100 gm 500 gm
TM 2108	<b>HEKTOEN ENTERIC AGAR, W/ 1.4% AGAR</b> for the differential isolation of <i>Shigella</i> and <i>Salmonella</i> from food specimens in accordance with FDA BAM, 1998	75.67	500 gm
TM 1196	<b>HEMMES MEDIUM</b> for biochemical differentiation of <i>Salmonella</i> and <i>Shigella</i> on the basis of dextrose, lactose, sucrose fermentation, motility, H <sub>2</sub> S, indole and urease production	43.00	500 gm
TS 030	<b>UREA 40 % (5ml/vl) *</b>	#117 vl	5 vl 25 vl
TM 1355	<b>HEMORRHAGIC COLI (HC) AGAR</b> for isolation and enumeration with an enzyme labeled monoclonal antibody of <i>Escherichia coli</i>	61.13	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1356	<b>HERELLEA AGAR</b> for the selective isolation and differentiation of gram-negative, fermentative and non-fermentative organisms especially for differentiation of organisms of Mima and Herellea group	62.27	500 gm
TM 2109	<b>HETEROTROPHIC PLATE COUNT AGAR</b> for heterotrophic plate count of bacteria in water	18.75	100 gm 500 gm
TM 2133	<b>HIGH PLATE COUNT AGAR</b> for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	18.75	500 gm
TM 2134	<b>HIGH SALT NUTRIENT AGAR</b> for the isolation, cultivation and confirmation of salt tolerant <i>Vibrio</i> species	55.00	500 gm
TM 123	<b>HIGH SENSITIVITY TEST AGAR</b> for determination of antibiotic susceptibility of fastidious microorganism	32.00	100 gm 500 gm
TM 1805	<b>HIGH SENSITIVITY TEST BROTH</b> for antimicrobial susceptibility tests	23.38	100 gm 500 gm
TM 969	<b>HIPPURATE HYDROLYSIS BROTH</b> for detection of hippurate hydrolysing microorganisms	35.00	100 gm
TM 996	<b>HOFER'S ALKALINE MEDIUM</b> for selective isolation of <i>Agrobacteria</i> while inhibiting <i>Rhizobium</i> species from soil	26.80	100 gm
TM 1552	<b>HORIE ARABINOSE ETHYL VIOLET BROTH</b> for cultivation and enrichment of <i>Vibrio</i> species	43.00	500 gm
TM 997	<b>HOTTINGER BROTH</b> for cultivation of less fastidious microorganisms and determination of indole production	23.00	100 gm
TM 522	<b>HOYLE MEDIUM BASE</b> for differentiation and isolation of <i>Corynebacterium diphtheriae</i>	40.00	100 gm 500 gm
TS 003	<b>POTASSIUM TELLURITE 3.5% (10ml/vl) *</b>	#13 vl	5 vl
TM 741	<b>HUGH LEIFSON GLUCOSE MEDIUM</b> for differentiation of <i>Staphylococci</i> from <i>Micrococci</i> by anaerobic fermentation of glucose	45.52	100 gm 500 gm
TM 125	<b>HUGH LEIFSON MEDIUM</b> for detecting aerobic and anaerobic breakdown of glucose	19.35	100 gm 500 gm
TMV 125	<b>HUGH LEIFSON MEDIUM (VEG.)</b> for detecting aerobic and anaerobic breakdown of glucose	19.40	100 gm 500 gm
TM 742	<b>HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005)</b> for detecting aerobic and anaerobic breakdown of glucose	20.33	100 gm
TM 1351	<b>HYA AGAR</b> for differentiation of <i>Lactobacillus bulgaricus</i> and <i>Streptococcus thermophilis</i> on the basis of colony morphology from yogurt cultures	36.00	100 gm
TM 126	<b>ISP MEDIUM NO.1 (TRYPTONE YEAST EXTRACT BROTH)</b> a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm
TM 397	<b>ISP MEDIUM NO. 2 (YEAST MALT AGAR)</b> for cultivation of Yeasts, Molds and aciduric microorganisms	41.00	100 gm 500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#25 vl	5 vl 25 vl
TM 128	<b>ISP MEDIUM NO. 3</b> for cultivation and characterization of <i>Streptomyces</i> as per International Streptomyces Project	38.00	100 gm 500 gm
TM 129	<b>ISP MEDIUM NO. 4 (INORGANIC SALT STARCH AGAR)</b> for cultivation and characterization of <i>Streptomyces</i> as per International Streptomyces Project	37.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 130	<b>ISP MEDIUM NO. 5 (GLYCEROL ASPARAGINE AGAR BASE)</b> for cultivation of <i>Streptomyces</i> species as per International Streptomyces Project	23.00	100 gm 500 gm
TM 131	<b>ISP MEDIUM NO.6 (PEPTONE YEAST EXTRACT IRON AGAR)</b> for cultivation and maintenance of <i>Streptomyces</i> as per International Streptomyces project	37.50	100 gm 500 gm
TM 132	<b>ISP MEDIUM NO. 7 (TYROSINE AGAR)</b> for isolation and characterization of <i>Streptomyces</i> as per International Streptomyces Project	23.00	100 gm 500 gm
TM 523	<b>ISP MEDIUM NO. 9 (CARBON UTILIZATION AGAR)</b> for characterization of <i>Streptomyces</i> based on carbon utilization	26.67	100 gm 500 gm
TM 1358	<b>ISOLATION MEDIUM FOR IRON BACTERIA</b> for isolation of iron bacteria, especially those belonging to <i>Sphaerotilus-Leptothrix</i> group	10.90	100 gm 500 gm
TM 1357	<b>ITC BROTH BASE (TTC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE)</b> for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm
TS 131	<b>TICARCILLIN SUPPLEMENT *</b>	#7 vl	5 vl
TS 132	<b>POTASSIUM CHLORATE SUPPLEMENT *</b>	#7 vl	5 vl
TM 2136	<b>IUT MEDIUM BASE</b> for cultivation of <i>Mycobacterium tuberculosis</i>	07.30	100 gm 500 gm
TM 468	<b>INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM)</b> for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm
TMV 468	<b>INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) (VEG.)</b> for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm
TM 1205	<b>INHIBITORY MOLD AGAR, ULRICH *</b> for selective isolation of pathogenic fungi	36.16	500 gm
TM 743	<b>INORGANIC SALT MEDIUM (MODIFIED RAGGIOS MEDIUM)</b> for studying soil microorganisms such as <i>Rhizobium</i> species	04.73	100 gm 500 gm
TM 129	<b>INORGANIC SALT STARCH AGAR (ISP MEDIUM NO. 4)</b> for cultivation and characterization of <i>Streptomyces</i> species as per International Streptomyces Project	37.00	100 gm 500 gm
TM 745	<b>INOSITOL GELATIN MEDIUM (as per APHA)</b> for cultivation of <i>Plesiomonas shigelloides</i> from food samples in accordance with APHA	140.05	500 gm
TM 2137	<b>IRON MEDIUM BASE</b> for presumptive confirmation of <i>Clostridium perfringens</i> from food in accordance with FDA BAM, 1998	01.00	500 gm
TM 133	<b>IRON OXIDIZING MEDIUM (DOUBLE PACK)</b> for isolation, cultivation and enrichment of <i>Thiobacillus ferrooxidans</i>	(Part I) 04.11 (Part II) 44.22	100 gm 500 gm
TM 109	<b>IRON MILK MEDIUM</b> for cultivation of <i>Clostridium perfringens</i> from foods	101.00	500 gm
TM 296	<b>IRON SULPHITE AGAR</b> for detection of thermophillic anaerobic organisms causing sulphide spoilage in foods	26.00	100 gm 500 gm
TMV 296	<b>IRON SULPHITE AGAR (VEG.)</b> for detection of thermophillic anaerobic organisms causing sulphide spoilage in foods	26.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2138	<b>IRON SULPHITE AGAR MODIFIED (ISO 15213:2003)</b> for the enumeration of sulphite – reducing bacteria growing under anaerobic conditions	42.00	500 gm
TM 2139	<b>ISLAM'S MEDIUM BASE FOR GROUP B STREPTOCOCCI</b> for identification and cultivation of group B <i>Streptococci</i> from clinical specimens	45.23	500 gm
TM 1359	<b>J. AGAR BASE</b> for cultivation of <i>Bacillus</i> and <i>Sporolactobacillus</i> species	43.00	500 gm
TM 1360	<b>J. BROTH BASE</b> for cultivation of <i>Bacillus</i> and <i>Sporolactobacillus</i> species	20.00	500 gm
TM 134	<b>JENSEN SEEDLING AGAR</b> for germinating seeds of leguminous plants for studying nodulating ability of <i>Rhizobium</i> isolates	16.70	100 gm 500 gm
TM 746	<b>JENSEN'S BROTH</b> for detection and cultivation of nitrogen fixing bacteria	24.10	100 gm 500 gm
TM 135	<b>JENSEN'S MEDIUM</b> for detection and cultivation of nitrogen fixing bacteria	39.00	100 gm 500 gm
TM 2140	<b>K AGAR</b> for isolation and cultivation of <i>Alicyclobacillus</i> in fruit juices in accordance with official method of IFU	24.50	100 gm
TM 1206	<b>K.R.A.N.E.P. AGAR BASE</b> for selective enumeration of total <i>Staphylococci</i> from foods	72.00	100 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#7 vl	5 vl
TM 136	<b>KF STREPTOCOCCAL AGAR BASE</b> for selective isolation and enumeration of faecal <i>Streptococci</i> in surface water by direct plating or by membrane filter technique	76.40	100 gm 500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#7 vl	5 vL 25 vl
TS 045	<b>BROMO CRESOL PURPLE (15 mg/vl)</b>	#7 vl	5 vl
TM 747	<b>KF STREPTOCOCCAL BROTH BASE</b> for detection and enumeration of faecal <i>Streptococci</i> in water and examination of faeces	57.00	100 gm 500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#9 vl	5 vL 25 vl
TM 138	<b>KF STREPTOCOCCUS AGAR BASE W/ BCP</b> for detection and enumeration of faecal <i>Streptococci</i>	76.40	100 gm 500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#7 vl	5 vL 25 vl
TM 139	<b>KF STREPTOCOCCUS BROTH BASE W/ BCP</b> for detection and enumeration of faecal <i>Streptococci</i>	56.40	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#7 vl	5 vL 25 vl
TM 1207	<b>KG AGAR BASE</b> for differentiation of <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> based on fast sporulation	19.53	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#26 vl	5 vl
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#52 vl	5 vl 25 vl
TM 2141	<b>KANAMYCIN ESCULIN AZIDE AGAR</b> for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs	44.67	100 gm
TM 748	<b>KANAMYCIN ESCULIN AZIDE AGAR BASE</b> for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs	44.67	100 gm
TS 068	<b>KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2142	<b>KANAMYCIN ESCULIN AZIDE BROTH</b> for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs	32.67	100 gm
TM 749	<b>KANAMYCIN ESCULIN AZIDE BROTH BASE</b> for selective isolation and identification of group D <i>Streptococci</i> in foodstuffs	32.65	100 gm
TS 068	<b>KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *</b>	#31 vI	5 vI
TM 1208	<b>KAPER'S MEDIUM (as per APHA)</b> for enumeration and identification of <i>Aeromonas hydrophila</i> from foodstuffs	37.92	500 gm
TM 1361	<b>KARMALI CAMPYLOBACTER AGAR BASE</b> for selective isolation and cultivation of thermotolerant <i>Campylobacter</i> species from food and animal feeds	45.00	500 gm
TS 145	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)*</b>	#23 vI	5 vI 25 vI
TS 146	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT W/HEMIN (KARMALI)*</b>	#23 vI	5 vI 25 vI
TM 2143	<b>KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999)</b> recommended as selective enrichment medium for isolation of <i>Shigella</i> species from food samples	132.50	500 gm
TM 1209	<b>KENKNIGHT &amp; MUNAIER'S MEDIUM</b> for isolation of <i>Actinomyces</i> species from soil	16.40	500 gm
TM 2144	<b>KETOGLUCONATE BROTH</b> for identifying bacteria that can utilize $\alpha$ -ketogluconate to form 2-ketogluconate.	27.40	500 gm
TM 1211	<b>KIMMIG FUNGI AGAR BASE</b> for isolation, identification and cultivation of fungi	50.40	500 gm
TS 110	<b>KIMMIG SELECTIVE SUPPLEMENT *</b>	#20 vI	5 vI
TS 111	<b>GEORGE KIMMIG SELECTIVE SUPPLEMENT *</b>	#20 vI	5 vI
TM 562	<b>KING'S OF MEDIUM BASE</b> for studying oxidation fermentation of carbohydrates by <i>Campylobacter</i> species	00.50	100 gm 500 gm
TM 1362	<b>KING'S MEDIUM A BASE</b> for non-selective isolation, cultivation and pigment production by <i>Pseudomonas</i> species	46.60	500 gm
TM 1363	<b>KING'S MEDIUM B BASE</b> for non-selective isolation, cultivation and pigment production by <i>Pseudomonas</i> species	43.00	500 gm
TM 2145	<b>KING'S MEDIUM B BASE W/ 1.5% AGAR (FDA BAM, 1998)</b> for non-selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species	38.00	500 gm
TM 1869	<b>KING'S MEDIUM B BROTH</b> for detection of pigment production by <i>Pseudomonas</i> species	23.00	500 gm
TM 1366	<b>KIRCHNER MEDIUM BASE, MODIFIED</b> for cultivation of <i>Mycobacterium tuberculosis</i>	15.10	500 gm
TS 014	<b>HORSE SERUM *</b>	3.3 ltr	100 ml
TM 141	<b>KLIGLER IRON AGAR</b> for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H <sub>2</sub> S production	57.50	100 gm 500 gm
TMV 141	<b>KLIGLER IRON AGAR (VEG.)</b> for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H <sub>2</sub> S production	57.50	100 gm 500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 142	<b>KLIGLER IRON AGAR, MODIFIED</b> for identification of <i>Yersinia enterocolitica</i> and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H <sub>2</sub> S production	57.30	500 gm
TM 1553	<b>KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003)</b> for identification of <i>Pseudomonas</i> species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H <sub>2</sub> S production	58.02	500 gm
TM 1554	<b>KOHN TWO TUBE MEDIUM NO. 1</b> for identification of <i>Enterobacteriaceae</i> on the basis of dextrose and mannitol fermentation and urease production	46.00	100 gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl) *</b>	#55 vl	5 vl 25 vl
TM 1364	<b>KOHN TWO TUBE MEDIUM NO. 2</b> for identification of <i>Enterobacteriaceae</i> on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production	48.13	100 gm
TM 143	<b>KOSER CITRATE MEDIUM</b> for differentiation of <i>Escherichia coli</i> and <i>Enterobacter aerogenes</i> on the basis of citrate utilization	05.70	100 gm 500 gm
TM 1365	<b>KRACK BLOOD CULTURE MEDIUM</b> for isolating organisms from blood in bacteremias and maintaining cultures isolated from blood	74.00	100 gm
TM 1367	<b>KUNDRAT AGAR</b> for qualitative detection of residues from antibiotics and other chemotherapeutic agents	40.41	500 gm
TM 2146	<b>KUNDRAT AGAR, MODIFIED</b> for the qualitative detection of residues of antibiotics and other chemotherapeutic agents in animal derived food	40.52	500 gm
TM 1212	<b>KUPFERBERG TRICHOMONAS BROTH BASE (TRICHOMONAS BROTH BASE, KUPFERBERG)</b> for selective isolation and cultivation of <i>Trichomonas</i> species	23.50	500 gm
TS 112	<b>TRICHOMONAS SELECTIVE SUPPLEMENT I *</b>	#44 vl	5 vl
TM 750	<b>L. D. AGAR</b> for identification and cultivation of fastidious anaerobic bacteria	33.22	100 gm 500 gm
TM 960	<b>L.D. ESCULIN AGAR</b> for identification of anaerobic bacteria like <i>Bacteroides</i> species on the basis of esculin hydrolysis	34.62	100 gm 500 gm
TM 1125	<b>L.D. EGG YOLK AGAR BASE</b> for identification of lecithinase activity by anaerobic microorganisms	40.23	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#13 vl	5 vl
TM 2148	<b>L.MONO BLOOD AGAR BASE</b> for the specific isolation and cultivation of <i>Listeria</i> species from food and environmental samples	50.00	500 gm
TS 227	<b>L.MONO SELECTIVE SUPPLEMENT I *</b>	#10 vl	5 vl
TM 1806	<b>L.MONO CONFIRMATORY AGAR BASE</b> for selective and differential isolation of <i>Listeria monocytogenes</i> from clinical & food samples	77.00	100 gm 500 gm
TS 227	<b>L.MONO SELECTIVE SUPPLEMENT I *</b>	#13 vl	5 vl
TS 228	<b>L.MONO SELECTIVE SUPPLEMENT II *</b>	#13 vl	5 vl
TS 229	<b>L.MONO ENRICHMENT SUPPLEMENT II *</b>	#13 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2149	<b>L.MONO SELECTIVE AGAR BASE</b> for presumptive enumeration of <i>Listeria</i> species using membrane filtration technique	60.42	500 gm
TS 289	<b>LM SELECTIVE SUPPLEMENT *</b>	#9 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#9 vl	5 vl
TM 1213	<b>LPM AGAR BASE</b> for isolation and cultivation of <i>Listeria monocytogenes</i> from food and dairy products	50.50	100 gm
TS 113	<b>MOXALACTAM SUPPLEMENT *</b>	#10 vl	5 vl
TM 751	<b>L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE)</b> for differentiation of <i>Lactobacilli</i> and <i>Streptococci</i> on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#8 vl	5 vl 25 vl
TMV 751	<b>L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) (VEG.)</b> for differentiation of <i>Lactobacilli</i> and <i>Streptococci</i> on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#8 vl	5 vl 25 vl
TM 1474	<b>L B AGAR (Lennox)</b> for propagation and maintenance of <i>E.coli</i>	35.00	500 gm
TM 1475	<b>L B BROTH (Lennox)</b> for propagation and maintenance of <i>E.coli</i>	20.00	500 gm
TM 1369	<b>LACHICA'S MEDIUM BASE</b> for isolation and cultivation of <i>Aeromonas hydrophila</i> from foods stored under different temperature conditions	43.00	100 gm
TS 161	<b>LACHICA'S SUPPLEMENT *</b>	#12 vl	1 vl
TM 752	<b>LACTIC ACID BACTERIA SELECTIVE AGAR BASE</b> for selective isolation of Lactic Acid Bacteria from brewery	77.10	100 gm
TS 069	<b>LACTIC SUPPLEMENT (10 ml/vl) *</b>	#14 vl	5 vl
TM 753	<b>LACTIC ACID BACTERIA SELECTIVE BROTH BASE (RAKA-RAY NO.3 BROTH BASE)</b> for selective isolation of Lactic Acid Bacteria from brewery	58.90	100 gm
TS 069	<b>LACTIC SUPPLEMENT (10 ml/vl) *</b>	#4 vl	5 vl
TM 754	<b>LACTIC AGAR</b> for enumeration and identification of lactic <i>Streptococci</i> and <i>Lactobacilli</i> by pour plate method	63.50	100 gm
TM 642	<b>LACTIC BACTERIA DIFFERENTIAL AGAR</b> for differentiation of homo-fermentative and hetero-fermentative Lactic Acid Bacteria	35.56	500 gm
TM 643	<b>LACTIC BACTERIA DIFFERENTIAL BROTH</b> for differentiation of homo-fermentative and hetero-fermentative Lactic Acid Bacteria	20.56	500 gm
TM 1001	<b>LACTIC PHAGE AGAR</b> for enumeration of bacteriophages active against starter cultures employed in cheese production	50.00	500 gm
TM 1002	<b>LACTIC PHAGE BROTH</b> for enumeration of bacteriophages active against starter cultures employed in cheese production	35.00	500 gm
TM 1555	<b>LACTIC STREAK AGAR (REDDYS DIFFERENTIAL AGAR, MODIFIED)</b> qualitative and quantitative differentiation of lactic <i>streptococci</i>	58.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 144	<b>LACTOBACILLI AGAR (AOAC) *</b> for cultivation and maintenance of stock cultures used in microbiological assays of vitamin and amino acids	48.00	100 gm
TM 145	<b>LACTOBACILLI BROTH (AOAC) *</b> for preparation of inocula of stock cultures used in microbiological assays of vitamins of group B	38.00	500 gm
TM 316	<b>LACTOBACILLI BROTH (ELLIKER BROTH)</b> for cultivation of <i>Lactobacilli</i> & <i>Streptococci</i> which are important in dairy industry	48.50	500 gm
TM 1370	<b>LACTOBACILLI BULGARICUS AGAR BASE *</b> for isolation and identification of <i>Lactobacillus bulgaricus</i>	70.00	500 gm
TM 755	<b>LACTOBACILLUS HETEROFERM SCREEN AGAR (MRS AGAR, MODIFIED) *</b> for isolation and cultivation of <i>Lactobacillus</i> species from foods	62.20	500 gm
TM 187	<b>LACTOBACILLUS HETEROFERM SCREEN BROTH (MRS BROTH, MODIFIED) *</b> for isolation and cultivation of <i>Lactobacillus</i> species from foods	47.20	500 gm
TM 146	<b>LACTOBACILLUS MRS AGAR (MRS AGAR)</b> for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm
TMV 146	<b>LACTOBACILLUS MRS AGAR (MRS AGAR) VEG.) *</b> for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm
TM 1556	<b>LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) *</b> for the isolation and enumeration of Lactic Acid Bacteria from meat and meat products	65.30	500 gm
TM 147	<b>LACTOBACILLUS MRS BROTH (MRS BROTH)</b> for cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm
TMV 147	<b>LACTOBACILLUS MRS BROTH (MRS BROTH) (VEG.) *</b> for cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm
TM 1003	<b>LACTOBACILLUS SELECTION AGAR BASE</b> for isolation and enumeration of <i>Lactobacillus</i> from foods	84.70	500 gm
TMV 1003	<b>LACTOBACILLUS SELECTION AGAR BASE (VEG.) *</b> for isolation and enumeration of <i>Lactobacillus</i> from foods	84.70	500 gm
TM 1004	<b>LACTOBACILLUS SELECTION BROTH BASE *</b> for selective isolation and enumeration of <i>Lactobacilli</i> from foods	69.70	500 gm
TMV 1004	<b>LACTOBACILLUS SELECTION BROTH BASE (VEG.) *</b> for selective isolation and enumeration of <i>Lactobacilli</i> from foods	69.70	500 gm
TM 1371	<b>LACTOBACILLI SELECTION OXGALL AGAR BASE *</b> for selective isolation, cultivation and enumeration of <i>Lactobacilli</i>	86.20	500 gm
TM 751	<b>LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE (L.S. DIFFERENTIAL MEDIUM BASE)</b> for differentiation of <i>Lactobacilli</i> and <i>Streptococci</i> on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#8 vl	5 vl 25 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 669	<b>LACTOSE BLUE AGAR (BTB LACTOSE AGAR MODIFIED)</b> for differentiation of lactose fermenting and non-fermenting bacteria of <i>Enterobacteriaceae</i>	40.54	500 gm
TM 1537	<b>LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per USP)</b> for detection of coliform bacteria in water, dairy and food products	13.00	100 gm 500 gm
TM 1538	<b>LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per IP)</b> for detection of coliform bacteria in water, foods and dairy products as per Standard Methods	13.00	100 gm 500 gm
TM 757	<b>LACTOSE BROTH (FLUID LACTOSE MEDIUM)</b> for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm
TMV 757	<b>LACTOSE BROTH (FLUID LACTOSE MEDIUM) (VEG.)</b> for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm
TM 2152	<b>LACTOSE MONOHYDRATE BROTH (BROTH MEDIUM D)</b> for the detection of coliform bacteria in water, foods, dairy products	13.00	100 gm 500 gm
TM 148	<b>LACTOSE GELATIN MEDIUM</b> for detection of <i>Clostridium</i> species from food samples	135.00	500 gm
TM 149	<b>LACTOSE GELATIN MEDIUM, MODIFIED (AOAC)</b> for detection and presumptive identification of <i>Clostridium perfringens</i> from foods in accordance with AOAC	160.05	500 gm
TM 1215	<b>LACTOSE LECITHIN AGAR *</b> for isolation and differentiation of histotoxic <i>Clostridia</i> from clinical specimens	58.48	500 gm
TM 758	<b>LACTOSE PEPTONE BROTH</b> for detection of coliform organisms in water	35.00	500 gm
TM 1372	<b>LACTOSE PEPTONE WATER</b> for detection of coliforms in fermentation studies	25.04	500 gm
TM 1216	<b>LACTOSE SULPHITE BROTH BASE (as per EP)</b> for detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products	20.30	500 gm
TM 2153	<b>LACTOSE MONOHYDRATE SULPHITE MEDIUM (MEDIUM R) (as per EP/BP)</b> for detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products	19.80	500 gm
TM 1251	<b>LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000)</b> for detection and enumeration of <i>E.coli</i> and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#3 vl	5 VL 25 vl
TM 2445	<b>LAKED BLOOD WITH KANAMYCIN AND VANCOMYCIN AGAR (LKV)</b> for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of <i>Prevotella</i> species	46.61	500 gm
TS 314	<b>KANAMYCIN AND VANCOMYCIN SUPPLEMENT *</b>	#11 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 150	<b>LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006)</b> for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm
TMV 150	<b>LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (VEG.)</b> for detection and enumeration of coliform bacteria in water, dairy products and other foods	35.60	100 gm 500 gm
TM 1829	<b>LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006)</b> for the selective pre-enrichment medium for <i>Cronobacter sakazakii</i> from milk and milk products	64.60	500 gm
TS 280	<b>VANCOMYCIN SUPPLEMENT *</b>	#8 vl	5 vl
TM 151	<b>LAURYL TRYPTOSE MANNITOL BROTH W/TRYPTOPHAN</b> for detection of <i>Escherichia coli</i> in water	35.80	500 gm
TMV 151	<b>LAURYL TRYPTOSE MANNITOL BROTH W/TRYPTOPHAN (VEG.)</b> for detection of <i>Escherichia coli</i> in water	35.80	500 gm
TM 1217	<b>LEAD ACETATE AGAR</b> for detection of H <sub>2</sub> S producing enteric bacteria	36.28	500 gm
TM 1373	<b>LECITHIN AGAR *</b> for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm
TMV 1373	<b>LECITHIN AGAR (VEG.) *</b> for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm
TM 1374	<b>LECITHIN DILUENT BROTH *</b> a diluent for cosmetic samples	28.00	500 gm
TM 2154	<b>LEE'S AGAR</b> for differential enumeration of yogurt starter bacteria ( <i>Lactobacillus bulgaricus</i> , <i>Streptococcus thermophilus</i> )	51.52	500 gm
TM 2155	<b>LEE'S MULTIDIFFERENTIAL AGAR</b> used in the brewing industry for the cultivation and identification of brewing bacteria including fastidious type	84.63	500 gm
TM 759	<b>LEGIONELLA AGAR BASE</b> for cultivation of <i>Legionella</i> species	37.00	100 gm
TS 044	<b>LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A &amp; B) *</b>	#6 vl	5 vl
TS 015	<b>LEGIONELLA SELECTIVE SUPPLEMENT *</b>	#6 vl	5 vl 25 vl
TS 019	<b>LEGIONELLA SUPPLEMENT *</b>	#6 vl	5 vl
TM 1218	<b>LEGIONELLA AGAR BASE</b> for cultivation of <i>Legionella</i> species	25.00	500 gm
TS 114	<b>LEGIONELLA GROWTH SUPPLEMENT (BCYE) *</b>	#40 vl	5 vl
TS 114A	<b>LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) *</b>	#40 vl	5 vl
TS 115	<b>LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *</b>	#40 vl	5 vl 25 vl
TS 116	<b>LEGIONELLA BMPA SELECTIVE SUPPLEMENT *</b>	#40 vl	5 vl 25vl
TS 195	<b>LEGIONELLA GROWTH SUPPLEMENT W/O L-CYSTEINE *</b>	#40 vl	5 vl 25 vl



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2156	<b>LEGIONELLA AGAR BASE W/O CHARCOAL</b> with the addition of charcoal supplement is used for the cultivation of <i>Legionella</i> species	25.00	500 gm
TS 114	<b>LEGIONELLA GROWTH SUPPLEMENT (BCYE) *</b>	#40 vl	5 vl
TS 114A	<b>LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) *</b>	#40 vl	5 vl
TS 115	<b>LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *</b>	#40 vl	5 vl 25 vl
TS 116	<b>LEGIONELLA BMPA SELECTIVE SUPPLEMENT *</b>	#40 vl	5 vl 25vl
TS 195	<b>LEGIONELLA GROWTH SUPPLEMENT W/O L-CYSTEINE *</b>	#40 vl	5 vl 25 vl
TS 291	<b>STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR *</b>	#40 vl	5 vl 25 vl
TM 760	<b>LEGIONELLA ENRICHMENT BROTH BASE</b> for enrichment of <i>Legionella</i> species	27.50	100 gm
TS 044	<b>LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A &amp; B) *</b>	#8 vl	5 vl
TM 1007	<b>LEIFSON AGAR</b> for isolation of <i>Salmonella</i> and <i>Shigella</i> species from clinical and non-clinical samples	47.42	500 gm
TMV 1007	<b>LEIFSON AGAR (VEG.)</b> for isolation of <i>Salmonella</i> and <i>Shigella</i> species from clinical and non-clinical samples	47.42	500 gm
TM 1008	<b>LEIFSON DEOXYCHOLATE AGAR, MODIFIED</b> for selective isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> species	48.50	500 gm
TM 156	<b>LETHEEN AGAR *</b> determination of phenol coefficient of quaternary ammonium compounds using <i>E.coli</i> or <i>Staphylococcus aureus</i>	32.00	500 gm
TMV 156	<b>LETHEEN AGAR (VEG.) *</b> determination of phenol coefficient of quaternary ammonium compounds using <i>E.coli</i> or <i>Staphylococcus aureus</i>	32.00	500 gm
TM 1557	<b>LETHEEN AGAR W/ TRITON X-100 *</b> for screening cosmetic products for microbial contamination by adding Triton X-100	41.70	500 gm
TM 157	<b>LETHEEN AGAR, MODIFIED *</b> for screening cosmetic products for microbial contamination	54.00	500 gm
TMV 157	<b>LETHEEN AGAR, MODIFIED (VEG.) *</b> for screening cosmetic products for microbial contamination	54.00	500 gm
TM 2157	<b>LETHEEN AGAR I MODIFIED</b> recommended to determine the phenol coefficient of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	59.10	500 gm
TM 1558	<b>LETHEEN BROTH (as per USP)</b> for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm
TM 158	<b>LETHEEN BROTH, AOAC *</b> for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm
TMV 158	<b>LETHEEN BROTH, AOAC (VEG.) *</b> for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 159	<b>LETHEEN BROTH, MODIFIED (as per FDA)</b> for screening cosmetic products to check microbial contamination	42.80	500 gm
TMV 159	<b>LETHEEN BROTH, MODIFIED (as per FDA) (VEG.)</b> for screening cosmetic products to check microbial contamination	42.80	500 gm
TM 2158	<b>LETHEEN BROTH I MODIFIED</b> recommended for screening cosmetic products for microbial contamination	42.80	500 gm
TM 1219	<b>LETHEEN BROTH W/ TRITON X-100</b> for testing microbial contamination in cosmetic products	26.70	500 gm
TM 2159	<b>LEVINE EOSIN-METHYLENE BLUE AGAR MEDIUM (as per USP)</b> for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i>	37.46	100 gm 500 gm
TM 2160	<b>LEVINTHALS MEDIUM BASE</b> for cultivation of <i>Haemophilus</i> species	45.00	500 gm
TM 1220	<b>LIMABEAN AGAR</b> for cultivation of phytopathological and other fungi	23.00	500 gm
TM 2456	<b>LINDEN GRAIN MEDIUM</b> for Media Fill process simulation for beverage bottling, to test for low acid beverage spoiling bacteria	29.50	500 gm
TM 2161	<b>LIN'S CUPRIC SULFATE MEDIUM</b> differential medium for the detection of wild yeasts	40.15	100 gm 500 gm
TM 1221	<b>LIPOVITELLIN SALT MANNITOL AGAR BASE</b> for selective isolation and identification of <i>Staphylococci</i> on the basis of lipase production and mannitol fermentation from clinical and non-clinical specimens	111.00	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#5 vl	5 vl
TM 1222	<b>LIQUOID BROTH</b> for testing blood samples from bacteremic cases	37.50	500 gm
TMV 1222	<b>LIQUOID BROTH (VEG.)</b> for testing blood samples from bacteremic cases	37.50	500 gm
TM 1375	<b>LISTERIA CONFIRMATORY AGAR BASE</b> for cultivation of <i>Listeria</i> species	77.00	500 gm
TS 227	<b>L.MONO SELECTIVE SUPPLEMENT I</b>	#13 vl	5 vl
TS 228	<b>L.MONO SELECTIVE SUPPLEMENT II</b>	#13 vl	5 vl
TS 229	<b>L.MONO ENRICHMENT SUPPLEMENT II *</b>	#13 vl	5 vl
TM 1223	<b>LISTERIA ENRICHMENT BROTH (DOUBLE PACK)</b> for selective enrichment of <i>Listeria monocytogenes</i> from clinical specimens	(Part I) 26.00 (Part II) 37.00	500 gm -
TM 2128	<b>LISTERIA ENRICHMENT BROTH BASE</b> recommended for the rapid and selective enrichment of <i>Listeria</i> species from food samples in 24 hours	44.00	500 gm
TS 288	<b>RAPID LISTERIA SELECTIVE SUPPLEMENT *</b>	#12 vl	5 vl
TM 1224	<b>LISTERIA ENRICHMENT BROTH, MODIFIED *</b> for selective enrichment of <i>Listeria</i> species	52.00	100 gm 500 gm
TM 1225	<b>LISTERIA ENRICHMENT MEDIUM BASE (UVM)</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.35	100 gm 500 gm
TS 117	<b>LISTERIA UVM SUPPLEMENT I *</b>	#19 vl	5 vl
TS 118	<b>LISTERIA UVM SUPPLEMENT II *</b>	#19 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2444	<b>LISTERIA ENRICHMENT MEDIUM BASE (UVM I)</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.36	500 gm
TM 1226	<b>LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2:1998)</b> for detection and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	69.00	100 gm 500 gm
TS 119	<b>LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *</b>	#15 vl	5 vl 25 vl
TM 1227	<b>LISTERIA IDENTIFICATION BROTH BASE (PALCAM)</b> for selective enrichment of <i>Listeria</i> species	47.70	100 gm 500 gm
TS 119	<b>LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *</b>	#22 vl	5 vl 25 vl
TM 1377	<b>LISTERIA MOTILITY MEDIUM</b> for testing motility of <i>Listeria monocytogenes</i>	29.60	500 gm
TM 2162	<b>LISTERIA OXFORD AGAR BASE W/ 1.2% AGAR</b> for isolation of specimen <i>Listeria</i> species from food samples in accordance with FDA BAM, 1998	57.50	500 gm
TS 292	<b>LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *</b>	#18 vl	5 vl
TM 2163	<b>LISTERIA OXFORD MEDIUM BASE, MODIFIED</b> for isolation and differentiation of <i>Listeria</i> species from clinical specimens	57.50	500 gm
TS 120	<b>OXFORD LISTERIA SUPPLEMENT *</b>	#18 vl	5 vl
TS 292	<b>LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *</b>	#18 vl	5 vl
TM 1229	<b>LISTERIA OXFORD MEDIUM BASE (ISO 11290-1)</b> for isolation of <i>Listeria</i> species from pathological samples	55.50	100 gm 500 gm
TS 120	<b>OXFORD LISTERIA SUPPLEMENT *</b>	#19 vl	5 vl
TS 121	<b>LISTERIA MOXALACTAM SUPPLEMENT *</b>	#19 vl	5 vl
TM 612	<b>LISTERIA SELECTIVE AGAR (DOUBLE PACK)</b> for selective isolation & cultivation of <i>Listeria</i> species from clinical samples	(Part I) 39.00 (Part II) 37.50	500 gm -
TM 1444	<b>LISTERIA SELECTIVE AGAR BASE</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i>	51.00	500 gm
TS 092	<b>LISTERIA SELECTIVE SUPPLEMENT II *</b>	#20 vl	5 vl 25 vl
TM 761	<b>LISTERIA SELECTIVE BROTH BASE</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	36.00	500 gm
TS 092	<b>LISTERIA SELECTIVE SUPPLEMENT II *</b>	#28 vl	5 vl 25 vl
TMV 761	<b>LISTERIA SELECTIVE BROTH BASE (VEG.)</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	36.00	500 gm
TS 092	<b>LISTERIA SELECTIVE SUPPLEMENT II *</b>	#28 vl	5 vl 25 vl
TM 2164	<b>LISTERIA SELECTIVE ENRICHMENT BROTH *</b> for selective enrichment of <i>Listeria</i> species in accordance with FDA/IDF-FIL	36.10	500 gm
TM 2165	<b>LISTERIA SELECTIVE PRIMARY BROTH BASE</b> for selective enrichment of <i>Listeria</i> species from foods	53.18	500 gm
TS 293	<b>NAMC LISTERIA SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl
TM 164	<b>LITMUS LACTOSE AGAR</b> for differentiation of Lactose fermenting and Lactose nonfermenting microorganisms	29.00	500 gm
TM 762	<b>LITMUS LACTOSE BILE SALT AGAR (LLBSA)</b> for selective isolation of enteric bacteria on the basis of lactose fermentation	70.50	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 165	<b>LITMUS MILK (LITMUS SM BROTH)</b> for determination and maintenance of <i>Lactobacilli</i>	101.00	100 gm 500 gm
TM 763	<b>LITMUS MILK (as per BIS)</b> for determination and maintenance of <i>Lactobacilli</i>	105.00	100 gm 500 gm
TM 524	<b>LITTMAN OXGALL AGAR BASE</b> for primary isolation of pathogenic fungi	55.01	500 gm
TM 525	<b>LITTMAN OXGALL BROTH BASE</b> for selective enrichment and cultivation of pathogenic fungi	35.00	500 gm
TM 764	<b>LIVER BROTH</b> for examination of food for saccharolytic, putrefactive, mesophilic and thermophilic anaerobes	64.00	500 gm
TM 1230	<b>LIVER BROTH, MODIFIED</b> for presumptive and enrichment test of <i>Clostridia</i> & other anaerobes from food & other products	62.00	500 gm
TM 166	<b>LIVER INFUSION AGAR</b> for cultivation of <i>Brucella</i> and other pathogenic anaerobic bacteria	55.01	100 gm 500 gm
TM 167	<b>LIVER INFUSION BROTH</b> for cultivation of <i>Brucella</i> and other anaerobic bacteria	35.00	100 gm 500 gm
TM 765	<b>LIVER MEAT AGAR</b> for cultivation of fastidious anaerobes	34.00	500 gm
TM 2147	<b>LIVER MEAT AGAR, MODIFIED</b> for cultivation of fastidious anaerobic microorganisms	32.50	500 gm
TM 766	<b>LIVER MEAT GLUCOSE CYSTEINE BROTH</b> for cultivation of fastidious anaerobes	32.00	500 gm
TM 767	<b>LIVER MEAT INFUSION AGAR</b> for enumeration of sulphite reducing <i>Clostridia</i> and <i>Clostridium perfringens</i> in water and milk	34.87	500 gm
TM 2150	<b>LIVER VEAL AGAR</b> for the cultivation of fastidious anaerobic organisms	97.00	500 gm
TM 2151	<b>LIVER VEAL AGAR BASE, MODIFIED*</b> for isolation of <i>Clostridium botulinum</i> in accordance with FDA BAM, 1998	97.00	500 gm
TS 290	<b>EGG YOLK EMULSION 50%</b>	#5 vl	5 vl
TM 768	<b>LOEFFLER MEDIUM BASE</b> for cultivation of <i>Corynebacterium diphtheriae</i> from clinical samples and confirmation of chromogenesis, proteolysis and the production of ascospores	08.75	100 gm 500 gm
TS 014	<b>HORSE SERUM*</b>	42.6 ltr	100 ml
TM 2166	<b>LOEFFLER SERUM MEDIUM BASE</b> for the cultivation of <i>Corynebacterium diphtheriae</i>	10.00	100 gm 500 gm
TM 375	<b>LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM)</b> for isolation and cultivation of <i>Mycobacterium</i> species	37.24	100 gm 500 gm
TS 047	<b>GRUFT MYCOBACTERIAL SUPPLEMENT *</b>	#54 vl	5 vl
TM 2167	<b>LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (as per IP) (DOUBLE PACK)</b>	(Part I) 11.04 (Part II) 0.667	100 gm 500 gm
TS 047	<b>GRUFT MYCOBACTERIAL SUPPLEMENT *</b>	#54 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 526	L.J. MEDIUM W/O STARCH (as per International Standard) for propagation of <i>Mycobacteria</i>	07.24	100 gm 500 gm
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#27 vl	5 vl
TM 2168	L.J. MEDIUM MODIFIED used for the isolation of <i>Mycobacterium</i> species from mixed flora	37.24	500 gm
TS 294	LCN SUPPLEMENT *	#14 vl	5 vl 25 vl
TMS 01	L.J. MEDIUM SLANT (10 Slants) for cultivation of <i>Mycobacterium tuberculosis</i>	-	1 Kit
TMS 01L	L.J. MEDIUM SLANT (10 Long Slants) for cultivation of <i>Mycobacterium tuberculosis</i>	-	1 Kit
TM 407	LURIA AGAR for general cultivation of fastidious and non fastidious microorganisms	35.00	500 gm
TMV 407	LURIA AGAR (VEG.) for general cultivation of fastidious and non fastidious microorganisms	35.00	500 gm
TM 2169	LURIA AGAR BASE, MILLERS MODIFICATION for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose	30.50	500 gm
TM 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm
TMV 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm
TM 2170	LURIA BERTANI AGAR, MODIFIED for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms	30.00	500 gm
TM 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm
TMV 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm
TM 377	LURIA BROTH for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm
TMV 377	LURIA BROTH (VEG.) for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm
TM 2171	LURIA BROTH BASE, MILLER'S MODIFICATION for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose	15.50	500 gm
TM 769	LYSINE ARGININE IRON AGAR (LAI AGAR) for isolation and presumptive identification of <i>Yersinia</i> species from milk and milk products	44.56	100 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2172	<b>LYSINE ASSAY MEDIUM *</b> for determining lysine concentration by microbiological assay method	105.00	100 gm
TM 169	<b>LYSINE DECARBOXYLASE BROTH</b> for differentiating <i>Salmonella</i> serotype arizonae from the <i>Bethesda Ballerup</i> group of <i>Enterobacteriaceae</i>	14.00	100 gm 500 gm
TM 1830	<b>LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006)</b> for differentiating <i>Salmonella</i> serotype arizonae from the <i>Bethesda Ballerup</i> group of <i>Enterobacteriaceae</i>	09.00	100 gm 500 gm
TM 2173	<b>L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017)</b> recommended for biochemical confirmation of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm
TM 2174	<b>LYSINE INDOLE MOTILITY MEDIUM, MODIFIED</b> is used as an aid for the identification of members of <i>Enterobacteriaceae</i> on the basis of lysine decarboxylase, indole production and motility	30.02	500 gm
TM 171	<b>LYSINE IRON AGAR</b> for differentiation of enteric organisms especially <i>Salmonella</i> species based on their ability to decarboxylate or deaminate lysine and production of H <sub>2</sub> S	34.56	100 gm 500 gm
TMV 171	<b>LYSINE IRON AGAR (VEG.)</b> for differentiation of enteric organisms especially <i>Salmonella</i> species based on their ability to decarboxylate or deaminate lysine and production of H <sub>2</sub> S	34.56	100 gm 500 gm
TM 770	<b>LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE )</b> for rapid presumptive detection of <i>Salmonella</i> in food products and feed materials	25.72	100 gm 500 gm
TS 070	<b>NOVOBIOCIN SELECTIVE SUPPLEMENT *</b>	#20 vl	5 vl
TM 1010	<b>LYSINE LACTOSE BROTH</b> for determination of lysine decarboxylase activity of <i>lactose nonfermenting</i> members of <i>Enterobacteriaceae</i> especially <i>Salmonella</i>	24.00	500 gm
TM 172	<b>LYSINE MEDIUM BASE</b> for isolation and enumeration of wild yeasts in pitching yeasts	66.00	100 gm 500 gm
TS 232	<b>POTASSIUM LACTATE 50% (10ml/vl) *</b>	#8 vl	5 vl
TM 2175	<b>M9 MINIMAL MEDIUM SALTS (5X)</b> for growing <i>Escherichia coli</i> for molecular biology purpose	56.40	500 gm
TM 2177	<b>M-AZIDE BROTH BASE</b> for cultivation and enumeration of <i>Enterococci</i> from water samples using membrane filter technique	156.40	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#4 vl	5 vl 25 vl
TM 1380	<b>M-BCG YEAST AND MOLD AGAR</b> for the detection of Fungi in routine analysis of beverages using membrane filter technique	88.20	500 gm
TM 1231	<b>M-BCG YEAST AND MOLD BROTH</b> for the detection of Fungi in routine analysis of beverages using membrane filter technique	73.20	500 gm
TM 2178	<b>M-BCG YEAST AND MOULD BROTH, MODIFIED</b> for the detection of Fungi in the routine analysis of beverages	74.13	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2176	<b>M-BROTH</b> for detecting <i>Salmonella</i> in foods and feeds by the accelerated enrichment serology procedures	36.23	100 gm
TM 2179	<b>M-BISMUTH SULPHITE BROTH</b> for the detection of <i>Salmonella</i> by the membrane filter technique	64.65	500 gm
TM 2180	<b>M-BRILLIANT GREEN BROTH</b> for the detection of <i>Salmonella</i> by the membrane filter technique	76.19	500 gm
TM 2130	<b>M-CP AGAR BASE</b> for isolation and enumeration of <i>Clostridium perfringens</i> from water samples using membrane filtration technique	71.20	100 gm 500 gm
TS 318	<b>M-CP SELECTIVE SUPPLEMENT I *</b>	#14 vl	5 vl
TS 320	<b>M-CP SELECTIVE SUPPLEMENT II *</b>	#14 vl	5 vl
TS 317	<b>M-CP SELECTIVE SUPPLEMENT, MODIFIED *</b>	#14 vl	5 vl
TM 2181	<b>M-DEXTROSE TRYPTONE BROTH</b> for detection and cultivation of thermophilic flat sour microorganisms from food preparations using membrane filter technique	30.04	500 gm
TM 2131	<b>M-E.COLI BROTH *</b> for the detection, differentiation and enumeration of <i>Escherichia coli</i> and coliforms in water samples using membrane filter technique	21.67	100 gm 500 gm
TM 2182	<b>M-EC TEST AGAR</b> for testing <i>Escherichia coli</i> in water samples using membrane filter technique	45.26	500 gm
TM 2183	<b>M-EMB BROTH</b> for the detection of members of the coliform group by the membrane filter technique	84.33	500 gm
TM 174	<b>M-ENDO AGAR, LES</b> for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm
TMV 174	<b>M-ENDO AGAR, LES(VEG.)</b> for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm
TM 175	<b>M-ENDO BROTH</b> for estimation of coliforms in water samples using membrane filter technique	61.50	100 gm 500 gm
TM 773	<b>M-ENDO BROTH MF (MF ENDO MEDIUM) (M-COLIFORM BROTH)</b> for enumeration of coliform bacteria in water samples using one step membrane filter technique	48.00	500 gm
TM 2184	<b>M-ENRICHMENT BROTH</b> for enumeration of bacteria by membrane filter technique and for preliminary enrichment of organisms on membrane filter prior to using selective media	54.00	500 gm
TM 176	<b>M-ENTEROCOCCUS AGAR BASE</b> for isolation and enumeration of <i>Enterococci</i> in sewage, water and foods by membrane filter technique	41.50	500 gm
TM 2185	<b>M-ENTEROCOCCUS AGAR BASE, MODIFIED</b> for cultivation and enumeration of <i>Enterococci</i> from water samples using membrane filter technique	71.45	100 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#3 vl	5 vl 25 vl
TM 178	<b>M-FC AGAR BASE</b> for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm
TS 048	<b>ROSOLIC ACID (0.1 gm/vl) *</b>	#10 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 178	<b>M-FC AGAR BASE (VEG.)</b> for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm
TS 048	<b>ROSOLIC ACID (0.1 gm/vl) *</b>	#10 vl	5 vl
TM 179	<b>M-FC AGAR BASE MODIFIED</b> for detection & enumeration of <i>Klebsiella</i> in water by membrane filter technique	49.60	500 gm
TS 048	<b>ROSOLIC ACID (0.1 gm/vl) *</b>	#11 vl	5 vl
TM 180	<b>M-FC BROTH BASE</b> for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	37.10	500 gm
TS 048	<b>ROSOLIC ACID (0.1 gm/vl) *</b>	#14 vl	5 vl
TM 2186	<b>M-FC BASAL MEDIUM</b> for enumeration of faecal coliform by membrane filtration technique with the addition of fluorogenic and chromogenic supplement	39.50	500 gm
TS 295	<b>CHROMOGENIC SUPPLEMENT *</b>	#14 vl	5 vl
TS 296	<b>MUG SUPPLEMENT (50 MG PER VIAL) *</b>	#13 vl	5 vl
TM 2187	<b>M-FILTER RINSE BROTH</b> used as a rinsing fluid in the membrane filtration procedure	09.00	500 gm
TM 2188	<b>M-(HPC) HETEROTROPHIC PLATE COUNT AGAR BASE</b> for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	60.00	500 gm
TM 2189	<b>M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE</b> for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	45.00	500 gm
TM 2190	<b>M-HD ENDO BROTH</b> for detection of coliforms in water samples by membrane filter technique	57.14	500 gm
TM 2191	<b>M-HD ENDO BROTH W/ BG</b> for the detection of coliform in highly polluted waters using membrane filter technique	56.44	500 gm
TM 2192	<b>M-KLEB AGAR BASE</b> recommended for selective isolation and differentiation of <i>Klebsiella</i> from water and other sources	36.22	100 gm 500 gm
TS 257	<b>KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#28 vl	5 vl
TM 1914	<b>M-7 HR FC AGAR</b> for examination of water and waste water	46.45	100 gm 500 gm
TM 1233	<b>M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE</b> for enumeration of heterotrophic microorganisms from water by membrane filter technique	45.00	500 gm
TM 2193	<b>M-LAURYL SULPHATE AGAR</b> for enumeration of <i>Escherichia coli</i> and coliforms in water, using membrane filter technique	91.20	500 gm
TM 2194	<b>M-LAURYL SULPHATE BROTH</b> for enumeration of <i>Escherichia coli</i> in water using membrane filtration technique	76.20	500 gm
TM 775	<b>M-LAURYL SULPHATE BROTH (ISO 9308-1:2000)</b> for enumeration of <i>Escherichia coli</i> in water by membrane filter technique	77.20	500 gm
TM 2195	<b>M-MACCONKEY BROTH</b> for detection of lactose fermenting and nonfermenting enteric bacteria using membrane filter technique	49.12	500 gm
TM 2196	<b>M-NUTRIENT BROTH</b> for enumeration of bacteria using membrane filter technique	46.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2197	<b>M-PA AGAR BASE</b> for the detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique	39.68	500 gm
TS 297	<b>M-PA SELECTIVE SUPPLEMENT *</b>	#13 vl	5 vl
TM 2198	<b>M-PA AGAR</b> for selective detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique	35.17	500 gm
TM 2199	<b>M-PC BROTH</b> for enumerating microorganisms by membrane filtration	17.00	500 gm
TM 2200	<b>M-STANDARD METHODS BROTH</b> for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	17.00	500 gm
TM 2201	<b>M-STAPHYLOCOCCUS BROTH</b> for detection and isolation of <i>Staphylococci</i> by membrane filter technique	104.55	500 gm
TM 2202	<b>M-TEC AGAR</b> for isolation, differentiation and rapid enumeration of thermotolerant <i>Escherichia coli</i> from water by membrane filtration	45.26	500 gm
TM 2203	<b>M-TERGITOL 7 AGAR BASE</b> for selective isolation and identification of injured coliforms from chlorinated water using membrane filter technique	48.03	500 gm
TM 2204	<b>M-TERGITOL-7 AGAR W/ MEAT EXTRACT</b> as a selective and differential medium for the recovery of injured coliform organisms from chlorinated water by membrane filter technique	53.85	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#3 vl	5 vl 25 vl
TM 2205	<b>M-TETRATHIONATE BROTH BASE</b> for selective enrichment of <i>Salmonella</i> using membrane filter technique	36.00	500 gm
TM 2206	<b>M-TRYPTONE GLUCOSE EXTRACT BROTH</b> for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	18.00	500 gm
TM 2207	<b>M-YEAST AND MOULD BROTH</b> for counting yeasts and moulds in samples by membrane filter technique	73.20	500 gm
TM 2208	<b>M-7 HR FC AGAR</b> for examination of water and waste water	46.45	100 gm 500 gm
TM 2209	<b>6 MFA MEDIUM</b> for cultivation of <i>Aspergillus ochraceous</i>	70.00	500 gm
TM 2210	<b>M16 AGAR (MODIFIED ROGOSA AGAR) *</b> for cultivation and enumeration of <i>lactic Streptococci</i> used in manufacture of cheddar cheese	36.00	500 gm
TM 182	<b>M17 AGAR BASE</b> for cultivation of <i>lactic Streptococci</i> and plaque assay of lactic bacteriophages	33.25	500 gm
TMV 182	<b>M17 AGAR BASE (VEG.)</b> for cultivation of <i>lactic Streptococci</i> and plaque assay of lactic bacteriophages	33.25	500 gm
TM 183	<b>M17 AGAR W/O LACTOSE</b> for isolation and cultivation of <i>lactic Streptococci</i> from dairy products like yogurt, cheese, etc.	48.25	500 gm
TM 184	<b>M17 AGAR W/ SODIUM GLYCEROPHOSPHATE (DOUBLE PACK)</b> for cultivation of <i>lactic Streptococci</i> and plaque assay of lactic bacteriophages	(Part I) 33.25 (Part II) 19.00	100 gm -

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 185	<b>M17 BROTH</b> for cultivation and isolation of <i>lactic Streptococci</i> and their bacteriophages	42.25	100 gm 500 gm
TM 2211	<b>M17 AGAR WITH GLYCEROPHOSPHATE</b> for cultivation of <i>lactic Streptococci</i> and plaque assay of lactic bacteriophages	52.25	100 gm
TM 2212	<b>MP-5 MEDIUM</b> for detection of pectinolytic microorganisms especially those producing polygalacturonase	33.20	500 gm
TM 2213	<b>MP-7 MEDIUM</b> for cultivation of pectinolytic microorganisms especially those producing pectate lyase	33.20	500 gm
TM 1561	<b>MeReSA AGAR BASE</b> for selective isolation and identification of methicillin resistant <i>Staphylococcus aureus</i> from clinical specimens	80.12	500 gm
TS 231	<b>MeReSa SELECTIVE SUPPLEMENT *</b>	#13 vl	5 vl
TS 219	<b>CEFOXITIN SUPPLEMENT*</b>	#13 vl	5 vl
TM 186	<b>MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM)</b> for identification of <i>Enterobacteriaceae</i> on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm
TMV 186	<b>MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) (VEG.)</b> for identification of <i>Enterobacteriaceae</i> on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm
TM 781	<b>MIU MEDIUM BASE</b> for detection of motility, urease and indole production	18.00	500 gm
TS 030	<b>UREA 40% (5 ml/vl)*</b>	#28 vl	5 vl 25 vl
TM 782	<b>MOF MEDIUM (MARINE OXIDATION FERMENTATION MEDIUM)</b> for differentiation of marine bacteria by fermentative and oxidative metabolism of carbohydrates	22.14	500 gm
TM 1024	<b>MOX AGAR</b> for cultivation of <i>Yersinia enterocolitica</i> from foodstuffs	46.74	500 gm
TM 324	<b>MR-VP MEDIUM (BUFFERED GLUCOSE BROTH)</b> useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TMV 324	<b>MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (VEG.)</b> useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm
TM 685	<b>MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005)</b> for differentiation of coli-aerogenes group by MR-VP test	15.00	100 gm 500 gm
TM 146	<b>MRS AGAR (LACTOBACILLUS MRS AGAR)</b> for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm
TMV 146	<b>MRS AGAR (LACTOBACILLUS MRS AGAR) (VEG.) *</b> for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm
TM 2214	<b>MRS AGAR W/ pH 5.5 *</b> for enrichment, isolation and cultivation of all <i>Lactobacillus</i> species	68.24	100 gm 500 gm



## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 755	<b>MRS AGAR, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN AGAR) *</b> for isolation and cultivation of <i>Lactobacillus</i> species from foods	62.20	500 gm
TM 2215	<b>MRS AGAR, MODIFIED (ISO 15214:1998) *</b> for isolation and enumeration of mesophilic lactic acid bacteria from food	69.21	500 gm
TM 2443	<b>MRS AGAR, W/LOW pH *</b> for cultivation of all <i>Lactobacillus</i> species from all types of material	64.15	500 gm
TM 147	<b>MRS BROTH (LACTOBACILLUS MRS BROTH)</b> for isolation and cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm
TMV 147	<b>MRS BROTH (LACTOBACILLUS MRS BROTH) (VEG.) *</b> for isolation and cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm
TM 2216	<b>MRS BROTH W/LOW pH (Store between 10-25°C)</b> for cultivation of all <i>Lactobacillus</i> species from all types of material	52.15	500 gm
TM 187	<b>MRS BROTH, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN BROTH) *</b> for isolation and cultivation of <i>Lactobacillus</i> species from foodstuffs	47.20	500 gm
TM 2217	<b>MRS SELECTIVE AGAR BASE (ISO 20128:2006)</b> recommended for the selective cultivation of Lactic Acid Bacteria from food	65.15	100 gm 500 gm
TS 298	<b>CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT*</b>	#8 vl	5 vl
TM 2218	<b>MSM BROTH BASE</b> recommended as an enrichment medium for <i>Salmonella</i> species	12.63	500 gm
TS 299	<b>GROWTH SUPPLEMENT I FOR MSM *</b>	#40 vl	5 vl
TS 300	<b>GROWTH SUPPLEMENT II FOR MSM *</b>	#40 vl	5 vl
TM 2219	<b>M-T 7 Agar</b> recommended for growth and recovery of injured <i>E.coli</i> and total coliforms from water samples by membrane filtration	48.60	500 gm
TM 2220	<b>MUD SF BROTH BASE</b> for detection and enumeration of intestinal <i>Enterococci</i> on surface and waste water by MPN method	53.65	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#10 vl	5 vl 25 vl
TS 157	<b>ENTEROCOCCUS SELECTIVE SUPPLEMENT *</b>	#94 vl	5 vl
TM 1388	<b>MUG SF BROTH BASE</b> for detection and enumeration of intestinal <i>Enterococci</i> on surface and waste water by MPN method	53.65	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#10 vl	5 vl 25 vl
TS 157	<b>ENTEROCOCCUS SELECTIVE SUPPLEMENT *</b>	#94 vl	5 vl
TM 1026	<b>MUG BRILLIANT GREEN BILE BROTH *</b> for detection of <i>Escherichia coli</i> in water and food by a fluorogenic method	40.10	500 gm
TM 1389	<b>MUG BROMOCRESOL PURPLE BROTH W/ LACTOSE *</b> for identification of <i>Escherichia coli</i> and coliform bacteria from water by fluorogenic assay method	36.03	500 gm
TM 1027	<b>MUG EC BROTH *</b> for detection of <i>Escherichia coli</i> in water and food by fluorogenic method	37.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1571	<b>MUG EC BROTH, MODIFIED *</b> recommended for detection and enumeration of <i>Escherichia coli</i> on surface and waste water by miniaturized method (MPN)	42.10	500 gm
TM 1028	<b>MUG LAURYL SULPHATE BROTH *</b> for detection of <i>Escherichia coli</i> in water and food by a fluorogenic method	35.65	500 gm
TM 1572	<b>MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997) *</b> for selective enrichment of presumptive <i>Escherichia coli</i> and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm
TM 1029	<b>MUG MacCONKEY AGAR *</b> for selective isolation and detection of lactose fermenting coliform organisms by fluorogenic method	51.63	500 gm
TM 1391	<b>MUG MFC AGAR *</b> for cultivation and enumeration of faecal coliforms by the membrane filter technique	39.60	500 gm
TM 1030	<b>MUG NUTRIENT AGAR *</b> for detection of <i>Escherichia coli</i> in water and food samples by a fluorogenic method	28.10	500 gm
TM 1031	<b>MUG PLATE COUNT AGAR *</b> for determination of plate count of microorganisms in milk and other dairy products by fluorogenic method	23.60	500 gm
TM 1200	<b>MUG PSEUDOMONAS AGAR BASE (FLUOROGENIC PSEUDOMONAS AGAR BASE) *</b> for selective isolation of <i>Pseudomonas aeruginosa</i> by fluorogenic method	46.75	100 gm 500 gm
TM 1392	<b>MUG SORBITOL AGAR *</b> for isolation and identification of enteropathogenic <i>Escherichia coli</i> associated with infant diarrhoea by fluorogenic method	50.13	500 gm
TM 1235	<b>MUG TRYPTONE SOYA AGAR (MUG CASO AGAR) *</b> for cultivation of fastidious and nonfastidious microorganisms using fluorogenic method	40.10	500 gm
TM 1236	<b>MUG TRYPTONE WATER *</b> for detection of indole production by microorganisms using fluorogenic method	15.05	500 gm
TM 1032	<b>MUG VIOLET RED BILE AGAR *</b> for detection and enumeration of coliform organisms by a fluorogenic method	41.63	500 gm
TM 1033	<b>MY 40 AGAR (OSMOPHILIC AGAR)</b> for isolation and detection of osmophilic microorganisms from food samples	445.00	500 gm
TM 1034	<b>MY 40G AGAR (OSMOPHILIC GLUCOSE AGAR)</b> for isolation and cultivation of osmotolerant microorganisms from food	427.00	500 gm
TM 197	<b>MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part VI) 1976, reaffirmed 2005)</b> for detection and isolation of osmophilic microorganisms from food samples	46.00	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#11 vl	5 vl
TMV 197	<b>MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (VEG.)</b> for isolation and identification of pathogenic <i>Staphylococci</i> and <i>Bacillus</i> species	46.00	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#11 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2221	<b>MYP AGAR BASE</b> for isolation and identification of <i>Bacillus cereus</i> in accordance with FDA BAM, 1998	46.03	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#6 vl	5 vl
TM 1898	<b>MacCONKEY AGAR</b> for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours	55.00	100 gm 500 gm
TMH 118	<b>MacCONKEY AGAR (as per USP/EP/BP/JP)</b> for selective isolation and differentiation of <i>E.coli</i> and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm
TM 337	<b>MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS &amp; 1% LACTOSE)</b> for isolation of Coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm
TMV 337	<b>MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS &amp; 1% LACTOSE) (VEG.)</b> for isolation of Coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm
TM 379	<b>MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV &amp; NaCl)</b> for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm
TMV 379	<b>MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV &amp; NaCl)(VEG.)</b> for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm
TM 378	<b>MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV &amp; NaCl.)</b> for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm
TMV 378	<b>MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV &amp; NaCl.) (VEG.)</b> for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm
TMH 378	<b>MacCONKEY AGAR (W/O CV, NaCl, W/ 0.5% SODIUM TAUROCHOLATE)</b> for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram-negative bacilli from clinical, food and water samples	55.04	100 gm 500 gm
TM 232	<b>MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS &amp; 1.2% AGAR W/O CV &amp; NaCl)</b> for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm
TMV 232	<b>MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS &amp; 1.2% AGAR W/O CV &amp; NaCl) (VEG.)</b> for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm
TM 349	<b>MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS &amp; NaCl)</b> for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm
TMV 349	<b>MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS &amp; NaCl) (VEG.)</b> for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm
TM 528	<b>MacCONKEY AGAR (W/O CV, W/ 1.2% AGAR)</b> for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	48.53	500 gm
TM 527	<b>MacCONKEY AGAR (W/O CV, W/ 0.075 NR &amp; BILE SALTS, NaCl) (MacCONKEY AGAR NO.1)</b> for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	52.00	500 gm
TM 2222	<b>MacCONKEY AGAR (W/ CV W/O NaCl)</b> recommended for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram - negative bacilli	46.53	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2223	<b>MacCONKEY AGAR (W/O CV, W/0.5% SODIUM TAUROCHOLATE)</b> for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	55.07	500 gm
TM 2224	<b>MacCONKEY AGAR MEDIUM</b> for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria and also for isolation of faecal <i>Streptococci</i>	55.37	500 gm
TM 1697	<b>MacCONKEY AGAR MEDIUM (as per USP 31)</b> for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.00	500 gm
TM 1698	<b>MacCONKEY AGAR MEDIUM (as per IP)</b> for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.03	500 gm
TM 1036	<b>MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005)</b> for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria	55.07	100 gm 500 gm
TM 198	<b>MacCONKEY AGAR (W/ BROMO THYMOL BLUE)</b> for detection of lactose fermenting enteric bacteria	51.53	100 gm 500 gm
TM 2225	<b>MacCONKEY AGAR II (W/O CV)</b> for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	50.03	500 gm
TM 2226	<b>MacCONKEY AGAR (W/ MAGNESIUM SULPHATE)</b> for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	47.27	100 gm 500 gm
TM 199	<b>MacCONKEY AGAR BASE (W/O CARBOHYDRATE)</b> for detection of carbohydrate fermentation by adding single or multiple carbohydrates	40.03	500 gm
TM 582	<b>MacCONKEY AGAR, MODIFIED</b> for isolation of <i>Klebsiella</i> species from water samples	50.03	100 gm
TS 257	<b>KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#4 vl	5 vl
TM 2227	<b>MacCONKEY AGAR, RS</b> for isolating and differentiating Gram negative enteric <i>bacilli</i> from specimens containing swarming strains of <i>Proteus</i> species	53.53	100 gm 500 gm
TMH 110	<b>MacCONKEY AGAR (as per USP/EP/BP/JP)</b> for isolation, enumeration and enrichment of <i>Enterobacteriaceae</i>	50.03	100 gm 500 gm
TMHV 110	<b>MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.)</b> for isolation, enumeration and enrichment of <i>Enterobacteriaceae</i>	50.03	100 gm
TM 1875	<b>MacCONKEY BROTH PURPLE (W/ BCP) (ISO 9308-2-1990)</b> for presumptive identification of Coliforms from water	40.01	100 gm 500 gm
TM 529	<b>MacCONKEY BROTH (W/ BCP &amp; NaCl) (ISO 9308-2:1990)</b> for presumptive identification of Coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TMV 529	<b>MacCONKEY BROTH (W/ BCP &amp; NaCl) (VEG.)</b> for presumptive identification of Coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TM 381	<b>MacCONKEY BROTH (W/ BCP) (DOUBLE STRENGTH)</b> for presumptive identification of Coliforms from large samples	80.00	100 gm 500 gm
TM 323	<b>MacCONKEY BROTH (W/ BCP W/O NaCl)</b> for presumptive identification of Coliforms from water, milk and foods	35.00	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1240	<b>MacCONKEY BROTH W/ BCP (as per BIS)</b> for presumptive identification of Coliforms from water, milk and foods	40.02	100 gm 500 gm
TM 322	<b>MacCONKEY BROTH (W/NEUTRAL RED)</b> for selective enrichment and enumeration of Coliforms from water	40.00	100 gm 500 gm
TMV 322	<b>MacCONKEY BROTH (W/NEUTRAL RED) (VEG.)</b> for selective enrichment and enumeration of Coliforms from water	40.00	100 gm 500 gm
TM 1238	<b>MacCONKEY BROTH (W/NEUTRAL RED) (IS : 5887 (Part I and II) 1976, reaffirmed 2005)</b> for selective enrichment and enumeration of Coliforms	40.07	100 gm 500 gm
TM 380	<b>MacCONKEY BROTH (W/NEUTRAL RED) (DOUBLE STRENGTH)</b> for primary isolation of Coliforms from large samples such as water or waste water	80.00	100 gm 500 gm
TMV 380	<b>MacCONKEY BROTH (W/NEUTRAL RED) (DOUBLE STRENGTH) (VEG.)</b> for primary isolation of Coliforms from large samples such as water or waste water	80.00	100 gm 500 gm
TM 1239	<b>MacCONKEY BROTH (W/ NEUTRAL RED) (DOUBLE STRENGTH) (IS : 5887 (Part I) 1976, reaffirmed 2005)</b> for primary isolation of Coliforms from large samples like water	80.14	100 gm 500 gm
TMH 109	<b>MacCONKEY BROTH (as per USP/EP/JP/BP)</b> for detection enumeration of Coliform bacteria	35.01	100 gm 500 gm
TMHV 109	<b>MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.)</b> for detection enumeration of Coliform bacteria	35.01	500 gm
TM 2229	<b>MacCONKEY BROTH MEDIUM 7</b> for the selective identification of <i>E.coli</i> from pharmaceutical products in accordance with Indian Pharmacopoeia 2014	35.01	100 gm 500 gm
TM 2230	<b>MacCONKEY BROTH PURPLE (IS: 5401-1:2012)</b> for presumptive identification of Coliforms from variety of specimens such as water, milk and food etc	40.02	100 gm 500 gm
TM 1393	<b>MacCONKEY SORBITOL AGAR BASE</b> a selective medium for isolation and detection of <i>Escherichia coli</i> O157:H7 from food and animal feedstuff	50.03	100 gm 500 gm
TS 087	<b>TELLURITE-CEFIXIME SUPPLEMENT *</b>	#20 vl	5 vl
TM 1915	<b>MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001)</b> a selective medium for isolation and detection of <i>Escherichia coli</i> O157:H7	50.03	500 gm
TS 087	<b>TELLURITE-CEFIXIME SUPPLEMENT *</b>	#20 vl	5 vl
TM 2231	<b>MacCONKEY SORBITOL AGAR BASE W/ RHAMNOSE</b> for improved differentiation of <i>Escherichia coli</i> O157:H7 from background flora	56.53	500 gm
TS 301	<b>CEFIXIME SUPPLEMENT *</b>	#18 vl	5 vl
TM 1241	<b>MAINTENANCE (SCY) MEDIUM</b> for maintenance of iron bacteria	12.26	500 gm
TM 1242	<b>MAINTENANCE MEDIUM FOR B.SUBTILIS ATCC 6633</b> for maintenance of <i>Bacillus subtilis</i> ATCC 6633 as the test organism for assay of antibiotics	30.50	100 gm
TM 633	<b>MALACHITE GREEN BROTH</b> for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.13	500 gm
TM 202	<b>MALONATE BROTH</b> for differentiation of <i>Enterobacter</i> and <i>Escherichia</i> species on the basis of malonate utilization	08.00	100 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 203	<b>MALONATE BROTH EWING MODIFIED</b> for differentiation of members of <i>Enterobacteriaceae</i> on the basis of malonate utilization	09.30	100 gm
TM 382	<b>MALT AGAR</b> for cultivation and isolation of Yeasts and Molds	45.00	100 gm 500 gm
TM 2232	<b>MALT AGAR W/ 2% AGAR</b> for the detection and isolation of Yeasts and Moulds from dairy products, foods and other materials. Also used for carrying stock cultures of Yeasts and Moulds in accordance with FDA BAM, 1998	50.00	500 gm
TS 302	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED *</b>	#10 vl	5 vl
TM 2234	<b>MALT AGAR, MODIFIED</b> for isolation and enumeration of Yeasts and Moulds from food products in accordance with FDA BAM,1998	40.00	500 gm
TM 2233	<b>2% MALT EXTRACT AGAR</b> for the detection, isolation and enumeration of Yeasts and Moulds	35.00	500 gm
TM 2235	<b>MALT EXTRACT AGAR BASE</b> for detection and cultivation of yeasts	61.00	500 gm
TM 204	<b>MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE</b> for detection, isolation and enumeration of Yeasts and Molds	50.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#20 vl	5 vl 25 vl
TMV 204	<b>MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE (VEG.)</b> for detection, isolation and enumeration of Yeasts and Molds	50.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#20 vl	5 vl 25 vl
TM 2236	<b>MALT EXTRACT AGAR BASE, MODIFIED AS PER THOM AND CHURCH</b> for isolation, detection and enumeration of Yeasts and Moulds	31.28	500 gm
TM 205	<b>MALT EXTRACT BROTH BASE</b> for detection and enumeration of Yeasts, Molds and aciduric microorganisms	20.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#50 vl	5 vl 25 vl
TMV 205	<b>MALT EXTRACT BROTH BASE (VEG.)</b> for detection and enumeration of Yeasts, Molds and aciduric microorganisms	20.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#50 vl	5 vl 25 vl
TM 1244	<b>MALT EXTRACT BROTH, MODIFIED (as per Thom and Church)</b> for isolation, detection and enumeration of Yeasts and Moulds	15.00	500 gm
TM 2237	<b>MALT EXTRACT GLUCOSE PEPTONE AGAR</b> for isolation and enumeration of Yeasts and Moulds from food products in accordance with FDA BAM,1998	61.00	500 gm
TM 2238	<b>MALT YEAST AGAR</b> for the cultivation and maintenance of Yeast and Moulds	41.00	500 gm
TM 2239	<b>MANNITOL AGAR W/ PRILION</b> selective agar medium for isolation and differentiation of <i>Salmonella</i> from <i>Proteus</i> species	54.50	100 gm 500 gm
TM 1843	<b>MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006)</b> for the enumeration of <i>B.cereus</i> in foodstuffs and other samples	46.03	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#11 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 784	<b>MANNITOL LYSINE AGAR</b> for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> and <i>Salmonella paratyphi A</i>	49.00	500 gm
TM 531	<b>MANNITOL MOTILITY NITRATE MEDIUM</b> for studying mannitol fermentation, nitrate reduction and motility of bacteria	22.04	500 gm
TM 530	<b>MANNITOL MOTILITY TEST MEDIUM</b> for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm
TMV 530	<b>MANNITOL MOTILITY TEST MEDIUM (VEG.)</b> for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm
TM 206	<b>MANNITOL SALT AGAR BASE</b> for selective isolation of pathogenic <i>Staphylococci</i> from clinical and non-clinical samples	111.00	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#3 vl	5 vl
TMV 206	<b>MANNITOL SALT AGAR BASE (VEG.)</b> for selective isolation of pathogenic <i>Staphylococci</i>	111.00	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#3 vl	5 vl
TMH 114	<b>MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP)</b> for selective isolation and enumeration of <i>Staphylococci</i> species	111.02	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100ml/vl) *</b>	#3 vl	5 vl
TMHV 114	<b>MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.)</b> for selective isolation and enumeration of <i>Staphylococci</i> species	111.02	100 gm
TS 002	<b>EGG YOLK EMULSION (100ml/vl) *</b>	#3 vl	5 vl
TM 403	<b>MANNITOL SALT BROTH</b> for selective isolation of presumptive pathogenic <i>Staphylococci</i>	96.00	100 gm 500 gm
TMV 403	<b>MANNITOL SALT BROTH (VEG.)</b> for selective isolation of presumptive pathogenic <i>Staphylococci</i>	96.00	100 gm 500 gm
TM 1454	<b>MANNITOL SELENITE BROTH (DOUBLE PACK)</b> for selective enrichment of <i>Salmonella</i> from clinical samples	(Part I) 19.00 (Part II) 04.00	500 gm -
TM 2240	<b>MANNITOL SELENITE BROTH W/ BRILLIANT GREEN (DOUBLE PACK)</b> for enrichment of <i>Salmonella</i> from faeces, foodstuffs and other materials	(Part I) 23.75 (Part II) 04.00	500 gm -
TM 207	<b>MARINE AGAR 2216 (ZOBELL MARINE AGAR)</b> for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm
TM 208	<b>MARINE BROTH 2216 (ZOBELL MARINE BROTH)</b> for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm
TM 782	<b>MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM)</b> for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm
TMV 782	<b>MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) (VEG.)</b> for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm
TM 209	<b>MAXIMUM RECOVERY DILUENT</b> a protective and isotonic diluent used for maximal recovery of microorganisms	09.50	500 gm
TM 905	<b>MCBRIDE LISTERIA AGAR BASE</b> for selective isolation and cultivation of <i>Listeria</i> species from clinical samples and foodstuff	46.00	500 gm
TS 096	<b>MCBRIDE LISTERIA SUPPLEMENT *</b>	#11 vl	5 vl
TM 210	<b>MCCLUNG TOABE AGAR BASE</b> for detection and isolation of <i>Clostridium perfringens</i> in foods	75.00	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#7 vl	5 vl
TM 2241	<b>MEAT EXTRACT BROTH</b> for routine cultivation of non fastidious bacteria	18.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1040	<b>MEAT EXTRACT W/ PEPTONE (PEPTED MEAT BROTH)</b> for cultivation and maintenance of <i>Alcaligenes species</i>	28.00	500 gm
TM 864	<b>MEAT INFUSION AGAR (STANDARD INFUSION AGAR)</b> for mass cultivation of microorganisms for vaccine or toxin production	50.00	500 gm
TM 2242	<b>MEDIUM 8. RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH</b> Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of IP	27.11	500 gm
TM 1041	<b>MEHLMAN'S MAINTENANCE MEDIUM</b> for maintenance of <i>Campylobacter</i> species	38.02	500 gm
TM 1864	<b>MGYP AGAR</b> for isolation and cultivation of wild yeasts in the brewing industry	41.00	500 gm
TM 1863	<b>MGYP AGAR WITH COPPER</b> for isolation and cultivation of wild yeasts in the brewing industry	41.40	500 gm
TM 614	<b>MICROBIAL CONTENT TEST AGAR (TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN)</b> for detection & enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TMV 614	<b>MICROBIAL CONTENT TEST AGAR (VEG.)(TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) (VEG.)</b> for presumptive identification of coliforms from water, milk and foods etc	45.70	100 gm 500 gm
TM 2243	<b>MICRO VITAMIN TEST CULTURE AGAR</b> for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	52.10	100 gm
TM 2244	<b>MICRO VITAMIN TEST INOCULUM BROTH</b> for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	37.10	100 gm
TM 590	<b>MIDDLEBROOK 7H9 AGAR BASE</b> for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.60	500 gm
TS 060	<b>MIDDLEBROOK OADC GROWTH SUPPLEMENT *</b>	#51 vl	5 vl
TM 213	<b>MIDDLEBROOK 7H9 BROTH BASE</b> for cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	04.70	500 gm
TM 214	<b>MIDDLEBROOK 7H10 AGAR BASE</b> for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.47	500 gm
TS 060	<b>MIDDLEBROOK OADC GROWTH SUPPLEMENT *</b>	#52 vl	5 vl
TM 618	<b>MIDDLEBROOK 7H10 AGAR BASE, 'TBL'</b> for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.49	500 gm
TS 060	<b>MIDDLEBROOK OADC GROWTH SUPPLEMENT *</b>	#52 vl	5 vl
TM 218	<b>MILK AGAR W/CETRIMIDE (DOUBLE PACK)</b> for cultivation and enumeration of <i>Pseudomonas aeruginosa</i> in water	(Part I) 133.00 (Part II) 26.40	500 gm -
TM 786	<b>MIDDLEBROOK 7H11 AGAR BASE</b> for isolation, cultivation and sensitivity testing of <i>Mycobacteria</i>	20.50	500 gm
TS 060	<b>MIDDLEBROOK OADC GROWTH SUPPLEMENT *</b>	#49 vl	5 vl
TM 215	<b>MIDDLEBROOK 7H11 AGAR BASE W/O MALACHITE GREEN</b> for isolation, cultivation and determination of antimicrobial susceptibility of <i>Mycobacteria</i>	20.50	500 gm
TS 060	<b>MIDDLEBROOK OADC GROWTH SUPPLEMENT *</b>	#49 vl	5 vl
TM 445	<b>MILK AGAR</b> for enumeration of bacteria in milk and milk products, rinse waters and ice creams etc	24.00	100 gm 500 gm
TM 217	<b>MILK AGAR (BROWN AND SCOTT, MODIFIED) (DOUBLE PACK)</b> for enumeration of <i>Pseudomonas aeruginosa</i> in swimming pool waters	(Part I) 100.00 (Part II) 28.00	500 gm -

## Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 787	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water	(Part I)	100.00	120 gm
		(Part II)	19.80	500 gm
TM 788	MILK MEDIUM WITH A REDUCING AGENT for determination of litmus reaction of <i>Clostridium</i> species		115.50	500 gm
TM 1042	MILK SALT AGAR BASE for selective isolation and cultivation of <i>Staphylococcus</i> species		88.00	500 gm
TM 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>		40.00	500 gm
TMV 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>		40.00	500 gm
TM 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm
TMV 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm
TM 1857	MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005) for enumeration of coliform bacteria in water and wastewater samples		17.70	500 gm
TM 1245	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) (DOUBLE PACK) for the enumeration of coliform bacteria in water and wastewater	(Part I)	22.70	500 gm
		(Part II)	12.70	
TM 1043	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) for enumeration of coliform bacteria in water		22.70	500 gm
TM 2245	MINERAL MODIFIED GLUTAMATE AGAR BASE (DOUBLE PACK) (ISO 6391:1997) for enumeration of <i>Escherichia coli</i> from meat and meat products	(Part I)	26.29	500 gm
		(Part II)	06.35	-
TM 591	MINIMAL AGAR for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>		26.60	500 gm
TM 219	MINIMAL BROTH, DAVIS for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>		11.60	500 gm
TM 220	MINIMAL BROTH, DAVIS W/O DEXTROSE for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>		10.60	500 gm
TM 1044	5X MINIMUM SALTS for cultivation of recombinant strains of <i>Escherichia coli</i>		56.40	500 gm
TM 1045	MINIMUM SALTS W/ CASEIN ACID HYDROLYSATE for cultivation of <i>Escherichia coli</i> strains used for genetic and molecular studies		19.54	500 gm
TM 221	MITIS SALIVARIUS AGAR BASE for isolation of <i>Streptococci</i> from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> from grossly contaminated specimens		90.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *		#1 vl	5 vl 25 vl
TMV 221	MITIS SALIVARIUS AGAR BASE (VEG.) for isolation of <i>Streptococci</i> from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> from grossly contaminated specimens		90.00	500 gm
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *		#1 vl	5 vl 25 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1623	<b>MN AGAR</b> for detection of <i>Leptothrix</i> by its ability to oxidize manganese ions	15.40	500 gm
TM 085	<b>MOELLER DECARBOXYLASE BROTH BASE (DECARBOXYLASE BROTH BASE, MOELLER)</b> for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm
TM 789	<b>MOELLER DECARBOXYLASE BROTH W/ ARGININE HCL</b> for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	20.52	100 gm
TMV 789	<b>MOELLER DECARBOXYLASE BROTH W/ ARGININE HCL (VEG.)</b> for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	20.52	100 gm
TM 790	<b>MOELLER DECARBOXYLASE BROTH W/ LYSINE HCL</b> for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	20.52	100 gm
TMV 790	<b>MOELLER DECARBOXYLASE BROTH W/ LYSINE HCL (VEG.)</b> for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	20.52	100 gm
TM 791	<b>MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCL</b> for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	20.52	100 gm
TMV 791	<b>MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCL (VEG.)</b> for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	20.52	100 gm
TM 1398	<b>MOLD INHIBITORY AGAR, ULRICH</b> for isolation of pathogenic fungi	36.17	500 gm
TM 1048	<b>MONSUR MEDIUM BASE</b> for selective isolation and differentiation of <i>Vibrio cholerae</i> and other <i>Vibrio</i> from pathological samples	71.00	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#4 vl	5 vl 25 vl
TM 225	<b>MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM)</b> for identification of members of <i>Enterobacteriaceae</i> on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm
TMV 225	<b>MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) (VEG.)</b> for identification of members of <i>Enterobacteriaceae</i> on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm
TM 226	<b>MOTILITY MEDIUM S BASE</b> for detection of bacterial motility on the basis of TTC reduction	60.00	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#9 vl	5 vl 25 vl
TM 792	<b>MOTILITY NITRATE MEDIUM, BUFFERED</b> for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	23.50	500 gm
TM 2246	<b>MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004)</b> for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	19.50	500 gm
TM 793	<b>MOTILITY SULPHIDE MEDIUM</b> for detection of motility and hydrogen sulphide production by pure cultures	104.44	500 gm
TM 227	<b>MOTILITY TEST MEDIUM</b> for detection of bacterial motility	20.00	500 gm
TM 2247	<b>MOTILITY TEST MEDIUM (EDWARDS AND EWING)</b> for testing motility of enteric bacteria	22.00	500 gm
TM 228	<b>MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS: 5887 (Part I and V) 1976, reaffirmed 2005)</b> for testing motility of enteric bacteria	22.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2248	<b>MUCATE BROTH</b> for identification of enteropathogenic <i>Escherichia coli</i> and <i>Salmonella</i> species from milk and milk products	20.02	500 gm
TM 2249	<b>MUCATE CONTROL BROTH</b> for identification of enteropathogenic <i>Escherichia coli</i> and <i>Salmonella</i> species from milk and milk products	10.02	500 gm
TM 339	<b>MUELLER HINTON AGAR</b> for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm
TMV 339	<b>MUELLER HINTON AGAR (VEG.)</b> for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm
TM 2450	<b>MUELLER HINTON AGAR, TBL</b> for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	500 gm
TM 2250	<b>MUELLER HINTON AGAR 2% GLUCOSE W/ METHYLENE BLUE</b> Mueller Hinton Agar, Modified (as per CLSI for antifungal) is recommended for testing performing Antifungal Disk Diffusion Susceptibility of yeasts	58.00	500 gm
TM 236	<b>MUELLER HINTON AGAR NO.2</b> for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby Bauer technique	38.00	100 gm 500 gm
TM 325	<b>MUELLER HINTON BROTH</b> for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm
TMV 325	<b>MUELLER HINTON BROTH (VEG.)</b> for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm
TM 1577	<b>MUELLER HINTON BROTH NO.2</b> for quantitative susceptibility testing of rapidly growing aerobic and facultative anaerobic bacteria isolated from clinical specimen	22.00	100 gm 500 gm
TM 1400	<b>MUELLER KAUFFMAN TETRATHIONATE BROTH BASE</b> for enrichment and isolation of <i>Salmonella</i> by surpassing <i>Proteus</i> species	82.00	100 gm 500 gm
TM 1399	<b>MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017)</b> for enrichment and isolation of <i>Salmonella</i> by suppressing <i>Proteus</i> species	89.42	500 gm
TS 152	<b>MKTT NOVOBIOCIN SUPPLEMENT *</b>	#6 vl	5 vl
TM 1050	<b>MUELLER TELLURITE AGAR BASE</b> for isolation, cultivation and differentiation of <i>Corynebacterium diphtheriae</i>	45.45	500 gm
TS 123	<b>MUELLER TELLURITE SERUM (25 ml/vl) *</b>	#11 vl	5 vl
TM 2251	<b>MUTANS-SANGUIS AGAR</b> for differentiation of <i>Streptococcus mutans</i> & <i>Streptococcus sanguis</i> associated with oral microflora	98.10	500 gm
TM 340	<b>MYCOLOGICAL AGAR (FUNGAL AGAR)</b> for cultivation and maintenance of fungi	35.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#15 vl	5 vl 25 vl
TM 114	<b>MYCOLOGICAL AGAR W/ LOW pH (FUNGAL AGAR W/ LOW pH)</b> for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#15 vl	5 vl 25 vl
TM 326	<b>MYCOLOGICAL BROTH (FUNGAL BROTH)</b> for cultivation of fungi	50.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#15 vl	5 vl 25 vl
TM 115	<b>MYCOLOGICAL BROTH W/ LOW pH (FUNGAL BROTH W/ LOW pH))</b> for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#15 vl	5 vl 25 vl



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1933	<b>MYCOBIOTIC AGAR *</b> for the selective isolation and cultivation of pathogenic fungi	35.45	100 gm
TM 233	<b>MYCOPLASMA AGAR BASE (PPLO AGAR BASE)</b> for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm
TS 014	<b>HORSE SERUM *</b>	4.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT *</b>	139 vl	5 vl 25 vl
TM 235	<b>MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV)</b> or enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#24 vl	5 vl 25 vl
TS 014	<b>HORSE SERUM *</b>	7.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT *</b>	239 vl	5 vl 25 vl
TM 794	<b>MYCOPLASMA BROTH BASE W/O CV (PPLO BROTH BASE W/O CV)</b> for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 014	<b>HORSE SERUM*</b>	#7.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT*</b>	#239 vl	5 vl 25 vl
TM 1265	<b>MYCOPLASMA CULTIVATION BROTH BASE</b> for isolation and cultivation of <i>Mycoplasma</i> (PPLO)	25.50	500 gm
TS 052	<b>MYCOPLASMA CULTIVATION SUPPLEMENT *</b>	#196 vl	5 vl 25 vl
TS 014	<b>HORSE SERUM *</b>	-	100 ml
TM 1266	<b>MYCOPLASMA SYNOVIAE MEDIUM BASE</b> for cultivation of avian strains of <i>Mycoplasma</i>	42.30	500 gm
TS 014	<b>HORSE SERUM *</b>	1.2 ltr	100 ml
TM 1267	<b>MYCOPLASMA UROGENITAL MEDIUM BASE</b> for selective isolation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i>	28.65	500 gm
TS 014	<b>HORSE SERUM *</b>	1.8 ltr	100 ml
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#35 vl	5 vl 25 vl
TS 126	<b>UREA SOLUTION 5% (5 ml/vl) *</b>	#35 vl	5 vl 25 vl
TS 249	<b>MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *</b>	#35 vl	5 vl 25 vl
TM 1481	<b>NBB AGAR BASE MODIFIED *</b> for detection of contaminating spoilage microorganisms in brewery industry	66.27	500 gm
TM 022	<b>NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP)</b> for microbiological assay of antibiotics	30.50	100 gm 500 gm
TMV 022	<b>NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) (VEG.)</b> for microbiological assay of antibiotics	30.50	100 gm 500 gm
TM 2253	<b>NEO ENRICHMENT BROTH BASE</b> is a selective enrichment broth for <i>Listeria</i> species from food samples	44.00	500 gm
TS 303	<b>NEO ENRICHMENT SELECTIVE SUPPLEMENT *</b>	#23 vl	5 vl
TM 1051	<b>NEUTRAL RED CHALK LACTOSE AGAR</b> for detection of <i>lactic Streptococci</i> in milk and milk products	49.00	500 gm
TM 1052	<b>NEUTRALISING BUFFER</b> for detection of microorganisms on dairy and food equipments disinfected with chlorine or quarternary ammonium compounds	05.20	100 gm
TM 1269	<b>NEUTRALISING FLUID (as per BP/EP)</b> for neutralising the activity of antimicrobial agents	20.10	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 2254	<b>NIACIN ASSAY MEDIUM *</b> for the microbiological assay of Niacin (Nicotinic Acid) or Niacinamide using <i>Lactobacillus plantarum</i> ATCC 8014 as the test organism		75.12	100 gm
TM 238	<b>NICKERSON MEDIUM (Bi.G.G.Y. AGAR)</b> for selective isolation, differentiation & presumptive identification of <i>Candida albicans</i> & <i>Candida tropicalis</i>		45.00	500 gm
TM 795	<b>NIH AGAR</b> for cultivation & maintenance of isolates from sterility testing of biological products		43.00	100 gm 500 gm
TM 301	<b>NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP)</b> for sterility testing of turbid or viscous biological products		29.00	100 gm 500 gm
TM 302	<b>NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per IP)</b> for sterility testing of turbid or viscous biological products		29.00	100 gm 500 gm
TM 796	<b>NITRATE AGAR</b> for detection of nitrate reducing bacteria		21.00	500 gm
TMV 796	<b>NITRATE AGAR (VEG.)</b> for detection of nitrate reducing bacteria		21.00	500 gm
TM 239	<b>NITRATE BROTH</b> for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>		09.00	100 gm 500 gm
TMV 239	<b>NITRATE BROTH (VEG.)</b> for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>		09.00	100 gm 500 gm
TM 797	<b>NITRATE BROTH (IS : 5887(Part IV)-1999)</b> for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>		39.00	100 gm 500 gm
TM 1053	<b>NITROFURANTOIN BROTH BASE</b> for isolation and enrichment of <i>Pseudomonas</i> species		20.00	500 gm
TM 2252	<b>NNN MODIFIED MEDIUM (DOUBLE PACK)</b> for cultivation of <i>Leishmania</i> and <i>Trypanosomes</i>	(Part I) (Part II)	31.00 11.20	100 gm -
TM 2255	<b>NORRIS GLUCOSE NITROGEN FREE MEDIUM</b> for the cultivation of chemoheterotrophic bacteria that can fix atmospheric nitrogen		12.50	100 gm
TM 341	<b>NUTRIENT AGAR</b> for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids		28.00	100 gm 500 gm
TMV 341	<b>NUTRIENT AGAR (VEG.)</b> for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids		28.00	100 gm 500 gm
TM 1054	<b>NUTRIENT AGAR</b> for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids		28.00	100 gm 500 gm
TMV 1054	<b>NUTRIENT AGAR (VEG.)</b> for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids		28.00	100 gm 500 gm
TM 342	<b>NUTRIENT AGAR W/O NaCl (as per USP)</b> general purpose medium		23.00	100 gm 500 gm
TM 343	<b>NUTRIENT AGAR (as per IP)</b> for general purpose medium which may be used as enriched medium by incorporating blood or other biological fluids		37.00	100 gm 500 gm
TM 1055	<b>NUTRIENT AGAR 1.5%</b> for cultivation of bacteria requiring less nutrition, can be enriched with blood		31.00	100 gm 500 gm
TMV 1055	<b>NUTRIENT AGAR 1.5% (VEG.)</b> for cultivation of bacteria requiring less nutrition, can be enriched with blood		31.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2256	<b>NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010)</b> recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm
TM 1038	<b>NUTRIENT AGAR (pH 6.8)</b> a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm
TM 1038A	<b>NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015)</b> a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm
TM 383	<b>NUTRIENT AGAR NO.2</b> general purpose medium	40.00	100 gm 500 gm
TM 798	<b>NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005)</b> general purpose culture medium	40.00	100 gm 500 gm
TM 2257	<b>NUTRIENT AGAR NO. 2, MODIFIED</b> used as a general purpose culture media	45.00	500 gm
TM 1057	<b>NUTRIENT AGAR (pH 7.0)</b> for cultivation of <i>Salmonella</i> species	23.00	100 gm 500 gm
TM 740	<b>NUTRIENT AGAR (WITH 3% SALT)</b> for cultivation of salt tolerance <i>Vibrio</i> species	55.00	500 gm
TM 1058	<b>NUTRIENT AGAR (W/ MANGANESE)</b> for promoting sporulation in <i>Bacillus</i> species	23.00	500 gm
TM 1056	<b>NUTRIENT AGAR (W/ 1% PEPTONE)</b> general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm
TMV 1056	<b>NUTRIENT AGAR (W/ 1% PEPTONE) (VEG.)</b> general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm
TM 578	<b>NUTRIENT AGAR pH 6.0 (W/ 0.8% NaCl)</b> for cultivation of bacteria requiring slightly acidic pH	31.00	100 gm 500 gm
TM 2258	<b>NUTRIENT MEDIUM</b> a general purpose medium as per EP	26.05 26.05	100 gm 500 gm
TM 932	<b>NUTRIENT AGAR (OXIDASE)</b> for confirmation of oxidase production by microorganisms	22.00	500 gm
TMV 932	<b>NUTRIENT AGAR (OXIDASE) (VEG.)</b> for confirmation of oxidase production by microorganisms	22.00	500 gm
TM 2259	<b>NUTRIENT AGAR W/TRYPAN BLUE</b> recommended for detection and enumeration of aerobic endospore formers from water samples by membrane filtration	23.02	100 gm 500 gm
TM 2260	<b>NUTRIENT AGAR W/ TYROSINE</b> for cultivation and enumeration of <i>Bacillus cereus</i> in water and food in accordance with FDA BAM, 1998	28.00	500 gm
TM 350	<b>NUTRIENT BROTH</b> for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm
TMV 350	<b>NUTRIENT BROTH (VEG.)</b> for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm
TM 329	<b>NUTRIENT BROTH (W/ 1% PEPTONE) (IP 6579)</b> sterility testing medium for aerobes and for microbial limit test	25.00	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1270	<b>NUTRIENT BROTH W/ 1% PEPTONE (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999)</b> general purpose culture medium	25.00	100 gm 500 gm
TM 327	<b>NUTRIENT BROTH W/O NaCl pH 6.9</b> general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm
TMV 327	<b>NUTRIENT BROTH W/O NaCl pH 6.9 (VEG.)</b> general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm
TM 1823	<b>NUTRIENT BROTH (AOAC)</b> for testing disinfectants in accordance with AOAC, 2000 (under Disinfectants Subchapter 1, Phenol coefficient methods)	20.00	500 gm
TM 1916	<b>NUTRIENT BROTH, NO. 2</b> for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media	15.00	500 gm
TM 1917	<b>NUTRIENT BROTH, NO. 3</b> for the culture and growth of microorganisms	13.00	500 gm
TM 2261	<b>NUTRIENT BROTH WITH 1% PEPTONE</b> a sterility testing medium for aerobes	25.00	100 gm 500 gm
TMV 2261	<b>NUTRIENT BROTH WITH 1% PEPTONE (VEG.)</b> a sterility testing medium for aerobes	25.00	100 gm 500 gm
TM 241	<b>NUTRIENT GELATIN</b> for detection of gelatine liquefaction by proteolytic microorganisms	128.00	500 gm
TM 1059	<b>NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005)</b> for detection of gelatin liquefaction by proteolytic microorganisms	158.00	500 gm
TM 534	<b>NUTRITIVE CASEINATE AGAR</b> for enumeration of salt tolerant cocci in brined vegetables	23.04	500 gm
TM 023	<b>NYSTATIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 12)</b> for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>	62.50	500 gm
TM 024	<b>NYSTATIN ASSAY BROTH (ANTIBIOTIC ASSAY MEDIUM NO. 13)</b> for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>	30.00	500 gm
TM 242	<b>OF BASAL MEDIUM</b> for differentiation of gram negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates	09.40	100 gm 500 gm
TM 2262	<b>OFBBL AGAR BASE (OXIDATION FERMENTATION POLYMYXIN BACITRACIN LACTOSE AGAR BASE)</b> with Polymyxin and Bacitracin is recommended for the selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples	32.33	500 gm
TS 304	<b>OFBBL SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl
TM 243	<b>OAT MEAL AGAR</b> for cultivation of fungi particularly for macrospore formation	72.50	500 gm
TM 2263	<b>OAK WILT FUNGUS AGAR</b> for cultivation of Oak Wilt fungus	50.00	100 gm
TM 1918	<b>ONPG BROTH</b> for the differentiation of microorganisms on the basis of beta-galactosidase activity	13.01	100 gm 500 gm
TM 1060	<b>ORCHID AGAR (PLANT TISSUE CULTURE MEDIA)</b> for germination of orchid seeds	37.00	500 gm
TM 1919	<b>ORANGE SERUM AGAR</b> for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of <i>Lactobacilli</i> , other aciduric organisms and pathogenic fungi	45.50	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1920	<b>ORANGE SERUM BROTH</b> for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of <i>Lactobacilli</i> , other aciduric organisms and pathogenic fungi	28.50	500 gm
TM 245	<b>ORNITHINE DECARBOXYLASE BROTH</b> for detection of the ability of microorganisms to decarboxylate ornithine	09.00	100 gm
TM 2265	<b>L-ORNITHINE DECARBOXYLASE BROTH ( ISO / TS 22964: 2017)</b> for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm
TM 1033	<b>OSMOPHILIC AGAR (MY 40 AGAR)</b> for detection and isolation of osmophilic microorganisms from food samples	445.00	500 gm
TM 1034	<b>OSMOPHILIC GLUCOSE AGAR (MY 40 G AGAR)</b> for detection and isolation of osmophilic microorganisms from food samples	427.00	500 gm
TM 1402	<b>OXACILLIN RESISTANCE SCREENING AGAR BASE</b> for screening oxacillin resistant microorganisms	103.50	500 gm
TS 153	<b>OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl
TM 2266	<b>OXGALL CHRYSOIDIN AGAR WITH MUG (CHRYSOIDIN AGAR WITH MUG)</b> for the isolation and differentiation of <i>Enterobacteriaceae</i> and several other Gram negative rods. It can also be used for the identification of <i>E. coli</i> from clinical and non-clinical specimens	48.23	500 gm
TM 799	<b>OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE)</b> for selective isolation and enumeration of Yeast and Molds in food products	37.00	100 gm 500 gm
TS 071	<b>OXYTETRA SELECTIVE SUPPLEMENT*</b>	# 27vl	5 vl 25 vl
TM 1061	<b>OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE ) ISO 6611:2004</b> for isolation and enumeration of Yeasts and Molds from milk and milk products	37.00	500 gm
TS 071	<b>OXYTETRA SELECTIVE SUPPLEMENT*</b>	#27vl	5 vl 25 vl
TS 128	<b>GENTA-OXY SELECTIVE SUPPLEMENT*</b>	#27vl	5 vl 25 vl
TM 800	<b>OXYTETRA GLUCOSE YEAST AGAR BASE W/ BIOTIN</b> for selective isolation and enumeration of Yeasts and Molds in food products	37.00	500 gm
TS 071	<b>OXYTETRA SELECTIVE SUPPLEMENT*</b>	#27vl	5 vl 25 vl
TM 571	<b>PA BROTH</b> for detection of presence and absence of Coliform bacteria in water	30.50	500 gm
TM 2267	<b>PKU TEST AGAR BASE</b> for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm
TM 2268	<b>PKU TEST AGAR W/ THIENYLALANINE</b> for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm
TM 1434	<b>PL AGAR</b> for isolation and cultivation of <i>Plesiomonas shigelloides</i> from food	43.58	500 gm
TM 1271	<b>PLET AGAR BASE</b> for selective isolation and cultivation of <i>Bacillus anthracis</i>	40.34	500 gm
TS 129	<b>ANTHRACIS SELECTIVE SUPPLEMENT *</b>	#13vl	5 vl
TM 2269	<b>PLET AGAR BASE, MODIFIED</b> for the selective isolation and cultivation of <i>Bacillus anthracis</i>	40.40	500 gm
TS 129	<b>ANTHRACIS SELECTIVE SUPPLEMENT *</b>	#13vl	5 vl
TM 248	<b>PM INDICATOR AGAR (PENICILLIN IN MILK INDICATOR AGAR) (as per AOAC)*</b> for rapid detection of trace amounts of <i>Penicillin</i> in milk	32.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1272	<b>PNY MEDIUM</b> for cultivation and isolation of <i>Lactobacillus</i> species	31.28	100 gm 500 gm
TM 233	<b>PPLO AGAR BASE (MYCOPLASMA AGAR BASE)</b> for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm
TS 014	<b>HORSE SERUM *</b>	#7.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT *</b>	#139 vl	5 vl 25 vl
TM 235	<b>PPLO BROTH BASE W/ CV (MYCOPLASMA BROTH BASE W/ CV)</b> for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl *)</b>	#24vl	5 vl 25 vl
TS 014	<b>HORSE SERUM *</b>	#7.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT *</b>	#239 vl	5 vl 25 vl
TM 794	<b>PPLO BROTH BASE W/O CV (MYCOPLASMA BROTH BASE W/O CV)</b> for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical specimens and mixed cultures	21.00	500 gm
TS 014	<b>HORSE SERUM *</b>	#7.2 ltr	100 ml
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT *</b>	#239 vl	5 vl 25 vl
TM 1064	<b>PSB BROTH BASE</b> for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	51.00	500 gm
TM 2270	<b>PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273)</b> for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	30.77	500 gm
TM 1273	<b>PSTA ENRICHMENT BROTH BASE (PSB BROTH MODIFIED)</b> for secondary enrichment of <i>Yersinia enterocolitica</i> from food	05.20	100 gm 500 gm
TM 1274	<b>PAGANO LEVIN BASE</b> for isolation and differentiation of <i>Candida</i> species	66.00	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl)</b>	#8 vl	5 vl 25 vl
TS 095	<b>NEOMYCIN SUPPLEMENT *</b>	#16 vl	5 vl
TM 2273	<b>PAGE'S SALINE</b> used as a rinsing solution of membranes in water filtration for <i>Legionella</i> detection	0.403	100 gm
TM 1403	<b>PARK &amp; SANDER ENRICHMENT BROTH BASE</b> for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	28.35	500 gm
TS 073	<b>PARK &amp; SANDER SELECTIVE SUPPLEMENT A *</b>	#15 vl	5 vl
TS 074	<b>PARK &amp; SANDER SELECTIVE SUPPLEMENT B *</b>	#15 vl	5 vl
TM 2274	<b>PARK &amp; SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995)</b> for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	29.35	500 gm
TS 073	<b>PARK &amp; SANDER SELECTIVE SUPPLEMENT A *</b>	#15 vl	5 vl
TS 074	<b>PARK &amp; SANDER SELECTIVE SUPPLEMENT B *</b>	#15 vl	5 vl
TM 2275	<b>PEIZER TB MEDIUM BASE</b> for cultivation of <i>Mycobacterium tuberculosis</i>	49.72	500 gm
TM 1584	<b>PENTACHLORO ROSE BENGAL YEAST EXTRACT AGAR BASE (PRYES AGAR) (as per APHA)</b> for the cultivation and differentiation of nephrotoxin producing strains of <i>Penicillium viridicatum</i> and related species isolated from foods in accordance with APHA	190.17	500 gm
TS 138	<b>CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT*</b>	#6 vl	5 vl 25 vl
TM 1040	<b>PEPTED MEAT BROTH (MEAT EXTRACT W/ PEPTONE)</b> for cultivation and maintenance of <i>Alcaligenes</i> species	28.00	500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 803	<b>PEPTONE IRON AGAR</b> for detection of hydrogen sulphide production by microorganisms	36.58	100 gm
TM 2276	<b>PEPTONE SORBITOL BILE BROTH</b> for identification of <i>Yersinia enterocolitica</i> from dairy products	30.93	500 gm
TM 1844	<b>PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017)</b> for selective enrichment of <i>Yersinia enterocolitica</i> from dairy products	(Part I) 21.00 (Part II) 10.00	500 gm
TM 330	<b>PEPTONE WATER</b> general purpose growth medium and used as the base of carbohydrate fermentation media	15.00	100 gm 500 gm
TMV 330	<b>PEPTONE WATER (VEG.)</b> general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gm 500 gm
TM 805	<b>PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005)</b> general purpose growth medium & as the base of carbohydrate fermentation media	25.00	100 gm 500 gm
TM 806	<b>PEPTONE WATER W/ PHENOL RED (as per ISO)</b> for studying fermentation ability of <i>Yersinia enterocolitica</i>	15.00	500 gm
TM 1276	<b>PEPTONE YEAST DEXTROSE AGAR (CANTINO)</b> for cultivation of aquatic fungi like <i>Blastocladiella</i> species	25.50	100 gm
TM 1277	<b>PEPTONE YEAST DEXTROSE BROTH (CANTINO)</b> for cultivation of aquatic fungi like <i>Blastocladiella</i> species	05.50	100 gm
TM 131	<b>PEPTONE YEAST EXTRACT IRON AGAR (ISP MEDIUM NO.6)</b> for cultivation and maintenance of <i>Streptomyces</i> as per International Streptomyces project	37.50	100 gm 500 gm
TM 807	<b>PEPTONIZED MILK AGAR</b> for cultivation of Lactic Acid Bacteria and testing of dairy products	27.00	500 gm
TM 808	<b>PERFRINGENS AGAR BASE (O.P.S.P)</b> for selective isolation and enumeration of <i>Clostridium perfringens</i> from foods	50.50	500 gm
TS 158	<b>PERFRINGENS SUPPLEMENT A *</b>	#20 vl	5 vl 25 vl
TS 159	<b>PERFRINGENS SUPPLEMENT B *</b>	#20 vl	5 vl 25 vl
TM 615	<b>PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE)</b> for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm
TS 054	<b>PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *</b>	#22 vl	5 vl 25 vl
TS 076	<b>PERFRINGENS T. S.C SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#6 vl	5 vl
TMV 615	<b>PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.)</b> for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm
TS 054	<b>PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *</b>	#22 vl	5 vl 25 vl
TS 076	<b>PERFRINGENS T. S.C SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#6 vl	5 vl
TM 1826	<b>PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE)</b> (ISO 7937: 2004, ISO 14189:2013) for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm
TS 076	<b>PERFRINGENS T. S.C SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TS 250	<b>CLOSTRIDIUM PERFRINGENS SUPPLEMENT *</b>	#24 vl	5 vl
TM 810	<b>PFIZER SELECTIVE ENTEROCOCCUS AGAR</b> for selective isolation and cultivation of <i>Enterococci</i>	58.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 252	<b>PHENOL RED AGAR BASE</b> a basal medium by adding carbohydrates for use in fermentation studies of microorganisms	31.00	100 gm 500 gm
TM 256	<b>PHENOL RED DEXTROSE AGAR</b> for determining of the ability of microorganisms to ferment dextrose	41.00	100 gm 500 gm
TM 2277	<b>PHENOL RED INULIN BROTH</b> recommended for inulin fermentation studies of microorganisms	21.02	100 gm
TM 253	<b>PHENOL RED LACTOSE AGAR</b> for determining of the ability of microorganisms to ferment lactose	41.00	100 gm 500 gm
TM 811	<b>PHENOL RED MALTOSSE AGAR</b> for determining of the ability of microorganisms to ferment maltose	41.00	100 gm 500 gm
TM 254	<b>PHENOL RED MANNITOL AGAR</b> for determining of the ability of microorganisms to ferment mannitol	41.00	100 gm 500 gm
TM 812	<b>PHENOL RED SUCROSE AGAR</b> for determining of the ability of microorganisms to ferment sucrose	41.00	100 gm 500 gm
TM 813	<b>PHENOL RED TARTRATE AGAR</b> for identification and differentiation of <i>Salmonella</i> on the basis of tartrate utilization	40.02	100 gm
TM 255	<b>PHENOL RED BROTH BASE</b> for determination of fermentation reactions of pure cultures of microorganisms	16.00	100 gm 500 gm
TM 814	<b>PHENOL RED BROTH BASE W/ MEAT EXTRACT</b> for determination of carbohydrates fermentation	16.00	100 gm 500 gm
TM 815	<b>PHENOL RED ADONITOL BROTH</b> for determining of the ability of microorganisms to ferment adonitol	21.00	100 gm
TM 816	<b>PHENOL RED ARABINOSE BROTH</b> for determining the ability of microorganisms to ferment arabinose	21.00	100 gm
TM 537	<b>PHENOL RED DEXTROSE BROTH</b> for determining the ability of microorganisms to ferment dextrose	21.00	100 gm 500 gm
TM 817	<b>PHENOL RED DULCITOL BROTH</b> for determining the ability of microorganisms to ferment dulcitol	21.00	100 gm
TM 818	<b>PHENOL RED GALACTOSE BROTH</b> for determining microorganisms to ferment galactose	21.00	100 gm
TM 538	<b>PHENOL RED INOSITOL BROTH</b> for determining microorganisms to ferment inositol	21.00	100 gm
TM 257	<b>PHENOL RED LACTOSE BROTH</b> for determining the ability of microorganisms to ferment lactose	21.00	100 gm 500 gm
TM 1921	<b>PHENOL LACTOSE BROTH (ISO 9308-1-2014)</b> for lactose fermentation studies of coliforms	25.018	100 gm 500 gm
TM 539	<b>PHENOL RED MALTOSSE BROTH</b> for determining the ability of microorganisms to ferment maltose	21.00	100 gm 500 gm
TM 258	<b>PHENOL RED MANNITOL BROTH</b> for determining the ability of microorganisms to ferment mannitol	21.00	100 gm 500 gm
TM 819	<b>PHENOL RED RAFFINOSE BROTH</b> for determining the ability of microorganisms to ferment raffinose	21.00	100 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 820	<b>PHENOL RED RHAMNOSE BROTH</b> for determining the ability of microorganisms to ferment rhamnose	21.00	100 gm
TM 821	<b>PHENOL RED SALICIN BROTH</b> for determining the ability of microorganisms to ferment salicin	21.00	100 gm
TM 540	<b>PHENOL RED SORBITOL BROTH</b> for determining the ability of microorganisms to ferment sorbitol	21.00	100 gm
TM 822	<b>PHENOL RED STARCH BROTH</b> for determining the ability of microorganisms to ferment starch	21.00	100 gm
TM 259	<b>PHENOL RED SUCROSE BROTH</b> for determining the ability of microorganisms to ferment sucrose	21.00	100 gm 500 gm
TM 823	<b>PHENOL RED TREHALOSE BROTH</b> for determining the ability of microorganisms to ferment trehalose	21.00	100 gm
TM 541	<b>PHENOL RED XYLOSE BROTH</b> for determining the ability of microorganisms to ferment D-xylose	21.00	100 gm
TM 197	<b>PHENOL RED EGG YOLK POLYMYXIN AGAR BASE (MYP AGAR BASE) (BIS)</b> for isolation and identification of pathogenic <i>Staphylococci</i> and <i>Bacillus</i> species	46.00	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vI	5 vI 25 vI
TS 002	<b>EGG YOLK EMULSION (100 ml/vI) *</b>	#11 vI	5 vI
TM 824	<b>PHENOLPHTHALEIN PHOSPHATE AGAR</b> for identification of phosphatase positive <i>Staphylococcus aureus</i>	28.00	100 gm 500 gm
TMV 824	<b>PHENOLPHTHALEIN PHOSPHATE AGAR (VEG.)</b> for identification of phosphatase positive <i>Staphylococcus aureus</i>	28.00	100 gm 500 gm
TM 260	<b>PHENYLALANINE AGAR</b> for differentiation of <i>Proteus</i> & <i>Providencia</i> from other members of <i>Enterobacteriaceae</i> on the basis of their ability to form phenyl pyruvic acid from phenylalanine	26.00	100 gm 500 gm
TM 1067	<b>PHENYLALANINE MALONATE BROTH (SHAW &amp; CLARKE MEDIUM)</b> for differentiation of members of <i>Enterobacteriaceae</i> on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.23	100 gm
TM 2278	<b>PHENYLETHYL ALCOHOL AGAR</b> for the isolation of gram-positive organisms like <i>Staphylococci</i> and <i>Streptococci</i>	42.50	100 gm
TM 2279	<b>PHENYLETHANOL AGAR BASE *</b> for the isolation of gram-positive organisms like <i>Staphylococci</i> and <i>Streptococci</i>	35.50	100 gm
TM 2280	<b>PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) *</b> for cultivation of fastidious anaerobic bacteria	52.92	100 gm
TM 826	<b>PHOSPHATE BUFFER, APHA, pH 7.2</b> for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm
TM 2281	<b>PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017)</b> recommended for the preparation of dilutions for <i>Listeria</i> species for further testing form food sample	18.37	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1068	<b>PHOSPHATE BUFFERED SALINE, pH 7.2</b> for preparation of dilution and controls	10.79	100 gm 500 gm
TM 2282	<b>PHOSPHATE BUFFERED SALINE (PBS) pH 7.4</b> for preparation of dilution, blanks for the examination of samples from food, water and other specimens	08.58	100 gm 500 gm
TM 2283	<b>PHOSPHATE BUFFER, pH 8.0</b> for preparation of dilutions and blanks in accordance with USP	17.25	500 gm
TM 542	<b>PIKE STREPTOCOCCAL BROTH BASE</b> for selective enrichment & cultivation of <i>Streptococci</i> from throat swabs and other clinical samples	30.26	100 gm 500 gm
TM 543	<b>PIKOVSKAYA'S AGAR</b> for detection of phosphate solubilizing soil microorganisms	31.30	100 gm 500 gm
TM 545	<b>PIKOVSKAYA'S BROTH (MEDIUM)</b> for cultivation phosphate solubilizing microorganisms	16.30	500 gm
TM 544	<b>PLATE COUNT AGAR (STANDARD PLATE AGAR) (ISO 4833-1 &amp; 2:2013)</b> for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm
TMV 544	<b>PLATE COUNT AGAR (STANDARD PLATE AGAR) (VEG.)</b> for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm
TM 363	<b>PLATE COUNT AGAR (STANDARD METHODS AGAR)</b> for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm
TMV 363	<b>PLATE COUNT AGAR (STANDARD METHODS AGAR) (VEG.)</b> for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm
TM 2284	<b>PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN)</b> for sanitary examination of surfaces that is for counts before and after application of disinfectants	29.20	100 gm 500 gm
TM 828	<b>PLATE COUNT AGAR (as per BIS)</b> for determination of microbial counts in milk and other dairy products by pour plate method	30.00	100 gm 500 gm
TM 408	<b>PLATE COUNT AGAR (SPECIAL)</b> for estimation of microbial counts in raw milk and other dairy products	40.52	500 gm
TM 829	<b>PLATE COUNT AGAR W/ BCP</b> for enumeration of <i>Lactobacilli</i> in milk products	24.64	500 gm
TM 2285	<b>PLATE COUNT AGAR W/O DEXTROSE</b> recommended for the determination of plate counts of microorganisms in water samples	22.50	500 gm
TM 744	<b>PLESIOMONAS DIFFERENTIAL AGAR (INOSITOL BRILLIANT GREEN BILE AGAR)</b> for selective isolation of <i>Plesiomonas shigelloides</i> and <i>Aeromonas</i> species from foods	52.05	500 gm
TM 020	<b>POLYMYXIN BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO.9) (ANTIBIOTIC ASSAY MEDIUM-H) (as per USP/IP)</b> for assay the products containing Polymyxin-B	50.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 021	POLYMYXIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.10) (DOUBLE PACK) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 10 ml	500 gm
TM 1587	POLYMYXIN PYRUVATE EGG YOLK MANNITOL BROMOTHYMOLO BLUE AGAR BASE (PEMBA) for cultivation of <i>Bacillus cereus</i>		44.00	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl) *		#6 vl	5 vl
TS 203	PEMBA SUPPLEMENT *		#114 vl	5 vl 25 vl
TM 830	POLYSORBATE 80 AGAR (DOUBLE PACK) * for cultivation of variety of microorganisms	(Part I) (Part II)	25.00 10.00	500 gm -
TMV 830	POLYSORBATE 80 AGAR (DOUBLE PACK) (VEG.) * for cultivation of variety of microorganisms	(Part I) (Part II)	25.00 10.00	500 gm -
TM 1867	POTASSIUM CYANIDE BROTH BASE W/O KCN for differentiation of the members of <i>Enterobacteriaceae</i> on the basis of potassium cyanide tolerance		13.86	500 gm
TM 2286	POTATO CARROT AGAR for the reproduction of <i>Pyronema domesticum</i>		24.00	500 gm
TM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeasts and molds from dairy and other food products		39.00	100 gm 500 gm
TMV 344	POTATO DEXTROSE AGAR (VEG.) for isolation and enumeration of Yeasts and Molds from dairy and other food products		39.00	100 gm 500 gm
TMH 105	POTATO DEXTROSE AGAR (as per USP/EP/JP/BP) for the cultivation of yeasts and moulds		39.00	100 gm 500 gm
TM 1922	POTATO DEXTROSE W / 2% AGAR for isolation and enumeration of Yeasts and Molds from dairy and other food products in accordance with FDA BAM, 1998		44.00	100 gm 500 gm
TS 259	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED		#12 vl	5 vl
TM 1923	POTATO DEXTROSE W/ 3% AGAR for cultivation of Yeasts and Molds from dairy and other food products		54.00	500 gm
TM 1924	POTATO DEXTROSE AGAR W/ CHLORAMPHENICOL for the selective isolation and enumeration of Yeasts and Molds from dairy and other food products		39.05	500 gm
TM 384	POTATO DEXTROSE AGAR W/ ROSE BENGAL for propagation of Ascospores		39.00	500 gm
TM 331	POTATO DEXTROSE BROTH for cultivation and enumeration of Yeasts and Molds		24.00	500 gm
TM 2287	POTATO DEXTROSE SUCROSE AGAR for the isolation and cultivation of <i>Zygosaccharomyces rouxii</i> from chocolate syrup		659.00	500 gm
TM 2288	POTATO INFUSION AGAR for the isolation of <i>Brucella</i> species		49.00	500 gm
TM 2289	POTATO INFUSION BROTH for the isolation of <i>Brucella</i> species		34.00	500 gm
TM 2290	POTATO MALT AGAR for cultivation and maintenance of smut fungi and other phytopathogenic fungi		105.00	500 gm
TM 834	PRE ENRICHMENT BROTH BASE for isolation and enrichment of <i>Yersinia enterocolitica</i> from foods		39.10	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2291	<b>PRESERVATIVE RESISTANT YEAST AGAR BASE (PRY)</b> for cultivation of Yeasts	35.00	100 gm 500 gm
TM 2292	<b>PRESPORULATION GROWTH MEDIUM</b> for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	31.00	500 gm
TM 1590	<b>PRESTON AGAR BASE</b> for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm
TS 067	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*</b>	#27 vl	5vl
TMV 1590	<b>PRESTON AGAR BASE (VEG.)</b> for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm
TS 067	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*</b>	#27 vl	5vl
TM 835	<b>PRINGSHEIM'S MEDIUM</b> for cultivation of Blue Green Bacteria	00.24	100 gm
TM 2293	<b>PROSKAUER BECK MEDIUM</b> for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	12.79 12.79	100 gm 500 gm
TM 2294	<b>PROTEOSE AGAR</b> for the cultivation of <i>Vibrio</i> species from foods in accordance with APHA	50.00	500 gm
TM 266	<b>PSEUDOMONAS AGAR F (FOR FLUORESCHEIN)</b> for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm
TMV 266	<b>PSEUDOMONAS AGAR F (FOR FLUORESCHEIN) (VEG.)</b> for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm
TM 1279	<b>PSEUDOMONAS AGAR F (FOR FLUORESCHEIN) (as per USP)</b> for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm
TM 1811	<b>PSEUDOMONAS AGAR FOR DETECTION OF FLUORESCHEIN (as per IP)</b> for detection of fluorescein production by <i>Pseudomonas</i> species	37.23	100 gm 500 gm
TM 2295	<b>PSEUDOMONAS AGAR, MODIFIED (FOR FLUORESCHEIN)</b> for detection of fluorescein production by <i>Pseudomonas</i> species in accordance with FDA BAM, 1998	47.23	500 gm
TM 267	<b>PSEUDOMONAS AGAR P (FOR PYOCYANIN)</b> for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TMV 267	<b>PSEUDOMONAS AGAR P (FOR PYOCYANIN) (VEG.)</b> for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TM 1280	<b>PSEUDOMONAS AGAR P (FOR PYOCYANIN) (as per USP)</b> for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TM 1812	<b>PSEUDOMONAS AGAR FOR DETECTION OF PYOCYANIN (as per IP)</b> for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm
TM 626	<b>PSEUDOMONAS AGAR BASE</b> for selective isolation of <i>Pseudomonas</i> species from environmental samples, food and water	48.40	100 gm 500 gm
TS 075	<b>CETRINIX SUPPLEMENT *</b>	#21 vl	5 vl 25 vl
TS 077	<b>CFC SUPPLEMENT *</b>	#21 vl	5 vl 25 vl
TM 641	<b>PSEUDOMONAS ASPARAGINE BROTH (as per APHA)</b> for presumptive determination of <i>Pseudomonas aeruginosa</i> from water	04.50	100 gm 500 gm
TM 1712	<b>PSEUDOMONAS BROTH F (FOR FLUORESCHEIN)</b> for detection of fluorescein production by <i>Pseudomonas</i> species	23.00	500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1714	<b>PSEUDOMONAS BROTH P (FOR PYOCYANIN)</b> for detection of pyocyanin production by <i>Pseudomonas</i> species	31.40	500 gm
TM 268	<b>PSEUDOMONAS ISOLATION AGAR</b> for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm
TMV 268	<b>PSEUDOMONAS ISOLATION AGAR (VEG.)</b> for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm
TM 2296	<b>PSEUDOMONAS SOLANACEARUM MEDIUM</b> for the cultivation of <i>Pseudomonas solanacearum</i>	33.00	500 gm
TM 836	<b>PURPLE AGAR BASE</b> for identification of pure cultures of enteric and other microorganisms	31.00	500 gm
TM 837	<b>PURPLE BROTH BASE</b> for identification of pure cultures of enteric and other microorganisms	15.00	500 gm
TM 2297	<b>PURPLE BROTH BASE</b> recommended for the fermentation studies of <i>Listeria monocytogenes</i>	16.02	500 gm
TM 2298	<b>PYRAZINAMIDASE AGAR</b> for identification of <i>Yersinia</i> species in accordance with FDA BAM, 1998	34.00	500 gm
TM 269	<b>R2A AGAR</b> for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm
TMV 269	<b>R2A AGAR (VEG.)</b> for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm
TM 1956	<b>R2A AGAR (AGAR MEDIUM S) (as per EP/BP)</b> for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm
TM 2299	<b>R2A AGAR, MODIFIED</b> for the enumeration and cultivation of bacteria from potable water	18.12	500 gm
TM 1592	<b>R2A BROTH</b> for cultivation and maintenance of heterotrophic bacteria from potable waters	03.12	500 gm
TM 838	<b>R3A AGAR</b> for subculturing of microorganisms recovered on less nutritive R2A Agar from potable water	21.25	500 gm
TM 1593	<b>R3A BROTH</b> for cultivation and maintenance of heterotrophic bacteria from potable water	06.25	500 gm
TM 366	<b>COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE)</b> for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm
TM 2300	<b>RPF AGAR BASE (ISO 6888-2:1999)</b> recommended for the enumeration of coagulase positive <i>Staphylococci</i> from food and animal feeding stuff	58.00	500 gm
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#9 vl	5 vl 25 vl
TM 2301	<b>RS MEDIUM BASE</b> for selective isolation, cultivation and presumptive identification of <i>Aeromonas hydrophila</i>	45.43	500 gm
TS 051	<b>NOVOBIOCIN SUPPLEMENT *</b>	#11 vl	5 vl 25 vl
TM 753	<b>RAKA RAY NO. 3 BROTH BASE (LACTIC ACID BACTERIA SELECTIVE BROTH BASE)</b> for selective isolation of Lactic Acid Bacteria from brewery	58.90	100 gm
TS 069	<b>LACTIC SUPPLEMENT (10 ml/vl) *</b>	#4 vl	5 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1876	<b>RPMI AGAR W/MOPS 2% DEXTROSE (DOUBLE PACK)</b> for determining susceptibility of microorganisms to antifungal agents	42.91 35.00	100 gm 500 gm
TM 516	<b>CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM) (as per BIS)</b> for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organism	50.00	100 gm 500 gm
TM 1201	<b>RAPID COLIFORM AGAR *</b> for detection and confirmation of <i>E.coli</i> and other coliforms on the basis enzyme substrate reaction chromogenic and fluorogenic substrates	31.03	100 gm 500 gm
TM 1202	<b>RAPID COLIFORM BROTH *</b> for detection and confirmation of <i>E.coli</i> and other coliforms on the basis enzyme substrate reaction from water by using chromogenic and fluorogenic substrates	16.03	100 gm 500 gm
TM 839	<b>RAPID ENTEROCOCCI AGAR *</b> for rapid and easy identification and differentiation of <i>Enterococci</i> from water	33.61	100 gm 500 gm
TM 124	<b>RAPID-SENSITIVITY TEST AGAR</b> for antimicrobial susceptibility test	31.40	100 gm 500 gm
TM 1466	<b>RAPID-SENSITIVITY TEST BROTH</b> for antimicrobial susceptibility test	23.40	100 gm 500 gm
TM 270	<b>RAPPAPORT VASSILIADIS MEDIUM</b> for enrichment of <i>Salmonella</i> based on its ability to multiply selectively at high osmotic pressure, low pH and at 43°C, with modest nutritional requirements	49.20	100 gm 500 gm
TM 1281	<b>RAPPAPORT VASSILIADIS MEDIUM</b> for selective enrichment of <i>Salmonella</i> from food and environmental samples	41.77	100 gm 500 gm
TM 1831	<b>RAPPAPORT VASSILIADIS SOYA BROTH</b> for selective enrichment of <i>Salmonella</i> spp.	33.37	100 gm 500 gm
TM 2302	<b>RAPPAPORT VASSILIADIS R10 MEDIUM</b> for selectively enriching <i>Salmonella</i> species from meat and dairy products, faeces and sewage polluted water	26.62	500 gm
TM 1282	<b>RAPPAPORT VASSILIADIS SOYA BROTH (RVS BROTH)</b> for selective enrichment of <i>Salmonella</i> species from the food and animal feeding stuff	26.75	100 gm 500 gm
TMH 111	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP/IP)</b> for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm
TMHV 111	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP/IP) (VEG.)</b> for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	500 gm
TM 1596	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH</b> for selective enrichment of <i>Salmonella</i> species under high osmotic conditions and low pH	27.11	100 gm 500 gm
TM 1070	<b>RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (RVSM)</b> for enrichment and isolation of <i>Salmonella</i>	26.75	100 gm 500 gm
TM 2303	<b>RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (ISO 6579-1:2017)</b> recommended as selective enrichment medium for the isolation of <i>Salmonella</i> species	26.58	100 gm 500 gm
TM 1283	<b>RAZI'S MEDIUM (SEMISOLID REINFORCED CLOSTRIDIAL MEDIUM W/ ASPARTATE)</b> for maintenance of <i>Campylobacter</i> species	40.00	500 gm
TM 1555	<b>REDDYS DIFFERENTIAL AGAR, MODIFIED (LACTIC STREAK AGAR)</b> qualitative and quantitative differentiation of lactic Streptococci	58.00	500 gm
TM 577	<b>REINFORCED CLOSTRIDIAL AGAR</b> for cultivation and enumeration of <i>Clostridia</i> and other <i>anaerobes</i>	51.00	100 gm 500 gm
TMV 577	<b>REINFORCED CLOSTRIDIAL AGAR (VEG.)</b> for cultivation and enumeration of <i>Clostridia</i> and other <i>anaerobes</i>	51.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 271	<b>REINFORCED CLOSTRIDIAL BROTH</b> for cultivation and enumeration of <i>Clostridia</i> and other <i>anaerobes</i>	38.00	100 gm 500 gm
TMV 271	<b>REINFORCED CLOSTRIDIAL BROTH (VEG.)</b> for cultivation and enumeration of <i>Clostridia</i> and other <i>anaerobes</i>	38.00	100 gm 500 gm
TM 840	<b>REINFORCED CLOSTRIDIAL BROTH W/O AGAR</b> for cultivation and enumeration of <i>Clostridia</i>	37.50	100 gm 500 gm
TMH 115	<b>REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)</b> for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other <i>anaerobes</i>	38.00	100 gm 500 gm
TMHV 115	<b>REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.)</b> for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other <i>anaerobes</i>	38.00	500 gm
TM 1071	<b>RHAMNOSE BROTH</b> for demonstration of rhamnose fermentation by <i>Listeria monocytogenes</i>	16.02	500 gm
TM 385	<b>RHIZOBIUM MEDIUM</b> for cultivation and isolation of <i>Rhizobium</i> species	31.80	500 gm
TM 1599	<b>RICE EXTRACT AGAR</b> for identification of <i>Candida albicans</i> by means of its chlamyospore production	40.00	500 gm
TM 1600	<b>RICE EXTRACT AGAR</b> for differentiation of Yeasts by means of their typical chlamyospores and on the basis of morphological criteria	15.00	500 gm
TM 1072	<b>RICHARD'S SYNTHETIC AGAR</b> for cultivation and isolation of Fungi from soil samples	82.50	500 gm
TM 273	<b>RINGER SALT SOLUTION POWDER</b> an isotonic diluent for food, milk and dairy products during microbiological testing	08.91	100 gm
TM 2304	<b>RINSING FLUID</b> used as a rinsing fluid in the membrane filtration procedure	09.00	100 gm 500 gm
TM 1480	<b>RIPPEY CABELLI AGAR BASE</b> for isolation of <i>Aeromonas hydrophila</i> from water samples using membrane filter technique	32.24	100 gm
TS 171	<b>RIPPEY CABELLI SUPPLEMENT*</b>	#7 vl	5 vl
TM 842	<b>ROBINSON MEDIUM FOR ENTAMOEBA (DOUBLE PACK)</b> used as a substrate for growth of <i>Amoeba</i> by cultivating <i>E.coli</i>	(Part I) 85.00 (Part II) 40.00	500 gm
TM 274	<b>ROGOSA SL AGAR *</b> for selective cultivation of oral, vaginal and faecal <i>Lactobacilli</i>	75.00	500 gm
TMV 274	<b>ROGOSA SL AGAR (VEG.)</b> for selective cultivation of oral, vaginal and faecal <i>Lactobacilli</i>	75.00	500 gm
TM 1073	<b>ROGOSA SL AGAR W/ 0.15% OXGALL</b> for selective isolation of bile tolerant <i>Lactobacilli</i>	86.20	500 gm
TM 275	<b>ROGOSA SL BROTH *</b> for selective cultivation of all <i>Lactobacilli</i> including oral, vaginal and faecal <i>Lactobacilli</i>	60.00	500 gm
TMV 275	<b>ROGOSA SL BROTH (VEG.) *</b> for selective cultivation of all <i>Lactobacilli</i> including oral, vaginal and faecal <i>Lactobacilli</i>	60.00	500 gm
TM 2305	<b>ROGOSA AGAR, MODIFIED</b> for the selective cultivation of <i>Lactobacilli</i> from food	74.40	500 gm
TM 276	<b>ROSE BENGAL AGAR BASE</b> for selective isolation and enumeration of Yeasts and Molds from environmental materials and foods	31.55	500 gm
TS 053	<b>CHLORAMPHENICOL SELECTIVE SUPPLEMENT*</b>	#32 vl	5 vl 25 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2306	<b>ROSE BENGAL AGAR W/ CHLORTETRACYCLINE</b> for the selective isolation and enumeration of Yeasts and Moulds	31.55	500 gm
TS 138	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl 25 vl
TM 277	<b>ROSE BENGAL CHLORAMPHENICOL AGAR *</b> for selective isolation and enumeration of Yeasts and Molds from environmental materials and foods	32.15	100 gm 500 gm
TM 2307	<b>RYE AGAR A</b> for the isolation of <i>Phytophthora infestans</i>	95.00	500 gm
TM 2308	<b>RYE AGAR B</b> for sporulation of <i>Phytophthora infestans</i>	95.05	500 gm
TM 1074	<b>SA AGAR BASE (as per APHA)</b> for isolation, cultivation and differentiation of <i>Aeromonas hydrophila</i> from foods by starch hydrolysis	31.00	500 gm
TS 097	<b>AMPICILLIN SUPPLEMENT *</b>	#17 vl	5 vl
TM 563	<b>SABHI AGAR BASE</b> for cultivation and isolation of dermatophytes and other pathogenic fungi	59.00	500 gm
TS 053	<b>CHLORAMPHENICOL SELECTIVE SUPPLEMENT*</b>	#17 vl	5 vl 25 vl
TM 280	<b>SBG ENRICHMENT BROTH</b> for selective enrichment of <i>Salmonella</i> from clinical samples	23.67	100 gm
TM 2309	<b>SBG ENRICHMENT BROTH, MODIFIED (DOUBLE PACK)</b> for selective enrichment of <i>Salmonella</i> species	(Part I) 18.67 (Part II) 04.00	100 gm -
TM 2310	<b>SCHWARZ DIFFERENTIAL MEDIUM</b> used in the brewing industry for the differentiation of Brewing Yeasts from Wild yeast	44.50	500 gm
TM 843	<b>SD AGAR</b> for growth of Yeasts for molecular biology purposes	46.70	500 gm
TM 281	<b>SDS AGAR (SODIUM DODECYL SULPHATE POLYMYXIN SUCROSE AGAR) (as per APHA)</b> for enrichment, isolation and enumeration of <i>Vibrio vulnificus</i> from sea food samples	66.08	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl 25 vl
TM 844	<b>SF BROTH</b> for selective detection, differentiation and cultivation of <i>Enterococci</i> from other cocci in diagnostic work	36.00	500 gm
TM 845	<b>SF BROTH, MODIFIED</b> for detection of <i>Enterococci</i> in diagnostic work	46.00	500 gm
TM 846	<b>S.F.P. AGAR BASE</b> for presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods	47.00	500 gm
TS 054	<b>S.F.P. SUPPLEMENT (PERFRINGENS S.F.P. SUPPLEMENT) *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#6 vl	5 vl
TM 2311	<b>S.F.P. AGAR BASE</b> for the presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods in accordance with BAM, 1998 FDA	47.00	500 gm
TS 076	<b>T.S.C. SUPPLEMENT (PERFRINGENS T.S.C. SUPPLEMENT) *</b>	#22 vl	5 vl 25 vl
TS 290	<b>EGG YOLK EMULSION, 50%</b>	#11 vl	5 vl
TM 847	<b>SIM MEDIUM</b> for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 847	<b>SIM MEDIUM (VEG.)</b> for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm
TM 2312	<b>SIM MOTILITY MEDIUM, MODIFIED</b> for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli in accordance with FDA BAM	30.00	500 gm
TM 1076	<b>SM SELECTIVE AGAR BASE</b> for isolation and cultivation of <i>Pseudomonas solanacearum</i>	18.66	500 gm
TS 167	<b>SM SELECTIVE SUPPLEMENTTTC SOLUTION 1% (10 ml/vl) *</b>	#27 vl	5 vl
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#27 vl	5 vl 25 vl
TM 1284	<b>SOC BROTH</b> a medium for molecular biology	28.00	500 gm
TM 1077	<b>SPS AGAR *</b> for detection of <i>Clostridium perfringens</i> in foods	40.00	500 gm
TMV 1077	<b>SPS AGAR (VEG.) *</b> for detection of <i>Clostridium perfringens</i> in foods	40.00	500 gm
TM 1078	<b>SPS AGAR, MODIFIED *</b> for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs	41.28	500 gm
TMV 1078	<b>SPS AGAR, MODIFIED (VEG.) *</b> for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs	41.28	500 gm
TM 386	<b>SS AGAR (SALMONELLA SHIGELLA AGAR)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm
TMV 386	<b>SS AGAR (SALMONELLA SHIGELLA AGAR) (VEG.)</b> for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm
TM 588	<b>SS AGAR, MODIFIED</b> for selective isolation & differentiation of <i>Salmonella</i> and <i>Shigella</i> species from clinical materials and foodstuff	57.00	500 gm
TM 2313	<b>SS AGAR W/ SUCROSE</b> used for the selective isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> species	59.03	500 gm
TM 2314	<b>SS SELECTIVE AGAR, IMPROVED, ((DOUBLE PACK)</b> for the selective detection and isolation of <i>Salmonella</i> & <i>Shigella</i> species	(Part I) (Part II) 81.00 04.60	500 gm -
TM 1828	<b>S.S AGAR WITH SODIUM DEOXYCHOLATE &amp; CaCl<sub>2</sub> (SSDC AGAR)</b> for detection of presumptive pathogenic <i>Yersinia enterocolitica</i>	76.00	100 gm
TM 2315	<b>S.T.A. AGAR BASE</b> for the isolation of <i>Brochothrix thermosphacta</i> from meat products	36.48	500 gm
TS 305	<b>S.T.A. SELECTIVE SUPPLEMENT *</b>	#28 vl	5 vl 25 vl
TM 2316	<b>SABOURAUD AGAR GLUCOSE 4%</b> for cultivation of Yeasts, Molds and aciduric microorganisms	65.00	500 gm
TM 587	<b>SABOURAUD AGAR W/ ANTIBIOTICS (SABOURAUD CYCLOHEXIMIDE CHLORAMPHENICOL AGAR)</b> for selective isolation and cultivation of pathogenic fungi	45.54	100 gm
TM 622	<b>SABOURAUD CHLORAMPHENICOL AGAR</b> for selective isolation and cultivation of Yeasts and Molds	65.05	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 622	<b>SABOURAUD CHLORAMPHENICOL AGAR (VEG.)</b> for selective isolation and cultivation of Yeasts and Molds	65.00	100 gm 500 gm
TM 387	<b>SABOURAUD DEXTROSE AGAR</b> for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm
TMV 387	<b>SABOURAUD DEXTROSE AGAR (VEG.)</b> for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm
TM 1602	<b>SABOURAUD DEXTROSE AGAR W/ SOYA LECTHIN &amp; POLYSORBATE 80</b> used for cultivation of yeasts, molds and aciduric bacteria	70.70	500 gm
TM 2317	<b>SABOURAUD DEXTROSE AGAR W/ 3.0% AGAR</b> for cultivation of yeasts, moulds and aciduric microorganisms (withstands longer autoclaving upto 30 minutes)	80.00	500 gm
TMH 104	<b>SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP)</b> for selection, isolation and cultivation of Yeasts and Fungi	65.00	100 gm 500 gm
TMHV 104	<b>SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.)</b> for selection, isolation and cultivation of Yeasts and Fungi	65.00	500 gm
TM 1813	<b>SABOURAUD DEXTROSE AGAR MEDIUM W/ CHLORAMPHENICOL (as per IP)</b> for selective cultivation of Yeasts and Molds	61.41	100 gm 500 gm
TM 090	<b>SABOURAUD DEXTROSE AGAR BASE, MODIFIED (DEXTROSE AGAR BASE, EMMONS)</b> for selective cultivation of pathogenic Fungi	47.00	100 gm 500 gm
TS 275	<b>CC SUPPLEMENT *</b>	#22 vl	5 vl
TM 388	<b>SABOURAUD DEXTROSE BROTH</b> for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMV 388	<b>SABOURAUD DEXTROSE BROTH (VEG.)</b> for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMH 106	<b>SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP)</b> for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm
TMHV 106	<b>SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.)</b> for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	500 gm
TM 2318	<b>SABOURAUD DEXTROSE BROTH, MODIFIED</b> for isolation of yeasts and molds from cosmetics in accordance with FDA BAM, 1998	50.00	500 gm
TM 849	<b>SABOURAUD DEXTROSE MALTOSE AGAR</b> for cultivation of yeasts and molds and for testing antimycotic substances	45.00	500 gm
TM 1080	<b>SABOURAUD DEXTROSE MALTOSE BROTH</b> for cultivation of molds, yeasts & aciduric organisms as well as testing antimycotic substances	30.00	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#34 vl	5 vl 25 vl
TM 1951	<b>SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS (AGAR MEDIUM C) (as per EP/BP)</b> for selective cultivation of yeasts and moulds	61.36	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#6 vl	5 vl 25 vl



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2320	<b>SABOURAUD DEXTROSE AGAR MEDIUM W/ ANTIBIOTICS (as per IP)</b> for selective cultivation of yeasts and molds	65.00	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#6 vl	5 vl 25 vl
TM 2321	<b>SABOURAUD DEXTROSE BROTH MEDIUM 3. (as per IP)</b> for cultivation of Yeats, Moulds and aciduric microorganisms	28.18	100 gm 500 gm
TM 287	<b>SABOURAUD MALTOSSE AGAR</b> for propagation of Yeasts and Molds, particularly fungi concerned with skin and scalp lesions	65.00	500 gm
TM 288	<b>SABOURAUD MALTOSSE BROTH</b> for propagation of Yeasts and Molds, particularly fungi concerned with skin and scalp lesions	31.00	500 gm
TM 2319	<b>SABOURAUD GLUCOSE AGAR W/ANTIBIOTICS</b> for selective cultivation of Yeasts and Molds	65.00	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl 25 vl
TM 317	<b>SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM)</b> sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm
TMV 317	<b>SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) (VEG.)</b> sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm
TM 850	<b>SACCHAROSE BROTH</b> for identification of saccharose fermenting microorganisms	32.53	500 gm
TM 1605	<b>SAKAZAKII DHL AGAR</b> used for detection and isolation of pathogenic <i>Enterobacteriaceae</i> from all types of samples	63.53	500 gm
TM 1606	<b>SALENRICH BROTH</b> for enrichment of sublethally injured <i>Salmonella</i> from food products	35.00	500 gm
TS 212	<b>SALENRICH SELECTIVE SUPPLEMENT *</b>	#58 vl	5 vl 25 vl
TM 1081	<b>SALINE AGAR</b> for alpha-toxin detection in <i>Clostridium perfringens</i>	23.50	500 gm
TM 2322	<b>SALINE LYSINE DECARBOXYLASE MEDIUM</b> recommended as an identification media to detect lysine decarboxylase activity of <i>Vibrio parahaemolyticus</i>	39.01	100 gm 500 gm
TM 1847	<b>SALINE MEAT YEAST AGAR (as per ISO 16649)</b> for identification of <i>Vibrio parahaemolyticus</i> form food products and animal feeding products	58.30	500 gm
TM 2323	<b>SALINE NUTRIENT AGAR</b> recommended for isolation and cultivation of <i>Vibrio parahaemolyticus</i> from food products or animal feeding products	53.00	500 gm
TM 2324	<b>SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017)</b> recommended for enrichment of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> species	43.00	500 gm
TM 2325	<b>SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017)</b> recommended as a biochemical test to distinguish between <i>Vibrio</i> species based on salt tolerance	70.00	500 gm
TM 2326	<b>SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017)</b> recommended for detection of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food	110.00	500 gm
TM 2327	<b>SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990)</b> recommended for detection of indole production by <i>Vibrio parahaemolyticus</i>	41.00	500 gm
TM 1816	<b>SALMONELLA AGAR, ONOZ</b> for selective isolation and identification of <i>Salmonella</i> from clinical samples	80.31	500 gm
TM 1286	<b>SALMONELLA DIFFERENTIAL AGAR (DOUBLE PACK)</b> for selective isolation and identification of <i>Salmonella</i> from clinical samples	(Part I) (Part II) 25.00 10.00	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 1203	<b>SALMONELLA DIFFERENTIAL AGAR, MODIFIED (DOUBLE PACK)</b> for differentiation of <i>Salmonella</i> species from members of <i>Enterobacteriaceae</i> especially	(Part I) (Part II)	31.00 10.00	100 gm 500 gm
TM 2328	<b>SALMONELLA SELECTIVE ENRICHMENT BROTH BASE</b> for selective isolation and differentiation of <i>Salmonella</i> species		25.00	100 gm 500 gm
TS 306	<b>SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT *</b>		#20 vl	5 vl
TM 2329	<b>SALMONELLA SELECTIVE PRIMARY BROTH</b> a pre-enrichment medium used for recovery <i>Salmonella</i> species from foods prior to selective enrichment and isolation		20.00	500 gm
TM 2330	<b>SALMONELLA SELECTIVE SECONDARY BROTH</b> for selective enrichment and isolation of <i>Salmonella</i> from food		73.90	500 gm
TM 1082	<b>SALT BROTH, MODIFIED</b> for cultivation and differentiation of the enterococcal group D <i>Streptococci</i> from nonenterococcal group D <i>Streptococci</i> based on salt tolerance		86.01	500 gm
TM 564	<b>SALT MEAT BROTH</b> for isolation of <i>Staphylococci</i> from grossly contaminated samples		150.00	500 gm
TM 851	<b>SALT POLYMYXIN BROTH BASE</b> for detection and enumeration of <i>Vibrio</i> species		33.00	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>		#34 vl	5 vl 25 vl
TM 1848	<b>SALT POLYMYXIN BROTH BASE (ISO 8914:1990)</b> for detection and enumeration of <i>Vibrio</i> species		29.70	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>		#34 vl	5 vl 25 vl
TM 2331	<b>SAUTONS FLUID MEDIUM BASE</b> for selective enrichment and isolation of <i>Salmonella</i> from food		03.19	100 gm 500 gm
TM 291	<b>SCHAEDLER AGAR</b> for enumeration of various aerobic and anaerobic bacterial species in gastrointestinal tract		43.41	500 gm
TM 292	<b>SCHAEDLER BROTH</b> for cultivation of wide variety of microorganisms particularly from anaerobic blood cultures		28.41	500 gm
TM 1607	<b>SCHUBERTS ARGININE BROTH</b> for isolation of chlorine damaged <i>Pseudomonas aeruginosa</i> in swimming pool		35.50	500 gm
TM 1075	<b>SCHWARZ DIFFERENTIAL MEDIUM</b> for differentiation of Brewing Yeasts from Yild yeasts		44.50	500 gm
TM 2332	<b>SELECTIVE BROTH FOR MRSA</b> for improved detection of Methicillin Resistant <i>Staphylococcus aureus</i> (MRSA)		46.40	500 gm
TS 307	<b>SELECTIVE SUPPLEMENT FOR MRSA *</b>		#11 vl	5 vl 25 vl
TM 1083	<b>SEA WATER AGAR (DOUBLE PACK)</b> for cultivation of marine microorganism	(Part I) (Part II)	28.00 37.00	500 gm -
TM 390	<b>SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP)</b> for microbiological assay of $\beta$ -lactam and other antibiotics		30.50	100 gm 500 gm
TM 1084	<b>SELECTIVE LYSINE AGAR (as per AOAC)</b> for selective isolation and identification of <i>Salmonella</i>		38.33	500 gm
TM 2333	<b>SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK)</b> as enrichment media for the isolation of <i>Salmonellae</i> from faeces, urine or other pathological materials	(Part I) (Part II)	19.00 04.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 1840	<b>SELECTIVE STREPTOCOCCUS AGAR</b> for selective isolation of group A <i>Streptococci</i> with blood		43.00	100 gm 500 gm
TM 389	<b>SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK)</b> (IS:5887 (Part I, III and IV) 1976, reaffirmed 2005) for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological material	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TMV 389	<b>SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (VEG.)</b> for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological material	(Part I) (Part II)	19.00 04.00	100 gm 500 gm
TM 418	<b>SELENITE BROTH (SELENITE F BROTH) (as per IP)</b> for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological materials	(Part I)	19.00	100 gm 500 gm
TM 853	<b>SELENITE BROTH BASE W/O BIASELENITE</b> enrichment of <i>Salmonella</i> from food, dairy products and pathological materials		19.00	500 gm
428	<b>SODIUM BIASELENITE</b>		#4vl	100 gm
TM 2334	<b>SELENITE CYSTINE BROTH BASE W/O BIASELENITE</b> for selective enrichment of <i>Salmonella spp.</i> and possibly <i>Shigella sonnei</i> from faeces, urine, water and foodstuffs		19.01	500 gm
428	<b>SODIUM BIASELENITE</b>		#4vl	100 gm
TM 721	<b>SELENITE BROTH W/DULCITOL (DULCITOL SELENITE BROTH) (DOUBLE PACK)</b> for selective enrichment of <i>Salmonella</i> species	(Part I) (Part II)	04.00	500 gm
TM 294	<b>SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993)</b> an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TMV 294	<b>SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (VEG.) (DOUBLE PACK)</b> an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm
TM 854	<b>SELENITE CYSTINE BROTH BASE (W/O BIASELENITE)</b> for selective enrichment of <i>Salmonella</i> & possibly <i>Shigella sonnei</i> from faeces, urine, water & foodstuffs		19.01	500 gm
428	<b>SODIUM BIASELENITE</b>		#4vl	100 gm
TM 1454	<b>SELENITE MANNITOL BROTH (MANNITOL SELENITE BROTH) (DOUBLE PACK)</b> for selective enrichment of <i>Salmonella</i> from clinical samples	(Part I) (Part II)	19.00 04.00	500 gm -
TM 1085	<b>SELLERS DIFFERENTIAL AGAR</b> for identification and differentiation of gram-negative non-fermentative bacilli particularly <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter calcoaceticus</i>		45.00	500 gm
TM 1127	<b>SEMISOLID RAPPAPORT VASSILIADIS MEDIUM, MODIFIED</b> for detection of motile <i>Salmonella</i> species from food, faeces and environmental specimens		31.65	500 gm
TS 051	<b>NOVOBIOCIN SUPPLEMENT *</b>		#32 vl	5 vl 25 vl
TM 2135	<b>SENSITIVITY TEST AGAR</b> for determination of antibiotic susceptibility of fastidious microorganisms		31.32	500 gm
TM 856	<b>SENSITIVITY TEST MEDIUM</b> for sensitivity tests with sulphonamides and other antibiotics		51.04	500 gm
TM 1289	<b>SERRATIA DIFFERENTIAL MEDIUM (SD MEDIUM) (DOUBLE PACK)</b> for cultivation and differentiation of <i>Serratia</i> species on the basis of arabinose fermentation and Ornithine decarboxylation	(Part I) (Part II)	29.04 10.00	100 gm -
TM 1290	<b>SHAPTON MEDIUM</b> for enumeration of <i>Bacillus stearothermophilus</i> spores from canned foods with pH>4.5		27.30	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1067	<b>SHAW AND CLARKE MEDIUM (PHENYLALANINE MALONATE BROTH)</b> for differentiation of <i>Enterobacteriaceae</i> based on their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm
TM 1087	<b>SHEEP BLOOD AGAR BASE (W/O BLOOD)</b> for improved haemolytic reactions of organisms	40.50	100 gm 500 gm
TM 2335	<b>SHEEP BLOOD AGAR BASE, MODIFIED (ISO 21871:2006)</b> for cultivation and studying haemolytic reactions of <i>Bacillus cereus</i>	37.50	500 gm
TM 857	<b>SHIGELLA BROTH BASE</b> for isolation and cultivation of <i>Shigella</i> species from foods	31.50	500 gm
TS 082	<b>SHIGELLA SELECTIVE SUPPLEMENT *</b>	#16 vl	5 vl
TM 1088	<b>SIMMONS AGAR BASE</b> for differentiation between faecal coliform and members of the aerogenes group on the basis of citrate utilization	21.30	100 gm
TM 348	<b>SIMMONS CITRATE AGAR</b> for differentiation of <i>Enterobacteriaceae</i> on the basis of citrate utilization	24.28	100 gm 500 gm
TM 1291	<b>SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005)</b> for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization	24.28	100 gm 500 gm
TM 006	<b>SIMMON'S CITRATE AGAR, MODIFIED (ACETATE DIFFERENTIAL AGAR)</b> for differentiation of <i>Shigella</i> species from <i>Escherichia coli</i> and non-fermentative gram negative microorganisms	29.18	500 gm
TM 574	<b>SKIM MILK</b> for cultivation of dairy organisms and differentiation of <i>Clostridium</i> species	100.00	500 gm
TM 295	<b>SKIM MILK AGAR</b> for cultivation and enumeration of bacteria encountered in dairy industry	51.50	500 gm
TM 1608	<b>SKIM MILK AGAR (PLATE COUNT AGAR) (PCA)</b> for determining the microbial count in milk and dairy products	20.00	500 gm
TM 1405	<b>SLANETZ AND BARTLEY MEDIUM</b> for detection and enumeration of faecal <i>Streptococci</i> by membrane filtration technique	46.50	500 gm
TM 2336	<b>SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000)</b> for detection and enumeration of faecal <i>Streptococci</i> from water samples by membrane filtration technique	46.50	500 gm
TM 1609	<b>SLANETZ AND BARTLEY MEDIUM W/O TTC</b> for detection and enumeration of faecal <i>Streptococci</i> by membrane filtration technique	46.40	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/VIAL)</b>	#8 v	5 vl 25 vl
TM 035	<b>SNYDER TEST AGAR (BCG DEXTROSE AGAR)</b> for estimation of <i>Lactobacilli</i> , an indication of caries activity	65.00	500 gm
TM 1195	<b>SOB MEDIUM (HANAHAN'S BROTH)</b> for cultivation of recombinant strains of <i>Escherichia coli</i>	28.08	500 gm
TM 2337	<b>SODIUM AZIDE CRYSTAL VIOLET BLOOD AGAR</b> for selective cultivation of <i>Erysipelothrix rhusiopathiae</i>	50.50	100 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 858	<b>SOIL EXTRACT AGAR</b> for isolation of soil microorganisms	34.25	500 gm
TM 201	<b>SORBITOL AGAR (MacCONKEY SORBITOL AGAR) (DOUBLE PACK)</b> for isolation and identification of enteropathogenic <i>E.coli</i> strains associated with infant diarrhoea	(Part I) 40.00 (Part II) 10.00	100 gm 500 gm
TM 859	<b>SORBITOL IRON AGAR</b> for identification and differentiation of enteropathogenic <i>E.coli</i> without fermenting sorbitol	46.00	500 gm
TM 1440	<b>SOYA PEPTONE DIGEST AGAR</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 1440	<b>SOYA PEPTONE DIGEST AGAR (VEG.)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm
TM 1089	<b>SOYA PEPTONE YEAST EXTRACT AGAR</b> for selective isolation of dermatophytes especially <i>Trichophyton verrucosum</i> and other pathogenic	72.08	500 gm
TM 546	<b>SOYA BEAN BILE BROTH BASE</b> for enrichment and isolation of <i>Escherichia coli</i> 0157:H7 from foods	32.60	500 gm
TS 070	<b>NOVOBIOCIN SELECTIVE SUPPLEMENT*</b>	#16 vl	5 vl
TM 345	<b>SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 345	<b>SOYA BEAN CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (VEG.) (as per USP)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMH 103	<b>SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP)</b> for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm
TMHV 103	<b>SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) (VEG.)</b> for cultivation of wide variety of microorganism recommended for sterility testing in pharmaceutical procedures	40.00	500 gm
TM 614	<b>SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR)</b> for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TMV 614	<b>SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) (VEG.)</b> for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TM 1861	<b>SOYA CASEIN DIGEST AGAR W/LTHTh</b> for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	46.70	100 gm 500 gm
TM 1928	<b>SOYA CASEIN DIGEST AGAR W/LTHTh, Modified</b> for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	82.00	100 gm 500 gm
TM 860	<b>SOYA BEAN CASEIN DIGEST AGAR W/ YEAST EXTRACT AND HEMIN (TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN)</b> for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> and <i>Neisseria meningitidis</i>	45.52	100 gm
TM 1506	<b>SOYA CASEIN DIGEST AGAR WITH INHIBITOR</b> a general purpose medium with inhibitor that inhibit the growth of <i>Staphylococci</i>	40.50	500 gm
TM 332S	<b>SOYA CASEIN DIGEST BROTH (TRYPTONE SOYA BROTH W/ SPS)</b> for cultivation of fastidious and non-fastidious microorganism especially <i>H. influenzae</i> , <i>N. meningitidis</i> , <i>S. pneumoniae</i>	30.03	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1931	<b>SOYA BEAN CASEIN DIGEST MEDIUM BASE W/O POLYMYXIN</b> for selective isolation and MPN method of <i>B.cereus</i> in accordance with FDA BAM	30.01	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#34.vl	5 vl 25 vl
TM 332	<b>SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (CASO BROTH)</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMV 332	<b>SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH (VEG.)</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm
TMH 102	<b>SOYA BEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP)</b> for cultivation of wide variety of microorganisms recommended for sterility testing of molds and lower bacteria	30.00	100 gm 500 gm
TMHV 102	<b>SOYA BEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.)</b> for cultivation of wide variety of microorganisms recommended for sterility testing of molds and lower bacteria	30.00	100 gm 500 gm
TM 1929	<b>SOYA BEAN CASEIN DIGEST MEDIUM W/ BCP (TRYPTONE SOYA BROTH W/BCP)</b> for the cultivation of a wide variety of microorganisms. With the addition of carbohydrates, it can also be used for fermentation studies	30.01	500 gm
TM 1930	<b>SOYA BEAN CASEIN DIGEST MEDIUM W/O DEXTROSE (TRYPTONE SOYA BROTH W/O DEXTROSE)</b> for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm
TM 1862	<b>SOYA CASEIN DIGEST MEDIUM W/LTHTh</b> for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm
TM 2453	<b>SOYA BEAN CASEIN DIGEST AGAR W/ 0.5% LECITHIN &amp; 4% POLYSORBATE 80</b> for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics	90.00	500 gm
TM 1932	<b>SOYA BEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN</b> for sanitary examination of surfaces	35.00	500 gm
TM 2388	<b>SOYA BEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR)</b> for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm
TM 1896	<b>SOYA BEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER</b> this medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	35.70	500 gm
TM 1897	<b>SOYA BEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN</b> it is used for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc	35.70	500 gm
TM 2339	<b>SOYA BEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh</b> is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm
TM 1611	<b>SOYA BEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) *</b> for the detection and enrichment of <i>Escherichia coli</i> 0157:H7 from foods	33.02	500 gm
TM 419	<b>SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP)</b> for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm
TM 1408	<b>SPECIMEN PRESERVATIVE MEDIUM BASE (SP HAJNA)</b> for collection, transportation and preservation of stool samples or rectal swabs for the isolation of members of <i>Enterobacteriaceae</i>	17.90	100 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1409	<b>SPIRIT BLUE AGAR</b> for detection and enumeration of <i>lipolytic</i> microorganisms	32.15	500 gm
TM 2340	<b>SPIROLATE BROTH, OMATA</b> for mass cultivation of <i>Treponema pallidum</i> , Reiter strain for antigen production and other studies	29.00	100 gm
TM 1326	<b>SPORULATION AGAR (ARRET AND KIRSHBAUM MEDIUM) (AK AGAR NO.2)</b> for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of penicillin and other antibiotic residues in milk and other dairy product	30.80	500 gm
TM 1292	<b>SPORULATION BROTH</b> for promoting sporulation in <i>Bacillus subtilis</i>	15.80	500 gm
TM 2341	<b>STAIBS MEDIUM (BIRD SEED AGAR)</b> for selective isolation and differentiation of <i>Cryptococcus neoformans</i> from other <i>Cryptococcus</i> species & Yeasts	100.83	100 gm
TM 864	<b>STANDARD INFUSION AGAR (MEAT INFUSION AGAR)</b> for mass cultivation of microorganisms in vaccine or toxin production	50.00	500 gm
TM 363	<b>STANDARD METHODS AGAR (PLATE COUNT AGAR)</b> for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm
TMV 363	<b>STANDARD METHODS AGAR (PLATE COUNT AGAR) (VEG.)</b> for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm
TM 544	<b>STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 &amp; 2:2013)</b> for determination of plate counts of microorganisms in foods, water, waste water & also from clinical samples	23.50	100 gm 500 gm
TM 2342	<b>STANDARD METHODS AGAR W/ STARCH</b> for the detection of aerobic bacterial spores	24.50	500 gm
TM 2284	<b>PLATE COUNT AGAR W/ TWEEN 80 &amp; LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 &amp; LECITHIN)</b> for sanitary examination of surfaces that is for counts before and after application of disinfectants	29.20	100 gm 500 gm
TM 1411	<b>STANDARD METHODS CASEINATE AGAR</b> for detection of proteolytic microorganisms	40.13	100 gm
TM 596	<b>STANDARD NUTRIENT AGAR</b> a general purpose medium for cultivation and enumeration of fastidious and non fastidious microorganisms	45.00	500 gm
TM 2343	<b>STANDARD NUTRIENT AGAR, MODIFIED</b> recommended for the cultivation and enrichment of less fastidious bacteria	25.00	500 gm
TM 865	<b>STANDARD NUTRIENT AGAR NO.1</b> for cultivation of fastidious microorganisms	37.00	500 gm
TM 1614	<b>STANDARD NUTRIENT AGAR NO.2</b> for cultivation and enrichment of less fastidious bacteria in meat	25.00	500 gm
TM 866	<b>STANDARD NUTRIENT BROTH NO.1</b> for cultivation of fastidious microorganisms	25.00	500 gm
TM 1615	<b>STANDARD NUTRIENT BROTH NO.2</b> for enrichment of less fastidious microorganisms	15.00	500 gm
TM 2344	<b>STANDARD IDEAL WALKER BROTH</b> recommended for determination of phenol coefficient of disinfectants using <i>Salmonella typhi</i> as a test organism	30.00	100 gm 500 gm
TM 298	<b>STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM)</b> for large scale cultivation of bacteria for vaccine production	25.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 298	<b>STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) (VEG.)</b> for large scale cultivation of bacteria for vaccine production	25.00	500 gm
TM 299	<b>STANDARD STAPHYLOCOCCUS BROTH</b> for cultivation of <i>Staphylococci</i>	20.00	500 gm
TM 300	<b>STAPHYLOCOCCUS AGAR NO.110 (GELATIN MANNITOL SALT AGAR)</b> for selective isolation and differentiation of <i>Staphylococci</i>	149.50	100 gm 500 gm
TM 1090	<b>STAPHYLOCOCCUS AGAR NO. 110 W/ AZIDE</b> for selective isolation of <i>Staphylococci</i> for clinical samples	149.60	500 gm
TM 313	<b>DISINFECTANT TEST BROTH (USING S. AUREUS as TEST ORGANISM) (as per BIS)</b> for enrichment of <i>Staphylococcus aureus</i>	20.00	500 gm
TM 430	<b>STARCH AGAR</b> for detection of starch hydrolysing microorganisms	30.00	500 gm
TM 867	<b>STARCH AGAR</b> used as diluents for carrying out microbial limit test	25.00	100 gm 500 gm
TM 1091	<b>STARCH CASEIN AGAR</b> for detection of saccharolytic marine bacteria	63.00	500 gm
TM 868	<b>STARCH MILK AGAR</b> for detection of spores in heated milk and milk products	25.00	500 gm
TM 869	<b>STERILITY TESTING MEDIUM-A</b> for checking presence of aerobic microorganisms in pharmacopoeial articles	25.00	500 gm
TM 870	<b>STERILITY TESTING MEDIUM-B</b> for checking presence of aerobic microorganisms in pharmacopoeial articles	26.00	500 gm
TM 431	<b>STOCK CULTURE AGAR (AYERS AND JOHNSON AGAR)</b> for maintenance of cultures of <i>Streptococci</i> and other microorganisms	50.00	500 gm
TM 2345	<b>STREPTOCOCCUS AGALACTIAE SELECTIVE AGAR BASE</b> for selective isolation of <i>Streptococcus agalactiae</i> from dairy products	34.34	500 gm
TM 584	<b>STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH)</b> for enrichment of <i>Streptococci</i>	42.75	500 gm
TMV 584	<b>STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) (VEG.)</b> for enrichment of <i>Streptococci</i>	42.75	500 gm
TM 2346	<b>STREPTOCOCCUS LACTIS DIFFERENTIAL AGAR BASE</b> for differentiation of citrate-utilizing lactic streptococci- <i>Lactococcus lactis</i> ( <i>Streptococcus lactis</i> ) subspecies diacetylactis from citrate nonutilizing <i>Lactococcus lactis</i> ( <i>Streptococcus lactis</i> ) and <i>Lactococcus lactis</i> ( <i>Streptococcus lactis</i> ) subspecies cremoris	32.50	500 gm
TM 432	<b>STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR)</b> for selective isolation and enumeration of <i>Streptococci</i> including group A beta haemolytic strains	45.60	500 gm
TMV 432	<b>STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) (VEG.)</b> for selective isolation and enumeration of <i>Streptococci</i> including group A beta haemolytic strains	45.60	500 gm
TM 532	<b>STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH)</b> for selective isolation and cultivation of <i>Streptococci</i> including group A beta haemolytic strains	30.60	500 gm
TMV 532	<b>STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) (VEG.)</b> for selective isolation and cultivation of <i>Streptococci</i> including group A beta haemolytic strains	30.60	500 gm
TM 2347	<b>b-STREPTOCOCCUS SELECTIVE AGAR BASE</b> for the isolation of beta-haemolytic <i>Streptococci</i> from clinical specimens heavily contaminated with other bacteria	25.12	500 gm
TM 871	<b>STREPTOCOCCUS THERMOPHILUS ISOLATION AGAR</b> for determination of the ratio of <i>Streptococcus thermophilus</i> and <i>Lactobacillus bulgaricus</i> in yogurt	42.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1092	<b>STREPTOMYCES AGAR</b> for cultivation and maintenance of <i>Streptomyces</i>	32.00	500 gm
TM 1295	<b>STREPTOMYCES MEDIUM</b> for cultivation and maintenance of <i>Streptomyces kanamyceticus</i>	36.70	500 gm
TM 2348	<b>STUART TRANSPORT MEDIUM W/O METHYLENE BLUE WITH CHARCOAL</b> for the preservation and transportation of <i>Neisseria</i> species and other fastidious organisms from the clinic to laboratory	24.00	100 gm 500 gm
TM 017	<b>STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT (ANTIBIOTIC ASSAY MEDIUM NO. 5) (as per IP/USP)</b> for microbiological assay of <i>Streptomycin</i> using <i>Bacillus subtilis</i>	25.50	500 gm
TM 420	<b>STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART)</b> for preservation and transport of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm
TM 2349	<b>STUART TRANSPORT MEDIUM W/O METHYLENE BLUE</b> for the preservation and transportation of <i>Gonococcal</i> species and other fastidious organisms	14.00	100 gm 500 gm
TM 2350	<b>STUART TRANSPORT MEDIUM W/O SODIUM GLYCEROPHOSPHATE</b> with addition of sodium glycerophosphate, is used for routine transport of <i>Gonococcus</i> species and other fastidious organisms	04.10	100 gm 500 gm
TM 1296	<b>SUCROSE AGAR FOR BREWERY ISOLATES</b> for isolation of dextran producing <i>Leuconostoc</i> species	90.00	500 gm
TM 2351	<b>SUCROSE DILUENT 40%</b> used as diluent in osmophillic Yeast and Mold test method	400.00	500 gm
TM 736	<b>SUCROSE SALICIN AGAR (GILLIES AGAR NO. 2)</b> for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species	48.28	100 gm
TM 548	<b>SUGAR FREE AGAR</b> for butter testing as per International Dairy Federations	34.00	500 gm
TM 2352	<b>SULPHA SENSITIVITY TEST AGAR</b> used to test the susceptibility of common pathogens to sulphonamides	35.96	500 gm
TM 1925	<b>SULPHATE API AGAR W/O SODIUM LACTATE *</b> for detection and estimation of sulphate reducing bacteria	25.41	500 gm
TM 594	<b>SULPHATE API BROTH W/O SODIUM LACTATE *</b> for detection of sulphate reducing bacteria	11.41	500 gm
TM 1317	<b>SULPHATE API BROTH W/O SODIUM LACTATE (DOUBLE STRENGTH)</b> for detection of sulphate reducing bacteria	11.41	100 gm 500 gm
TM 595	<b>SULPHATE API BROTH W/O NaCl</b> for detection, differentiation and estimation of sulphate reducing bacteria	01.40	100 gm 500 gm
TM 1094	<b>SULPHATE REDUCING MEDIUM (DOUBLE PACK)</b> for detection, differentiation and estimation of sulphate reducing bacteria <i>Thiobacillus thioparus</i>	(Part I) 02.32 (Part II) 10.00	100 gm 500 gm
TM 1095	<b>SULPHATE REDUCING MEDIUM (TRIPLE PACK)</b> enumeration of sulphate reducing bacteria in water	(Part I) 07.10 (Part II) 00.49 (Part III) 03.50	100 gm 500 gm -

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 433	<b>SULPHITE AGAR</b> for detection of thermophilic sulphide producing anaerobes	31.00	500 gm
TM 1297	<b>SULPHUR MEDIUM (DOUBLE PACK)</b> for cultivation of <i>Thiobacillus thiooxidans</i>	(Part I) 04.07 (Part II) 10.00	100 gm 500 gm
TM 2353	<b>SUPER BROTH</b> for the mass cultivation of <i>Escherichia coli</i>	60.00	500 gm
TM 2354	<b>SUPER BROTH NO. II</b> for the cultivation of recombinant strains of <i>Escherichia coli</i>	49.10	500 gm
TM 2355	<b>SYNCASE BROTH</b> for the detection of coliforms in food samples	37.21	500 gm
TM 2356	<b>SYNTHETIC BROTH, AOAC (WRIGHT AND MUNDY BROTH)</b> for growing inoculum, making subcultures and preparing various dilutions while testing disinfectants	16.90	500 gm
TM 1097	<b>SYNTHETIC SEA SALT (ISO 9308-3:1998)</b> for preparation of special diluents	19.19	500 gm
TM 435	<b>T.A.T. BROTH BASE</b> for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm
TMV 435	<b>T.A.T. BROTH BASE (VEG.)</b> for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm
TM 1616	<b>T.A.T. BROTH WITH TWEEN 20 (as per USP)</b> for sterility testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm
TM 1339	<b>TBX AGAR (CHROMOGENIC E. COLI AGAR) (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR)</b> (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2357	<b>TB BROTH BASE</b> for cultivation of <i>Mycobacterium tuberculosis</i>	12.10	500 gm
TM 2358	<b>TB BROTH BASE W/O TWEEN 80</b> for cultivation of <i>Mycobacteria</i> when the presence of oleic acid is undesirable	11.60	500 gm
TM 1357	<b>TTC BROTH BASE (ITC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE)</b> for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm
TS 131	<b>TICARCILLIN SUPPLEMENT*</b>	#7 vl	5 vl
TS 132	<b>POTASSIUM CHLORATE SUPPLEMENT*</b>	-	5 vl
TM 436	<b>TCBS AGAR (VIBRIO SELECTIVE AGAR)</b> for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning	89.00	100 gm 500 gm
TMV 436	<b>TCBS AGAR (VIBRIO SELECTIVE AGAR) (VEG.)</b> for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning	89.00	100 gm 500 gm
TM 875	<b>TCBS AGAR (SELECTIVE)</b> for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i>	89.00	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 876	<b>TCBS AGAR (MODIFIED)</b> for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's	88.00	100 gm 500 gm
TM 1299	<b>TCBS AGAR (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's	89.00	100 gm 500 gm
TM 437	<b>TGB AGAR (TRYPTONE GLUCOSE BEEF EXTRACT AGAR)</b> for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm
TMV 437	<b>TGB AGAR (VEG.)</b> for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm
TM 1100	<b>TMAO MEDIUM (TRIMETHYLAMINE-N-OXIDE MEDIUM) (as per APHA)</b> for cultivation and differentiation of <i>Campylobacter</i> species from foods, except <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i>	29.00	500 gm
TM 1101	<b>TN AGAR</b> for isolation and cultivation of <i>Vibrios</i> from food samples	35.00	500 gm
TM 1102	<b>TOC AGAR</b> for presumptive identification and differentiation of <i>Candida albicans</i> and <i>Cryptococcus neoformans</i>	40.30	100 gm
TM 438	<b>TPEY AGAR BASE</b> for selective isolation and enumeration of <i>Staphylococci</i> from foods and other materials	60.00	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	# 3 vl	5 vl
TS 005	<b>POTASSIUM TELLURITE 1% (1ml/vl) *</b>	#9 vl	5 vl 25 vl
TM 2359	<b>TS SALINE AGAR (TRIPLE SUGAR SALINE IRON AGAR)</b> for identification of <i>Vibrio</i> species especially <i>Vibrio parahaemolyticus</i> on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production	92.62	500 gm
TM 1357	<b>TTC BROTH BASE (TRICLOSAN TICARCILLIN CHLORATE BROTH)</b> for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm
TS 131	<b>TICARCILLIN SUPPLEMENT *</b>	#7 vl	5 vl
TS 132	<b>POTASSIUM CHLORATE SUPPLEMENT *</b>		5 vl
TM 1477	<b>TARTOFF-HOBBS BROTH (TERRIFIC BROTH)</b> a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm
TSM 1477	<b>TARTOFF-HOBBS BROTH (TERRIFIC BROTH)</b> a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm
TM 2360	<b>TAUROCHOLATE BROTH</b> for selective isolation of coliforms from water, milk and other food products	40.03	500 gm
TM 2361	<b>TEEPOL BROTH (DOUBLE PACK)</b> for selective isolation and identification of enteric, lactose fermenting bacteria	(Part I) 35.02 (Part II) 01.00	500 gm -
TM 879	<b>TELLURITE BLOOD AGAR BASE</b> for selective isolation and cultivation of <i>Corynebacterium</i> species	31.00	500 gm
TS 021	<b>HAEMOGLOBIN POWDER *</b>	300 gm	100 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#17 vl	5 vl 25 vl
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#17 vl	5 vl 25 vl
TM 439	<b>TELLURITE GLYCINE AGAR BASE</b> for quantitative detection of coagulase positive <i>Staphylococci</i> from foods and other sources	56.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#18 vl	5 vl 25 vl

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 440	<b>TERGITOL-7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005)</b> for selective isolation and identification of Coliform bacteria from water	33.13	100 gm 500 gm
TS 042	<b>T.T.C. SOLUTION 1% (10 ml/vl) *</b>	5 vl	5 vl 25 vl
TMV 440	<b>TERGITOL-7 AGAR BASE (VEG.)</b> for selective isolation and identification of Coliform bacteria from water	33.13	100 gm 500 gm
TS 042	<b>T.T.C. SOLUTION 1% (10 ml/vl) *</b>	#5 vl	5 vl 25 vl
TM 2362	<b>TERGITOL-7 AGAR H</b> for selective isolation and differentiation of enteric bacteria from urine specimens	34.13	500 gm
TS 042	<b>T.T.C. SOLUTION 1% (10 ml/vl) *</b>	#5 vl	5 vl 25 vl
TM 2363	<b>TERGITOL-7 AGAR BASE, MODIFIED</b> for selective isolation and identification of Coliform bacteria from water	57.15	100 gm 500 gm
TM 441	<b>TERGITOL-H-7 BROTH</b> a selective and differential medium for detection and enumeration of Coliforms	18.13	500 gm
TS 042	<b>T.T.C. SOLUTION 1% (10 ml/vl) *</b>	#9 vl	5 vl 25 vl
TM 1477	<b>TERRIFIC BROTH (TARTOFF-HOBBS BROTH)</b> a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm
TMV 1477	<b>TERRIFIC BROTH (VEG.) (TARTOFF-HOBBS BROTH)</b> a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm
TM 2364	<b>TETRATHIONATE BRILLIANT GREEN BILE BROTH</b> for isolation and identification of <i>Salmonella</i>	63.07	500 gm
TM 442	<b>TETRATHIONATE BRILLIANT GREEN BILE BROTH (as per IP/EP/BP)</b> for isolation and identification of <i>Salmonella</i>	63.00	500 gm
TM 423	<b>TETRATHIONATE BROTH BASE W/O IODINE &amp; BG (FLUID TETRATHIONATE MEDIUM W/O IODINE &amp; BG)</b> for selective isolation of <i>Salmonella</i> from foods and other pathological materials	46.00	100 gm 500 gm
TM 413	<b>TETRATHIONATE BROTH BASE (as per IP)</b> for isolation of <i>Salmonella</i> from faecal samples, sewage and other samples	77.40	100 gm 500 gm
TM 443	<b>TETRATHIONATE BROTH BASE, HAJNA (TT BROTH BASE)</b> for enrichment and isolation of <i>Salmonella</i>	91.50	100 gm 500 gm
TM 2365	<b>TETRATHIONATE CV ENRICHMENT BROTH</b> for the selective enrichment of <i>Salmonella</i> from meat and foodstuff	35.00	500 gm
TM 933	<b>THAYER MARTIN MEDIUM BASE</b> for selective isolation of <i>Gonococci</i> from clinical samples	42.00	100 gm 500 gm
TS 021	<b>HAEMOGLOBIN POWDER *</b>	50 gm	100 gm
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#24 vl	5 vl 25 vl
TS 036	<b>G.C. SUPPLEMENT W/ANTIBIOTICS *</b>	#24 vl	5 vl 25 vl
TS 038	<b>V.C.N. SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TS 039	<b>V.C.N.T. SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TM 1301	<b>THERMOACIDURANS AGAR</b> for isolation of <i>Bacillus thermoacidurans</i> from foods	39.00	500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2366	<b>THERMOACIDURANS BROTH</b> recommended for detection of thermophilic/mesophilic aerobic and anaerobic aciduric spore formers and sterility testing for acid food	19.00	100 gm 500 gm
TM 1818	<b>THERMOPHILIC ACID RESISTANT MEDIUM</b> for growth and detection of thermophilic acid resistant microorganisms	39.00	500 gm
TM 1302	<b>THIOBACILLUS AGAR</b> for cultivation and isolation of <i>Thiobacillus</i> species	22.66	500 gm
TM 1303	<b>THIOBACILLUS BROTH</b> for cultivation of <i>Thiobacillus</i> species	10.16	500 gm
TM 2367	<b>THIOBACILLUS BROTH (ATCC MEDIA 152)</b> for cultural isolation of <i>Thiobacillus intermedia</i>	09.97	500 gm
TM 639	<b>THIOGLYCOLLATE AGAR</b> for cultivation of anaerobic microorganisms	49.00	500 gm
TM 216	<b>THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM)</b> for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TMV 216	<b>THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) (VEG.)</b> for mass cultivation of anaerobes for vaccine production	30.00	500 gm
TM 301	<b>NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP)</b> for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm
TM 318	<b>THIOGLYCOLLATE MEDIUM, FLUID (FLUID THIOGLYCOLLATE MEDIUM) (as per USP)</b> for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm
TM 881	<b>THIOGLYCOLLATE MEDIUM W/ CALCIUM CARBONATE</b> for maintenance of anaerobic cultures, particularly highly fermentative types	30.15	500 gm
TM 2368	<b>THIOGLYCOLLATE MEDIUM W/ HEMIN AND VITAMIN K *</b> for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions	29.65	500 gm
TM 2369	<b>THIOGLYCOLLATE MEDIUM W/ K AGAR</b> for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing procedures	29.75	500 gm
TM 2370	<b>THIOGLYCOLLATE MEDIUM W/O DEXTROSE</b> for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates	25.70	500 gm
TM 447	<b>THIOGLYCOLLATE MEDIUM W/O INDICATOR (DIAGNOSTIC THIOGLYCOLLATE MEDIUM)</b> a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm
TM 2371	<b>THIOGLYCOLLATE MEDIUM W/O DEXTROSE AND INDICATOR</b> used as a base for fermentation studies of anaerobic and microaerophilic organisms and for detecting microorganisms in normally sterile materials	24.00	500 gm
TM 306	<b>THIOGLYCOLLATE MEDIUM, LINDEN (BREWER THIOGLYCOLLATE MEDIUM, MODIFIED)</b> for sterility testing of biological products and isolation of aerobic and anaerobic organisms	38.50	100 gm 500 gm
TM 535	<b>THIOGEL MEDIUM</b> for differentiation of microorganisms based on their ability to liquify gelatin	80.00	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 448	<b>THIOL BROTH</b> for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	29.00	500 gm
TM 449	<b>THIOL MEDIUM</b> for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	30.00	500 gm
TM 1305	<b>THIOMERSAL ASSAY MEDIUM (as per IP)</b> for microbiological assay of Thiomersal	33.50	500 gm
TM 2372	<b>THIOSTARCH BROTH</b> for sterility testing of pharmaceutical or biological products	30.25	500 gm
TM 882	<b>THIOSULPHATE AGAR</b> for cultivation of sulphur metabolizing bacteria present in soil samples	25.40	500 gm
TM 883	<b>THIOSULPHATE RINGER SOLUTION POWDER</b> for verification of sterility of dairy plant after hypochlorite has been used for disinfection purposes	03.21	100 gm 500 gm
TM 450	<b>TINSDALE AGAR BASE</b> for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i>	40.70	500 gm
TS 059	<b>DIPHTHERIA VIRULENCE SUPPLEMENT (Part A &amp; B) DOUBLE PACK *</b>	#13 vl	1 Kit
TM 451	<b>TODD HEWITT BROTH</b> for cultivation of group A haemolytic <i>Streptococci</i> used for serological studies	37.00	100 gm 500 gm
TM 2373	<b>TOLUIDINE BLUE DNA AGAR</b> for detection of thermostable deoxyribonuclease activity	26.48	100 gm
TM 2374	<b>TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E))</b> for detection of thermostable deoxyribonuclease activity to establish speciation of <i>S.aureus</i> in contaminated foods	26.56	100 gm
TM 2375	<b>TOLUIDINE BLUE DNA AGAR, MODIFIED</b> for detection of thermostable deoxyribonuclease activity and establish speciation of <i>S. aureus</i> in contaminated foods in accordance with FDA BAM, 1998	26.48	100 gm
TM 2376	<b>TOMATO JUICE AGAR</b> for cultivation and enumeration of <i>Lactobacilli</i>	51.00	500 gm
TM 2377	<b>TOMATO JUICE AGAR, SPECIAL</b> for the cultivation and enumeration of <i>Lactobacilli</i> from saliva and other acidophilic bacteria	60.00	500 gm
TM 2378	<b>TOMATO JUICE BROTH</b> for cultivation of yeasts and other aciduric microorganisms	41.23	500 gm
TM 2379	<b>TOMATO JUICE MEDIUM BASE</b> for isolation and identification of <i>Lactobacilli</i> encountered in wine	40.00	500 gm
TS 308	<b>LACTOBACILLI SUPPLEMENT *</b>	#5 vl	5 vl 25 vl
TM 1105	<b>TRANSROW MEDIUM BASE</b> for cultivation and transport of fastidious microorganisms especially <i>Neisseria</i> species	92.00	500 gm
TS 021	<b>HAEMOGLOBIN POWDER *</b>	45.50	100 gm
TS 038	<b>V.C.N. SUPPLEMENT *</b>	#11 vl	5 vl 25 vl
TS 039	<b>V.C.N.T. SUPPLEMENT *</b>	#11 vl	5 vl 25 vl
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#11 vl	5 vl 25 vl
TM 884	<b>TRANSPORT CHARCOAL MEDIUM</b> for transportation of clinical samples	24.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2380	<b>TRANSPORT LIQUID MEDIUM</b> for recovery of microorganisms by neutralizing the disinfectants and antiseptics used while taking swab specimens from wounds, burns and other clinical specimens	18.50	500 gm
TM 420	<b>TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM)</b> for preservation and transportation of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm
TM 415	<b>TRANSPORT MEDIUM W/O CHARCOAL (CARY-BLAIR MEDIUM BASE)</b> for collection and shipment of clinical specimen	12.60	100 gm 500 gm
TM 456	<b>TRANSPORT MEDIUM, AMIES W/O CHARCOAL</b> for transportation and preservation of clinical samples	09.75	100 gm 500 gm
TM 009	<b>TRANSPORT MEDIUM, AMIES W/CHARCOAL</b> for transportation and preservation of microbiological samples	20.00	100 gm 500 gm
TM 885	<b>TRIBUTYRIN AGAR BASE W/O TRIBUTYRIN</b> for detection of lipolytic microorganisms	23.00	100 gm 500 gm
TS 080	<b>TRIBUTYRIN (10 ml/vl) *</b>	#22 vl	5 vl
TM 1873	<b>TRICHODERMA HARZIANUM SELECTIVE AGAR BASE</b> for selective isolation of <i>Trichoderma harzianum</i>	25.54	500 gm
TS 251	<b>TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT *</b>	#20 vl	5 vl
TM 1307	<b>TRICHOMONAS AGAR BASE</b> for detection and isolation of <i>Trichomonas vaginalis</i> and <i>Candida albicans</i> from clinical samples	37.50	500 gm
TS 014	<b>HORSE SERUM *</b>	1.1 ltr	100 ml
TS 133	<b>TRICHOMONAS SELECTIVE SUPPLEMENT II *</b>	#27 vl	5 vl
TM 1308	<b>TRICHOMONAS BROTH BASE NO.2</b> for isolation of <i>Trichomonas vaginalis</i>	68.13	500 gm
TS 014	<b>HORSE SERUM *</b>	#1.9 ltr	100 ml
TM 1212	<b>TRICHOMONAS BROTH BASE, KUPFERBERG (KUPFERBERG TRICHOMONAS BROTH BASE)</b> for cultivation and selective isolation of <i>Trichomonas</i> species	23.50	500 gm
TS 112	<b>TRICHOMONAS SELECTIVE SUPPLEMENT I *</b>	#43 vl	5 vl
TM 1250	<b>TRICHOMONAS MODIFIED CPLM MEDIUM BASE (MODIFIED CPLM MEDIUM BASE)</b> for cultivation of <i>Trichomonas</i> species	56.00	500 gm
TM 424	<b>TRIPLE SUGAR IRON AGAR</b> for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.52	100 gm 500 gm
TM 1625	<b>TRIPLE SUGAR IRON AGAR</b> for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.52	100 gm 500 gm
TMV 1625	<b>TRIPLE SUGAR IRON AGAR (VEG.)</b> for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.52	100 gm 500 gm
TM 886	<b>TRIPLE SUGAR IRON AGAR (as per EP)</b> for confirmation of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.42	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 887	<b>TRIPLE SUGAR IRON AGAR (as per USP)</b> for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	59.42	100 gm 500 gm
TM 391	<b>TRIPLE SUGAR IRON AGAR (as per IP)</b> for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose	64.42	100 gm 500 gm
TM 1955	<b>TRIPLE SUGAR, IRON AGAR (AGAR MEDIUM M) (as per BP/EP)</b> for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation sulphide production fermentation and H <sub>2</sub> S production	64.02	100 gm 500 gm
TM 1819	<b>TRIPLE SUGAR IRON AGAR (ISO 6785:2001/ISO 6579:2017)</b> for identification of gram negative enteric bacteria on the basis of sugar fermentation & H <sub>2</sub> S production	65.00	100 gm 500 gm
TM 1874	<b>TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005)</b> for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.32	100 gm 500 gm
TM 2381	<b>TRYPTIC SOYA AGAR</b> for a cultivation and maintenance of <i>Salmonella typhi</i>	45.00	500 gm
TM 888	<b>TRYPTIC DIGEST BROTH (FIELD'S TRYPTIC DIGEST BROTH)</b> for cultivation of fastidious microorganisms	16.00	500 gm
TM 889	<b>TRYPTONE AGAR</b> general purpose medium for growth of non-fastidious microorganisms	33.00	100 gm 500 gm
TM 890	<b>TRYPTONE AGAR BASE</b> for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes	23.52	500 gm
TM 392	<b>TRYPTONE BROTH (TRYPTONE WATER)</b> for detection of indole producing microorganisms	15.00	100 gm 500 gm
TMV 392	<b>TRYPTONE BROTH (TRYPTONE WATER) (VEG.)</b> for detection of indole producing microorganisms	15.00	100 gm 500 gm
TM 892	<b>TRYPTONE BILE AGAR</b> for fast detection and enumeration of <i>Escherichia coli</i> in foods using direct plating method	36.50	100 gm 500 gm
TM 893	<b>TRYPTONE DEXTROSE AGAR</b> for studying motility and fermentation of dextrose by aerobes and anaerobes	28.51	500 gm
TM 437	<b>TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR)</b> for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TMV 437	<b>TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) (VEG.)</b> for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TM 466	<b>TRYPTONE GLUCOSE YEAST EXTRACT AGAR</b> for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TMV 466	<b>TRYPTONE GLUCOSE YEAST EXTRACT AGAR (VEG.)</b> for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm
TM 467	<b>TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH)</b> for enumeration of microorganisms from foods by MPN technique	17.25	500 gm
TMV 467	<b>TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) (VEG.)</b> for enumeration of microorganisms from foods by MPN technique	17.25	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2383	<b>TRYPTONE LACTOSE IRON AGAR</b> for identification of anaerobes on the basis of motility, hydrogen sulphide production and lactose fermentation	34.20	500 gm
TM 1108	<b>TRYPTONE LACTOSE IRON AGAR</b> for identification of anaerobes on the basis of motility, H <sub>2</sub> S production and lactose fermentation	34.20	500 gm
TM 468	<b>TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM)</b> for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm
TMV 468	<b>TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) (VEG.)</b> for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm
TM 1467	<b>TRYPTONE PEPTONE GLUCOSE YEAST EXTRACT BROTH BASE W/O TRYPSIN</b> for testing toxicity by <i>Clostridium botulinum</i>	80.00	500 gm
TM 512	<b>TRYPTONE PHOSPHATE BROTH</b> for cultivation of enteropathogenic <i>Escherichia coli</i> from foods	30.50	500 gm
TMV 512	<b>TRYPTONE PHOSPHATE BROTH (VEG.)</b> for cultivation of enteropathogenic <i>Escherichia coli</i> from foods	30.50	500 gm
TM 2384	<b>TRYPTONE SALT AGAR, W/1% NaCl</b> for differentiation of El Tor and Classical biotypes of <i>Vibrio</i> in accordance with FDA BAM, 1998	40.00	500 gm
TM 2385	<b>TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017)</b> for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm
TM 1310	<b>TRYPTONE SALT BROTH</b> for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm
TM 345	<b>TRYPTONE SOYA AGAR (SOYA BEAN CASEIN DIGEST AGAR) (as per USP)</b> for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TM 1440	<b>TRYPTONE SOYA AGAR</b> for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm
TMV 1440	<b>TRYPTONE SOYA AGAR (VEG.)</b> for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm
TM 860	<b>TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN</b> for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> and <i>Neisseria meningitidis</i>	45.52	100 gm
TM 614	<b>TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80)</b> for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TMV 614	<b>TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR)(CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) (VEG.)</b> for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm
TM 2386	<b>TRYPTONE SOYA AGAR W/ADDED NaCl</b> a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm
TMV 2386	<b>TRYPTONE SOYA AGAR W/ADDED NaCl (VEG.)</b> a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm
TM 895	<b>TRYPTONE SOYA AGAR W/ MgSO<sub>4</sub> (as per AOAC) (TSAM)</b> for cultivation of coliforms	41.50	500 gm
TM 2387	<b>TRYPTONE SOYA AGAR W/ NaCl</b> for cultivation of <i>Salmonella typhimurium</i>	55.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 332S	<b>TRYPTONE SOYA BROTH W/ SPS</b> for cultivation of fastidious and non-fastidious microorganism especially <i>H. influenzae</i> , <i>N. meningitidis</i> , <i>S. pneumoniae</i>	30.50	500 gm
TM 861	<b>TRYPTONE SOYA BROTH W/ YEAST EXTRACT AND HEMIN (SOYA CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND HEMIN)</b> for excellent growth of fastidious microorganisms	32.52	100 gm
TM 419	<b>TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP)</b> for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm
TMV 419	<b>TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) (VEG.)</b> for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm
TM 471	<b>TRYPTONE SOYA YEAST EXTRACT AGAR</b> for isolation and cultivation of <i>Listeria</i> from Henry's light	51.00	500 gm
TM 549	<b>TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998)</b> for isolation and cultivation of <i>Listeria</i> from Henry's light	36.00	500 gm
TM 2388	<b>TRYPTONE SOYA BROTH W/ 0.1% AGAR (SOYA BEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR)</b> for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm
TM 2389	<b>TRYPTONE SOYA BROTH W/4% POLYSORBATE 20 &amp; 0.5% LECITHIN</b> recommended for sanitary examination of surfaces	(Part I) 35.00 (Part II) 40.00	500 gm -
TM 1930	<b>TRYPTONE SOYA BROTH W/O DEXTROSE (SOYA BEAN CASEIN DIGEST MEDIUM W/O DEXTROSE)</b> for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm
TM 2390	<b>TRYPTONE SOYA BROTH, W/ FERROUS SULPHATE</b> for isolation of <i>Salmonella</i> species from food samples in accordance with FDA BAM, 1998	30.03	500 gm
TM 2391	<b>TRYPTONE SOYA BROTH W/ 10% NAACL AND 1% SODIUM PYRUVATE</b> for enumeration of <i>Staphylococcus aureus</i> in dairy products by MPN technique	135.00	500 gm
TM 2392	<b>TRYPTONE SOYA BROTH W/PHENOL RED</b> a general purpose medium used for cultivation of a wide variety of microorganisms and recommended for sterility testing of moulds and lower bacteria	30.02	500 gm
TM 2393	<b>TSB CAP4 W/TWEEN 80 - (Part I) &amp; (Part II)</b> for determining efficiency of sanitizaion of containers, equipment surfaces, water miscible cosmetics etc	37.50 42.50	500 gm
TM 2394	<b>TRYPTONE SOYA SALT AGAR W/ MAGNESIUM SULPHATE</b> for enumeration of <i>Vibrio parahaemolyticus</i> from seafood by membrane filter technique	101.50	500 gm
TM 2395	<b>TRYPTONE SOYA-TRYPTOSE BROTH</b> for identification of <i>Salmonella</i> species from food samples in accordance with FDA BAM, 1998	31.50	500 gm
TM 2396	<b>TRYPTONE SOYA YEAST EXTRACT AGAR, MODIFIED</b> recommended for confirmation of <i>Listeria</i> and <i>Yersinia</i> in accordance with FDA BAM, 1998	46.00	500 gm
TM 1311	<b>TRYPTONE SUCROSE TETRAZOLIUM AGAR BASE (TSTA)</b> for isolation of <i>Vibrio</i> species with addition of TTC	85.50	500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#2 vl	5 vl 25 vl
TM 1109	<b>TRYPTONE TELLURITE AGAR BASE</b> for selective isolation of pathogens from clinical samples, especially from nose, throat and vagina	47.00	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#11 vl	5 vl 25 vl
TM 392	<b>TRYPTONE WATER (TRYPTONE BROTH)</b> for detection of indole producing microorganisms	15.00	100 gm 500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 392	<b>TRYPTONE WATER (TRYPTONE BROTH) (VEG.)</b> for detection of indole producing microorganisms	15.00	100 gm 500 gm
TM 1110	<b>TRYPTONE WATER</b> for detection of indole production by microorganisms	25.00	500 gm
TM 1849	<b>TRYPTONE WATER (as per ISO 11866)</b> for detection of indole production by coliforms	25.00	100 gm 500 gm
TM 891	<b>TRYPTONE WATER W/O NaCl (BIS) (IS : 5887 (Part V) 1976, reaffirmed 2005)</b> for detection of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i>	10.00	100 gm 500 gm
TM 2397	<b>TRYPTONE WATER BROTH W/ BCP</b> for the cultivation of <i>Salmonella</i> species from food	17.29	500 gm
TM 897	<b>TRYPTONE YEAST EXTRACT AGAR</b> for estimation of microbial counts in water	21.00	500 gm
TM 898	<b>TRYPTONE YEAST EXTRACT AGAR (W/ BCP)</b> for isolation and enumeration of <i>Enterobacteriaceae</i> and <i>Bacillus cereus</i>	41.52	500 gm
TM 2398	<b>TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE &amp; W/O BACITRACIN AGAR BASE</b> TYCSB agar base is recommended for selective isolation of <i>Streptococcus mutans</i>	249.99	500 gm
TS 309	<b>TYCSB SUPPLEMENT *</b>	#2 vl	5 vl
TM 2400	<b>TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013)</b> recommended for the enumeration of <i>Clostridium perfringens</i> from water	42.00	500 gm
TS 076	<b>PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT *)</b>	#1 vl	5 vl 25 vl
TS 250	<b>CLOSTRIDIUM PERFRINGENS SUPPLEMENT *</b>	#22 vl	5 vl
TM 126	<b>TRYPTONE YEAST EXTRACT BROTH (ISP MEDIUM NO.1)</b> a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm
TM 899	<b>TRYPTOPHAN MEDIUM</b> for detection of indole production	16.00	100 gm 500 gm
TM 472	<b>TRYPTOSE AGAR</b> for isolation, cultivation and differentiation of <i>Brucella</i> and also for <i>Streptococci</i> , <i>Meningococci</i> and other pathogenic bacteria	41.00	500 gm
TM 2401	<b>TRYPTOSE AGAR W/ THIAMINE HCL</b> for the isolation, cultivation and differentiation of fastidious microorganisms in an infusion free medium	41.00	500 gm
TM 473	<b>TRYPTOSE BLOOD AGAR BASE</b> for enrichment and isolation of various fastidious microorganisms and determining the haemolytic reactions	33.00	100 gm 500 gm
TM 474	<b>TRYPTOSE BLOOD AGAR BASE W/ YEAST EXTRACT</b> for cultivation and maintenance of various fastidious microorganisms & determining the haemolytic reactions	34.00	500 gm
TM 476	<b>TRYPTOSE BROTH</b> for cultivation of <i>Brucella</i> species microorganisms and determining the haemolytic reactions	26.00	500 gm
TM 2402	<b>TRYPTOSE BROTH W/ THIAMINE HCI</b> for the cultivation and differentiation of fastidious microorganisms in an infusion free medium	26.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 809	<b>TRYPTOSE CYCLOSERINE AZIDE AGAR BASE</b> for enumeration of sulphite reducing anaerobes essentially <i>Clostridia</i>	47.05	500 gm
TS 076	<b>PERFRINGENS T.S.C. SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TM 902	<b>TRYPTOSE CYCLOSERINE DEXTROSE AGAR BASE</b> for isolation of mesophilic spore forming anaerobes in food spoilage	46.00	500 gm
TS 076	<b>PERFRINGENS T.S.C. SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TM 511	<b>TRYPTOSE PHOSPHATE BROTH</b> for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm
TMV 511	<b>TRYPTOSE PHOSPHATE BROTH (VEG.)</b> for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm
TM 2403	<b>TRYPTOSE PHOSPHATE BROTH, MODIFIED</b> for the cultivation of fastidious bacteria	29.50	500 gm
TM 2405	<b>TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE)</b> for routine identification of <i>Mycoplasma</i> species	27.50	500 gm
TS 310	<b>MYCOPLASMA SELECTIVE SUPPLEMENT *</b>	# 18 vl	5 vl
TS 311	<b>PIG SERUM *</b>	108 ml	100 ml
TS 054	<b>PERFRINGENS S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) *</b>	# 11 vl	5 vl 25 vl
TS 076	<b>PERFRINGENS T.S.C. SUPPLEMENT *</b>	# 11 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	# 3 vl	5 vl
TM 615	<b>PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE)</b> for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm
TS 054	<b>PERFRINGENS S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) *</b>	#22 vl	5 vl 25 vl
TS 076	<b>PERFRINGENS T.S.C. SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#6 vl	5 vl
TMV 615	<b>PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.)</b> for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm
TS 054	<b>PERFRINGENS S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) *</b>	#22 vl	5 vl 25 vl
TS 076	<b>PERFRINGENS T.S.C. SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#6 vl	5 vl
TM 609	<b>TRYPTOSE SULPHITE NEOMYCIN AGAR</b> for selective isolation and enumeration of <i>Clostridium perfringens</i> in foods or other samples	40.00	100 gm
TM 1112	<b>TRYPTOSE YEAST EXTRACT BROTH (as per AOAC)</b> for detection of <i>Clostridium perfringens</i> with the addition of salicin, raffinose and phenol red	30.00	500 gm
TM 2406	<b>TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017)</b> recommended for confirmation of <i>Yersinia enterocolitica</i>	30.01	100 gm 500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1826	<b>TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013)</b> for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm
TS 076	<b>PERFRINGENS T. S.C. SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TS 250	<b>CLOSTRIDIUM PERFRINGENS SUPPLEMENT *</b>	#24 vl	5 vl
TM 132	<b>TYROSINE AGAR (ISP MEDIUM NO.7) (as per ISP)</b> for isolation and characterization of <i>Streptomyces</i> species as per International Streptomyces Project	23.00	100 gm 500 gm
TM 1628	<b>UNIVERSAL BEER AGAR (UB AGAR)</b> for culturing microorganisms having significance in brewing industry	62.16	100 gm
TMV 1628	<b>UNIVERSAL BEER AGAR (UB AGAR) (VEG.)</b> for culturing microorganisms having significance in brewing industry	62.16	100 gm
TM 2407	<b>UNIVERSAL BEER AGAR, MODIFIED</b> for culturing microorganisms of significance in the brewery industry	55.04	100 gm
TM 2408	<b>UNIVERSAL FASTIDIOUS CULTURE AGAR</b> for the cultivation of fastidious microorganisms when enriched with blood	35.00	500 gm
TM 2409	<b>UNIVERSAL FASTIDIOUS CULTURE BROTH</b> for the cultivation of fastidious microorganisms when enriched with blood	25.00	500 gm
TM 1629	<b>UNIVERSAL LIQUID MEDIUM *</b> for cultivation of bacteria in brewery	50.00	500 gm
TM 1630	<b>UNIVERSAL PRE-ENRICHMENT BROTH</b> for enrichment of sublethally injured <i>Salmonella</i> and <i>Listeria</i> species	38.05	500 gm
TM 394	<b>UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE)</b> for detection of urease producing bacteria	24.00	100 gm 500 gm
TS 030	<b>UREA 40% ( 5 ml/vl) *</b>	#208 vl	5 vl 25 vl
TMV 394	<b>UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) (VEG.)</b> for detection of urease producing bacteria	24.00	100 gm 500 gm
TS 030	<b>UREA 40% ( 5 ml/vl) *</b>	#208 vl	5 vl 25 vl
TM 629	<b>UREA AGAR BASE W/O AGAR (FILTER STERILIZABLE)</b> for detection of urea splitting microorganisms	29.00	500 gm
TM 1113	<b>UREA AGAR BASE (CHRISTENSEN)</b> for detection of urease production, particularly by <i>Proteus vulgaris</i> , <i>Micrococci</i> & <i>Paracolon</i> organisms	24.51	100 gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl) *</b>	#208 vl	5 vl 25 vl
TM 2410	<b>UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976)</b> for detection of urease production, particularly by <i>Proteus vulgaris</i> , <i>Micrococci</i> & <i>Paracolon</i> organisms	24.01	100gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl) *</b>	#204 vl	5 vl 25 vl
TM 906	<b>UREA BROTH (FILTER STERILIZABLE)</b> for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> species from <i>Salmonella</i> and <i>Shigella</i> species	38.71	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 425	<b>UREA BROTH (UREA BROTH MEDIUM) (as per IP 2007)</b> for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	38.70	500 gm
TM 2411	<b>UREA INDOLE BROTH, MODIFIED (ISO 10273:2003)</b> for confirmation of <i>Yersinia enterocolitica</i> by urease and indole test	30.02	100 gm 500 gm
TM 1851	<b>UREA BROTH BASE (CHRISTENSEN)</b> for the detection of urease production, particularly by members of the genus <i>Proteus</i>	09.00	100 gm 500 gm
TS 030	<b>UREA SOLUTION 40% (5 ml/vl) *</b>	#208 vl	5 vl 25 vl
TM 477	<b>UREA BROTH BASE (DIAGNOSTIC STUART'S UREA BROTH BASE)</b> for identification of bacteria on the basis of urea utilization, especially for differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	18.70	100 gm 500 gm
TS 030	<b>UREA SOLUTION 40% (5 ml/vl)*</b>	#268 vl	5 vl 25 vl
TM 1850	<b>UREA INDOLE MEDIUM (as per ISO 10273:2003)</b> for differentiation of microorganism especially <i>Enterobacteriaceae</i> on the basis of their ability to hydrolyze urea and indole production	30.01	100 gm 500 gm
TM 1267	<b>UROGENITAL MYCOPLASMA MEDIUM BASE</b> for selective isolation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i>	28.65	500 gm
TS 014	<b>HORSE SERUM *</b>	1.8 ltr	100 ml
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) *</b>	#35 vl	5 vl 25 vl
TS 126	<b>UREA SOLUTION 5% (5 ml/vl) *</b>	#35 vl	5 vl 25 vl
TS 249	<b>MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *</b>	#35 vl	5 vl 25 vl
TM 1420	<b>V-8 MEDIUM FOR LACTOBACILLI</b> for cultivation and enumeration of <i>Lactobacilli</i>	43.10	500 gm
TM 2413	<b>V-8 JUICE AGAR</b> for the cultivation of Yeasts and Molds	44.30	500 gm
TM 2414	<b>VEG 8 JUICE BROTH</b> for cultivation of Fungi-yeasts and Molds	24.30	500 gm
TM 908	<b>VP MEDIUM</b> for isolation of <i>Vibrio parahaemolyticus</i>	100.28	500 gm
TM 2412	<b>VP MEDIUM FOR LISTERIA (ISO 11290-2-2017)</b> recommended for the distinction of <i>Listeria</i> species from other species based on <i>Voges-Proskauer</i> test from food samples	17.00	500 gm
TM 1642	<b>VRE AGAR BASE (VANCOMYCIN RESISTANT ENTEROCOCCI AGAR)</b> for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	42.65	100 gm 500 gm
TS 216	<b>MEROPENEM SUPPLEMENT *</b>	#12 vl	5 vl
TS 218	<b>VANCOMYCIN SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TM 1312	<b>VAGINALIS AGAR BASE</b> for isolation and differentiation of <i>Gardenerella vaginalis</i> from clinical samples	52.50	500 gm
TM 1643	<b>VRE BROTH BASE (VANCOMYCIN RESISTANT ENTEROCOCCI BROTH)</b> for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	37.00	100 gm 500 gm
TS 216	<b>MEROPENEM SUPPLEMENT *</b>	#27 vl	5 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 909	<b>VEAL INFUSION AGAR</b> for cultivation of fastidious pathogenic bacteria	40.00	500 gm
TM 910	<b>VEAL INFUSION BROTH</b> for cultivation of fastidious pathogenic bacteria	25.00	500 gm
TM 2415	<b>VEILLONELLA AGAR BASE</b> for selective isolation of <i>Veillonella</i> species	23.75	500 gm
TM 911	<b>VIBRIO AGAR</b> for selective cultivation of <i>Vibrio</i> species	80.10	500 gm
TMV 911	<b>VIBRIO AGAR (VEG.)</b> for selective cultivation of <i>Vibrio</i> species	80.10	500 gm
TM 1313	<b>VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA)</b> for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood	73.52	500 gm
TMV 1313	<b>VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) (VEG.)</b> for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood	73.52	500 gm
TM 2416	<b>VIBRIO VULNIFICUS AGAR (VVA)</b> for identification of <i>Vibrio</i> in accordance with FDA BAM, 1998	85.06	100 gm
TM 426	<b>VIOLET RED BILE AGAR</b> for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm
TMV 426	<b>VIOLET RED BILE AGAR (VEG.)</b> for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm
TM 1314	<b>VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002)</b> for selective isolation, detection and enumeration of coli-aerogenes in water, milk products	41.53	100 gm 500 gm
TM 2417	<b>VIOLET RED BILE AGAR (1.2 %)</b> for selective isolation and enumeration of coliaerogenes bacteria in water, milk and other dairy food products	38.53	500 gm
TM 2418	<b>VIOLET RED BILE AGAR W/ GLUCOSE AND LACTOSE</b> for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy food products and clinical samples	48.53	500 gm
TM 1627	<b>VIOLET RED BILE AGAR W/ GLUCOSE &amp; LACTOSE (as per USP)</b> for selective isolation, detection and enumeration of coli-aerogenes gram negative bacteria in water, milk and other dairy products	50.63	500 gm
TM 482	<b>VIOLET RED BILE BROTH</b> for detection and enumeration of coliform bacteria in water and food	26.53	500 gm
TMV 482	<b>VIOLET RED BILE BROTH (VEG.)</b> for detection and enumeration of coliform bacteria in water and food	26.53	500 gm
TM 483	<b>VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 &amp; 2:2017)</b> for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm
TMH 108	<b>VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP)</b> for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm
TMHV 108	<b>VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.)</b> for detection and enumeration of coliform bacteria	41.53	500 gm
TM 1927	<b>VIOLET RED BILE GLUCOSE AGAR</b> for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	41.53	100 gm 500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 117	<b>VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP)</b> for detection and enumeration of <i>Enterobacteriaceae</i> especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm
TM 550	<b>VIOLET RED BILE GLUCOSE AGAR W/ LACTOSE (as per EP)</b> for detection and enumeration of <i>Enterobacteriaceae</i> in raw foods	50.13	500 gm
TM 1860	<b>VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006)</b> for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm
TM 1868	<b>VITAMIN B12 AGAR*</b> for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i> as test organism	88.62	100 gm
TM 2419	<b>VITAMIN FREE YEAST BASE *</b> for studying vitamin requirements of Yeasts	16.75	100 gm
TM 395	<b>VOGEL-JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE)</b> for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#17 vl	5 vl 25 vl
TMV 395	<b>VOGEL JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) (VEG.)</b> for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#17 vl	5 vl 25 vl
TM 2420	<b>VOGEL JOHNSON AGAR BASE W/ 1.5% AGAR</b> for selective isolation of coagulase positive, mannitol fermenting <i>Staphylococcus aureus</i> from heavily contaminated foods in accordance with FDA BAM, 1998	62.03	500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (10 ml/vl) *</b>	#17 vl	5 vl 25 vl
TM 1722	<b>VOGEL JOHNSON AGAR MEDIUM (as per USP)</b> for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (10 ml/vl) *</b>	#17 vl	5 vl 25 vl
TM 1820	<b>VOGEL JOHNSON AGAR MEDIUM (as per IP)</b> for selective isolation of coagulase positive mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (10 ml/vl) *</b>	#17 vl	5 vl 25 vl
TM 2421	<b>VOGES PROSKAUER MEDIUM, MODIFIED</b> for performance of the Voges- Proskauer test in differentiation of <i>Bacillus cereus</i> in accordance with FDA BAM 1998	17.00	500 gm
TM 565	<b>WL-DIFFERENTIAL AGAR</b> for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm
TMV 565	<b>WL-DIFFERENTIAL AGAR (VEG.)</b> for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm
TM 485	<b>WL-DIFFERENTIAL BROTH</b> for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm
TMV 485	<b>WL-DIFFERENTIAL BROTH (VEG.)</b> for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm
TM 486	<b>WL-NUTRIENT BROTH</b> for cultivation of Yeasts, Molds and Bacteria encountered in breweries and industrial fermentations	60.25	500 gm



# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMV 486	<b>WL-NUTRIENT BROTH (VEG.)</b> for cultivation of Yeasts, Molds and Bacteria encountered in breweries and industrial fermentations	60.25	500 gm
TM 487	<b>WL-NUTRIENT MEDIUM (WL - NUTRIENT AGAR)</b> for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm
TMV 487	<b>WL-NUTRIENT MEDIUM (VEG.) (WL-NUTRIENT AGAR) (VEG.)</b> for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm
TM 632	<b>WAGATSUMA AGAR BASE</b> for performance of Kanagawa test to identify virulent <i>Vibrio parahaemolyticus</i> strains	113.00	500 gm
TM 914	<b>WATER AGAR</b> for enumeration, cultivation and observation of sporulation of some Fungi	20.00	500 gm
TM 928	<b>WESLEY BROTH BASE (as per APHA)</b> for isolation and enrichment of <i>Campylobacter jejuni</i> from poultry products	39.25	500 gm
TS 081	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (WESELY) *</b>	#13 vl	5 vl
TM 2422	<b>WILD YEAST MEDIUM</b> for detection of Wild Yeast	44.50	500 gm
TM 915	<b>WILKINS CHALGREN ANAEROBIC AGAR BASE</b> for isolation, cultivation and susceptibility testing of anaerobes by agar dilution method	43.00	500 gm
TS 055	<b>NON SPORE ANAEROBIC SUPPLEMENT *</b>	#24 vl	5 vl
TS 056	<b>G.N. SPORE ANAEROBIC SUPPLEMENT *</b>		5 vl 25 vl
TM 916	<b>WILKINS CHALGREN ANAEROBIC BROTH BASE</b> for cultivation and susceptibility testing of anaerobic bacteria	33.00	500 gm
TS 055	<b>NON SPORE ANAEROBIC SUPPLEMENT *</b>	#31 vl	5 vl
TS 056	<b>G. N. SPORE ANAEROBIC SUPPLEMENT *</b>		5 vl 25 vl
TM 1319	<b>WILLIS AND HOBBS' MEDIUM BASE (IS : 5887 (Part 4) : 1999)</b> for isolation and identification of <i>Clostridium</i> from foods	47.03	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#4vl	5 vl
TS 098	<b>WILLIS AND HOBBS' SUPPLEMENT*</b>	#22 vl	5 vl
TM 2423	<b>WILSON AND BLAIR'S BBS AGAR MEDIUM 10. (as per IP) (TRIPLE PACK)</b> recommended for the selective subculture of <i>Salmonella</i> species	(Part I) (Part II) (Part III)	04.50 05.60 0.045
TM 489	<b>WILSON BLAIR AGAR BASE</b> for isolation and cultivation of <i>Salmonella typhi</i> with addition of selective reagent	60.00	100 gm 500 gm
TM 917	<b>WILSON BLAIR AGAR W/ BG (BRILLIANT GREEN)</b> for isolation and preliminary identification of <i>Salmonella typhi</i> from clinical samples	52.32	100 gm 500 gm
TM 490	<b>WORT AGAR</b> for cultivation and enumeration of Yeasts	48.30	100 gm 500 gm
TM 551	<b>WORT BROTH</b> for cultivation and enrichment of Yeasts	33.28	500 gm
TM 1315	<b>WURTZ MEDIUM</b> for isolation and differentiation of lactose fermenting bacteria	38.00	500 gm
TM 2424	<b>2 XYT GROWTH MEDIUM</b> optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	31.50	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2425	<b>2 XYT GROWTH AGAR</b> optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	46.00	500 gm
TM 2426	<b>2 XYT GROWTH TOP AGAR</b> optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	38.00	500 gm
TM 2427	<b>4 XYT GROWTH MEDIUM</b> optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	57.00	500 gm
TM 1478	<b>XYLOSE LYSINE AGAR BASE</b> for isolation, cultivation and identification of pathogenic enteric bacilli	46.83	500 gm
TM 491	<b>XYLOSE LYSINE AGAR BASE</b> for isolation, cultivation and identification of pathogenic enteric bacilli	45.08	500 gm
TM 1448	<b>XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR MEDIUM) (as per IP)</b> for isolation of <i>S.typhi</i> and other <i>Salmonella</i> species	55.18	100 gm 500 gm
TM 492	<b>XLD AGAR</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm
TMV 492	<b>XLD AGAR (VEG.)</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm
TM 1621	<b>XLD AGAR MODIFIED (ISO 6579-2002)</b> for isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	55.43	100 gm 500 gm
TMH 112	<b>XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP)</b> for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm
TMHV 112	<b>XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.)</b> for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	500 gm
TM 493	<b>XLT4 AGAR BASE</b> for selective isolation of <i>Salmonella</i> species other than <i>Salmonella typhi</i>	59.00	500 gm
TS 072	<b>XLT4 SUPPLEMENT *</b>	#9 vl	1 vl
TM 2428	<b>YE GROWTH MEDIUM</b> for the growth of <i>Schizosaccharomyces pombe</i>	35.00	500 gm
TM 2429	<b>YE GROWTH AGAR</b> for the growth of <i>Schizosaccharomyces pombe</i>	50.00	500 gm
TM 1116	<b>YEP AGAR</b> for isolation of dimorphic pathogenic fungi from clinical samples	21.50	500 gm
TM 2430	<b>YEP AGAR, MODIFIED</b> recommended for plate count of microorganism in water	40.00	500 gm
TM 2431	<b>YEM AGAR</b> for the cultivation of <i>Agrobacterium</i> species and other soil microorganisms	26.80	500 gm
TM 1884	<b>YEM BROTH</b> for cultivation of <i>Agrobacterium</i> species and other soil microorganisms	11.80	500 gm
TM 2432	<b>YEP BROTH</b> for cultivation of <i>Agrobacterium</i> species and other soil microorganisms recommended for cultivation of aerobic microorganisms and also <i>Agrobacterium</i> species and other soil microorganisms for phytology studies	25.00	500 gm

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1449	<b>YPD AGAR (YEPD AGAR)</b> for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	65.00	500 gm
TM 1121	<b>YPD BROTH (YEPD BROTH)</b> for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	50.00	500 gm
TM 2433	<b>YPD (YEPD) GROWTH MEDIUM</b> for the growth of <i>Saccharomyces cerevisiae</i>	50.00	500 gm
TM 918	<b>YPG AGAR</b> for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	50.00	500 gm
TM 2434	<b>YSG AGAR</b> for the detection of <i>Alicyclobacillus</i> in fruit juices in accordance with official method of IFU	20.00	500 gm
TM 2435	<b>YSG BROTH</b> for cultivation of <i>Alicyclobacillus</i> in fruit juices in accordance with official method of IFU	05.00	500 gm
TM 592	<b>YT AGAR</b> for growth of <i>Escherichia coli</i> K12 strains used in the preparation of phage and plasmid DNA according to Miller	28.00	500 gm
TM 621	<b>YT BROTH (2X YT BROTH)</b> for cultivation of recombinant strains of <i>Escherichia coli</i>	31.00	500 gm
TM 937	<b>YXT AGAR BASE</b> for detecting yeasts and molds in foods with or without added tetracycline	33.00	500 gm
TM 553	<b>YEAST &amp; MOLD AGAR</b> for cultivation and maintenance of Yeasts and Molds	40.00	500 gm
TM 1117	<b>YEAST &amp; MOLD BROTH</b> for isolation and cultivation of Yeasts and Molds	20.00	500 gm
TM 2436	<b>YEAST BEEF AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 4)</b> for detection of Penicillin-G in milk samples	26.05	500 gm
TM 920	<b>YEAST BEEF ASSAY BROTH</b> for assay of Amphotericin B using <i>Candida tropicalis</i> ATCC 13803 as the test organism	27.50	500 gm
TM 495	<b>YEAST CARBON BASE *</b> for classification of Yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm
TM 504	<b>YEAST DEXTROSE AGAR</b> for cultivation of various heterotrophic microorganisms	35.00	500 gm
TM 496	<b>YEAST EXTRACT AGAR</b> for plate count of microorganisms in water	23.00	100 gm 500 gm
TM 1827	<b>YEAST EXTRACT AGAR (ISO 6222:1999)</b> for enumeration of microorganisms from water	24.00	100 gm 500 gm
TM 2437	<b>YEAST EXTRACT CALCIUM CARBONATE GLUCOSE AGAR</b> for the isolation and cultivation of <i>Erwinia</i> species	65.00	500 gm

## Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 921	<b>YEAST EXTRACT ROSE BENGAL BROTH BASE</b> for cold enrichment and recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from foods	26.30	500 gm
TMV 921	<b>YEAST EXTRACT ROSE BENGAL BROTH BASE (VEG.)</b> for cold enrichment and recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from foods	26.30	500 gm
TM 497	<b>YEAST GLUCOSE BEEF AGAR</b> for cultivation of lactic <i>Streptococci</i> for determining growth characteristics	48.00	500 gm
TM 575	<b>YEAST GLUCOSE BEEF BROTH</b> for cultivation of lactic <i>Streptococci</i> for determining growth characteristics	33.00	500 gm
TM 498	<b>YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 reaffirmed 2005)</b> for selective enumeration of Yeasts and Molds in milk and milk products	40.00	100 gm 500 gm
TMV 498	<b>YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.)</b> for selective isolation and enumeration of Yeast and Molds in milk and milk products	40.00	100 gm
TM 1832	<b>YEAST GLUCOSE CHLORAMPHENICOL AGAR</b> for isolation, detection and enumeration of Yeast and Molds	40.00	100 gm 500 gm
TMV 1832	<b>YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.)</b> for isolation, detection and enumeration of Yeast and Molds	40.00	100 gm
TM 610	<b>YEAST LACTOSE AGAR</b> for cultivation of soil microorganisms like <i>Rhizobium</i> species	26.80	100 gm
TMV 397	<b>YEAST MALT AGAR (YM AGAR) (ISP MEDIUM NO.2) (VEG.)</b> for isolation and cultivation of Yeasts, Molds and aciduric microorganisms	41.00	100 gm 500 gm
TM 397	<b>YEAST MALT AGAR (ISP MEDIUM NO. 2)</b> for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#25 vl	5 vl 25 vl
TM 398	<b>YEAST MALT BROTH (YM BROTH)</b> for cultivation of Yeasts, Molds and aciduric microorganisms	21.00	100 gm 500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#48 vl	5 vl 25 vl
TMV 398	<b>YEAST MALT BROTH (YM BROTH) (VEG.)</b> for cultivation of Yeasts, Molds and aciduric microorganisms	21.00	100 gm 500 gm
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl) *</b>	#48 vl	5 vl 25 vl
TM 399	<b>YEAST MANNITOL AGAR W/ 1.5% AGAR (YEAST MOLD BROTH 'TBL')</b> for cultivation, enumeration and isolation of soil microorganisams like <i>Rhizobium</i> species	27.80	100 gm 500 gm
TM 922	<b>YEAST MANNITOL AGAR W/ CONGO RED</b> for cultivation of soil microorganisms like <i>Rhizobium</i> species	31.80	500 gm
TM 566	<b>YEAST MANNITOL BROTH</b> for cultivation of <i>Rhizobium</i> species	12.80	500 gm
TM 2438	<b>YEAST MOULD CHLORAMPHENICOL AGAR, MODIFIED</b> for enumeration of Yeasts and Molds from food using membrane filter technique. Also recommended when ISO-Grid and Neo-Grid protocols of filtration are followed	67.53	500 gm
TS 138	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *</b>	#8 vl	5 vl 25 vl

# Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1821	<b>YEAST MOLD BROTH 'TBL'</b> for enrichment and cultivation of Yeasts and Molds	41.00	500 gm
TM 923	<b>YEAST MORPHOLOGY AGAR *</b> for classification of Yeasts on the basis of their colonial characteristics and cell morphology	34.75	100 gm
TM 1119	<b>YEAST NITROGEN BASE *</b> for classification of Yeasts on the basis of their ability to assimilate carbon compounds	06.70	100 gm
TM 400	<b>YEAST NITROGEN AGAR BASE (DOUBLE PACK)</b> for carbohydrate assimilation test in the characterization and identification of Yeasts	(Part I) 06.75 (Part II)	100 gm -
TM 499	<b>YEAST NITROGEN BASE (W/O AMINO ACIDS) *</b> for classification of Yeasts on the basis of their ability to assimilate nitrogen and carbon compounds	06.70	100 gm
TM 500	<b>YEAST NITROGEN BASE (W/O AMINO ACIDS AND AMMONIUM SULPHATE) *</b> for isolation of dimorphic pathogenic fungi	01.70	100 gm
TM 554	<b>YEAST PHOSPHATE AGAR</b> for enrichment of <i>Yersinia</i> species, particularly <i>Yersinia enterocolitica</i>	21.50	100 gm
TM 924	<b>YERSINIA ENRICHMENT BROTH BASE *</b> for enrichment of <i>Yersinia</i> species, particularly <i>Yersinia enterocolitica</i>	13.01	500 gm
TM 925	<b>YERSINIA IDENTIFICATION BROTH BASE</b> for identification of <i>Yersinia</i> species	10.00	100 gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl) *</b>	#500 vl	5 vl 25 vl
TM 617	<b>YERSINIA ISOLATION AGAR *</b> for selective isolation of <i>Yersinia</i> species from foods	79.02	500 gm
TM 501	<b>YERSINIA SELECTIVE AGAR BASE (CIN AGAR)</b> for selective isolation enumeration of <i>Yersinia enterocolitica</i> from clinical & food samples	58.00	500 gm
TS 057	<b>YERSINIA SELECTIVE SUPPLEMENT *</b>	#18 vl	5 VL 25 vl
TM 2439	<b>YERSINIA SELECTIVE AGAR BASE W/ 1.2% AGAR</b> for the selective, isolation and enumeration of <i>Yersinia enterocolitica</i> from food samples in accordance with FDA BAM, 1998	57.54	500 gm
TS 057	<b>YERSINIA SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TS 312	<b>YERSINIA SELECTIVE SUPPLEMENT-2 *</b>	#18 vl	5 vl
TM 2440	<b>YERSINIA SELECTIVE BROTH BASE</b> for the selective enrichment of <i>Yersinia enterocolitica</i>	40.2	100 gm 500 gm
TS 057	<b>YERSINIA SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TM 1622	<b>YOSHIKA MEDIUM</b> for isolation of bifido bacteria in milk and milk powder	62.6	500 gm
TM 1926	<b>ZINC SOLUBILIZING AGAR</b> for isolation and detection of zinc solubilizing soil microorganisms	27.4	500 gm
TM 1893	<b>ZINC SOLUBILIZING MEDIUM</b> for growth and maintenance of zinc solubilizing soil microorganism	12.5	500 gm
TM 207	<b>ZOBELL MARINE AGAR 2216. (MARINE AGAR 2216)</b> for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm
TM 208	<b>ZOBELL MARINE BROTH 2216. (MARINE BROTH 2216)</b> for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm



# Chromogenic Culture Media

## Purpose of Using Chromogenic Media

Dehydrated Culture Media serves as a nutrient system for the cultivation of microorganisms. However, the aforementioned role is just one. By adding chromogenic substrate, differentiation and selection of microorganisms becomes more convenient.

## How Does It Work

Chromogenic Media contains nutrients such as peptones, amino acids, yeast extract, minerals and vitamins, selective agent, solidifier (e.g. agar) as well as chromogenic mixtures (chromogens) depending upon each medium. The chromogenic mixture contains chromogenic substrates as Salmon -GAL, X-Gal, X-glucuronides, etc. Certain enzymes, produced by some bacteria, cleave these substrates, resulting in the different colouration of certain bacterial colonies.

## Benefits


- ✓ Majorly the chromogenic is known for its rapidness, accuracy and simplicity involved during diagnosis.
- ✓ The chromogenic saves time and labour work. When compared with traditional methods, the chromogenic deliver results in shorter time for both negatives screens & presumptive positives. Some Chromogenic Culture Media gives confirmed results within 24 hours.
- ✓ Mostly, the result interpreted from Chromogenic Media does not require further testing and eliminates the need for subculture and further biochemical tests for identifying the pathogenic agent.
- ✓ On a single medium, one can identify more than one organism. This is the reason for the chromogenic being so cost effective.

## Chromogenic Index For Most Acceptable Products

### TM 1199 | CHROMOGENIC UTI AGAR


For identification and confirmation of microorganisms causing urinary tract infections

Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Escherichia coli</i>	25922	Pink- Purple
B	<i>Enterococcus faecalis</i>	29212	Blue
C	<i>Staphylococcus aureus</i>	25923	Cream yellow
D	<i>Pseudomonas aeruginosa</i>	27853	Colourless (Greenish pigment may be observed)
E	<i>Klebsiella pneumoniae</i>	13883	Bluish Purple





# Chromogenic Culture Media



## TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS


For simultaneous detection of total coliforms & *Escherichia coli* in water and foods

Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Escherichia coli</i>	25922	Dark blue to violet (Red color appears around the colony)
B	<i>Klebsiella pneumoniae</i>	13076	Colorless
C	<i>Salmonella enteritidis</i>	13883	Light pink
D	<i>Enterobacter aerogenes</i>	13048	Salmon to Red

## TM 1197 | CHROMOGENIC CANDIDA AGAR

For fast isolation and identification of *Candida* species from mixed flora


Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Candida albicans</i>	10231	Light green
B	<i>Candida glabrata</i>	2001	Cream to white
C	<i>Candida tropicalis</i>	1369	Blue to purple
D	<i>Candida krusei</i>	34135	Purple, fuzzy



## TM 1339 | CHROMOGENIC E. COLI AGAR

For easy enumeration of *E. coli* without membrane filtration, or pre-incubation on Mineral Modified Glutamate Medium Base

Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Escherichia coli</i>	25922	Bluish green
B	<i>Salmonella enteritidis</i>	13076	Colourless



## TM 1858 | CHROMOGENIC COLIFORM AGAR (CCA)


For determination of coliform bacteria particularly *Enterobacteriaceae* on the basis of their ability to ferment lactose

Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Escherichia coli</i>	25922	Dark blue to violet colonies
B	<i>Citrobacter freundii</i>	8090	Pink to red colonies
C	<i>Salmonella enteritidis</i>	13076	Colourless colonies
D	<i>Klebsiella aerogenes</i>	13048	Pink to red colonies

# Chromogenic Culture Media

## TM 1639 | CHROMOGENIC UTI AGAR, MODIFIED

For enumeration and differentiation of enteric pathogens in urinary tract infections




Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Escherichia coli</i>	25922	Pink/Purple Colonies
B	<i>Enterococcus faecalis</i>	25923	Golden Yellow
C	<i>Staphylococcus aureus</i>	29212	Blue-Green (Small)
D	<i>Klebsiella pneumoniae</i>	13883	Blue to Purple Mucoid
E	<i>Pseudomonas aeruginosa</i>	27853	Colorless (Greenish pigment may be observed)
F	<i>Proteus mirabilis</i>	12453	Light Brown

## TM 1640 | CHROMOGENIC VIBRIO AGAR

For selective isolation and differentiation of *Vibrio* species


Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Vibrio cholerae</i>	15748	Salmon to Purple



## TM 1340 | CHROMOGENIC ECC AGAR

For presumptive identification of *Escherichia coli* and other coliforms

Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Escherichia coli</i>	25922	Blue/Purple
B	<i>Klebsiella pneumoniae</i>	13883	Rose/Pink
C	<i>S. typhimurium</i>	14028	Colourless



## TM 1634 | CHROMOGENIC LISTERIA AGAR BASE (MODIFIED)

For selective identification and differentiation of *Listeria monocytogenes*

Symbol	Culture Name	ATCC	Appearance of Colony
A	<i>Listeria monocytogenes</i>	19111	Bluish Green

# Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE
TM 1841	<b>CHROMOGENIC A. RAMBACH AGAR *</b> for detection and isolation of <i>Salmonella</i> species in clinical sample	(Part I) (Part II)	30.70 10 ml	500 gm -
TM 1523	<b>CHROMOGENIC BACILLUS AGAR *</b> for isolation & differentiation between various species of <i>Bacillus</i> using chromogenic substrates		49.20	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>		#11 vl	5 vl 25 vl
TM 2110	<b>CHROMOGENIC BACILLUS AGAR BASE</b> for isolation and differentiation between various species of <i>Bacillus</i> by chromogenic method		49.22	100 gm 500 gm
TS 281	<b>BACILLUS SELECTIVE SUPPLEMENT</b>		#11 vl	5 vl
TM 1885	<b>CHROMOGENIC BACILLUS CEREUS AGAR *</b> for isolation and differentiation of <i>Bacillus cereus</i> from food		40.98	100 gm 500 gm
TS 255	<b>BACILLUS CEREUS SELECTIVE SUPPLEMENT *</b>		#25 vl	5 vl
TM 2111	<b>CHROMOGENIC BIFIDOBACTERIUM AGAR *</b> for the differentiation of <i>Bifidobacterium</i> and <i>Lactobacillus</i> species		59.48	100 gm 500 gm
TM 2112	<b>CHROMOGENIC CAMPYLOBACTER AGAR BASE *</b> for selective isolation and presumptive identification of <i>Campylobacter</i> species		59.53	100 gm 500 gm
TS 145	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI) *</b>		#01 vl	5 vl 25 vl
TM 1197	<b>CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) *</b> for fast isolation and identification of <i>Candida</i> species from mixed flora		42.70	100 gm 500 gm
TM 1588	<b>CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED *</b> for fast isolation and identification of <i>Candida</i> species from clinical and non-clinical specimens		42.05	100 gm 500 gm
TS 213	<b>CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *</b>		#24 vl	5 vl 25 vl
TM 1833	<b>CHROMOGENIC CLED AGAR BASE *</b> for isolation and differentiation of UTI pathogens		43.00	500 gm
TM 1858	<b>CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) *</b> for determination of Coliforms and <i>Escherichia coli</i> in water samples		26.45	100 gm 500 gm
TM 1338	<b>CHROMOGENIC COLIFORM AGAR (W/ SLS) *</b> for simultaneous detection of total Coliforms and <i>Escherichia coli</i> in water and foods		27.00	100 gm 500 gm
TM 2113	<b>CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE *</b> selective and differential medium for rapid isolation and identification of <i>Candida</i> species from mixed cultures		31.02	100 gm 500 gm
TS 282	<b>CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *</b>		#32 vl	5 vl
TM 2114	<b>CHROMOGENIC CLOSTRIDIAL AGAR BASE *</b> for selective isolation and presumptive identification of <i>Clostridium</i> species		47.81	100 gm 500 gm
TM 2115	<b>CHROMOGENIC COLIFORM AGAR ((CCA) W/ 1% AGAR (ISO 9308-1:2014)) *</b> for recommended for detection of total Coliforms and <i>Escherichia coli</i> in water samples		25.92	100 gm 500 gm
TM 2116	<b>CHROMOGENIC COLIFORM AGAR MODIFIED *</b> recommended for the simultaneous detection of <i>Escherichia coli</i> and thermotolerant Coliforms in water, milk, dairy products and other food samples		24.00	100 gm 500 gm
TM 2117	<b>CHROMOGENIC COLISTIN RESISTANT AGAR BASE *</b> recommended for isolation and differentiation of gram negative colistin resistant microorganisms		38.10	500 gm
TS 283	<b>CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *</b>		#13 vl	5 vl

# Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2118	<b>CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) (ISO /TS 22964: 2017) *</b> recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food product	32.40	500 gm
TM 1854	<b>CHROMOGENIC EC 0157:H7 AGAR (ISO 16654:2001) *</b> for isolation and differentiation of <i>Escherichia coli</i> 0157:H7 from food and environmental samples	28.85	100 gm 500 gm
TS 248	<b>CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TM 2119	<b>CHROMOGENIC E. COLI AGAR *</b> for the detection and enumeration of <i>Escherichia coli</i> in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm
TM 2120	<b>CHROMOGENIC EC BROTH (W/ RUG) *</b> recommended for detection of <i>Escherichia coli</i> in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm
TM 2121	<b>CHROMOGENIC EC 0157:H7 AGAR, MODIFIED *</b> recommended for isolation and differentiation of <i>Escherichia coli</i> 0157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#5 vl	5 vl 25 vl
TM 2441	<b>CHROMOGENIC ECO157:H7 SELECTIVE AGAR BASE, MODIFIED *</b> for presumptive enumeration of <i>Escherichia coli</i> 0157:H7 by membrane filtration technique from food samples	66.82	100 gm 500 gm
TS 313	<b>CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT, MODIFIED *</b>	#8 vl	5 vl
TM 1340	<b>CHROMOGENIC ECC AGAR *</b> for presumptive identification of <i>Escherichia coli</i> and other Coliforms in food and environmental samples	55.83	100 gm 500 gm
TM 1341	<b>CHROMOGENIC ECC SELECTIVE AGAR BASE *</b> for detection of <i>Escherichia coli</i> and Coliforms in water and food samples	26.48	100 gm 500 gm
TS 187	<b>CHROMOGENIC ECC SELECTIVE SUPPLEMENT *</b>	#38 vl	5 vl
TM 2122	<b>CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED *</b> for detection of <i>Escherichia coli</i> and Coliforms in water and food samples	39.30	500 gm
TM 1343	<b>CHROMOGENIC ECD W/ MUG *</b> for detection of <i>Escherichia coli</i> by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm
TM 2123	<b>CHROMOGENIC ENRICHMENT BROTH BASE FOR EC 0157:H7*</b> for isolation and selective differentiation of <i>Escherichia coli</i> 0157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm
TS 248	<b>CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT*</b>	#44 vl	5 vl 25 vl
TM 1631	<b>CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR *</b> for isolation and identification of <i>Enterobacter sakazakii</i> from dairy and food products	51.67	100 gm 500 gm
TM 1853	<b>CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) *</b> for isolation and identification of <i>Cronobacter sakazakii</i> from milk and milk products	30.75	100 gm 500 gm
TM 1344	<b>CHROMOGENIC ENTEROCOCCI BROTH *</b> for identification and differentiation of <i>Enterococci</i> from water	18.59	100 gm 500 gm
TM 1632	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE</b> for identification and differentiation of <i>Enterococcus faecium</i> from faeces, sewage and water supplies	29.00	100 gm 500 gm
TS 215	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT*</b>	#19 vl	5 vl

# Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1633	<b>CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE *</b> for selective isolation of <i>Klebsiella</i> species from water can be used by membrane filter technique	40.80	100 gm 500 gm
TS 204	<b>CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *</b>	#25 vl	5 vl
TM 1339	<b>CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)(ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) *</b> for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 2124	<b>CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE *</b> for the selective and differential isolation, enumeration and identification of <i>Listeria monocytogenes</i> and <i>Listeria</i> species based on PCPLC activity	67.20	500 gm
TS 285	<b>LECITHIN SOLUTION*</b>	#16 vl	5 vl
TS 286	<b>MODIFIED L.MONO SELECTIVE SUPPLEMENT*</b>		5 vl
TM 1845	<b>CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR *</b> for selective identification and differentiation of <i>Listeria monocytogenes</i>	70.30	100 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TS 031	<b>CHROMOGENIC ENRICHMENT SUPPLEMENT *</b>		5 vl
TM 1634	<b>CHROMOGENIC LISTERIA AGAR BASE (Modified) *</b> for selective identification and differentiation of <i>Listeria</i> species	67.25	100 gm 500 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TM 004	<b>CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 &amp; 2:2004, ISO 11133:2014) *</b> for selective identification and differentiation of <i>Listeria</i> species	70.05	100 gm 500 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TS 031	<b>CHROMOGENIC ENRICHMENT SUPPLEMENT *</b>		5 vl
TM 1635	<b>CHROMOGENIC MeReSA AGAR BASE *</b> for isolation and identification of Methicillin resistant <i>S. taphylococcus aureus</i> from clinical samples	83.30	100 gm 500 gm
TS 206	<b>CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT *</b>	#12 vl	5 vl
TS 219	<b>CEFOXITIN SUPPLEMENT*</b>	#12 vl	5 vl
TM 2127	<b>CHROMOGENIC M-COLICONFIRM BROTH *</b> recommended for detection of <i>E.coli</i> & other total coliforms in water samples by membrane filtration	17.43	500 gm
TS 287	<b>ECC SELECTIVE SUPPLEMENT MODIFIED *</b>	#29 vl	5 vl
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#21 vl	5 vl 25 vl
TM 1636	<b>CHROMOGENIC MM AGAR *</b> for identification and differentiation of <i>Salmonella</i> and non- <i>Salmonella</i> from water and clinical samples	49.13	100 gm 500 gm
TM 1638	<b>CHROMOGENIC M-LAURYL SULPHATE AGAR *</b> for enumeration and differentiation of <i>E. coli</i> and other Coliforms by membrane filter technique	88.00	100 gm 500 gm
TM 1198	<b>CHROMOGENIC OGYE AGAR BASE *</b> for isolation and enumeration of Yeasts and Molds from milk and milk products using chromogenic substrates	37.10	100 gm 500 gm
TS 071	<b>OXYTETRA SELECTIVE SUPPLEMENT *</b>	#27 vl	5 vl 25 vl
TM 2125	<b>CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR *)</b> for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	46.82	100 gm 500 gm



# Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1426	<b>CHROMOGENIC SALMONELLA AGAR *</b> for isolation and differentiation of <i>Salmonella</i> species from Coliforms	27.90	100 gm 500 gm
TM 1839	<b>CHROMOGENIC SALMONELLA AGAR *</b> for identification of <i>Salmonella</i> species from other organisms in the family <i>Enterobacteriaceae</i>	55.20	100 gm 500 gm
TS 252	<b>SALMONELLA SELECTIVE SUPPLEMENT</b>	#10 vl	5 vl
TM 1824	<b>CHROMOGENIC SALMONELLA AGAR, MODIFIED *</b> for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	42.34	100 gm 500 gm
TM 1337	<b>CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE *</b> for isolation and identification of <i>Staphylococci</i>	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl) *</b>	#4 vl	5 vl
TM 1199	<b>CHROMOGENIC UTI AGAR *</b> for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm
TM 1909	<b>CHROMOGENIC UTI AGAR*</b> for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm
TM 2126	<b>CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM *</b> it is a differential medium recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm
TM 1639	<b>CHROMOGENIC UTI AGAR, MODIFIED *</b> for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm
TS 207	<b>DMACA REAGENT (10 ml/vl)</b>	-	1 vl
TS 208	<b>TDA REAGENT (10 ml/vl)</b>	-	1 vl
TM 1825	<b>CHROMOGENIC UTI SELECTIVE AGAR *</b> for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm
TM 1640	<b>CHROMOGENIC VIBRIO AGAR *</b> for selective isolation and differentiation of <i>Vibrio</i> species	67.50	100 gm 500 gm
TM 1907	<b>CHROMOGENIC VRE AGAR BASE *</b> for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm
TS 253	<b>CHROMOGENIC VRE AGAR SUPPLEMENT *</b>	#20 vl	5 vl

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain





# Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 649	<b>ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for enrichment of <i>Vibrio</i> species	15.00	100 gm 500 gm
TM 936	<b>ANDRADE PEPTONE WATER (IS:5887 (Part I and IV) 1976, reaffirmed 2005)</b> a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm
TM 635	<b>BAIRD PARKER AGAR BASE (IS:5887 (Part II) 1976, reaffirmed 2005)</b> for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other products	65.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl) *</b>	#4 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>		5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#3 vl	5 vl
TM 674	<b>BILE SALT AGAR (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for isolation and enumeration of bile tolerant enteric bacilli	40.00	100 gm 500 gm
TM 952	<b>BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS:5887 (Part III) 1999, reaffirmed 2005)</b> for selective isolation of <i>Salmonella</i> by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species	52.00	100 gm 500 gm
TS 013	<b>SULPHA SUPPLEMENT *</b>	#20 vl	5 vl
TM 678	<b>BRILLIANT GREEN BILE BROTH 2% (BIS 5401-2 : 2012)</b> for detection and confirmation of Coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 686	<b>BUFFERED PEPTONE WATER (IS:5887 (Part III) 1999, reaffirmed 2005)</b> for pre-enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.07	100 gm 500 gm
TM 703	<b>COOKED MEAT MEDIUM (R.C. MEDIUM) (as per BIS)</b> for cultivation of aerobes and anaerobes especially pathogenic <i>Clostridia</i> and also for maintenance of stock cultures. It is recommended by BIS committee under the specifications IS:5887(Part II)-1976	115.40	100 gm 500 gm
TM 086	<b>DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for cultivation and differentiation of bacteria based on their decarboxylase activity	09.00	100 gm 500 gm
TM 1870	<b>DEOXYCHOLATE CITRATE AGAR MEDIUM (IS:5887 (Part VII) 1999, reaffirmed 2005)</b> for isolation of <i>Shigella</i> species from food samples	55.45	100 gm 500 gm
TM 1171	<b>EMB AGAR, LEVINE (IS:5887 (Part I) 1976, reaffirmed 2005)</b> for isolation, enumeration and differentiation of <i>Enterobacteriaceae</i>	37.50	100 gm 500 gm
TM 1179	<b>ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS:5887 (Part II) 1976, reaffirmed 2005)</b> for selective and confirmatory detection of <i>Enterococci</i> as an indicator of faecal pollution in water	35.80	100 gm 500 gm
TM 119	<b>GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for enrichment of <i>Vibrio parahaemolyticus</i> in drinking water	(Part I) 48.00 (Part II) 04.00	100 gm 500 gm
TM 742	<b>HUGH LEIFSON MEDIUM (IS:5887 (Part V) 1976, reaffirmed 2005)</b> for detecting aerobic and anaerobic breakdown of glucose	20.33	100 gm 500 gm

# Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2143	<b>KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887 (Part I)-1999)</b> recommended as selective enrichment medium for isolation of <i>Shigella</i> species from food samples	132.50	500 gm
TM 1036	<b>MacCONKEY AGAR (IS:5887 (Part I &amp; II) 1976, reaffirmed 2005)</b> for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria	55.07 55.07	100 gm 500 gm
TM 1238	<b>MacCONKEY BROTH W/ NEUTRAL RED (IS:5887 (Part I &amp; II) 1976, reaffirmed 2005)</b> for selective enrichment and enumeration of Coliforms	40.07 80.14	100 gm 500 gm
TM 1239	<b>MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (IS:5887 (Part I) 1976, reaffirmed 2005)</b> for primary isolation of Coliforms from large samples like water	80.14	100 gm 500 gm
TM 2230	<b>MACCONKEY BROTH PURPLE (IS:5401-1:2012)</b> for presumptive identification of Coliforms from variety of specimens such as water, milk and food etc	40.02	100 gm 500 gm
TM 787	<b>MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS:13428:1998, reaffirmed 2005 )</b> for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water	(Part I) 100.00 (Part II) 19.80	120 gm 500 gm
TM 228	<b>MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS:5887 (Part I &amp; V) 1976, reaffirmed 2005)</b> for testing motility of enteric bacteria	22.00	500 gm
TM 685	<b>MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS:5887 (Part I, III &amp; IV) 1976, reaffirmed 2005)</b> for differentiation of coli-aerogenes group by MR-VP test	15.00	100 gm 500 gm
TM 197	<b>MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS:5887 (Part VI) 1976, reaffirmed 2005)</b> for isolation and identification of pathogenic <i>Staphylococci</i> and <i>Bacillus</i> species	46.00	100 gm 500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT*</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#11 vl	5 vl
TM 797	<b>NITRATE BROTH (IS:5887 (Part IV)-1999)</b> for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>	39.00	100 gm 500 gm
TM 798	<b>NUTRIENT AGAR NO. 2 (IS:5887 (Part I, II &amp; V) 1976, reaffirmed 2005)</b> general purpose culture medium	40.00	100 gm 500 gm
TM 1270	<b>NUTRIENT BROTH (W/ 1% PEPTONE) (IS:5887 (Part I &amp; II) 1976, reaffirmed 2005, IS:5887 (Part IV) 1999)</b> general purpose culture medium	25.00	100 gm 500 gm
TM 1059	<b>NUTRIENT GELATIN (IS:5887 (Part VII) 1999, reaffirmed 2005)</b> for detection of gelatin liquefaction by proteolytic microorganisms	158.00	500 gm
TM 805	<b>PEPTONE WATER (IS:5887 (Part I) 1976, reaffirmed 2005)</b> general purpose growth medium & as the base of carbohydrate fermentation media	25.00	100 gm 500 gm
TM 828	<b>PLATE COUNT AGAR (IS:5402-1969 First Reprint 1983)</b> for determination of microbial counts in milk and other dairy products by pour plate method	30.00	100 gm 500 gm
TM 389	<b>SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III &amp; IV) 1976, reaffirmed 2005)</b> for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological material	Part I 19.00 Part II 04.00	100 gm 500 gm
TM 1291	<b>SIMMONS CITRATE AGAR (IS:5887 (Part I) 1976, reaffirmed 2005)</b> for differentiation between faecal Coliforms and members of the aerogenes group on the basis of citrate utilization	24.28	100 gm 500 gm

## Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1299	<b>TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005)</b> for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's	89.00	100 gm 500 gm
TM 440	<b>TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005)</b> for selective isolation and identification of Coliform bacteria from water	33.13	100 gm 500 gm
TS 042	<b>T.T.C. SOLUTION 1% (10 ml/vl) *</b>	5 vl	5 vl 25 vl
TM 1874	<b>TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005)</b> for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H <sub>2</sub> S production	64.32	100 gm 500 gm
TM 891	<b>TRYPTONE WATER W/O NaCl (IS : 5887 (Part V) 1976, reaffirmed 2005)</b> for detection of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i>	10.00	100 gm 500 gm
TM 2410	<b>UREA AGAR BASE (CHRISTENSEN) (IS : 5887 (Part-I)-1976)</b> for detection of urease production, particularly by <i>Proteus vulgaris</i> , <i>Micrococci</i> & <i>Paracolon</i> organisms	24.01	100 gm 500 gm
TS 030	<b>UREA 40% (5 ml/vl) *</b>	#268 vl	5 VL 25 vl
TM 1314	<b>VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002)</b> for selective isolation, detection and enumeration of coli-aerogenes in water, milk products	41.53	100 gm 500 gm
TM 1319	<b>WILLIS AND HOBBS MEDIUM BASE (IS : 5887 (Part 4) : 1999)</b> for isolation and identification of <i>Clostridium</i> from foods	47.03	500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)*</b>	#4vl	5 vl
TS 098	<b>WILLIS AND HOBBS SUPPLEMENT*</b>	#22 vl	5 vl
TM 498	<b>YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS:5403:1999 reaffirmed 2005)</b> for selective enumeration of Yeasts and Molds in milk and milk products	40.00	100 gm 500 gm

## Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1943	<b>ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018)</b> for confirmation of non-fermentative Gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i>	(Part I) 21.40 (Part II) 01.40	100 gm 500 gm
TM 008	<b>ALKALINE PEPTONE WATER (pH 8.6)</b> for detection and enrichment of <i>Vibrio</i> species	50.00	500 gm
TM 1878	<b>ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&amp;2:2007)</b> for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm
TM 1505	<b>L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006)</b> for confirmation of <i>Enterococcus sakazakii</i> from milk and milk products	09.01	500 gm
TM 1881	<b>BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004)</b> selective isolation and enumeration of <i>Bacillus cereus</i>	46.03	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#11 vl	5 vl
TM 1579	<b>BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 &amp; 2:1999)</b> for isolation & enumeration of coagulase positive <i>Staphylococci</i> from food & pharma products	56.00	500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl) *</b>	#10 vl	5 vl
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#80 vl	5 vl 25 vl

# Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 036	<b>BILE ESCULIN AGAR (ISO 10273:1994)</b> for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	64.50	100 gm 500 gm
TM 1883	<b>BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000)</b> for isolation and presumptive identification of faecal Streptococci	56.65	500 gm
TM 1842	<b>BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017)</b> for isolation, cultivation and detection of haemolytic activity of <i>Streptococci</i> , <i>Pneumococci</i> and other fastidious microorganisms	42.50	100 gm 500 gm
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)*</b>	#26 vl	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *</b>	#26 vl	5 vl 25vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *</b>	#26 vl	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT *</b>	#26 vl	5 vl
TS 011	<b>STREPTO SUPPLEMENT *</b>	#26 vl	5 vl 25 vl
TM 1146	<b>BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1 &amp; 2:2017)</b> for selective isolation and differentiation of <i>Campylobacter</i> species	45.50	500 gm
TS 102	<b>CAMPYLOBACTER SUPPLEMENT V (BFCSA) *</b>	#22 vl	5 vl
TS 103	<b>CAT SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl
TM 1510	<b>BOLTON BROTH BASE (ISO 10272-1:2017)</b> for selective enrichment of <i>Campylobacter</i> species from foods	27.60	500 gm
TS 179	<b>BOLTON SELECTIVE SUPPLEMENT*</b>	#37 vl	5 vl
TM 1512	<b>BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975)</b> for selective isolation of <i>Salmonella</i>	54.69	500 gm
TS 013	<b>SULPHA SUPPLEMENT *</b>	#20 vl	5 vl
TM 365	<b>BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006)</b> for detection and confirmation of Coliform bacteria in water and foods	40.00	100 gm 500 gm
TM 1894	<b>BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017)</b> for selective isolation and cultivation of <i>Legionella</i> species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm
TS 018	<b>LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY)*</b>	#5 vl	5 vl
TS 019	<b>LEGIONELLA SUPPLEMENT *</b>	#5 vl	5 vl
TS 115	<b>LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT*</b>	#5 vl	5 vl 25 vl
TS 254	<b>PCP SUPPLEMENT*</b>	#5 vl	5 vl
TM 307	<b>BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017)</b> for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm
TM 1522	<b>CETRIMIDE BROTH BASE (ISO 8360-2:1988)</b> for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique	31.90	500 gm
TM 1858	<b>CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014)</b> for determination of Coliforms and <i>Escherichia coli</i> in water samples	26.45	100 gm 500 gm
TM 2115	<b>CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR(ISO 9308-1:2014)</b> for recommended for detection of total Coliforms and <i>Escherichia coli</i> in water samples	25.92	100 gm 500 gm

# Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2118	<b>CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR)(ISO /TS 22964: 2017)</b> recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food products	32.40	500 gm
TM 1854	<b>CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001)</b> for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food and environmental samples	28.85	100 gm
TS 248	<b>CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT *</b>	#18 vl	5 vl 25 vl
TM 1853	<b>CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006)</b> for isolation and identification of <i>Cronobacter sakazakii</i> from milk and milk products	30.75	100 gm 500 gm
TM 2045	<b>COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017)</b> recommended for selective detection and enumeration of <i>Campylobacter</i> species from food chain	44.00	500 gm
TM 004	<b>CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 &amp; 2:2004, ISO 11133:2014) *</b> for selective identification and differentiation of <i>Listeria</i> species	70.05	100 gm 500 gm
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *</b>	#15 vl	5 vl
TS 031	<b>CHROMOGENIC ENRICHMENT SUPPLEMENT *</b>	#15 vl	5 vl
TM 1339	<b>CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)(ISO 16649-1 &amp; 2 :2001, ISO 16649-3:2015, ISO 11133:2014) *</b> for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm
TM 1852	<b>DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014)</b> for selective isolation of Yeasts and Molds of significance in food spoilage	31.60	100 gm 500 gm
TM 417	<b>EC BROTH (ISO 7251:2005, 11866-1:1997)</b> for selective enumeration of faecal and non faecal Coliforms in water	37.00	100 gm 500 gm
TM 1804	<b>EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993)</b> for selective enrichment of <i>Enterobacteriaceae</i> in bacteriological examination of foods	43.47	500 gm
TM 371	<b>EMB AGAR, LEVINE (ISO 21150:2015)</b> for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> from pharma, dairy & food products	37.50	100 gm 500 gm
TM 2073	<b>EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017)</b> for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm
TM 1472	<b>FRASER BROTH BASE (ISO 11290-1:2017)</b> for isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	57.35	100 gm 500 gm
TS 034	<b>FRASER SUPPLEMENT *</b>	#19 vl	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT *</b>	#19 vl	5 vl
TM 118A	<b>GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003)</b> for selective enrichment of <i>Staphylococcus aureus</i> from foods	55.20	500 gm
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl) *</b>	#18 vl	5 vl
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl) *</b>	#18 vl	5 vl 25 vl

# Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1937	<b>HALF FRASER BROTH BASE (ISO 11290-1:2017)</b> for the selective enrichment of <i>Listeria</i> species from foods	55.00	500 gm
TS 034	<b>FRASER SUPPLEMENT *</b>	#19 vl	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT *</b>	#10 vl	5 vl
TM 121	<b>HEKTOEN ENTERIC AGAR (ISO 21567:2004)</b> for differential & selective isolation of <i>Salmonella</i> and <i>Shigella</i> from enteric pathological specimens	76.67	100 gm 500 gm
TM 2138	<b>IRON SULPHITE AGAR MODIFIED (ISO 15213:2003)</b> for the enumeration of sulphite-reducing bacteria growing under anaerobic conditions	42.00	500 gm
TM 1553	<b>KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003)</b> for identification of <i>Pseudomonas</i> species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H <sub>2</sub> S production	58.02	500 gm
TM 2173	<b>L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017)</b> recommended for biochemical confirmation of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm
TM 2265	<b>L-ORNITHINE DECARBOXYLASE BROTH ( ISO / TS 22964: 2017)</b> for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm
TM 1251	<b>LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000)</b> for detection and enumeration of <i>E.coli</i> and other Coliforms in water by membrane filtration technique	57.15	100 gm 500 gm
TS 042	<b>TTC SOLUTION 1% (10 ml/vl) *</b>	#3 vl	5 vl 25 vl
TM 1556	<b>LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010)</b> for the isolation and enumeration of Lactic Acid Bacteria from meat and meat products	65.30	500 gm
TM 150	<b>LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006)</b> for detection and enumeration of Coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm
TM 1829	<b>LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006)</b> for the selective pre-enrichment medium for <i>Cronobacter sakazakii</i> from milk and milk products	64.60	500 gm
TM 1226	<b>LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2)</b> for detection and enumeration of <i>Listeria monocytogens</i> from food and animal feeds	69.00	100 gm 500 gm
TS 119	<b>LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *</b>	#15 vl	5 vl 25 vl
TM 1229	<b>LISTERIA OXFORD MEDIUM BASE (ISO 11290-1)</b> for isolation of <i>Listeria</i> species from pathological samples	55.50	100 gm 500 gm
TS 120	<b>OXFORD LISTERIA SUPPLEMENT *</b>	#19 vl	5 vl
TS 121	<b>LISTERIA MOXALACTAM SUPPLEMENT *</b>		5 vl
TM 1830	<b>LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006)</b> for differentiating <i>Salmonella</i> serotype arizonae from the <i>Bethesda Ballerup</i> group of <i>Enterobacteriaceae</i>	09.00	100 gm 500 gm
TM 775	<b>M-LAURYL SULPHATE BROTH (ISO 9308-1:2000)</b> for enumeration of <i>Escherichia coli</i> in water by membrane filter technique	76.20	500 gm



# Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 1572	<b>MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2:1997)</b> for selective enrichment of presumptive <i>Escherichia coli</i> and other coliforms from milk & milk products; also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm
TM 1875	<b>MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2:1990)</b> for presumptive identification of Coliforms from water	40.01	100 gm 500 gm
TM 529	<b>MacCONKEY BROTH W/ BCP &amp; NaCl (ISO 9308-2:1990)</b> for presumptive identification of Coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TM 1915	<b>MacCONKEY SORBITOL AGAR BASE (ISO 16654:2001)</b> a selective medium for isolation and detection of <i>Escherichia coli</i> 0157:H7	50.03	500 gm
TS 087	<b>TELLURITE-CEFIXIME SUPPLEMENT *</b>	#20 vl	5 vl
TM 1843	<b>MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006)</b> for the enumeration of <i>B. cereus</i> in foodstuffs and other samples	46.03	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#22 vl	5 vl 25 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>	#11 vl	5 vl
TM 1857	<b>MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005)</b> for enumeration of Coliform bacteria in water and wastewater samples	17.70	500 gm
TM 2215	<b>MRS AGAR, MODIFIED * (ISO 15214:1998)</b> recommended for the selective cultivation of Lactic acid bacteria from food	69.21	500 gm
TM 2217	<b>MRS SELECTIVE AGAR BASE (ISO 20128:2006)</b> recommended for the selective cultivation of Lactic acid bacteria from food	65.15	100 gm 500 gm
TS 298	<b>CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT*</b>	#8 vl	5 vl
TM 2246	<b>MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004)</b> for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	19.50	500 gm
TM 1399	<b>MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017)</b> for enrichment and isolation of <i>Salmonella</i> by suppressing <i>Proteus</i> species	89.42	500 gm
TS 152	<b>MKTT NOVOBIOCIN SUPPLEMENT *</b>	#6 vl	5 vl
TM 1038A	<b>NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528:2004, ISO 19250:2010, ISO 6579:2015)</b> a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm
TM 2256	<b>NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010)</b> recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm
TM 2274	<b>PARK &amp; SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995)</b> for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	29.35	500 gm
TS 073	<b>PARK &amp; SANDER SELECTIVE SUPPLEMENT A *</b>	#15 vl	5 vl
TS 074	<b>PARK &amp; SANDER SELECTIVE SUPPLEMENT B *</b>	#15 vl	5 vl
TM 1844	<b>PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017)</b> for selective enrichment of <i>Yersinia enterocolitica</i> from dairy products	(Part I) 21.00 (Part II) 10.00	500 gm -
TM 2281	<b>PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017)</b> recommended for the preparation of dilutions for <i>Listeria</i> species for further testing from food sample	18.37	500 gm
TM 2270	<b>PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273)</b> for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	30.77	500 gm

# Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2300	<b>RPF AGAR BASE (ISO 6888-2:1999)</b> recommended for the enumeration of coagulase positive <i>Staphylococci</i> from food and animal feeding stuff	58.00	500 gm
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *</b>	#9 vl	5 vl 25 vl
TM 2324	<b>SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017)</b> recommended for enrichment of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> species	43.00	500 gm
TM 1847	<b>SALINE MEAT YEAST AGAR (as per ISO 16649)</b> for identification of <i>Vibrio parahaemolyticus</i> form food products and animal feeding products	58.30	500 gm
TM 2325	<b>SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017)</b> recommended as a biochemical test to distinguish between <i>Vibrio</i> species based on salt tolerance	43.00	500 gm
TM 2326	<b>SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017)</b> recommended for detection of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food	110.00	500 gm
TM 2327	<b>SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990)</b> recommended for detection of indole production by <i>Vibrio parahaemolyticus</i>	41.00	500 gm
TM 1848	<b>SALT POLYMYXIN BROTH BASE (ISO 8914:1990)</b> for detection and enumeration of <i>Vibrio</i> species	29.70	500 gm
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT *</b>	#34 vl	5 vl 25 vl
TM 294	<b>SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK)</b> (ISO 6579:1993) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples	(Part I) 19.01 (Part II) 04.00	100 gm 500 gm
TM 2336	<b>SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000)</b> for detection and enumeration of faecal <i>Streptococci</i> from water samples by membrane filtration technique	46.50	500 gm
TM 1611	<b>SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) *</b> for the detection and enrichment of <i>Escherichia coli</i> 0157:H7 from foods	33.02	500 gm
TM 544	<b>STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 &amp; 2:2013)</b> for determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm
TM 1097	<b>SYNTHETIC SEA SALT (ISO 9308-3:1998)</b> for preparation of special diluents	19.19	500 gm
TM 2374	<b>TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E))</b> for detection of thermostable deoxyribonuclease activity to establish speciation of <i>S.aureus</i> in contaminated foods	26.56	100 gm
TM 1819	<b>TRIPLE SUGAR IRON AGAR (ISO 6785:2001 / ISO 6579:2017)</b> for identification of gram negative enteric bacteria on the basis of sugar fermentation & H <sub>2</sub> S production	65.00	100 gm 500 gm

# Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TM 2385	<b>TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017)</b> for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm
TM 549	<b>TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998)</b> for isolation and cultivation of <i>Listeria</i> from Henry's light	36.00	500 gm
TM 1849	<b>TRYPTONE WATER (as per ISO 11866)</b> for detection of indole production by Coliforms	25.00	100 gm 500 gm
TM 2400	<b>TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013)</b> recommended for the enumeration of <i>Clostridium perfringens</i> from water	42.00	500 gm
TS 076	<b>PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT) *</b>	#1 vl	5 vl 25 vl
TS 250	<b>CLOSTRIDIUM PERFRINGENS SUPPLEMENT *</b>	#22 vl	5 vl
TM 1826	<b>TSC AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013)</b> for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm
TS 076	<b>PERFRINGENS T. S. C. SUPPLEMENT *</b>	#24 vl	5 vl 25 vl
TS 250	<b>CLOSTRIDIUM PERFRINGENS SUPPLEMENT *</b>	#24 vl	5 vl
TM 2406	<b>TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017)</b> recommended for confirmation of <i>Yersinia enterocolitica</i>	30.01	100 gm 500 gm
TM 2411	<b>UREA INDOLE BROTH, MODIFIED (ISO 10273:2003)</b> for confirmation of <i>Yersinia enterocolitica</i> by urease and indole test	30.03	100 gm 500 gm
TM 483	<b>VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 &amp; 2:2017)</b> for detection and enumeration of <i>Enterobacteriaceae</i> in raw foods	38.53	500 gm
TM 1860	<b>VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006)</b> for detection and enumeration of Coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm
TM 2412	<b>VP MEDIUM FOR LISTERIA (ISO 11290-2-2017)</b> recommended for the distinction of <i>Listeria</i> species from other species based on Voges-Proskauer test from food samples	17.00	500 gm
TM 1621	<b>XLD AGAR MODIFIED (ISO 6579-2002)</b> for isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	55.43	100 gm 500 gm
TM 1827	<b>YEAST EXTRACT AGAR (ISO 6222:1999)</b> for enumeration of microorganisms from water	24.00	100 gm 500 gm

# Harmonized Culture Media

## Pharma Microbiological Testing Media (USP/JP/EP/BP/IP)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 119	<b>BAIRD PARKER AGAR BASE (as per EP/IP/BP)</b> for the isolation and enumeration of coagulase positive <i>Staphylococci</i> from food, pharmaceutical and other materials	63.00	100 gm 500 gm
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl) *</b>	#4 vl	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)</b>	#4 vl	5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl)</b>	#4 vl	5 vl
TS 005	<b>POTASSIUM TELLURITE 1% (1ml /vl) *</b>	#3 vl	5 vl 25 vl
TMH 101	<b>BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP)</b> dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TMHV 101	<b>BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.)</b> dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm
TMH 113	<b>CETRIMIDE AGAR (as per USP/EP/JP/BP)</b> for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm
TMHV 113	<b>CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.)</b> for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	500 gm
TMH 116	<b>COLUMBIA AGAR (as per USP/EP/JP/BP)</b> for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	100 gm 500 gm
TS 217	<b>GENTAMYCIN SUPPLEMENT *</b>	#12 vl	5 vl
TMHV 116	<b>COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG.)</b> for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	500 gm
TS 217	<b>GENTAMYCIN SUPPLEMENT *</b>	#12 vl	5 vl
TMH 107	<b>EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP)</b> for selective enrichment of <i>Enterobacteriaceae</i>	45.01	100 gm 500 gm
TMHV 107	<b>EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) (VEG.)</b> for selective enrichment of <i>Enterobacteriaceae</i>	45.01	500 gm
TMH 110	<b>MacCONKEY AGAR (as per USP/EP/BP/JP)</b> for isolation, enumeration and enrichment of <i>Enterobacteriaceae</i>	50.03	100 gm 500 gm
TMHV 110	<b>MacCONKEY AGAR (as per USP/EP/BP/JP) (VEG.)</b> for isolation, enumeration and enrichment of <i>Enterobacteriaceae</i>	50.03	100 gm
TMH 118	<b>MacCONKEY AGAR (as per USP/EP/BP/JP)</b> for selective isolation and differentiation of <i>E.coli</i> and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm
TMH 378	<b>MacCONKEY AGAR W/O CV, NaCl, w/ 0.5% SODIUM TAUROCHOLATE</b> for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram-negative bacilli from clinical, food and water samples	55.00	100 gm 500 gm
TMH 109	<b>MacCONKEY BROTH (as per USP/EP/JP/BP)</b> for detection and enumeration of Coliform bacteria	35.01	100 gm 500 gm
TMHV 109	<b>MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.)</b> for detection and enumeration of Coliform bacteria	35.01	500 gm

# Harmonized Culture Media

## Pharma Microbiological Testing Media (USP/JP/EP/BP/IP)



CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 114	<b>MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP)</b> for selective isolation and enumeration of <i>Staphylococcus</i> species	111.02	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>		5 vl
TMHV 114	<b>MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.)</b> for selective isolation and enumeration of <i>Staphylococcus</i> species	111.02	100 gm 500 gm
TS 002	<b>EGG YOLK EMULSION (100 ml/vl) *</b>		5 vl
TMH 105	<b>POTATO DEXTROSE AGAR (as per USP/EP/JP/BP)</b> for the cultivation of Yeasts and Molds	39.00	100 gm 500 gm
TMH 111	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP)</b> for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm
TMHV 111	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.)</b> for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	500 gm
TMH 115	<b>REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)</b> for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	38.00	100 gm 500 gm
TMHV 115	<b>REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.)</b> for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	38.00	500 gm
TMH 104	<b>SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP)</b> for selection, isolation and cultivation of Yeasts and Fungi	65.00	100 gm 500 gm
TMHV 104	<b>SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.)</b> for selection, isolation and cultivation of Yeasts and Fungi	65.00	500 gm
TMH 106	<b>SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP)</b> for selection, isolation and cultivation of Yeasts, Molds and aciduric microorganisms	30.00	100 gm 500 gm
TMHV 106	<b>SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.)</b> for selection, isolation and cultivation of Yeasts, Molds and aciduric microorganisms	30.00	500 gm
TMH 103	<b>SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP)</b> for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm
TMHV 103	<b>SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/) (VEG.)</b> for cultivation of wide variety of microorganism recommended for sterility testing in pharmaceutical procedures	40.00	500 gm
TMH 102	<b>SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP)</b> for cultivation of wide variety of microorganisms recommended for sterility testing of Molds and lower bacteria	30.00	100 gm 500 gm
TMHV 102	<b>SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.)</b> for cultivation of wide variety of microorganisms recommended for sterility testing of Molds and lower bacteria	30.00	100 gm 500 gm

# Harmonized Culture Media

## Pharma Microbiological Testing Media (USP/JP/EP/BP/IP)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TMH 108	<b>VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP)</b> for detection and enumeration of Coliform bacteria	41.53	100 gm 500 gm
TMHV 108	<b>VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.)</b> for detection and enumeration of Coliform bacteria	41.53	500 gm
TMH 117	<b>VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP)</b> for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm
TMH 112	<b>XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP)</b> for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm
TMHV 112	<b>XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.)</b> for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	500 gm

## Sterile Dehydrated Culture Media ( $\gamma$ -Irradiated)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TSM 301	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP)</b> for sterility testing of biological products	29.00	500 gm
TSMV 301	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) (VEG.)</b> for sterility testing of biological products	29.00	500 gm
TSMV 301D	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (as per USP) (VEG.), (NIH THIOGLYCOLLATE MEDIUM) (Double wrapped)</b> for evaluation of sterility in manufacturing process	 29.00	500 gm
TSM 2129	<b>FILL TEST MEDIUM</b> recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	30.10	500 gm
TSMV 2129	<b>FILL TEST MEDIUM (VEG.)</b> recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	30.10	500 gm
TSMV 2129D	<b>FILL TEST MEDIUM (VEG.) (Double wrapped)</b> for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	 30.10	500 gm
TSM 318	<b>FLUID THIOGLYCOLLATE MEDIUM (as per USP)</b> for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	500 gm
TSM 377	<b>LURIA BROTH</b> for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm
TSMH 2228	<b>MacCONKEY BROTH (as per USP/EP/JP/BP)</b> for detection enumeration of Coliform bacteria	35.01	500 gm
TSM 350	<b>NUTRIENT BROTH</b> for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	13.00	500 gm
TSM 332	<b>SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH)</b> for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSMV 332	<b>SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (VEG.)</b> for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSM 332K	<b>SOYA CASEIN DIGEST MEDIUM WITH BCP</b> routine use media for multiplication of large number of microorganisms with indicator with addition of sugar can be used	30.01	500 gm



# Sterile Dehydrated Culture Media

( $\gamma$ -Irradiated)


CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE
TSMH 332	<b>SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP)</b> for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSMVH 332	<b>SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP) (VEG.)</b> for the evaluation of sterility in manufacturing processes	30.00	500 gm
TSMH 345	<b>SOYA CASEIN DIGEST AGAR (as per USP/IP)</b> general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm
TSM 1938	<b>SOYABEAN CASEIN DIGEST MEDIUM W/ MANNITOL, STERILE POWDER</b> is $\gamma$ irradiated sterile powder recommended for the evaluation of sterility in manufacturing process. It can also be used for cultivation of a wide variety of microorganisms	30.02	100 gm
TSMH 2454	<b>STERILE TRYPTONE SOYA BROTH W/COLOUR INDICATOR (AS PER USP/EP/JP)</b> for cultivation of a wide variety of microorganisms and recommended for sterility testing of Molds and lower bacteria	27.80	500 gm

**350+**  
Distributors

## Seeking Distributorship ?

Join the strong network of our 350+ distributors world-wide  
Partner with us and gain access to a comprehensive product range,  
excellent customer support, and a trusted brand with a proven track record.

🌐 [www.tmmmedia.in](http://www.tmmmedia.in) | ✉ [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)



# β-Lactamase Supplement

- ✓ β - Lactamase with Extended Spectrum
- ✓ Inactivates Penicillins, Cephalosporins of first, second, third, fourth and fifth generation & Carbapenems
- ✓ Effective for Environmental Monitoring in Antibiotic Manufacturing
  - β-Lactamase I
  - β-Lactamase II
  - β-Lactamase Mixture
- ✓ Testing Sterility of Blood Culture
- ✓ Testing for Contamination of Drugs by Antibiotics
- ✓ Sterility Testing of Bulk Antibiotics



# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 267	<b>ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT)</b> for the isolation of <i>Enterohemorrhagic E. coli</i> (EHEC) Recommended With : TM 2020	5 vl
TS 099	<b>AEROMONAS SELECTIVE SUPPLEMENT *</b> for the selective isolation of <i>Aeromonas</i> species Recommended With : TM 1136	5 vl
TS 178	<b>ALBUMIN GLUCOSE SUPPLEMENT *</b> for rapid cultivation of <i>Mycobacterium tuberculosis</i> Recommended With : TM 099	5 vl
TS 097	<b>AMPICILLIN SUPPLEMENT</b> for isolation of <i>Aeromonas hydrophila</i> from foods Recommended With : TM 1074 / TM 1137	5 vl
TS 319	<b>AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT</b> for selective isolation and differentiation of <i>Aeromonas</i> species from water samples using membrane filter technique Recommended With : TM 1958, TM 1959	5 vl
TS 129	<b>ANTHRACIS SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Bacillus anthracis</i> Recommended With : TM 1271 / TM 2269	5 vl
TS 255	<b>BACILLUS CEREUS SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Bacillus</i> species Recommended With : TM 1885	5 vl
TS 281	<b>BACILLUS SELECTIVE SUPPLEMENT</b> recommended for the selective isolation of <i>Bacillus</i> species Recommended With : TM 2110	5 vl
TS 100	<b>BACTEROIDES SELECTIVE SUPPLEMENT *</b> for selective isolation of <i>Bacteriodes</i> species Recommended With : TM 1144	5 vl
TS 211	<b>BASIC FUCHSIN (6 g/vl)</b> for standard test for lactose fermenting organisms Recommended With : TM 373 / TMV 373	1 vl
TS 322	<b>BCSA SELECTIVE SUPPLEMENT</b> for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens Recommended With : TM 2022	5 vl 25 vl
TS 261	<b>β LACTAMASE I SUPPLEMENT (W/ 3300 UNITS/VIAL OF PENICILLINASE)</b> for inactivation of <i>Penicillin</i> group of antibiotics	1 vl
TS 262	<b>β LACTAMASE II NON STERILE POWDER SUPPLEMENT</b> for inactivation of <i>Penicillins</i> and <i>Cephalosporins</i> of first, second, third, fourth & fifth generation and <i>Carbapenem</i>	1 vl
TS 263	<b>β LACTAMASE MIXTURE SUPPLEMENT (W/ (&gt;500 β I UNITS/VIAL ) &amp; (&gt;50 β II UNITS/VIAL))</b> for inactivation of <i>Penicillins</i> and <i>Cephalosporins</i> of first, second, third, fourth generation and <i>Carbapenem</i>	1 vl
TS 263G	<b>β LACTAMASE MIXTURE SUPPLEMENT (STERILE) (W/ (&gt;500 β I UNITS/VIAL ) &amp; (&gt;50 β II UNITS/VIAL))</b> for inactivation of <i>Penicillins</i> and <i>Cephalosporins</i> of first, second, third, fourth generation and <i>Carbapenem</i>	1 vl
TS 264	<b>β LACTAMASE MIXTURE SUPPLEMENT (W/ 2 β II UNITS/MG &amp; 20 β I UNITS/MG)</b> for inactivation of <i>Penicillins</i> and <i>Cephalosporins</i> of first, second, third, fourth generation and <i>Carbapenem</i>	1 vl
TS 326	<b>β LACTAMASE II SUPPLEMENT (W/ &gt;2 β II UNITS/MG)</b> for inactivation of <i>Penicillins</i> and <i>Cephalosporins</i> of first, second, third, fourth generation and <i>Carbapenem</i>	 1 vl
TS 179	<b>BOLTON SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Campylobacter</i> species from foods Recommended With : TM 1510	5 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 012	<b>BORDETELLA SELECTIVE SUPPLEMENT *</b> for selective isolation of <i>Bordetella pertussis</i> Recommended With : TM 044 / TM 1147 / TM 062 / TM 063	5 vl
TS 004	<b>B.P. SULPHA SUPPLEMENT</b> for suppression of growth and swarming of <i>Proteus</i> species Recommended With : TM 358 / TMV 358	5 vl
TS 045	<b>BROMO CRESOL PURPLE (15 mg/vl)</b> for selective isolation and enumeration of faecal <i>Streptococci</i> Recommended With : TM 136	5 vl
TS 006	<b>BRUCELLA SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Brucella</i> species from milk Recommended With : TM 041 / TM 514 / TM 680 / TM 050 / TM 682 / TM 1513 / TM 071 / TM 1842 / TM 2011	5 vl 25 vl
TS 269	<b>BROMO THYMOL BLUE SUPPLEMENT</b> recommended for the selective cultivation of pathogenic fungi Recommended With : TM 090	5 vl
TS 323	<b>BURKHOLDERIA SELECTIVE SUPPLEMENT</b> for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other nonclinical specimens Recommended With : TM 1934	5 vl
TS 010	<b>CAMPYLOBACTER GROWTH SUPPLEMENT</b> for the enhancement of growth & aerotolerance of <i>Campylobacter fetus</i> Recommended With : TM 041 / TM 071 / TMV 071 / TM 514 / TM 680 / TM 050 / TM 2044 / TM 2105 / TM 1842 / TM 2011	5 vl
TS 278	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA</b> recommended by FDA BAM for the selective isolation of <i>Campylobacter</i> species Recommended With : TM 2105	5 vl
TS 007	<b>CAMPYLOBACTER SUPPLEMENT-I (Blaser Wang)</b> for selective isolation of <i>Campylobacter</i> species Recommended With : TM 041 / TM 056 / TM 071 / TMV 071 / TM 1842 / TM 2011 / TM 514 / TM 1157 / TM 2044	5 vl
TS 008	<b>CAMPYLOBACTER SUPPLEMENT-II (Butzler)</b> for selective isolation of <i>Campylobacter</i> species Recommended With : TM 041 / TM 514 / TM 071 / TM 2011 / / TMV 071 / TM 2044 / TM 1842	5 vl 25 vl
TS 009	<b>CAMPYLOBACTER SUPPLEMENT-III (Skirrow)</b> for selective isolation of <i>Campylobacter</i> species Recommended With : TM 041 / TM 514 / TM 680 / TM 056 / TM 071 / TM 2044 / TM 1842 / TM 2011 / TMV 071	5 vl
TS 067	<b>CAMPYLOBACTER SUPPLEMENT-IV (Preston)</b> for isolation of <i>Campylobacter</i> species Recommended With : TM 603 / TM 956 / TM 1590 / TMV 1590	5 vl
TS 102	<b>CAMPYLOBACTER SUPPLEMENT-V (BFCSA)</b> for selective isolation of <i>Campylobacter</i> species Recommended With : TM 1146	5 vl
TS 026	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT</b> for the selective isolation of <i>Helicobacter pylori</i> ( <i>Campylobacter pylori</i> ) Recommended With : TM 071 / TM 2044 / TMV 071	5 vl
TS 081	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (Wesley)</b> for the selective isolation of <i>Campylobacter</i> species Recommended With : TM 928	5 vl
TS 145	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (Karmali)</b> for isolating thermotolerant <i>Campylobacter</i> species Recommended With : TM 1361 / TM 2112	5 vl 25 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 146	<b>CAMPYLOBACTER SELECTIVE SUPPLEMENT (With Hemin) (Karmali)</b> for isolating thermotolerant <i>Campylobacter</i> species Recommended With : TM 1361	5 vL 25 vL
TS 027	<b>CAMPYLOBACTER SUPPLEMENT-VI (Butzler)</b> for selective isolation of thermotolerant <i>Campylobacter</i> species Recommended With : TM 071 / TMV 071 / / TM 2044	5 vL 25 vL
TS 103	<b>CAT SELECTIVE SUPPLEMENT</b> for selective isolation of thermophilic <i>Campylobacter</i> species Recommended With : TM 1146	5 vL
TS 273	<b>CATC SUPPLEMENT</b> recommended for the selective isolation and detection of <i>Enterococcus faecalis</i> by means of TTC reduction Recommended With : TM 2041	5 vL
TS 104	<b>C.B.I. SUPPLEMENT</b> for the selective isolation of <i>Clostridium botulinum</i> Recommended With : TM 1154	5 vL
TS 101	<b>CCDA SELECTIVE SUPPLEMENT</b> for the selective cultivation of <i>Campylobacter</i> species Recommended With : TM 1145	5 vL
TS 275	<b>CC SUPPLEMENT *</b> recommended for the selective cultivation of pathogenic fungi Recommended With : TM 090	5 vL
TS 301	<b>CEFIXIME SUPPLEMENT</b> recommended for selective isolation of <i>E.coli</i> O157:H7 Recommended With : TM 2231	5 vL
TS 219	<b>CEFOXITIN SUPPLEMENT</b> for selective isolation of Methicillin Resistant <i>Staphylococcus aureus</i> from clinical specimens Recommended With : TM 1635 / TM 1561 / TM 1635	5 vL
TS 075	<b>CETRINIX SUPPLEMENT</b> for the selective isolation of <i>Pseudomonas</i> species Recommended With : TM 626	5 vL 25 vL
TS 077	<b>CFC SUPPLEMENT</b> for the selective isolation of <i>Pseudomonas</i> species Recommended With : TM 626	5 vL 25 vL
TS 053	<b>CHLORAMPHENICAL SELECTIVE SUPPLEMENT</b> for the selective isolation of Yeasts and Molds Recommended With : TM 563 / TM 667 / TM 982 / TMV 982 / TM 276	5 vL 25 vL
TS 138	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Penicillium viridicatum</i> and related species from foods Recommended With : TM 1330 / TM 1584 / TM 2306 / TM 2319 / TM 2320 / TM 1951 / TM 2438	5 vL 25 vL
TS 213	<b>CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT</b> for isolation and identification of <i>Candida</i> species from mixed cultures Recommended With : TM 1588	5 vL 25 vL
TS 282	<b>CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT</b> recommended for rapid and direct isolation and identification of <i>Candida</i> species from mixed cultures Recommended With : TM 2113	5 vL
TS 283	<b>CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT</b> for isolation & differentiation of colistin-resistant pathogens Recommended With : TM 2117	5 vL

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 248	<b>CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT</b> for selective isolation and detection of <i>Escherichia coli</i> O157:H7 from food samples Recommended With : TM 1854 / TM 2123 / TM 2017	5 vl 25 vl
TS 313	<b>CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED</b> for selective isolation and detection of <i>Escherichia coli</i> O157:H7 from food samples Recommended With : TM 2441	5 vl
TS 187	<b>CHROMOGENIC ECC SELECTIVE SUPPLEMENT</b> for the selective isolation of <i>Escherichia coli</i> and coliforms from water and food samples Recommended With : TM 1341	5 vl
TS 215	<b>CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT</b> for selective isolation and detection of <i>Enterococcus faecium</i> Recommended With : TM 1632	5 vl
TS 031	<b>CHROMOGENIC ENRICHMENT SUPPLEMENT</b> for the isolation, detection and enumeration of <i>Listeria monocytogenes</i> Recommended With : TM 1845 / TM 004	5 vl
TS 204	<b>CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT</b> for the selective isolation of <i>Klebsiella</i> species from water and other sources Recommended With : TM 1633	5 vl
TS 205	<b>CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT</b> for the isolation, detection and enumeration of <i>Listeria monocytogenes</i> Recommended With : TM 1845 / TM 004 / TM 1634	5 vl
TS 206	<b>CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT</b> for the selective isolation of Methicillin Resistant <i>Staphylococcus aureus</i> from clinical specimens Recommended With : TM 1635	5 vl
TS 302	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED</b> recommended for selective isolation of <i>Penicillium viridicatum</i> and related species from foods Recommended With : TM 2232	5 vl
TS 259	<b>CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED</b> for selective isolation of <i>Penicillium viridicatum</i> and related species isolated from food, in accordance with FDA BAM, 2001, Chapter 18 Yeasts, Molds and Mycotoxins Recommended With : TM 116	5 vl
TS 295	<b>CHROMOGENIC SUPPLEMENT</b> for the enumeration of faecal coliform by membrane filter technique Recommended With : TM 2186	5 vl
TS 253	<b>CHROMOGENIC VRE AGAR SUPPLEMENT</b> for selective isolation of Vancomycin Resistant Enterococci (VRE) Recommended With : TM 1907	5 vl
TS 298	<b>CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT</b> recommended for selective cultivation of Lactic acid bacteria from food Recommended With : TM 2217	5 vl
TS 024	<b>CLOSTRIDIUM DIFFICILE SUPPLEMENT</b> for selective isolation of <i>Clostridium difficile</i> Recommended With : TM 068 / TM 2042	5 vl 25 vl
TS 274	<b>CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT</b> recommended for the selective isolation of <i>Clostridium difficile</i> Recommended With : TM 2043	5 vl
TS 250	<b>CLOSTRIDIUM PERFRINGENS SUPPLEMENT</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 1826 / TM 2400	5 vl



# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 271	<b>COLISTIN SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2027	5 vl
TS 141	<b>CPC SUPPLEMENT</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 1422	5 vl
TS 315	<b>CYCLOSERINE-CEFOXITIN SUPPLEMENT</b> for the isolation and presumptive identification of <i>Clostridium difficile</i> , a recognized cause of pseudomembraneous colitis (antimicrobial agent-associated) Recommended With : TM 2446	5 vl 25 vl
TS 207	<b>DMACA REAGENT (10 ml/vl)</b> for enumeration and differentiation of enteric pathogens in urinary tract infections Recommended With : TM 1639	1 vl
TS 028	<b>DERMATO SUPPLEMENT</b> for the determine the tryptophan-deaminase activity Recommended With : TM 083	5 vl
TS 059	<b>DIPHTHERIA VIRULENCE SUPPLEMENT (Part A &amp; B) (DOUBLE PACK)</b> for isolation and presumptive identification of <i>Corynebacterium diphtheriae</i> Recommended With : TM 450	1 Kit
TS 135	<b>DOYLE'S ANTIBIOTIC SUPPLEMENT</b> for selective isolation of <i>Campylobacter</i> species Recommended With : TM 987	5 vl 25 vl
TS 287	<b>ECC SELECTIVE SUPPLEMENT MODIFIED</b> recommended for detection of <i>Escherichia coli</i> and other coliform Recommended With : TM 2127	5 vl
TS 001	<b>EGG YOLK TELLURITE EMULSION (100 ml/vl)</b> for identification of <i>Staphylococci</i> Recommended With : TM 1579 / TM 635 / TM 636 / TM 943 / TMV 358 / TM 1337 / TM 358 / TMV 358 / TMH 119	5 vl
TS 290	<b>EGG YOLK EMULSION, 50%</b> for use in various Culture Media in accordance with FDA BAM 1998 Recommended With : TM 2151, TM 2311	5 vl
TS 002	<b>EGG YOLK EMULSION (100 ml/vl)</b> for use in various Culture Media Recommended With : TM 1120 / TM 358 / TM 1881 / TM 635 / TM 943 / TMV 358 / TM 1154 / TM 1886 / TM 724 / TM 1843 / TMV 615 / TM 197 / TM 206 / TMV 206 / TM 1206 / TM 1125 / TM 1207 / TM 1221 / TMV 197 / TM 197 / TM 210 / TMHV 114 / TMH 114	5 vl
TS 168	<b>ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT</b> for selective isolation and detection of of <i>Enterococcus faecium</i> Recommended With : TM 1470	5 vl
TS 157	<b>ENTEROCUCUS SELECTIVE SUPPLEMENT</b> for enumeration of intestinal <i>Enterococci</i> from surface and waste water Recommended With : TM 1388 / TM 2220	5 vl
TS 090	<b>ESCULIN SUPPLEMENT (0.5 g/vl)</b> for detection of group <i>D Streptococci</i> by means of esculin hydrolysis Recommended With : TM 037	5 vl
TS 033	<b>FRASER ENRICHMENT SUPPLEMENT</b> for isolation and enrichment of <i>Listeria monocytogenes</i> from food and environmental samples Recommended With : TM 113	5 vl
TS 035	<b>FRASER SELECTIVE SUPPLEMENT</b> for selective isolation and enrichment of <i>Listeria monocytogenes</i> from food and environmental samples Recommended With : TM 113 / TM 1472 / TM 1937 / TM 2092	5 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 034	<b>FRASER SUPPLEMENT</b> for selective isolation and enumeration of <i>Listeria monocytogenes</i> from food, animal feeds etc Recommended With : TM 1472 / TM 1937 / TM 2092 / TM 2093	5 vl
TS 277	<b>FRIIS SUPPLEMENT</b> a selective supplement for detection of non-avian <i>Mycoplasmas</i> in pharmaceutical products in accordance with European pharmacopoeia Recommended With : TM 2095	5 vl
TS 184	<b>GBS SUPPLEMENT</b> for selective isolation and presumptive identification of group B <i>Streptococci</i> Recommended With : TM 1545	5 vl
TS 036	<b>GC SUPPLEMENT W/ANTIBIOTICS</b> for selective isolation and cultivation of pathogenic <i>Neisseria</i> Recommended With : TM 116 / TMV 116 / TM 933	5 vl 25 vl
TS 056	<b>G.N. SPORE ANAEROBIC SUPPLEMENT</b> for the selective isolation of gram-negative anaerobes Recommended With : TM 915 / TM 916	5 vl 25 vl
TS 299	<b>GROWTH SUPPLEMENT-I FOR MSM</b> a growth supplement for the enrichment of <i>Salmonella</i> species Recommended With : TM 2218	5 vl
TS 300	<b>GROWTH SUPPLEMENT-II FOR MSM</b> a growth supplement for the enrichment of <i>Salmonella</i> species Recommended With : TM 2218	5 vl
TS 109	<b>GTC SUPPLEMENT</b> for selective isolation of <i>Enterococci</i> Recommended With : TM 1190	5 vl
TS 025	<b>G. VAGINALIS SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Gardnerella vaginalis</i> Recommended With : TM 071 / TMV 071 / TM 2044	5 vl
TS 217	<b>GENTAMYCIN SUPPLEMENT</b> for detection of <i>Clostridium perfringens</i> from pharma products Recommended With : TM 701 / TMH 116 / TMHV 116	5 vl
TS 128	<b>GENTA-OXY SELECTIVE SUPPLEMENT</b> for selective isolation of Vancomycin Resistant Enterococci Recommended With : TM 1061	5 vl 25 vl
TS 111	<b>GEORGE KIMMIG SELECTIVE SUPPLEMENT</b> for selective isolation and cultivation of fungi Recommended With : TM 1211	5 vl
TS 047	<b>GRUFT MYCOBACTERIAL SUPPLEMENT</b> for selective cultivation of <i>Mycobacteria</i> Recommended With : TM 375 / TM 526 / TM 2167	5 vl
TS 021	<b>HEAMOGLOBIN POWDER</b> for isolation of <i>Neisseria spp.</i> Recommended With : TM 064 / TM 116 / TMV 116 / TM 879 / TM 933 / TM 1105 / TM 2264	100 gm
TS 144	<b>HAEMOPHILUS GROWTH SUPPLEMENT</b> for cultivation of <i>Haemophilus influenzae</i> Recommended With : TM 1352	5 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 014	<b>HORSE SERUM (Store at 2-20°C)</b> for isolation and cultivation of <i>Mycoplasma</i> or <i>Trichomonas</i> or <i>Streptococcus</i> species Recommended With : TM 514 / TM / 680 / TM 050 / TM 1513 / TM 1544 / TM 1545 / TM 1366 / TM 768 / TM 1265 / TM 233 / TM 235 / TM 794 / TM 1266 / TM 1267 / TM 233 / TM 1308 / TM 1307	100 ml
TS 068	<b>KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Enterococci</i> Recommended With : TM 748 / TM 749	5 vl
TS 314	<b>KANAMYCIN AND VANCOMYCIN SUPPLEMENT</b> for the isolation and partial identification of obligately anaerobic gram-negative bacilli Recommended With : TM 2445	5 vl
TS 110	<b>KIMMIG SELECTIVE SUPPLEMENT</b> for selective isolation and cultivation of fungi Recommended With : TM 1211	5 vl
TS 134	<b>KL VIRULENCE ENRICHMENT (20 ml/vl)</b> for cultivation and in-vitro toxicity testing of <i>Corynebacterium diphtheriae</i> Recommended With : TM 984	5 vl 25 vl
TS 257	<b>KLEBSIELLA SELECTIVE SUPPLEMENT</b> for selective isolation and easy detection of <i>Klebsiella</i> species from water and other sources Recommended With : TM 582 / TM 2192	5 vl
TS 227	<b>L.MONO SELECTIVE SUPPLEMENT-I (Earlier TS 147)</b> for isolation of <i>Listeria</i> species Recommended With : TM 1443 / TM 1806 / TM 2148 / TM 1375	5 vl
TS 228	<b>L.MONO SELECTIVE SUPPLEMENT-II (Earlier TS 148)</b> for isolation of <i>Listeria</i> species Recommended With : TM 1443 / TM 1806 / TM 1375	5 vl
TS 321	<b>L. MONO ENRICHMENT SUPPLEMENT-I</b> for selective differentiation of <i>Listeria monocytogenes</i> from other <i>Listeria</i> species Recommended With : TM 1443 / TM 1806	5 vl
TS 229	<b>L.MONO ENRICHMENT SUPPLEMENT-II (Earlier TS 149) *</b> for selective differentiation of <i>Listeria monocytogenes</i> from other <i>Listeria</i> species Recommended With : TM 1443 / TM 1806 / TM 1375	5 vl
TS 161	<b>LACHICA SUPPLEMENT</b> for selective isolation of <i>Aeromonas hydrophilla</i> Recommended With : TM 1369	1 vl
TS 049	<b>10% LACTIC ACID SOLUTION (10 ml/vl)</b> for adjustment of acidic pH Recommended With : TM 080 / TM 340 / TM 326 / TM 397 / TM 204 / TMV 204 / TM 205 / TMV 205 / TM 114 / TM 115 / TM 398 / TM 397	5 vl 25 vl
TS 069	<b>LACTIC SUPPLEMENT (10 ml/vl)</b> for selective isolation of Lactic acid bacteria in beer and brewing processes Recommended With : TM 752 / TM 753	5 vl
TS 308	<b>LACTOBACILLI SUPPLEMENT</b> recommended for the selective isolation of <i>Lactobacilli</i> from wine Recommended With : TM 2379	5 vl 25 vl
TS 154	<b>LANDER VPT SUPPLEMENT-A</b> for selective enrichment and transport of <i>Campylobacter</i> spp.	2 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 160	<b>LANDER AF SUPPLEMENT-B</b> for selective enrichment and transport of <i>Campylobacter</i> spp.	1 vI
TS 294	<b>LCN SUPPLEMENT</b> used for the selective isolation of <i>Mycobacterium</i> from specimens containing mixed flora Recommended With : TM 2168	5 vI 25 vI
TS 285	<b>LECITHIN SOLUTION</b> for selective differentiation of <i>Listeria monocytogenes</i> and <i>Listeria</i> species based on PCPLC activity Recommended With : TM 2124	5 vI
TS 044	<b>LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A &amp; B)</b> for enhancing growth of <i>Legionella</i> species Recommended With : TM 760 / TM 759	5 vI
TS 195	<b>LEGIONELLA GROWTH SUPPLEMEN (W/O L-CYSTEINE)</b> for enhancing growth of <i>Legionella</i> species Recommended With : TM 1218 / TM 2156	5 vI 25 vI
TS 015	<b>LEGIONELLA SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Legionella</i> species Recommended With : TM 684 / TM 759	5 vI 25 vI
TS 016	<b>LEGIONELLA SELECTIVE SUPPLEMENT-II</b> for selective isolation of <i>Legionella</i> species from mixed cultures Recommended With : TM 684	5 vI
TS 078	<b>LEPTOSPIRA ENRICHMENT SUPPLEMENT</b> for cultivation of <i>Leptospira</i> species	5 vI
TS 017	<b>LEGIONELLA SELECTIVE SUPPLEMENT-III</b> for selective isolation of <i>Legionella</i> species from mixed cultures Recommended With : TM 684	5 vI
TS 018	<b>LEGIONELLA SELECTIVE SUPPLEMENT-IV (MWY)</b> for selective isolation of <i>Legionella</i> species Recommended With : TM 684 / TM 1894	5 vI
TS 019	<b>LEGIONELLA SUPPLEMENT</b> for enhanced growth of <i>Legionella</i> species Recommended With : TM 684 / TM 1894 / TM 759	5 vI
TS 114	<b>LEGIONELLA GROWTH SUPPLEMENT (BCYE)</b> for enhancing growth of <i>Legionella</i> species Recommended With : TM 1218 / TM 2156	5 vI
TS 114A	<b>LEGIONELLA SELECTIVE SUPPLEMENT (GVPN)</b> for selective isolation of <i>Legionella</i> species Recommended With : TM 1218 / TM 2156	5 vI
TS 115	<b>LEGIONELLA (GVPC) SELECTIVE SUPPLEMENT</b> for isolation of <i>Legionella</i> species Recommended With : TM 1218 / TM 1894 / TM 2156	5 vI 25 vI
TS 116	<b>LEGIONELLA BMPA SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Legionella</i> species Recommended With : TM 1218 / TM 2156	5 vI 25 vI
TS 041	<b>LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *</b> contains antibiotics, which are targeted to selective isolation and cultivation of <i>Neisseria</i> species in GC AGAR BASE Recommended With : TM 116 / TMV 116	5 vI 25 vI

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 121	<b>LISTERIA MOXALACTAM SUPPLEMENT</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> from food and environmental specimens Recommended With : TM 1229	5 vl
TS 292	<b>LISTERIA MOXALACTAM SUPPLEMENT MODIFIED</b> recommended for the selective isolation of <i>Listeria</i> species from food samples in accordance with FDA BAM,1998 Recommended With : TM 2162, TM 2163	5 vl
TS 092	<b>LISTERIA SELECTIVE SUPPLEMENT-II</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> Recommended With : TM 1333 / TM 1444 / TM 761 / TMV 761	5 vl 25 vl
TS 119	<b>LISTERIA SELECTIVE SUPPLEMENT (PALCAM)</b> for the selective isolation and identification of <i>Listeria monocytogenes</i> Recommended With : TM 1226 / TM 1227	5 vl 25 vl
TS 117	<b>LISTERIA UVM SUPPLEMENT-I</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> Recommended With : TM 1225	5 vl
TS 118	<b>LISTERIA UVM SUPPLEMENT-II</b> for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens Recommended With : TM 1225	5 vl
TS 289	<b>LM SELECTIVE SUPPLEMENT</b> recommended for presumptive enumeration of <i>Listeria</i> species Recommended With : TM 2149	5 vl
TS 231	<b>MeReSa SELECTIVE SUPPLEMENT</b> for selective isolation of Methicillin Resistant <i>Staphylococcus aureus</i> from clinical specimens Recommended With : TM 1561	5 vl
TS 318	<b>M-CP SELECTIVE SUPPLEMENT-I</b> recommended for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2130	5 vl
TS 320	<b>M-CP SELECTIVE SUPPLEMENT-II</b> recommended for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2130	5 vl
TS 317	<b>M-CP SELECTIVE SUPPLEMENT, MODIFIED</b> recommended for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2130	5 vl
TS 297	<b>M-PA SELECTIVE SUPPLEMENT</b> recommended for selective isolation of <i>Pseudomonas aeruginosa</i> Recommended With : TM 2197	5 vl
TS 096	<b>MCBRIDE LISTERIA SUPPLEMENT</b> for selective isolation of <i>Listeria</i> species Recommended With : TM 905	5 vl
TS 216	<b>MEROPENEM SUPPLEMENT</b> for enrichment of <i>Enterococci</i> Recommended With : TM 1643 / TM 1642	5 vl
TS 050	<b>MIDDLEBROOK ADC GROWTH SUPPLEMENT</b> for cultivation of <i>Mycobacteria</i> Recommended With : TM 213	5 vl
TS 060	<b>MIDDLEBROOK OADC GROWTH SUPPLEMENT</b> for isolation and cultivation of <i>Mycobacteria</i> Recommended With : TM 215 / TM 786 / TM 618 / TM 214 / TM 590	5 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 152	<b>MKTT NOVOBIOCIN SUPPLEMENT</b> for selective enrichment and isolation of <i>Salmonella</i> Recommended With : TM 1399	5 vI
TS 268	<b>MODIFIED CFC SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Pseudomonas</i> species Recommended With : TM 2023 / TM 2024	5 vI
TS 270	<b>MODIFIED CPC SUPPLEMENT</b> for selective isolation of <i>Pseudomonas</i> species Recommended With : TM 2027	5 vI
TS 286	<b>MODIFIED L. MONO SELECTIVE SUPPLEMENT</b> for selective isolation of <i>L. monocytogenes</i> and <i>Listeria</i> species based on PCPLC activity Recommended With : TM 2124	5 vI
TS 113	<b>MOXALACTAM SUPPLEMENT</b> for isolation and cultivation of <i>Listeria monocytogenes</i> Recommended With : TM 1213	5 vI
TS 123	<b>MUELLER TELLURITE SERUM (25 ml/vI)</b> for isolation, cultivation and differentiation of <i>Corynebacterium diphtheriae</i> Recommended With : TM 1050	5 vI
TS 296	<b>MUG SUPPLEMENT (50 MG PER VIAL)</b> for measuring $\beta$ - glucuronidase activity, for rapid and sensitive identification of <i>Escherichia coli</i> Recommended With : TM 2186	5 vI
TS 124	<b>MYCOPLASMA CULTIVATION SUPPLEMENT</b> for isolation and cultivation of <i>Mycoplasma</i> Recommended With : TM 1265	5 vI
TS 052	<b>MYCOPLASMA ENRICHMENT SUPPLEMENT</b> for isolation of <i>Mycoplasma</i> Recommended With : TM 233 / TM 794 / TM 235	5 vI 25 vI
TS 310	<b>MYCOPLASMA SELECTIVE SUPPLEMENT</b> supplement for the isolation of <i>Mycoplasma</i> Recommended With : TM 2405	5 vI
TS 249	<b>MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT</b> for selective cultivation of <i>Mycoplasma</i> associated with urogenital infections Recommended With : TM 1267	5 vI 25 vI
TS 020	<b>NALIDIXIC SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimens Recommended With : TM 060 / TMV 060 / TM 2035	5 vI
TS 293	<b>NAMC LISTERIA SELECTIVE SUPPLEMENT</b> recommended for the selective enrichment of <i>Listeria</i> species from food Recommended With : TM 2165	5 vI
TS 303	<b>NEO ENRICHMENT SELECTIVE SUPPLEMENT</b> recommended for the selective isolation of <i>Listeria</i> species from food samples in 24 hours Recommended With : TM 2253	5 vI
TS 095	<b>NEOMYCIN SUPPLEMENT</b> for selective isolation of <i>Streptococcus</i> species Recommended With : TM 927 / TM 1274	5 vI
TS 055	<b>NON SPORE ANAEROBIC SUPPLEMENT</b> for selective isolation or cultivation of nonsporing anaerobic bacteria Recommended With : TM 915 / TM 916	5 vI
TS 051	<b>NOVOBIOCIN SUPPLEMENT</b> for presumptive identification of <i>Aeromonas hydrophila</i> Recommended With : TM 1400 / TM 1127 / TM 546	5 vI 25 vI



# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 070	<b>NOVOBIOCIN SELECTIVE SUPPLEMENT</b> for the presumptive detection of <i>Salmonella</i> species in foods and feed materials Recommended With : TM 770	5 vl
TS 304	<b>OFBBL SELECTIVE SUPPLEMENT</b> recommended for selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples Recommended With : TM 2262	5 vl
TS 062	<b>OLEIC ALBUMIN SUPPLEMENT</b> for cultivation of <i>Mycobacterium tuberculosis</i> Recommended With : TM 100 / TM 720	5 vl 25 vl
TS 153	<b>OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT</b> for screening Oxacillin Resistant microorganisms Recommended With : TM 1402	5 vl
TS 120	<b>OXFORD LISTERIA SUPPLEMENT</b> for selective isolation of <i>Listeria</i> species Recommended With : TM 1229 / TM 2163	5 vl
TS 071	<b>OXYTETRA SELECTIVE SUPPLEMENT</b> for selective isolation and cultivation of Yeasts and Molds Recommended With : TM 1198 / TM 799 / TM 1061 / TM 800	5 vl 25 vl
TS 073	<b>PARK AND SANDERS SELECTIVE SUPPLEMENT A</b> for selective isolation and enumeration of thermotolerant <i>Campylobacter</i> species Recommended With : TM 1335 / TM 1403 / TM 2274	5 vl
TS 074	<b>PARK AND SANDERS SELECTIVE SUPPLEMENT B</b> for selective isolation and enumeration of thermotolerant <i>Campylobacter</i> species Recommended With : TM 1158 / TM 1335 / TM 1403 / TM 2274	5 vl
TS 254	<b>PCP SUPPLEMENT</b> for selective isolation and cultivation of <i>Legionella</i> species from cooling towers, clinical and other material Recommended With : TM 1894	5 vl
TS 203	<b>PEMBA SUPPLEMENT</b> for selective cultivation of <i>Bacillus cereus</i> Recommended With : TM 1587	5 vl 25 vl
TS 054	<b>PERFRINGEN'S S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT)</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 615 / TMV 615 / TM 846	5 vl 25 vl
TS 158	<b>PERFRINGEN'S SUPPLEMENT-A</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 808	5 vl 25 vl
TS 159	<b>PERFRINGEN'S SUPPLEMENT-B</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 808	5 vl 25 vl
TS 076	<b>PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT)</b> for the selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 615 / TMV 615 / TM 1826 / TM 809 / TM 902 / TM 2311 / TM 2400	5 vl 25 vl
TS 311	<b>PIG SERUM</b> for culturing of <i>mycoplasmas</i> and viruses Recommended With : TM 2405	100 ml
TS 058	<b>POLYMYXIN B SELECTIVE SUPPLEMENT</b> for selective isolation of various microorganisms Recommended With : TM 1120 / TM 1881 / TM 1523 / TM 1207 / TM 197 / TMV 197 / TM 1843 / TM 281 / TM 851 / TM 1848 / TM 1931 / TM 2221	5 vl 25 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 132	<b>POTASSIUM CHLORATE SUPPLEMENT</b> for selective enrichment of <i>Yersinia enterocolitica</i> Recommended With : TM 1357	5 vl
TS 232	<b>POTASSIUM LACTATE 50% (10 ml/vl)</b> for isolation and enumeration of wild yeast and pitching yeasts Recommended With : TM 172	5 vl
TS 137	<b>POTASSIUM SORBATE 10% (10 ml/vl)</b> for the detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bailii</i> and <i>Zygosaccharomyces rouxii</i> in salads, sauces and dressings Recommended With : TM 1329	5 vl
TS 003	<b>POTASSIUM TELLURITE 3.5% (10 ml/vl)</b> for selective isolation of <i>Staphylococci</i> and <i>Corynebacteria</i> Recommended With : TM 358 / TMV 358 / TM 635 / TM 943 / TM 118 / TM 118A / TM 522	5 vl
TS 005	<b>POTASSIUM TELLURITE 1% (1 ml/vl)</b> for the selective isolation of <i>Staphylococci</i> and <i>Corynebacteria</i> Recommended With : TM 636 / TM 670 / TM 411 / TM 707 / TM 1165 / TM 984 / TMV 221 / TM 1048 / TM 221 / TM 235 / TM 438 / TM 879 / TM 439 / TM 1109 / TM 395 / TMV 395 / TM 1722 / TM 1820 / TM 2121 / TM 2420 / TMH 119	5 vl 25 vl
TS 139	<b>PROPIONIBACTERIA GROWTH SUPPLEMENT</b> for selective cultivation of <i>Propionibacteria</i> Recommended With : TM 1331	5 vl
TS 170	<b>PYR REAGENT (10 ml/vl)</b> for detection of Pyrrolidonyl arylamidase enzyme activity of $\beta$ -hemolytic <i>Streptococci</i>	1 vl
TS 288	<b>RAPID LISTERIA SELECTIVE SUPPLEMENT</b> for selective enrichment of <i>Listeria</i> species from food samples Recommended With : TM 2128	5 vl
TS 176	<b>RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT)</b> for isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and clinical samples Recommended With : TM 358 / TM 1579 / TMV 358 / TM 2300	5 vl 25 vl
TS 171	<b>RIPPEY CABELLI SUPPLEMENT</b> for cultivation of <i>Aeromonas hydrophila</i> Recommended With : TM 1480	5 vl
TS 048	<b>ROSOLIC ACID (0.1 g/vl)</b> for isolation of coliform bacteria Recommended With : TM 178 / TMV 178 / TM 179 / TM 180	5 vl
TS 305	<b>S.T.A. SELECTIVE SUPPLEMENT</b> recommended for the selective isolation of <i>Brochothrix thermosphacta</i> from meat products Recommended With : TM 2315	5 vl 25 vl
TS 212	<b>SALENRICH SELECTIVE SUPPLEMENT</b> for two-step enrichment of sub-lethally injured <i>Salmonella</i> from food and feeds Recommended With : TM 1606	5 vl 25 vl
TS 306	<b>SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT</b> recommended for selective isolation and differentiation of <i>Salmonella</i> species from coliforms by chromogenic method Recommended With : TM 2328	5 vl
TS 252	<b>SALMONELLA SELECTIVE SUPPLEMENT</b> for isolation and identification of <i>Salmonella spp.</i> Recommended With : TM 1839	5 vl
TS 307	<b>SELECTIVE SUPPLEMENT FOR MRSA</b> recommended for the selective detection of Methicillin Resistance <i>Staphylococcus aureus</i> from clinical specimens Recommended With : TM 2332	5 vl 25 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 167	<b>SM SELECTIVE SUPPLEMENT</b> for selective isolation and cultivation of <i>Pseudomonas solanacearum</i> Recommended With : TM 1076	5 vl
TS 054	<b>S.F. P. SUPPLEMENT (Perfringens S.F.P. Supplement)</b> for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 615 / TMV 615 / TM 846	5 vl 25 vl
TS 082	<b>SHIGELLA SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Shigella</i> species Recommended With : TM 857	5 vl
TS 108	<b>SODIUM BICARBONATE SOLUTION (20 ml/vl)</b> for selective isolation of <i>Enterococcus</i> species Recommended With : TM 1190	5 vl
TS 089	<b>STAPH STREPTO SUPPLEMENT</b> for selective isolation of <i>Staphylococci</i> and <i>Streptococci</i> Recommended With : TM 071 / TMV 071 / TM 2044	5 vl
TS 265	<b>STERILE BETA LACTAMASE-I SUPPLEMENT (READY-TO-USE)</b> for inactivation of Penicillin	6 vl
TS 291	<b>STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR</b> recommended for growth of <i>Legionella</i> species Recommended With : TM 2156	5 vl 25 vl
TS 256	<b>STREPTOCOCCUS SELECTIVE SUPPLEMENT</b> recommended for the selective isolation and cultivation of <i>Streptococci</i> of medical and veterinary importance Recommended With : TM 071 / TMV 071 / TM 2044	5 vl 25 vl
TS 011	<b>STREPTO SUPPLEMENT</b> for selective cultivation of <i>Streptococcs</i> species Recommended With : TM 041 / TM 071 / TM 1842 / TM 2011 / TM 2044	5 vl 25 vl
TS 013	<b>SULPHA SUPPLEMENT</b> for selective cultivation of <i>Salmonella</i> species Recommended With : TM 364 / TM 047 / TM 046 / TM 952 / TM 1512	5 vl
TS 208	<b>TDA REAGENT (10 ml/vl)</b> for determination of tryptophan-deaminase activity Recommended With : TM 1639	1 vl
TS 087	<b>TELLURITE CEFIXIME SUPPLEMENT</b> for isolation of <i>Escherichia coli</i> 0157:H7 Recommended With : TM 1393 / TM 1915	5 vl
TS 131	<b>TICARCILLIN SUPPLEMENT</b> for selective enrichment of <i>Yersinia enterocolitica</i> Recommended With : TM 1357	5 vl
TS 063	<b>TOLUIDINE BLUE (0.1 g/vl)</b> for detection of deoxyribonuclease activity Recommended With : TM 081	5 vl 25 vl
TS 080	<b>TRIBUTYRIN (10 ml/vl)</b> for detection of lipolytic microorganisms Recommended With : TM 885	5 vl
TS 251	<b>TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Trichoderma harzianum</i> Recommended With : TM 1873	5 vl
TS 112	<b>TRICHOMONAS SELECTIVE SUPPLEMENT-I</b> for selective isolation of <i>Trichoderma</i> species from clinical specimens Recommended With : TM 1212	5 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 133	<b>TRICHOMONAS SELECTIVE SUPPLEMENT II</b> for selective isolation of <i>Trichoderma</i> species Recommended With : TM 1307	5 vl
TS 042	<b>TTC SOLUTION 1% (10 ml/vl)</b> for detection of microbial growth by means of TTC reduction Recommended With : TM 1151 / TM 136 / TM 747 / TM 138 / TM 751 / TM 139 / TMV 751 / TM 1251 / TM 388 / TM 226 / TM 1274 / TM 440 / TMV 440 / TM 441 / TMV 441 / TM 1311	5 vl 25 vl
TS 309	<b>TYCSB SUPPLEMENT</b> recommended for the selective isolation of <i>S.mutans</i> Recommended With : TM 2398	5 vl
TS 030	<b>UREA 40% (5 ml/vl)</b> for detection of urease activity Recommended With : TM 477 / TM 1196 / TM 1554 / TM 781 / TM 394 / TM 1851	5 vl 25 vl
TS 126	<b>UREA SOLUTION 5% (5 ml/vl)</b> for selective cultivation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i> Recommended With : TM 1267	5 vl 25 vl
TS 043	<b>VANCLO-T SUPPLEMENT</b> (Vancomycin-Colistin-Amphotericin-B-Trimethoprim) for selective isolation of <i>Neisseria</i> species Recommended With : TM 116 / TMV 116	5 vl 25 vl
TS 218	<b>VANCOMYCIN SUPPLEMENT</b> for isolation of <i>Cronobacter sakazakii</i> Recommended With : TM 1642 / TM 2047	5 vl 25 vl
TS 280	<b>VANCOMYCIN SUPPLEMENT</b> for isolation of <i>Cronobacter sakazakii</i> Recommended With : TM 1829	5 vl
TS 038	<b>V.C.N. SUPPLEMENT</b> for selective isolation of <i>Neisseria gonorrhoeae</i> and <i>Neisseria meningitidis</i> Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vl 25 vl
TS 039	<b>V.C.N.T. SUPPLEMENT</b> for selective isolation of <i>Neisseria gonorrhoeae</i> and <i>Neisseria meningitidis</i> Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vl 25 vl
TS 022	<b>VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS &amp; AMINO ACIDS MIXTURE) (Double pack)</b> for cultivation of wide variety of microorganisms Recommended With : TM 1267 / TM 879 / TM 933 / TM 1105 / TM 064 / TM 116 / TMV 116	5 vl 25 vl
TS 272	<b>VITAMINO GROWTH SUPPLEMENT, MODIFIED</b> for the isolation and cultivation of fastidious microorganisms, especially <i>Neisseria</i> and <i>Haemophilus</i> species, from a variety of clinical specimens Recommended With : TM 2264	5 vl
TS 266	<b>VITAMINS K1 SUPPLEMENT</b> a vitamin growth supplement used for the isolation of anaerobic organisms Recommended With : TM 1960	5 vl
TS 276	<b>V.P. SUPPLEMENT</b> for selective isolation & differentiation of <i>Legionella</i> species Recommended With : TM 983	5 vl
TS 098	<b>WILLIS AND HOBBS SUPPLEMENT</b> for isolation of <i>Clostridium perfringens</i> and <i>Clostridium botulinum</i> species from food Recommended With : TM 1319	5 vl

# Media Supplements

CODE	PRODUCT NAME	PACK SIZE
TS 072	<b>XLT4 SUPPLEMENT</b> for isolation of non-typhi <i>Salmonella</i> Recommended With : TM 493	1 vI
TS 023	<b>YEAST AUTOLYSATE SUPPLEMENT</b> for the cultivation of <i>Neisseria</i> species Recommended With : TM 064 / TM 116 / TMV 116	5 vI 25 vI
TS 057	<b>YERSINIA SELECTIVE SUPPLEMENT</b> for selective isolation of <i>Yersinia enterocolitica</i> Recommended With : TM 501 / TM 2439 / TM 2440	5 vI 25 vI
TS 321	<b>YERSINIA SELECTIVE SUPPLEMENT-2</b> for use, in selective isolation and enumeration of <i>Yersinia enterocolitica</i> from food samples, in accordance with FDA BAM, 1998 Recommended With : TM 2439	5 vI

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain








What sets apart world-class Research, Diagnostics, & Industrial Applications?

# The right Biological Media Bases

What Sets Us Apart :

-  Pharmaceutical-grade raw materials
-  Stringent quality control
-  Batch-to-batch consistency
-  Optimized formulations
-  Superior solubility, clarity, and growth performance
-  Customizable blends
-  Wide product range



Production capacity  
**2000 MT/Annum**

## Trusted across critical domains



Vaccine  
Production



Probiotics  
Manufacturing



Enzyme and Drug  
Development



Microbial-based  
Agri-inputs



Bio-fuel  
Research




# Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
242 M	<b>AGAR AGAR TYPE-I</b> For general purpose, Bacteriological Grade	100 gm 500 gm 5 Kg		1230	<b>CASEIN ACID HYDROLYSATE (STD) TBL POWDER</b> Culture Media Ingredient	500 gm	
1201	<b>AGAR AGAR POWDER</b> Bacteriological Grade	100 gm 500 gm		1231	<b>CASEIN ACID HYDROLYSATE</b> Less than 3% NaCl	500 gm	
1202	<b>AGAR AGAR POWDER</b> Highly Purified	100 gm 500 gm		1232	<b>CASEIN ACID HYDROLYSATE</b> Special for Pertussis Vaccine production	500 gm	
1203	<b>AGAR AGAR POWDER (as per IP)</b> Bacteriological Grade	100 gm 500 gm		1233	<b>CASEIN ACID HYDROLYSATE (Vitamin Free)</b> Culture Media Ingredient	500 gm	
1243	<b>AGAR AGAR POWDER HIGH GEL</b> At low temp. like NMT 38°C	100 gm 500 gm		1501	<b>CASITONE</b> Peptic Digest Casein With Dipeptides and Tripeptides	500 gm	
1228	<b>AGAR SPECIAL</b> Equivalent to Agar Noble	100 gm 500 gm		1512 V	<b>VEG. CEH ENZYMATIC HYDROLYSATE (TYPE-I)</b> Culture Media Ingredient, Equivalent to Casein Enzymatic Hydrolysate	500 gm	
3540	<b>AGAR AGAR</b> For Molecular Biology	100 gm 500 gm		1512	<b>CASEIN ENZYMATIC HYDROLYSATE (TYPE-I) (TRYPTONE TYPE-I)</b> Tryptic Digest Casein With Dipeptides	500 gm	
1525	<b>B. MEAT EXTRACT PASTE (BOVINE)</b> For general purpose, Bacteriological Grade	500 gm 5 Kg		1513 V	<b>VEG. CEH ENZYMATIC HYDROLYSATE (STD) TBL POWDER</b> Culture Media Ingredient	100 gm 500 gm	
1204	<b>B. MEAT EXTRACT POWDER (TYPE-I) (BOVINE)</b> For general purpose, Bacteriological Grade	500 gm 5 Kg		1513	<b>CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER</b> Culture Media Ingredient	100 gm 500 gm	
1205	<b>B. MEAT EXTRACT POWDER (BOVINE)</b> For Microbiology	500 gm		1580	<b>COTTON SEED PEPTONE</b> Bacteriological Grade	500 gm	
1205 V	<b>VEG. BE EXTRACT POWDER</b> Culture Media Ingredient, Equivalent to Beef Extract Powder	500 gm		1216	<b>CORN MEAL EXTRACT POWDER</b> Culture Media Ingredient	500 gm	
1206	<b>B. MEAT EXTRACT (STD) TBL POWDER (Bovine)</b> Culture Media Ingredient	500 gm		3531	<b>CORN STEEP LIQUOR</b>	250 Kg	
1207	<b>BILE SALT POWDER</b> Culture Media Ingredient, Bacteriological Grade	100 gm 500 gm		3533	<b>DRIED YEAST POWDER (ACTIVE)</b>	25 Kg	
1234	<b>BILE SALT (STD) TBL POWDER</b> Culture Media Ingredient	500 gm		4501	<b>FISH PEPTONE</b> Bacteriological Grade	500 gm	
1208	<b>BILE SALT MIXTURE</b> Equivalent to Bile Salt No.3	100 gm		1210	<b>GELATIN CRYSTAL, Bloom Type B</b> Bacteriological Grade	500 gm	
1235	<b>BILE SALT MIXTURE (STD) TBL POWDER</b> Culture Media Ingredient	100 gm		1502 V	<b>VEG. GEL PEPTONE</b> Culture Media Ingredient, Equivalent to Gelatin Peptone	500 gm	
1236 V	<b>VEG. BIOPEPTONE</b> Culture Media Ingredient, Equivalent to Biopeptone	500 gm		1502	<b>GELATONE (GELATIN PEPTONE)</b> Culture Media Ingredient	500 gm	
1236	<b>BIOPEPTONE (MIXTURE OF CASEIN &amp; MEAT PEPTONE)</b> Used as additional enrichment of microorganisms	500 gm		3534	<b>GELATONE (STD.) TBL POWDER</b> Culture Media Ingredient	500 gm	
1238	<b>BIO PEPTONE (STD) TBL POWDER</b> Culture Media Ingredient	500 gm		4502	<b>GLUTEN RICE HYDROLYSATE</b> Culture Media Ingredient	500 gm	
1240 V	<b>VEG. BH INFUSION POWDER</b> Culture Media Ingredient, Equivalent to Brain Heart Infusion Powder	500 gm		4503	<b>GLUTEN MAIZE HYDROLYSATE</b> Culture Media Ingredient	500 gm	
1240	<b>BRAIN HEART INFUSION POWDER</b> Culture Media Ingredient used for cultivation of fastidious microorganisms	500 gm		1211	<b>HAEMOGLOBIN POWDER</b> Culture Media Supplement	100 gm	
1262 V	<b>VEG. CA HYDROLYSATE</b> Culture Media Ingredient, Equivalent to Casein Acid Hydrolysate	500 gm		1251	<b>HEART INFUSION POWDER</b> A media base for cultivation of fastidious Microorganisms	500 gm	
1262	<b>CASEIN ACID HYDROLYSATE (TECHNICAL)</b> Culture Media Ingredient	500 gm		1251 V	<b>VEG. H INFUSION POWDER</b> Culture Media Ingredient, Equivalent to Heart Infusion Powder	500 gm	

## Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
1242	<b>LACTALBUMIN HYDROLYSATE</b> Culture Media Ingredient with Sugar Amino Acids	500 gm		4508	<b>MEAT EXTRACT TYPE-I</b> Bacteriological Grade	500 gm	
1242 V	<b>VEG. LB HYDROLYSATE</b> Culture Media Ingredient, Equivalent to Lactalbumin Hydrolysate	500 gm		1217	<b>MEAT EXTRACT POWDER</b> Culture Media Ingredient	500 gm	
1302	<b>INACTIVE DRIED YEAST</b>  Inactive dry yeast is a natural dough relaxation agent that can improve dough quality of many different baking products	500 gm 25 Kg		1217 V	<b>VEG. M EXTRACT POWDER</b> Culture Media Ingredient, Equivalent to Meat Extract Powder	500 gm	
4504	<b>LACTALBUMIN HYDROLYSATE TBL</b> Rich in all essential amino acids and suitable for vaccine productions	500 gm		1218	<b>MEAT EXTRACT (STD) TBL POWDER</b> Culture Media Ingredient	500 gm	
3535	<b>LACTOSE (MONO) (γ-IRRADIATED)</b> Culture Media Ingredient	500 gm 5 Kg 50 Kg		1219 V	<b>VEG. M INFUSION POWDER</b> Culture Media Ingredient, Equivalent to Meat Infusion Powder	500 gm	
4509	<b>LACTOSE (MONO), STERILE (γ-IRRADIATED) (TRIPLE PACK)</b> Culture Media Ingredient	500 gm 5 Kg 50 Kg		1219	<b>MEAT INFUSION POWDER</b> For Vaccine Production	500 gm	
1297	<b>LIVER EXTRACT PASTE</b> Bacteriological Grade	500 gm		1504 V	<b>VEG. MP PEPTONE</b> Culture Media Ingredient, Equivalent to Meat Peptone	500 gm	
1212 V	<b>VEG. Liv EXTRACT POWDER</b> Culture Media Ingredient, Equivalent to Liver Extract Powder	500 gm		1504	<b>MEAT PEPTONE</b> Culture Media Ingredient	500 gm	
1212	<b>LIVER EXTRACT POWDER</b> Bacteriological Grade	500 gm		1259	<b>MEAT PEPTONE-P</b> Peptic Digest Animal Meat Tissue	500 gm	
1241	<b>LIVER EXTRACT POWDER (PROTOLYSED)</b> For cultivation of fastidious anaerobes and bulk production of vaccines, steroids and enzymes	500 gm		1260	<b>MEAT PEPTONE-T</b> Tryptic Digest Animal Meat Tissue	500 gm	
1239 V	<b>VEG. Liv HYDROLYSATE POWDER</b> Enzymatic Veg. Hydrolysate, equivalent to Liver Hydrolysate Powder used for cultivation of anaerobes	500 gm		1507 V	<b>VEG. MYCO PEPTONE</b> Culture Media Ingredient, Equivalent to Mycological Peptone	500 gm	
1239	<b>LIVER HYDROLYSATE POWDER</b> Hydrolysis of liver by enzyme, ingredients of culture media used for cultivation of anaerobes	500 gm		1507	<b>MYCOLOGICAL PEPTONE</b> Suitable for Cultivation of Yeasts & Molds	500 gm	
1213 V	<b>VEG. Liv INFUSION POWDER</b> Equivalent to Liver Infusion Powder Suitable for Vaccine Production	500 gm		1518	<b>MYCOLOGICAL PEPTONE (STD) TBL POWDER</b> Culture Media Ingredient	500 gm	
1213	<b>LIVER INFUSION POWDER</b> Suitable for Vaccine Production	500 gm		1524	<b>OAT MEAL POWDER</b> Culture Media Ingredient	500 gm	
1298	<b>MALT EXTRACT PASTE</b> Bacteriological Grade	500 gm		1220	<b>OX BILE POWDER (DRIED)</b> Bacteriological Grade, General Purpose, Culture Media Ingredient	100 gm 500 gm	
1214	<b>MALT EXTRACT POWDER</b> Bacteriological Grade	500 gm		4506	<b>PEA PROTEIN HYDROLYSATE (PEA PEPTONE)</b> Bacteriological Grade	500 gm	
1215	<b>MALT EXTRACT (STD) TBL POWDER</b> Culture Media Ingredient	500 gm		3542	<b>PEPTONE-F</b> Bacteriological Grade	25 Kg	
3536	<b>MALTOSE (MONOHYDRATE) (γ-IRRADIATED)</b> Culture Media Ingredient	500 gm 5 Kg		1527	<b>PEPTONE PASTE</b> Bacteriological Grade	500 gm 5 Kg	
4505	<b>MALTOSE (Monohydrate) NRC GRADE</b> For Vaccine Production	500 gm		1506	<b>PEPTONE-R</b> Regular Bacteriological Grade	500 gm 5 Kg	
3537	<b>D-MANNITOL (γ-IRRADIATED)</b> Culture Media Ingredient	500 gm 5 Kg		1578	<b>PEPTONE-RG (GRANULAR)</b> Bacteriological Grade	500 gm 5 Kg	
1299	<b>MEAT EXTRACT PASTE</b> Bacteriological Grade	500 gm		1505 V	<b>VEG. PEPTONE-TBL</b> Culture Media Ingredient, Equivalent to Peptone TBL	500 gm 5 Kg	
				1505	<b>PEPTONE-TBL</b> For cultivation of fastidious microorganisms	500 gm 5 Kg	
				1519	<b>PEPTONE (STD) TBL POWDER</b> Culture Media Ingredient	500 gm	
				1508	<b>PEPTONE SPECIAL</b> Equivalent to Neopeptone	500 gm	

# Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE
1581	<b>PEPTONE TYPE-III</b> Bacteriological Grade	500 gm
1221	<b>PEPTONIZED MILK</b> Suitable for Lactobacilli, Yeast & Molds	500 gm
1221 V	<b>VEG. PM HYDROLYSATE</b> Culture Media Ingredient, Equivalent Peptonized Milk	500 gm
1509 V	<b>VEG. PP PEPTONE</b> Culture Media Ingredient, Equivalent to Proteose Peptone	500 gm 5 Kg
1509	<b>PROTEOSE PEPTONE</b> (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides	500 gm 5 Kg
1319	<b>POTATO PEPTONE</b>  For microbial cultures in industrial fermentation processes & cell culture supplementation	500 gm 25 Kg
1523	<b>PROTEOSE PEPTONE, (STD) TBL POWDER</b> Culture Media Ingredient	500 gm
221 M	<b>SODIUM CHOLATE (CHOLIC ACID SODIUM)</b> A selective inhibitory agent used in Culture Media	25 gm 100 gm
220 M	<b>SODIUM DEOXYCHOLATE</b> A selective inhibitory agent used in Culture Media	25 gm 100 gm
212 M	<b>SODIUM TAUROCHOLATE</b> A selective inhibitory agent used in Culture Media	100 gm 500 gm
1261	<b>SODIUM TAUROGLYCOCHOLATE</b> A selective inhibitory agent used in Culture Media	100 gm 500 gm
3543	<b>SOLUBLE STARCH</b> Culture Media Ingredient	500 gm
1528	<b>SOYATONE-R (SOYA PEPTONE-R)</b> Bacteriological Grade	500 gm 5 Kg
3546	<b>SOYATONE TYPE-I (SOYA PEPTONE TYPE-I)</b> Bacteriological Grade	500 gm 5 Kg
1510	<b>SOYATONE (SOYA PEPTONE)</b> Peptic Digest of Soyabean Meal	500 gm 5 Kg
1511	<b>SOYATONE (STD), TBL POWDER</b> (Soya Peptone) Culture Media Ingredient	500 gm
3548	<b>SOYATONE HN</b>	25 Kg
3544	<b>SOYATONE PASTE</b>	25 Kg
1522	<b>TRYPTONE-D</b> Tryptic Digest Casein for Vaccine Production	500 gm
1520	<b>TRYPTONE-T</b> For Tetanus Toxin	500 gm
1529	<b>TRYPTONE-R</b> General purpose for Bacteriology	500 gm 5 Kg

CODE	PRODUCT NAME	PACK SIZE
1512	<b>TRYPTONE (TYPE-I)</b> Tryptic enzymatic digest of casein with dipeptides	500 gm
1512 V	<b>VEG. TRYPTONE (TYPE-I)</b> Veg Enzymatic Digest with Dipeptides	500 gm
1513	<b>TRYPTONE (STD) TBL POWDER</b> Culture Media Ingredient	100 gm 500 gm
1513 V	<b>VEG. TRYPTONE (STD) TBL POWDER</b> Culture Media Ingredient	100 gm 500 gm
1521	<b>TRYPTOSE</b> Enzymatic hydrolysate of Protein that replace Meat Infusion	500 gm 5 Kg
1521 V	<b>VEG. TRYP HYDROLYSATE</b> Enzymatic Hydrolysate of protein that Replace Meat Infusion	500 gm 5 Kg
1265	<b>TRYPTOSE (STD) TBL POWDER</b> To promote excellent growth of highly fastidious microorganisms	500 gm
1629	<b>WHEAT PEPTONE</b> Culture Media Ingredient	500 gm
1631	<b>WHEAT EXTRACT TYPE-I</b> Culture Media Ingredient	500 gm
1637	<b>WHEAT EXTRACT TBL POWDER</b> Culture Media Ingredient	500 gm
1300	<b>YEAST AUTOLYSATE POWDER</b> For Bacteriology	500 gm
1531	<b>YEAST EXTRACT PASTE</b> For Bacteriology	500 gm 5 Kg
3550	<b>YEAST EXTRACT POWDER-F</b>	25 Kg
1532	<b>YEAST EXTRACT POWDER-R</b> Bacteriological Grade	500 gm 5 Kg
1224	<b>YEAST EXTRACT POWDER TYPE-I</b> Bacteriological Grade	500 gm 5 Kg
1225	<b>YEAST EXTRACT TBL POWDER</b> Low salt content refined rich in B-group of Vitamins	500 gm 5 Kg
1264	<b>YEAST EXTRACT (STD) TBL POWDER</b> Culture Media Ingredient	500 gm
4141	<b>YEAST EXTRACT (ULTRA PURIFIED)</b> Culture Media Ingredient	500 gm 5 Kg
1628	<b>YEAST PEPTONE</b> Culture Media Ingredient	500 gm

# Ready-to-Use Culture Media

## Open, Inoculate, and Incubate

- Meticulous packaging
- Favourably convenient
- Approved Quality
- Reliable growth formulations
- High reproducibility
- Proven Sterility
- Complies with Harmonized pharmacopeia (USP/IP/JP/EP/BP) & ISO regulations
- Industry-tailored range
- Large variety of formats in various sizes

### Sub-Categories



#### Ready-To-Use Culture Media Plates

for direct isolation with no time consuming preparation



#### Ready-To-Use Agar Media (Glass Bottle)

for detecting microorganisms from pharmaceutical, food, environmental or water testing samples



#### Ready-To-Use Broth Media (Glass Bottle)

for cultivation of microorganism from various samples



#### Ready-To-Use Liquid Medium (Tubes)

for direct enrichment and enumeration of microorganisms



#### Combo Sterility Kit

for complete sterility testing in accordance with USP/BP/EP/JP/IP



#### Ready-To-Use Kits

for rapid detection of organisms



#### Ready-To-Use Slants (For Tuberculosis Tests)

for rapid diagnosis & treatment of Tuberculosis



#### Ready-To-Use Slants/Butts (Glass Tube)

for isolation of pure cultures with minimum risk of contamination



#### Blood Culturing System (Ready-To-Use Broth Media)

for detection & isolation of fastidious microorganisms from blood



#### Transport Swab with Medium (Disposable)

for easy transport and preservation of clinical specimens



#### Viral Transport Kit / Universal Transport Kit

for safe collection & transport of viral specimen  
Recommended by CDC, WHO and ICMR for specimen collection of COVID 19



#### Molecular Transport Kit

for the stabilization, transportation and inactivation of infectious viral agents



# Ready-to-Use Culture Media Plates

Simple, high-end, and reliable

## Variety of Sizes and Configurations

- **Standard Sizes:** Pick from **90 mm**, **55 mm**, and **100 mm** plates to fit your testing needs.
- **Antibiotic Susceptibility Testing:** Get precise results with **100 mm** plates made for this specific analysis.
- **Partitioned Plates:** Boost efficiency with **90 mm** plates offering **Bi-partitioning**



## Applications across industries

- **Pharmaceuticals:** Ensure compliance and monitor contamination during production.
- **Food and Beverage:** Detect and count microorganisms to enhance product safety.
- **Clinical Laboratories:** Support diagnosis and treatment decisions with quick testing. and many more..

## Features

- **Consistent Quality:** Get reliable results every time.
- **Convenience:** Ready-to-Use Plates save time and effort.
- **Regulatory Compliance:** Meet international standards effortlessly.
- **Versatility:** From routine to specialized testing, we've got you covered.
- **Available in Various Formats:** 55 mm, 90 mm, 100 mm, & Bi-partitioning.
- **High Reproducibility:** Produce highly reproducible results for reliable results.
- **Triple Packed:** To maintain sterility



55 mm Plates



90 mm Plates



100 mm Plates



Bi-Plates




Chromogenic Plates



# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (90 mm Plates)

CODE	PRODUCT NAME		PACK SIZE
TMP 033	<b>BAIRD PARKER AGAR PLATE</b> for the isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and clinical sample		50 Plts
TMP 034	<b>BLOOD AGAR PLATE W/ GENTAMICIN (5MCG / PLATE) *</b> for selective isolation of <i>Streptococcus pneumoniae</i>		20 Plts 50 Plts
TMP 001	<b>BRAIN HEART INFUSION AGAR PLATE</b> for cultivation of fastidious pathogenic Bacteria, Yeasts and Molds		50 Plts
TMP 035	<b>BRAIN HEART INFUSION AGAR PLATE W/ BLOOD *</b> for cultivation of fastidious pathogenic bacteria requiring blood for growth		50 Plts
TMP 066	<b>BURKHOLDERIA CEPACIA SELECTIVE AGAR (BCSA) (AS PER USP)</b> for use in qualitative procedures for the selective and differential isolation of <i>Burkholderia cepacia complex</i> from respiratory secretions of patients with cystic fibrosis	 	50 Plts
TMP 002	<b>CETRIMIDE AGAR PLATE</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product and clinical specimens	 	50 Plts
TMP 002GT	<b>CETRIMIDE AGAR PLATE (G-IRRADIATED) (TRIPLE PACK)</b> for selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product (as per USP/EP/BP/JP/IP) and clinical specimens	 	50 Plts
TMP 020	<b>CHOCOLATE AGAR PLATE *</b> for isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>		20 Plts 50 Plts
TMP 1858	<b>CHROMOGENIC COLIFORM AGAR PLATE*</b> for determination of Coliform bacteria particularly <i>Enterobacteriaceae</i> on the basis of their ability to ferment lactose		20 Plts 50 Plts
TMP 073T	<b>CHROMOGENIC E.COLI AGAR PLATE (TRIPLE PACK )</b> for the detection and enumeration of <i>Escherichia coli</i> in foods without further confirmation on membrane filter or by indole reagent		20 Plts 50 Plts
TMP 1199	<b>CHROMOGENIC UTI AGAR PLATE *</b> for identification and confirmation of microorganisms causing urinary tract infections		20 Plts 50 Plts
TMP 063	<b>C.L.E.D. AGAR W/ ANDRADE INDICATOR PLATE</b> for isolation and differentiation of microorganisms based on lactose fermentation		50 Plts
TMP 014	<b>C.L.E.D. AGAR W/ BROMOTHYMOL BLUE PLATE</b> for isolation and differentiation of urinary pathogens on the basis of lactose fermentation		50 Plts
TMP 032GT	<b>COLUMBIA AGAR PLATE (G-IRRADIATED) (TRIPLE PACK)</b> for the selection and subculture of <i>Clostridium</i> species in accordance with harmonized method of USP/EP/BP/JP/IP	 	50 Plts
TMP 031	<b>COLUMBIA 5% BLOOD AGAR PLATE</b> for isolation and cultivation of fastidious organisms		20 Plts 50 Plts
TMP 031A	<b>COLUMBIA BLOOD AGAR W/10% SHEEP BLOOD</b> for isolation and cultivation of fastidious organisms		50 Plts
TMP 074	<b>DEOXYCHOLATE CITRATE AGAR (DCA) PLATE</b> for selective isolation of enteric pathogens		50 Plts
TMP 003	<b>DEY-ENGLEY NEUTRALIZING AGAR PLATE</b> for disinfectant testing, where neutralization agent is important for determining its bactericidal activity		50 Plts
TMP 003GT	<b>DEY-ENGLEY NEUTRALIZING AGAR PLATE (G-IRRADIATED) (TRIPLE PACK)</b> for disinfectant testing, where neutralization agent is important for determining its bactericidal activity		50 Plts
TMP 025	<b>EMB AGAR, LEVINE PLATE</b> for isolation, enumeration and differentiation of <i>Enterobacteriaceae</i>		50 Plts
TMP 037	<b>HEKTOEN ENTERIC AGAR PLATE</b> for differential & selective isolation of <i>Salmonella</i> and <i>Shigella</i> from enteric pathological specimens		50 Plts
TMP 004	<b>LURIA BERTANI AGAR PLATE</b> for the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular studies, may be used for routine isolation, cultivation of not particularly fastidious microorganisms		50 Plts



# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 004A	<b>LURIA BERTANI AGAR PLATE (w/ 100ug/ml AMPICILLIN) *</b> for the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies	50 Plts
TMP 004 KI	<b>LURIA BERTANI AGAR PLATE (w/ 100ug/ml KANAMYCIN &amp; IPTG) *</b> for the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies	50 Plts
TMP 004K	<b>LURIA BERTANI AGAR PLATE (w/ 100ug/ml KANAMYCIN) *</b> for the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies	50 Plts
TMP 004C	<b>LURIA BERTANI AGAR PLATE (w/ 50ug/ml CHLORAMPHENICOL)</b> for the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies	50 Plts
TMP 1898	<b>MacCONKEY AGAR "TBL"</b> for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours	50 Plts
TMP 015	<b>MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl)</b> for selective isolation and differentiation of coliform organisms and other enteric pathogens	50 Plts
TMPH 015T	<b>MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl) (TRIPLE PACK)</b> for selective isolation and differentiation of Coliform organisms and other enteric bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP	50 Plts
TMP 016	<b>MacCONKEY AGAR PLATE (W/O CV, NaCl W/ 0.5% SODIUM TAUROCHOLATE)</b> for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram-negative bacilli from clinical, food and water samples	50 Plts
TMP 072T	<b>MALT EXTRACT AGAR PLATE (TRIPLE PACK)</b> for detection, isolation and enumeration of Yeasts and Molds	50 Plts
TMP 021	<b>MANNITOL SALT AGAR PLATE</b> for selective isolation of pathogenic <i>Staphylococci</i>	50 Plts
TMPH 021	<b>MANNITOL SALT AGAR PLATE</b> for selection and subculture of <i>Staphylococcus aureus</i> in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts
TMPH 021T	<b>MANNITOL SALT AGAR PLATE (TRIPLE PACK)</b> for selection and subculture of <i>Staphylococcus aureus</i> in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts
TMP 005	<b>MUELLER HINTON AGAR PLATE</b> for determination of susceptibility of microorganisms to antimicrobial agents	50 Plts
TMP 061	<b>MUELLER HINTON AGAR PLATE W/ 5% SHEEP BLOOD</b> for determination of susceptibility of <i>Streptococcus species</i> to antimicrobial agents	20 Plts 50 Plts
TMP 080	<b>MUELLER HINTON AGAR NO. 2 + 5% SHEEP BLOOD</b> for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby bauer technique	20 Plts 50 Plts
TMP 006	<b>NUTRIENT AGAR PLATE</b> a general purpose medium used for cultivation of wide variety of microorganisms	50 Plts
TMP 006GT	<b>NUTRIENT AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> a general purpose medium used for cultivation of wide variety of microorganisms	50 Plts
TMP 007	<b>PLATE COUNT AGAR</b> for determination of plate counts of microorganisms in food, water and waste water	50 Plts
TMP 007GT	<b>PLATE COUNT AGAR (g-IRRADIATED) (TRIPLE PACK)</b> for determination of plate counts of microorganisms in food, water and waste water	50 Plts
TMP 008	<b>POTATO DEXTROSE AGAR PLATE</b> for the isolation and enumeration of Yeasts & Molds from water, dairy, other food products and clinical samples	50 Plts


# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (90 mm Plates)

CODE	PRODUCT NAME		PACK SIZE
TMPH 008	<b>POTATO DEXTROSE AGAR PLATE</b> for the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP		50 Plts
TMP 081GT	<b>PSEUDOMONAS AGAR-F (FOR FLUORESCHEIN) (as per IP) (g-IRRADIATED) (TRIPLE PACK)</b> for detection of fluorescein production by <i>Pseudomonas</i> species		50 Plts
TMP 082GT	<b>PSEUDOMONAS AGAR-P (FOR PYOCYANIN) (as per IP) (g-IRRADIATED) (TRIPLE PACK)</b> for detection of Pyocyanin production by <i>Pseudomonas</i> species		50 Plts
TMP 009	<b>R2A AGAR PLATE</b> for heterotrophic plate count of treated potable water, using longer incubation period		50 Plts
TMP 009G	<b>R2A AGAR PLATE (g-IRRADIATED)</b> for heterotrophic plate count of treated potable water, using longer incubation period		50 Plts
TMP 009GT	<b>R2A AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for heterotrophic plate count of treated potable water, using longer incubation period		50 Plts
TMP 069GT	<b>REINFORCED CLOSTRIDIAL AGAR (g-IRRADIATED) (TRIPLE PACK)</b> Used for the cultivation and enumeration of Clostridia and other anaerobes		50 Plts
TMP 010	<b>SABOURAUD CHLORAMPHENICOL AGAR PLATE</b> for selective cultivation of Yeasts and Moulds		50 Plts
TMP 010G	<b>SABOURAUD CHLORAMPHENICOL AGAR PLATE (g-IRRADIATED)</b> for selective cultivation of Yeasts and Moulds		50 Plts
TMP 010GT	<b>SABOURAUD CHLORAMPHENICOL AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for selective cultivation of Yeasts and Moulds		50 Plts
TMP 068	<b>SABOURAUD CYCLOHEXIMIDE CHLORAMPHENICOL AGAR PLATE</b> for selective isolation and cultivation of pathogenic Fungi		50 Plts
TMP 011	<b>SABOURAUD DEXTROSE AGAR PLATE</b> for cultivation of Yeast, Moulds and aciduric microorganisms		50 Plts
TMP 011G	<b>SABOURAUD DEXTROSE AGAR PLATE (g-IRRADIATED)</b> for cultivation of Yeast, Moulds and aciduric microorganisms		50 Plts
TMP 011GT	<b>SABOURAUD DEXTROSE AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for the subculture of <i>Candida albicans</i> in accordance with harmonized method of USP/EP/BP/JP/IP		50 Plts
TMP 040	<b>SABOURAUD DEXTROSE AGAR PLATE W/ CYCLOHEXIMIDE</b> for selective isolation of Fungi		50 Plts
TMP 058	<b>SALMONELLA SHIGELLA AGAR PLATE (SS AGAR PLATE)</b> for differentiation and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuff etc		50 Plts
TMP 017	<b>SHEEP BLOOD AGAR PLATE *</b> for cultivation of fastidious organisms and studying haemolytic reactions		20 Plts 50 Plts
TMP 018	<b>SHEEP BLOOD AGAR BASE, MODIFIED PLATE *</b> for cultivation and studying haemolytic reaction of <i>Bacillus cereus</i>		20 Plts 50 Plts
TMP 019	<b>SHEEP BLOOD SOYA BEAN CASEIN DIGEST AGAR PLATE *</b> for cultivation of wide variety of microorganisms and studying haemolytic reactions		20 Plts 50 Plts
TMP 012	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE</b> for the subculture of aerobic organisms		50 Plts
TMP 012G	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE (g-IRRADIATED)</b> for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP		50 Plts
TMP 012GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP		50 Plts
TMP 065GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.5% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc		50 Plts

# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (90 mm Plates)

CODE	PRODUCT NAME		PACK SIZE
TMP 064GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.5% GLYCEROL &amp; 1% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc		50 Plts
TMP 042GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE &amp; 1% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 067GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.5% POLYSORBATE 80 &amp; 0.1% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining of sanitization of containers, equipment's, surfaces, water miscible cosmetics etc	 	50 Plts
TMP 043GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms		50 Plts
TMP 044GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.05% TWEEN 80 (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms		50 Plts
TMP 026GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms		50 Plts
TMP 045GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.		50 Plts
TMP 027GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% LECITHIN &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	 	50 Plts
TMP 028GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 2% GLYCEROL (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms		50 Plts
TMP 030GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN &amp; 2% Polysorbate 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	 	50 Plts
TMP 049GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of b-lactam antibiotics		50 Plts
TMP 050GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE II (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation		50 Plts
TMP 051GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE MIXTURE (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems		50 Plts
TMP 052GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE MIXTURE (25 IU/PLATE) (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems		50 Plts
TMP 053GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ b-LACTAMASE MIXTURE (g-IRRADIATED) (TRIPLE PACK)</b> recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems		50 Plts
TMP 054GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ b-LACTAMASE II (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems		50 Plts
TMP 055GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ b-LACTAMASE (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of b- lactam antibiotics		50 Plts
TMP 056GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN AND 5 IU/PLATE b-LACTAMASE MIXTURE (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems		50 Plts

# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMP 029GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc	50 Plts
TMP 013	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN &amp; POLYSORBATE 80)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts
TMP 013GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN &amp; POLYSORBATE 80) (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts
TMPV 013GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (VEG.) [TYPTONE SOYA AGAR PLATE W/LECITHIN &amp; POLYSORBATE 80 (VEG.)] (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts
TMP 057GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (g-IRRADIATED) (TRIPLE PACK)</b> for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives	50 Plts
TMP 062GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.	50 Plts
TMP 070GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 4% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 Plts
TMP 022	<b>TCBS AGAR PLATE</b> for selective isolation of <i>Vibrio cholerae</i> and enteropathogenic <i>Vibrios</i>	50 Plts
TMP 083GT	<b>VOGEL JOHNSON AGAR MEDIUM (as per IP) (g-IRRADIATED) (TRIPLE PACK)</b> for selective isolation of coagulase positive, mannitol fermenting <i>S. aureus</i> from foods & clinical samples	50 Plts
TMP 023	<b>VIOLET RED BILE AGAR PLATE</b> for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products	50 Plts
TMPH 023	<b>VIOLET RED BILE GLUCOSE AGAR PLATE</b> for selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP	50 Plts
TMP 024	<b>XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	50 Plts
TMPH 024	<b>XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species with the harmonized method of USP/EP/BP/JP/IP	50 Plts
TMPH 024T	<b>XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE (TRIPLE PACK)</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>salmonella</i> species with the harmonized method	50 Plts

## Ready-to-Use Culture Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE
TSP 001GT	<b>CETRIMIDE AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for the isolation and subculture of <i>Pseudomonas aeruginosa</i> in accordance with harmonized method of USP/EP/BP/JP/IP	100 Plts
TSP 1858	<b>CHROMOGENIC COLIFORM AGAR PLATE</b> for determination of Coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	100 Plts
TSP 002	<b>DEY-ENGLY NEUTRALIZING AGAR PLATE</b> for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts

# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE
TSP 003GT	<b>DEY-ENGLEY NEUTRALIZING AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts
TSP 004G	<b>POTATO DEXTROSE AGAR (g-IRRADIATED)</b> for the subculture of Fungi in accordance with harmonized method of USP/EP/BP/JP	100 Plts
TSP 005G	<b>SABOURAUD CHLORAMPHENICOL AGAR PLATE (g-IRRADIATED)</b> for selective cultivation of Yeasts and Moulds	100 Plts
TSP 060GT	<b>SABOURAUD DEXTROSE AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of Yeast, Molds and aciduric microorganisms	100 Plts
TSP 016GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.5% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc	100 Plts
TSP 006GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE (g-IRRADIATED) (TRIPLE PACK)</b> for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP	100 Plts
TSP 007GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms in accordance with harmonized method of USP/EP/BP/JP	100 Plts
TSP 008GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/ LECITHIN &amp; POLYSORBATE 80) (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts
TSPV 008GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (Veg) [TYPTONE SOYA AGAR PLATE W/LECITHIN &amp; POLYSORBATE 80 (Veg) (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts
TSP 079GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN &amp; TWEEN 80, W/ β LACTAMASE, W/ 1% GLYCEROL (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment surfaces, water miscible cosmetics	100 Plts
TSP 009GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts
TSP 010GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN &amp; 2% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts
TSP 011GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts
TSP 063GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL &amp; 0.5% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms	100 Plts
TSP 012GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts
TSP 064GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LTHTh (g-IRRADIATED) (TRIPLE PACK)</b> for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives	100 Plts
TSP 065GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts
TSP 066GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.05% TWEEN 80 (g-IRRADIATED) (TRIPLE PACK)</b> sterility test medium for cultivation of wide variety of microorganisms	100 Plts
TSP 080GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.07% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts



# Ready-To-Use Culture Media

## Ready-to-Use Culture Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE
TSP 067GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts
TSP 068GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% LECITHIN &amp; 4% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts
TSP 069GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of microorganisms	100 Plts
TSP 070G	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE (g-IRRADIATED)</b> for cultivation of wide variety of organisms and for inactivation of b-lactam antibiotics	100 Plts
TSP 070GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of b-lactam antibiotics	100 Plts
TSP 071GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE MIXTURE (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	100 Plts
TSP 072GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ b-LACTAMASE II (g-IRRADIATED) (TRIPLE PACK)</b> for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation	100 Plts
TSP 073GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ TWEEN 80, SOYA LECITHIN &amp; b-LACTAMASE MIXTURE (g-IRRADIATED) (TRIPLE PACK)</b> recommended for determining efficiency of containers, equipment, surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	100 Plts
TSP 015GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (g-IRRADIATED) (TRIPLE PACK)</b> for determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.	100 Plts
TSP 074GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 &amp; b-LACTAMASE-II (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment, surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems	100 Plts
TSP 074AGT	<b>SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80, 1% GLYCEROL &amp; b-LACTAMASE-II (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems	100 Plts
TSP 075GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 &amp; b-LACTAMASE (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment, surfaces, water miscible cosmetics and inactivation of b-lactam antibiotics	100 Plts
TSP 075AGT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80, 1% GLYCEROL &amp; b-LACTAMASE (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment surfaces, water miscible cosmetics	100 Plts
TSP 076GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN &amp; 5 IU/PLATE b-LACTAMASE MIXTURE (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment, surfaces, water miscible cosmetics and inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	100 Plts
TSP 077GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ POLYSORBATE 80, GLYCEROL W/ 5 IU OF b-LACTAMASE II &amp; 50 IU OF b-LACTAMASE 1/100 ML (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of containers, equipment, surfaces, water miscible cosmetics and inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	100 Plts
TSP 078GT	<b>TOTAL PLATE COUNT AGAR PLATE W/ b-LACTAMASE (g-IRRADIATED) (TRIPLE PACK)</b> for determining of plate counts of microorganisms in foods, water and wastewater and inactivation of β-lactam antibiotics	100 Plts

## #Ready-to-Use Culture Media Plates (100 mm Plates)



CODE	PRODUCT NAME	PACK SIZE
TMPC 001	<b>DICHLORAN ROSE BENGAL CHLORAMPHENICOL (DRBC) AGAR PLATE</b> for selective isolation of Fungi-Yeasts and Moulds of significance in food spoilage. The composition and performance criteria are in accordance with ISO 21527-1:2008	50 Plts

# Once open, recommended to consume immediately



# Ready-To-Use Culture Media








## # Ready-to-Use Culture Media Plates (100 mm Plates)

CODE	PRODUCT NAME	PACK SIZE
TMPC 004	<b>MUELLER HINTON AGAR NO. 2</b> for determination of susceptibility of microorganisms to antimicrobial agents	 50 Plts
TMPC 002	<b>MYP AGAR PLATE</b> for isolation and identification of pathogenic <i>Staphylococci</i> and <i>Bacillus</i> species	50 Plts
TMPC 013GT	<b>SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN &amp; POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> to determine the efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc	 50 Plts
TMPC 003GT	<b>SOYA BEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN &amp; POLYSORBATE 80 (TRYPTONE SOYA AGAR PLATE W/ LECITHIN &amp; POLYSORBATE 80) (g-IRRADIATED) (TRIPLE PACK)</b> for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc	50 Plts

## # Ready-to-Use Culture Media Plates (Bi-Plates)

CODE	PRODUCT NAME	PACK SIZE
TMPB 001	<b>NUTRIENT-MACCONKEY AGAR PLATE</b> for selective isolation and differentiation of Coliform and other enteric pathogens Combination of Nutrient Agar (TMP 006) + MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl (TMP 015)	50 Plts
TMPB 002	<b>CLED-MACCONKEY AGAR PLATE</b> for isolation and differentiation of urinary pathogens on the basis of lactose fermentation Combination of CLED Agar W/ Bromothymol Blue (TMP 014) + MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl (TMP 015)	50 Plts
TMPB 003	<b>XLD-MACCONKEY AGAR PLATE</b> for selective isolation and enumeration of Salmonella species and differentiation of enteric pathogens Combination of XLD Agar (TMP 024)+ MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl (TMP 015)	50 Plts
TMPB 004	<b>CETRIMIDE-MACCONKEY AGAR PLATE</b> for selective isolation of <i>Pseudomonas</i> and differentiation of Coliform and other enteric pathogens Combination of Cetrimide Agar (TMP 002)+ MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl (TMP 015)	50 Plts
TMPB 005	<b>BLOOD-MACCONKEY AGAR PLATE</b> for isolation and cultivation of fastidious organisms and differentiation of Coliforms and other enteric pathogens Combination of Blood Agar (TMP 017) + MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl (TMP 015)	50 Plts
TMPB 006	<b>MACCONKEY-MANNITOL SALT AGAR PLATE</b> for cultivation and differentiation of enteric bacteria, restricting the swarming of <i>Proteus</i> species along with potentially pathogenic Gram positive organisms especially pathogenic <i>Staphylococci</i> Combination of MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl (TMP 015) + Mannitol Salt Agar (TMP 021)	50 Plts
TMPB 007	<b>BLOOD-CHOCOLATE AGAR PLATE</b> for isolation of <i>Neisseria</i> and other fastidious microorganisms Combination of Sheep Blood Agar (TMP 017) + Chocolate Agar (TMP 020)	50 Plts
TMPB 008	<b>BLOOD-MANNITOL SALT AGAR PLATE</b> for isolation of <i>Neisseria</i> and other fastidious microorganisms along with potentially pathogenic Gram positive organisms especially pathogenic <i>Staphylococci</i> Combination of Sheep Blood Agar (TMP 017) + Mannitol Salt Agar (TMP 021)	50 Plts
TMPB 009	<b>CHOCOLATE-MACCONKEY AGAR PLATE</b> for the isolation and cultivation of fastidious organisms and differentiation of Coliforms and other enteric pathogens Combination of Chocolate Agar (TMP 020) + MacConkey Agar W/O CV, NaCl W/ 0.5% Sodium Taurocholate (TMP 016)	50 Plts

## # Ready-to-Use Culture Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE
TRM 360	<b>BLOOD AGAR BASE (INFUSION AGAR) W/O BLOOD</b> for selective isolation of fastidious pathogenic microorganisms after addition of blood	 100 ml*25
TRM 361	<b>BRAIN HEART INFUSION AGAR</b> for cultivation of fastidious microorganisms like Bacteria, Yeasts and Molds	 100 ml*25
TRM 405	<b>C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)</b> for isolation and differentiation of urinary pathogen by lactose fermentation	 100 ml*25
TRM 054	<b>C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR)</b> for isolation and differentiation of microorganisms based on lactose fermentation	 100 ml*25
TRM 1199	<b>CHROMOGENIC UTI AGAR *</b> for presumptive identification of microorganisms mainly causing urinary tract infections	 100 ml*25
TRM 1858	<b>CHROMOGENIC COLIFORM AGAR *</b> for determination of Coliform bacteria particularly <i>Enterobacteriaceae</i> on the basis of their ability to ferment lactose	 100 ml*25
TRM 349	<b>MACCONKEY AGAR W/O CV, W/ 0.15% BILE SALTS</b> for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric pathogens	 100 ml*25

# Once open, recommended to consume immediately

# Ready-To-Use Culture Media

## #Ready-to-Use Culture Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE
TRMH 110	<b>MACCONKEY AGAR W/ 0.15% BILE SALTS, CV AND NAACL (USP/EP/BP/JP/IP)</b> for the selection and subculture of <i>E.coli</i> in accordance with harmonized method	100 ml*25
TRM 378	<b>MacCONKEY AGAR W/ SODIUM TAUROCHOLATE W/O CV &amp; NaCl</b> for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram-negative bacilli from clinical, food, water samples	100 ml*25
TRM 339	<b>MUELLER HINTON AGAR</b> for cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms	100 ml*25
TRM 206	<b>MANNITOL SALT AGAR</b> for selective isolation of pathogenic <i>Staphylococci</i> from clinical and non-clinical samples	100 ml*25
TRMH 114	<b>MANNITOL SALT AGAR (USP/EP/BP/JP/IP)</b> for selective isolation of pathogenic <i>Staphylococci</i> from pharmaceutical products in accordance with microbial limit test	100 ml*25
TRM 341	<b>NUTRIENT AGAR</b> general purpose medium for cultivation of less fastidious microorganisms	100 ml*25
TRM 544	<b>PLATE COUNT AGAR (STANDARD PLATE AGAR)</b> for determination of plate count of microorganisms in food, waste water and clinical samples	100 ml*25
TRM 344	<b>POTATO DEXTROSE AGAR</b> for isolation and enumeration of yeast and molds from clinical, dairy and other food products	100 ml*25
TRMH 344	<b>POTATO DEXTROSE AGAR (USP/EP/BP/JP/IP)</b> for isolation and enumeration of Yeast and Molds from clinical, dairy and other food products	100 ml*25
TRM 269	<b>R2A AGAR</b> for heterotrophic plate count of treated potable water using longer incubation time	100 ml*25
TRM 622	<b>SABOURAUD CHLORAMPHENICOL AGAR</b> for selective isolation and cultivation of Yeast and Molds	100 ml*25
TRM 387	<b>SABOURAUD DEXTROSE AGAR</b> for cultivation of Yeast, Molds and aciduric bacteria from clinical and non-clinical samples	100 ml*25
TRMH 387	<b>SABOURAUD DEXTROSE AGAR (USP/EP/JP/BP/IP)</b> for cultivation of Yeast, Molds and aciduric bacteria from pharmaceutical products in accordance with microbial limit testing	100 ml*25 500 ml*8
TRM 002	<b>SABOURAUD DEXTROSE AGAR W/ 0.5% SOYA LECITHIN &amp; 4% TWEEN 80</b> used for cultivation of Yeasts, Molds and aciduric bacteria	100 ml*25
TRMH 345	<b>SOYA CASEIN DIGEST AGAR (USP/EP/JP/BP/IP)</b> for cultivation of variety of microorganisms from pharmaceutical products accordance with harmonized method	100 ml*25 500 ml*8
TRM 001	<b>SOYA CASEIN DIGEST AGAR W/ 0.5% SOYA LECITHIN &amp; 4% TWEEN 80</b> for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc	100 ml*25
TRM 1927	<b>VIOLET RED GLUCOSE AGAR</b> for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	100 ml*25
TRMH 117	<b>VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP)</b> for detection and enumeration of <i>Enterobacteriaceae</i> especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	100 ml*25
TRM 492	<b>XLD AGAR</b> for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	100 ml*25

## #Ready-to-Use Broth Media (Glass Bottle)-Wash Solutions

CODE	PRODUCT NAME	PACK SIZE
TMKH 006	<b>BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 (USP/EP/JP/BP/IP)</b> dilution fluid for samples in case of microbiological contamination	100 ml*25 500 ml*8
TMKH 009	<b>BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 W/ SOYA LECITHIN (USP/EP/JP/BP/IP)</b> for the preparation of test suspension	100 ml*25
TMKH 004	<b>DILUTING FLUID A (USP)</b> used as diluent for sterility testing of pharma products	100 ml*25 500 ml*8
TMKH 011	<b>DILUTING FLUID D (USP)</b> used as diluent for sterility testing of pharma products	100 ml*25

# Once open, recommended to consume immediately

# Ready-To-Use Culture Media

## #Ready-to-Use Broth Media (Glass Bottle)-Wash Solutions

CODE	PRODUCT NAME	PACK SIZE
TMKH 012	<b>DILUTING FLUID K (USP)</b> used as diluent for sterility testing of pharma products	100 ml*25
TMKH 013	<b>PEPTONE WATER 0.1%</b> used as diluent for microbial enumeration purposes	100 ml*25 500 ml*8
TMKH 013S	<b>PEPTONE WATER 0.1%</b> used as diluent for microbial enumeration purposes	100 ml*25
TMKH 027	<b>PHOSPHATE BUFFER pH 7.0</b> used as a diluent	100 ml*25
TMKH 014	<b>STERILE SALINE 0.85%</b> used as a diluent	100 ml*25 500 ml*8

## #Ready-to-Use Broth Media (Glass Bottle)-Microbial Limit Test

CODE	PRODUCT NAME	PACK SIZE
TMKH 005	<b>EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (USP/EP/JP/BP/IP)</b> for selective enrichment of <i>Enterobacteriaceae</i>	100 ml*25 500 ml*8
TMKH 008	<b>MacCONKEY BROTH (USP/EP/JP/BP/IP)</b> for the selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method	100 ml*25 500 ml*8
TMKH 015	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/JP/BP/IP)</b> for selective enrichment of <i>Salmonella</i> species from pharmaceutical and clinical samples in accordance with harmonized method	100 ml*25
TMKH 025	<b>REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)</b> for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	100 ml*25
TMKH 007	<b>SABOURAUD DEXTROSE BROTH (USP/EP/JP/BP/IP)</b> for the enrichment of <i>Candida albicans</i> in accordance with harmonized method	100 ml*25 500 ml*8
TMKH 030S	<b>T.A.T. BROTH WITH TWEEN 20 (as per USP)</b> for sterility testing of highly viscous or gelatinous substances in cosmetic and pharma	100 ml*25

## #Ready-to-Use Broth Media (Glass Bottle)-Miscellaneous Use

CODE	PRODUCT NAME	PACK SIZE
TMK 016	<b>GN BROTH, HAJNA</b> for the selective enrichment of Gram negative organisms of the enteric group from clinical & non clinical samples	100 ml*25
TMK 020	<b>GN BROTH MEDIUM 11 (as per IP 2018)</b> for enrichment of <i>Shigella</i> from pharmaceutical products	100 ml*25
TMK 017	<b>0.1% PEPTONE WATER W/0.1% TWEEN 80</b> used as a growth medium and for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 ml*25
TMK 018	<b>0.1% PEPTONE WATER W/0.5% SOYA LECITHIN AND 4% TWEEN 80</b> used as a growth medium and for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 ml*25
TMK 019	<b>0.1% PEPTONE WATER W/0.5% SOYA LECITHIN AND 4% TWEEN 20</b> used as a growth medium and for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 ml*25

## #Ready-to-Use Broth Media (Glass Bottle)-Sterility Test Media

CODE	PRODUCT NAME	PACK SIZE
TMKH 010	<b>ALTERNATIVE THIOGLYCOLLATE MEDIUM (USP)</b> for sterility testing of biological products	100 ml*25
TMKH 028PS	<b>BUFFERED NaCl-PEPTONE SOLUTION, pH 7.8 (USP/EP/JP/BP/IP)</b> dilution fluid for samples in case of microbiological contamination	200 ml*25

200 ml Bottle with Screw Cap

# Once open, recommended to consume immediately

# Blood Culture Bottles


Diagnostic tool for the detection of bacteremia and fungemia

## What is the significance of Blood Culture Bottles?

- Confirm the presence of microorganisms in the bloodstream.
- Identify the microbial etiology of the bloodstream infection.
- Help determine the source of the infection (e.g., endocarditis).
- Provide an organism for susceptibility testing and optimization of antimicrobial therapy.

## How to use Blood Culture Bottles?

- Enter the details on the label of the Ready-to-Use Blood Culture Bottle. Remove the top seal of the cap.
- Disinfect the part of the rubber stopper that is now exposed.
- Draw blood from the patient using a sterile or disposable needle and syringe.
- Immediately inject the blood sample into the culture bottle by puncturing the rubber stopper with the needle.
- Incubate at 35-37°C for 24-48 hours and further for 7 days to confirm negative results.



Production capacity  
**10,000 Bottle/Day**



# Ready-To-Use Culture Media

## # Ready-to-Use Broth Media (Glass Bottle)-Sterility Test Media

CODE	PRODUCT NAME	PACK SIZE
TMKH 001	<b>FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP)</b> for sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms	200 ml*25 500 ml*8
TMKH 001N	<b>FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP)</b> for sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms (narrow mouth bottles)	100 ml*25
TMKH 001S	<b>FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP)</b> for sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms	100 ml*25
TMKH 021	<b>FLUID THIOGLYCOLLATE MEDIUM W/ 0.5% SOYA LECITHIN &amp; 4% TWEEN 80</b> for sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms	100 ml*25
TMKH 023	<b>SCDM W/ 0.5% SOYA LECITHIN &amp; 1% TWEEN 80</b> for cultivation of wide variety of microorganisms and for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc	100 ml*25
TMKH 003N	<b>SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)</b> for the evaluation of sterility in manufacturing processes (narrow mouth bottles)	100 ml*25
TMKH 003	<b>SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)</b> for the evaluation of sterility in manufacturing processes	100 ml*25 200 ml*25 500 ml*8
TMKH 029	<b>SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP) (DOUBLE STRENGTH)</b> for the evaluation of sterility in manufacturing processes	100 ml*25
TMKH 003S	<b>SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)</b> for the evaluation of sterility in manufacturing processes	90 ml*25 100 ml*25
TMKH 022	<b>SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN &amp; 4% TWEEN 80</b> for the evaluation of sterility in manufacturing processes	100 ml*25
TMKH 026S	<b>SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN &amp; 5% POLYSORBATE 80</b> for the evaluation of sterility in manufacturing processes	100 ml*25

## Blood Culturing System (Ready-to-Use Broth Media) (Aluminium-Capped Bottle)

CODE	PRODUCT NAME	PACK SIZE
TMK 362	<b>BRAIN HEART INFUSION BROTH</b> for detection of fastidious microorganisms in blood	25 ml*50 50 ml*25
TMK 362S	<b>BHI SUPPLEMENTED W/ 0.05% SPS</b> for detection of microorganisms associated with blood culture	25 ml*50 50 ml*25
TMK 303	<b>BILE BROTH BASE</b> for cultivation of <i>Enterobacteriaceae</i> group	25 ml*50 50 ml*25
TMK 319S	<b>FLUID THIOGLYCOLLATE MEDIUM W/ 0.05% SPS</b> for cultivation of aerobes, anaerobes and microaerophiles	25 ml*50 50 ml*25
TMK 308S	<b>GLUCOSE BROTH W/ 0.05% SPS (BLOOD CULTURE BOTTLE)</b> for detection of microorganisms in blood	25 ml*50 50 ml*25
TMK 374	<b>HARTLEY DIGEST BROTH</b> for isolation of various bacteria from blood especially <i>Streptococci</i> and <i>Corynebacterium diphtheriae</i>	25 ml*50 50 ml*25
TMK 374S	<b>HARTLEY DIGEST BROTH W/ 0.05% SPS</b> for isolation of various bacteria from blood especially <i>Streptococci</i> and <i>Corynebacterium diphtheriae</i>	25 ml*50 50 ml*25
TMK 350	<b>NUTRIENT BROTH</b> for general cultivation of microorganisms	25 ml*50 50 ml*25
TMK 332	<b>TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM)</b> for detection of microorganisms in blood	25 ml*50 50 ml*25
TMK 332S	<b>TRYPTONE SOYA BROTH W/ 0.05% SPS</b> for detection of microorganisms in blood	25 ml*50 50 ml*25

# 25 ml pack size called Paediatric & 50 ml pack size called Adult | # Once open, recommended to consume immediately



# Ready-to-Use Culture Media Bags

Reducing the workflow!

**Open** → **Dispense** → **Use**

Experience the convenience and efficiency of Ready-to-Use Culture Media Bags for your microbial testing needs

## Benefits

- Versatile
- Flexible
- Time-Saving
- Easy-to-Use
- Easy Disposal
- Cost-Effective
- Safe Handling
- Space-Saving
- Energy-Efficient
- Quality Guaranteed
- Comply as per ISO testing
- Resilient Hanging Design
- Contamination-Free System
- 12 months Longer Shelf Life



**TMF 001**  
**Buffered Peptone Water (BPW)**  
For Food & Beverage Industry  
(Salmonella testing)



**TMF 002**  
**Half Fraser Broth Bag**  
Clinical Testing (Clinical specimens),  
Food Industry (Listeria testing)









**TMF 003**  
**Tryptone Soya Broth /  
Soya Casein Digest Medium**  
For Pharmaceutical Industry  
(Media fill activity)





















# Ready-To-Use Culture Media

## #Ready-to-Use Broth Media (Bags)

CODE	PRODUCT NAME		PACK SIZE
TMF 001	<b>BUFFERED PEPTONE WATER</b> for pre-enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	 	225 ml*20 5 Ltr*2
TMF 002	<b>HALF FRASER BROTH</b> for collection and shipment of clinical specimens	 	5 Ltr*2
TMF 003	<b>TRYPTONE SOYA BROTH/SOYA CASEIN DIGEST MEDIUM</b> for sterility testing and cultivation of fastidious and non-fastidious microorganisms	 	5 Ltr*2









## #Ready-to-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME		PACK SIZE
TMT 033	<b>BRAIN HEART INFUSION BROTH</b> for the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from clinical and non-clinical specimens	 	5 ml*25 5 ml*50
TMTH 001	<b>BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 (USP/EP/BP/JP/IP)</b> for the preparation of test suspension in accordance with harmonized methods		9 ml*25 9 ml*50 10 ml*25 10 ml*50
TMTH 002	<b>BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 W/0.05% POLYSORBATE 80 (USP/EP/BP/JP/IP)</b> for the preparation of test suspension		10 ml*25 10 ml*50
TMT 021	<b>DEY-ENGLEY NEUTRALISING BROTH *</b> for neutralising and testing antiseptics and disinfectants	 	10 ml*25 10 ml*50
TMT 015	<b>DILUENT TSB WITH CAP 4</b> for total aerobic microbial, count of water soluble specimens to be tested in pharmaceuticals, cosmetic etc		10 ml*25 10 ml*50
TMTH 003	<b>ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL (USP/EP/BP/JP/IP)</b> for the enrichment of bile tolerant organisms in accordance with the harmonized methods		10 ml*25 10 ml*50
TMTH 019	<b>FLUID THIOGLYCOLLATE MEDIUM (USP/EP/BP/JP/IP)</b> for sterility testing of biologicals and cultivation of aerobes and microphiles in accordance with harmonized method	 	5 ml*25 9 ml*25 9 ml*50 10 ml*25 10 ml*50
TMT 042	<b>GLUCOSE BROTH</b> for detection of microorganisms in blood	 	5 ml*50
TMTH 022	<b>GN BROTH (IP 2018)</b> for enrichment of <i>Shigella</i> from pharmaceutical products in accordance with Indian pharmacopoeia		10 ml*25 10 ml*50
TMT 023	<b>LURIA BERTANI BROTH</b> for cultivation and maintenance of recombinant strains of <i>E.coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms		10 ml*25 10 ml*50
TMTH 024	<b>MacCONKEY BROTH (USP/EP/BP/JP/IP)</b> for the selective enrichment of <i>Escherichia coli</i> in accordance with the harmonized method	 	5 ml*50 10 ml*50
TMTH 043	<b>MACCONKEY BROTH (USP/EP/BP/JP/IP) (DOUBLE STRENGTH)</b> for selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method	 	5 ml*50
TMT 040	<b>MOLECULAR TRANSPORT MEDIUM (VIRAL LYSIS TRANSPORT MEDIUM)</b> for the stabilization, transportation and inactivation of infectious viral agents Quantity: 1.5 ml medium in 10 to 15 ml self stand tube		1.5 ml*50

# Once open, recommended to consume immediately

# Ready-To-Use Culture Media

# Ready-to-Use Liquid Medium (Tubes)












CODE	PRODUCT NAME	PACK SIZE
TMT 004	<b>MR-VP MEDIUM</b> to perform Methyl Red & Voges-Proskauer tests for enteric gram negative <i>bacilli</i>	10 ml*25 10 ml*50
TMT 005	<b>PEPTONE WATER</b> general purpose growth medium and used as the base of carbohydrate fermentation media	  5 ml*50 10 ml*25 10 ml*50
TMTH 006	<b>PHOSPHATE BUFFER pH 7.0 (USP)</b> used as a diluent	 9 ml*25 9 ml*50
TMT 007	<b>PHOSPHATE BUFFER pH 7.2 (FDA BAM)</b> used as a diluent	9 ml*25 9 ml*50
TMT 025	<b>R2A BROTH</b> for cultivation and maintenance of heterotropic bacteria from potable water	 10 ml*25 10 ml*50
TMT 008	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH</b> for selective enrichment of <i>Salmonella</i> species from clinical samples	 10 ml*25 10 ml*50
TMTH 009	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (IP)</b> for selective enrichment of <i>Salmonella</i> species as per Indian pharmacopoeia	 10 ml*25 10 ml*50
TMTH 010	<b>RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/BP/JP/IP)</b> for selective enrichment of <i>Salmonella</i> species with harmonized pharmacopoeia	 10 ml*25 10 ml*50
TMT 026	<b>REHYDRATION FLUID</b> recommended as diluting fluid for performing growth promotion test use with longer stability	 9 ml*25 9 ml*50
TMTH 027	<b>SABOURAUD DEXTROSE BROTH (USP/EP/BP/JP/IP)</b> for the enrichment of <i>Clostridia</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methods	  10 ml*25 10 ml*50
TMTH 011	<b>SOYA BEAN CASEIN DIGEST MEDIUM (USP/EP/BP/JP/IP)</b> sterility test media prepared in accordance with harmonized method	 9 ml*25 9 ml*50 10 ml*25 10 ml*50
TMTH 013	<b>SOYA BEAN CASEIN DIGEST MEDIUM W/ LTHTh</b> for determining the efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics	 10 ml*25 10 ml*50
TMT 028	<b>STERILE SALINE 0.85%</b> used as a diluent	   10 ml*50
TMT 014	<b>STERILE SALINE 0.9%</b> used as a diluent	   9 ml*50 10 ml*25 10 ml*50
TMT 029	<b>STERILE SALINE 0.9% w/ 0.05% Tween 80</b> used as a diluent	 9 ml*50 10 ml*25
TMT 031	<b>STERILE SALINE 0.9% w/ 0.05% Soya Lecithin &amp; 0.5% Polysorbate 80</b> used as a diluent	 10 ml*25
TMT 016	<b>TETRATHIONATE BROTH</b> for selective isolation of <i>Salmonella</i> from food and other pathological materials	  10 ml*25 10 ml*50
TMT 032	<b>TRYPTONE BROTH W/ 10% NaCl</b> recommended for enumeration of <i>Staphylococcus aureus</i>	10 ml*25
TMT 017	<b>TRYPTOPHAN MEDIUM</b> for detection of indole production	  10 ml*25 10 ml*50
TMT 030	<b>TWEEN 80</b> recommended as a surfactant and emulsifier	 10 ml*25
TMT 012	<b>UNIVERSAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3 ml*50

 200 ml Bottle with Screw Cap

# Once open, recommended to consume immediately

# Ready-To-Use Culture Media

## #Ready-to-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE
TMT 034	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3 ml*50
TMT 044	<b>UREA BROTH</b> for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species in accordance with IP	  10 ml*50
TMT 018	<b>UREA INDOLE MEDIUM *</b> for differentiation of microorganism especially <i>Enterobacteriaceae</i> on the basis of their ability to hydrolyze urea and indole production	  10 ml*25 10 ml*50
TMT 020	<b>VIRAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3 ml*50
TMT 035	<b>VIRAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	 3 ml*50
TMT 036	<b>UNIVERSAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3 ml*50
TMT 037	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3 ml*50
TMT 038	<b>VIRAL TRANSPORT MEDIUM</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3 ml*50
TMT 039	<b>VIRAL TRANSPORT MEDIUM W/ GLASS BEADS</b> for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	 1.3 ml*50

## #Ready-to-Use Liquid Medium (Tubes)

This Ready-to-Use Liquid Media Tube is pre-measured, presterilized media ideal to be used with Filtration Funnel and Membrane Filtration Funnel for detection and enumeration of microorganisms in water as well as product in pharmaceutical, food and beverages processing industries

CODE	PRODUCT NAME	PACK SIZE
TMA 001	<b>MF-ENDO BROTH</b> for total Coliforms	 20 Tubes 50 Tubes
TMA 002	<b>M-FC BROTH</b> for fecal organism	 20 Tubes 50 Tubes
TMA 003	<b>M-FC WITH ROSOLIC ACID BROTH</b> for fecal organism	 20 Tubes 50 Tubes
TMA 004	<b>M-TGE BROTH</b> for total bacteria	 20 Tubes 50 Tubes
TMA 005	<b>M-TGE WITH TTC INDICATOR BROTH</b> for total bacteria	 20 Tubes 50 Tubes
TMA 006	<b>TRYPTICASE SOYA BROTH-USP</b> for total bacteria	 20 Tubes 50 Tubes
TMA 007	<b>KF-STREPTOCOCCAL BROTH</b> for total bacteria	 20 Tubes 50 Tubes
TMA 008	<b>PSEUDOMONAS BROTH</b> for <i>Pseudomonas</i> sp	 20 Tubes 50 Tubes
TMA 009	<b>M-GREEN YM BROTH</b> for Yeast and Molds	 20 Tubes 50 Tubes
TMA 010	<b>ORANGE SERUM BROTH</b> for <i>Lactobacillus</i> , acid resistant bacteria	 20 Tubes 50 Tubes

Each tube contain 2-2.5 ml of media









# Ready-To-Use Culture Media

## #Ready-to-Use Liquid Medium (Tubes)












This Ready-to-Use Liquid Media Tube is pre-measured, presterilized media ideal to be used with Filtration Funnel and Membrane Filtration Funnel for detection and enumeration of microorganisms in water as well as product in pharmaceutical, food and beverages processing industries

CODE	PRODUCT NAME	PACK SIZE
TMA 011	HPC MEDIA WITH TTC INDICATOR for total bacteria	 20 Tubes 50 Tubes
TMA 012	R2A BROTH for total bacteria	 20 Tubes 50 Tubes



## Ready-to-Use Slants (For Tuberculosis Tests)

CODE	PRODUCT NAME	PACK SIZE
TMS 12	BILE ESCULIN AGAR SLANTS (10 Slants) * for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	  1 Kit
TMS 01	L.J. MEDIUM SLANT (10 Slants) * for cultivation of <i>Mycobacterium tuberculosis</i>	 1 Kit
TMS 01L	L.J. MEDIUM SLANT (10 Long Slants) for cultivation of <i>Mycobacterium tuberculosis</i>	 1 Kit
TMS 07	TUBERCULOSIS FIRST LINE KIT (7 Slants) * with five antitubular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) +2 controls	 1 Kit
TMS 08	TUBERCULOSIS SECOND LINE KIT (10 Slants) * with seven antitubular drugs (Kanamycin, Amikacin, Ethionamide, D-Cycloserine, Clarithromycin, Ciprofloxacin, p-Amino salicylic acid) + 3 controls	 1 Kit
TMS 02	KLIGLER IRON AGAR SLANT (10 Slants) * for differential identification of Gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H <sub>2</sub> S Production	  1 Kit

## Ready-to-Use Slants/Butts (Glass Tube)

CODE	PRODUCT NAME	PACK SIZE
TMS 03	LYSINE IRON AGAR SLANT (10 Slants) * for detection of enteric organism especially <i>Salmonella arizonae</i> , based on their ability to decarboxylate or deaminate lysine and to form hydrogen sulphide (H <sub>2</sub> S)	  1 Kit
TMS 10	MIU MEDIUM (10 Butts) * for detection of motility, urease and indole production	1 Kit
TMS 04	MOTILITY INDOLE LYSINE IRON AGAR BUTT SLANT (10 Slants) for identification of members of <i>Enterobacteriaceae</i> on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	 1 Kit
TMS 11	SOYA CASEIN DIGEST AGAR SLANT (10 Slants) * general purpose medium used for enrichment, isolation of fastidious microorganisms and also for sterility testing	  1 Kit
TMS 05	SIMMON'S CITRATE AGAR SLANT (10 Slants) * to differentiate gram-negative bacteria on the basis of citrate utilization	  1 Kit
TMS 06	TRIPLE SUGAR IRON AGAR SLANT (10 Slants) * to differentiate gram-negative enteric bacilli based on carbohydrate fermentation	  1 Kit
TMS 09	UREA AGAR SLANT (10 Slants) * to differentiate <i>Enterobacteriaceae</i> on the basis of their ability to produce urease	  1 Kit

## Ready-to-Use Kits

CODE	PRODUCT NAME	PACK SIZE
TMK 021	CHROMOGENIC ECC BROTH KIT for rapid detection and confirmation of presence/absence <i>Escherichia coli</i> and Coliforms from water sample	 1 Kit
TMK 07	H <sub>2</sub> S TEST POWDER KIT (10 TEST) (1 Kit Contains: 10 Bottles) for detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> from water	 1 Kit

# Combo Sterility Kit

## For Sterility testing

Exceptionally made to meet the strict requirements of pharmacopoeias like **USP/EP/JP/IP**, that ensure the highest standards of quality and accuracy in sterility testing.

The Kit comprises two essential sterile media:

- **Fluid Thioglycollate Medium (TMKH 001 / 001N / 001S)**

Makes it easy to test biological samples and grow different types of organisms, including anaerobes and microaerophiles.

Offer unmatched convenience and versatility, which cater to various testing methods employed in the pharmaceutical industry.



- **Soya Casein Digest Medium (TMKH 003 / 001N / 003S)**

Perfect for sterility testing and counting aerobic microbes.

### Applications



Raw Material Validation



Finished Product Quality Control



Testing Other Articles

### How to use

- **For TMCK 001:** Follow the steps for aseptic transfer of samples into the culture bottle, ensuring proper incubation conditions.
- **For TMCK 001S:** Use the provided screw cap for direct inoculations, maintaining sterility through flame heating and aseptic sample transfer.

### Variants



#### TMCK 001 (TMKH 001/001N + TMKH 003/003N)

- Designed for closed system methods
- Features an aluminium-rubber sealed glass bottle
- Ensures a controlled and sterile testing environment



#### TMCK 001S (TMKH 001S + TMKH 003S)

- Tailored for open system methods
- Comes with a screw cap for direct inoculations
- Simplifies the testing process while maintaining sterility

# Ready-To-Use Culture Media

## Ready-to-Use Kits

CODE	PRODUCT NAME	PACK SIZE
TMK 01	<b>WATER TESTING KIT (COLI-CHECK)</b> for detection of Coliforms in potable water	1 Kit 10 Kit
TMK 02	<b>PA E. COLI KIT (100 ml Capacity &amp; Dehydrated Culture Medium-3X Concentration)</b> for detection of presence and absence of Coliform bacteria in water. Kit contains Sterile Bottle	10 Kit
TMK 03	<b>RAPID COLIFORM KIT *</b> for rapid detection and confirmation of <i>Escherichia coli</i> and other Coliforms from water on the basis of enzyme substrate reaction	1 Kit
TMK 04	<b>RAPID ENTEROCOCCI TEST KIT</b> for rapid and easy identification & differentiation of <i>Enterococci</i> from water	1 Kit
TMK 05	<b>SALT TESTING KIT</b> iodine test solution	10 Kit
TMK 06	<b>H<sub>2</sub>S TEST STRIP KIT (10 TEST) (1 Kit Contains: 10 Bottles)</b> for detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> from water	1 Kit
TMK 08L	<b>FOOD PATHOGEN DETECTION KIT</b> for rapid detection of food pathogens such as <i>E. coli</i> , <i>E.coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium species</i>	5 Kit 10 Kit
TMK 08S	<b>FOOD PATHOGEN DETECTION KIT</b> for rapid detection of food pathogens such as <i>E. coli</i> , <i>E.coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium species</i>	5 Kit 10 Kit
TMK 08M	<b>FOOD PATHOGEN DETECTION KIT</b> for rapid detection of food pathogens such as <i>E. coli</i> , <i>E.coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium species</i>	5 Kit 10 Kit
TMK 09	<b>H<sub>2</sub>S TEST MEDIUM</b> for the detection of <i>Salmonella</i> species and <i>Citrobacter</i> species from water samples	1 Kit
TMK 10	<b>SULPHATE REDUCING BACTERIA TEST KIT (1 Kit Contains: 10 Bottles)</b> for the detection of Sulphate Reducing Bacteria for testing 20 ml water sample	1 Kit
TMK 11	<b>SULPHATE REDUCING BACTERIA TEST KIT (1 Kit Contains: 10 Bottles)</b> for the detection of Sulphate Reducing Bacteria for testing 100 ml water sample	1 Kit
TMK 12	<b>WATER TEST KIT</b> for rapid and simultaneous detection of <i>Salmonella</i> species, <i>E. coli</i> , <i>Citrobacter</i> species and <i>Vibrio species</i>	1 Kit
TMK 14	<b>WATER TEST KIT (1 Kit Contains: 10 Bottles)</b> for primary detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> based on H <sub>2</sub> S production in plastic bottles	1 Kit
TMK 15	<b>SELECTIVE E. COLI TEST KIT</b> for the rapid detection and confirmation of <i>E. coli</i> based on enzyme-substrate reaction from water samples	1 Kit

### #Combo Sterility Kits

CODE	PRODUCT NAME	PACK SIZE
TMCK 001	<b>COMBO STERILITY KIT (USP/EP/JP/IP)</b> each kit consists of 2 glass bottles (100 ml) of Fluid Thioglycollate Medium (TMKH 001/001N) and Soya Casein Digest Medium (TMKH 003/003N). Recommended for all purpose	5 Kit 20 Kit
TMCK 001S	<b>COMBO STERILITY KIT (USP/EP/JP/IP)</b> each kit consists of 2 glass bottles (100 ml) of Fluid Thioglycollate Medium (TMKH 001S) and Soya Casein Digest Medium (TMKH 003s). Recommended for all purpose	5 Kit 20 Kit



# Ready-to-Use Transport Swabs with Medium

Rest easy, samples are protected



## ■ Capture & Preserve:

Allows the capture and preservation of microbial specimens with the utmost efficiency and reliability. Each swab is carefully designed to maximize sample collection and retention, ensuring accurate and robust downstream analysis.

## ■ Instant Activation:

Forget about the hassle of rehydration or additional steps. Ready-to-Use Transport Medium is instantly activated upon contact with the sample, providing immediate preservation and stabilization of the specimen. Save time and simplify your workflow!

## ■ Optimal Viability:

Formulated with proprietary ingredients that enhance the survival of a wide range of microorganisms during transportation, it guarantees reliable results.

## ■ Versatile:

Designed to accommodate diverse microbiological specimens, including bacteria, viruses, or fungi. It's the perfect solution for clinical, veterinary, environmental, and industrial applications.

## ■ Secure & Leak-proof:

Our innovative packaging ensures a secure and leak-proof transportation experience. The tubes are equipped with a tight-sealing cap, preventing leakage and cross-contamination.

## ■ Long Shelf-life:

With an extended shelf life, the medium remains stable, maintaining its integrity and reliability for longer periods.

## ■ Convenient:

Each tube is individually packaged, ensuring sterility and easy-to-use handling. The sealed packaging eliminates the risk of contamination and provides a sterile environment for the specimens.








# Ready-To-Use Culture Media

## Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME	PACK SIZE
THTS 001	<b>STERILE SWABS W/0.85% SALINE</b> for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 Nos
THTS 001A	<b>STERILE SWABS W/0.90% SALINE (COTTON SWAB)</b> for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 Nos
THTS 011	<b>STERILE SWABS W/0.90% SALINE (NYLON SWAB)</b> for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 Nos
THTS 014GT	<b>STERILE NYLON SWAB W/ NORMAL SALINE TUBE &amp; STERILE SCDM, SOYA LECITHIN AND POLYSORBATE 80 TUBE (γ-IRRADIATED) (TRIPLE PACK)</b> for isolating microbial specimens in presence of antiseptics and disinfectants	50 Nos
THTS 015	<b>STERILE SWABS W/0.85% SALINE (NYLON SWAB)</b> recommended for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 Nos
THTS 016	<b>TRANSPORT SWABS W/ ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM)</b> for transportation of aerobes, anaerobes and microaerophiles	10 Nos 50 Nos
THTS 415	<b>TRANSPORT SWABS W/ CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL)</b> for holding clinical specimens during collection, like, <i>Enterobacter aerogenes</i> , <i>Klebsiella pneumoniae</i> , <i>Neisseria meningitidis</i> , <i>Salmonella typhimurium</i> , <i>Vibrio cholera</i> , etc.	10 Nos
THTS 715	<b>TRANSPORT SWABS W/ DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING)</b> for transportation of microorganisms from sanitized surface	10 Nos
THTS 341	<b>TRANSPORT SWABS W/ NUTRIENT AGAR</b> for enumeration of <i>Enterobacteriaceae</i>	10 Nos
THTS 420	<b>TRANSPORT SWABS W/ STUART TRANSPORT MEDIUM</b> for preservation and transport of <i>Neisseria</i> species and other fastidious organisms, like, <i>Haemophilus influenzae</i> , <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> , etc	10 Nos
THTS 456	<b>TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/O CHARCOAL</b> for transportation and preservation of clinical samples like, <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> , <i>Salmonella typhi</i> , etc	10 Nos
THTS 009	<b>TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/ CHARCOAL</b> for transportation and preservation of microbiological samples	10 Nos
THTS 010	<b>TRANSPORT SWABS W/ BUFFERED PEPTONE SODIUM CHLORIDE 7.0 pH</b> use for transport of specimen	10 Nos
THTS 002	<b>TRANSPORT SWABS W/ AMIES MEDIUM (A)</b> with 1.0 ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat	50 Nos
THTS 003	<b>TRANSPORT SWABS W/ AMIES MEDIUM (B)</b> with 1.0 ml medium and two swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening	50 Nos
THTS 004	<b>TRANSPORT SWABS W/ AMIES MEDIUM (C)</b> with 1.0 ml medium and three swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening and multiple body sides	50 Nos
THTS 005	<b>TRANSPORT SWABS W/ AMIES MEDIUM (D)</b> with 1.0 ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from nasopharyngeal, paediatric and urogenital	50 Nos

# Ready-To-Use Culture Media


## Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME		PACK SIZE
THTS 006	<b>TRANSPORT SWAB W/ SOYA BEAN CASEIN DIGEST MEDIUM W/ 6.5% NaCl</b> with 2.0 ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from nose, throat, axilla, perneum, groin for MRSA Screening		50 Nos
THTS 007	<b>TRANSPORT SWAB W/ SOYA BEAN CASEIN DIGEST MEDIUM W/ 6.5% NaCl</b> with 2.0 ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from rectum		50 Nos
THTS 008	<b>TRANSPORT SWAB W/ SELENITE MEDIUM (A)</b> With 2.0 ml medium recommended for enrichment of enteric organisms from fecal specimens		50 Nos
THTS 012	<b>TRANSPORT SWAB W/ CARY BLAIR MEDIUM</b> for recovery of aerobic, anaerobic and fastidious bacteria from faecal specimen		50 Nos
TMT 041GT	<b>TRANSPORT SWABS W/ DEY-ENGLEY NEUTRALIZING BROTH (g-IRRADIATED) (TRIPLE PACK)</b> for transporting microbial specimens in presence of antiseptics and disinfectants		50 Nos

## Seeking Distributorship ?

Join the strong network of our 350+ distributors worldwide.  
Partner with us and gain access to a comprehensive product range,  
excellent customer support, and a trusted brand with a proven track record.


[www.tmmedia.in](http://www.tmmedia.in) | [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)



**350+**  
Distributors

# Surface Sampling Swabs

Collect, Preserve, Test



## Simplify the Precision Microbial Collection

### Superior Sampling Precision

The Swabs are designed to collect the most accurate and representative samples, ensuring effective environmental monitoring and regulatory compliance.

### Contamination Control

Safeguard your production environment against potential contaminants. The Swabs are manufactured under stringent quality standards to minimize the risk of cross-contamination.

### User-friendly Design

Ergonomically designed Swab handles and easy-to-use instructions make sampling a breeze, reducing the chances of errors and ensuring consistent results.

### Enhanced Detection

With these quality Swabs, you can detect even trace amounts of contaminants, allowing for swift corrective actions and preventing potential product recalls.

### Versatility

Whether you need to sample flat surfaces, intricate equipment, or hard-to-reach corners, these Swabs are engineered for adaptability.

### Global Compliance

Comply with international regulatory standards effortlessly. These Swabs are designed to meet the rigorous requirements of the pharmaceutical industry.



Ready-to-Use Environmental Sampling Device

# TM Duo-Snap Swabs

TMST 015

## Simplify Your Sampling!

TM Duo-Snap Swabs is an all-in-one system for efficient surface sampling—no pipettes, no broth prep!

## Key Features

- Ready-to-use with pre-filled gamma-irradiated broth
- Snap-Valve design for quick broth release
- Perfect for wet & dry surfaces
- Eco-friendly: 100% recyclable
- Improves efficiency & consistency



## Ideal For



Pharma



Food



Water



Dairy



Meat



Seafood



Poultry




Beverages




Pet Food

## How to Use




1. Open the tube and remove the swab




2. Swab the target area to collect the sample



3. Return the swab to the tube






4. Bend the snap valve at a 45° angle until a snapping sound is heard



5. Gently squeeze the bulb to release the medium into the tube, then incubate the swab directly & observe for turbidity after the incubation period

# Ready-To-Use Culture Media

## Surface Sampling Swabs

CODE	PRODUCT NAME	PACK SIZE
TMST 001T	<b>STERILE SWABS W/ 0.85% SALINE (TRIPLE PACK)</b> for collection and transportation of microorganisms from surface	50 Nos
TMST 001GT	<b>STERILE SWABS W/ 0.85% SALINE (g-IRRADIATED) (TRIPLE PACK)</b> for collection and transportation of microorganisms from surface	50 Nos
TMST 002T	<b>STERILE SWABS W/ 0.9% SALINE (TRIPLE PACK)</b> for collection and transportation of microorganisms from surface	50 Nos
TMST 002GT	<b>STERILE SWABS W/ 0.9% SALINE (g-IRRADIATED) (TRIPLE PACK)</b> for collection and transportation of microorganisms from surface	50 Nos
TMST 003GT	<b>STERILE SWABS W/ 0.9% SALINE &amp; SECOND TUBE CONTAINING SCDM W/ BCP (g-IRRADIATED) (TRIPLE PACK)</b> for collection and transportation of microorganisms from surface	50 Nos
TMST 004GT	<b>PREWETTED SWAB IN NORMAL SALINE AND SECOND TUBE CONTAINING SCDM W/ SOYA LECITHIN, POLYSORBATE 80 (g-IRRADIATED) (TRIPLE PACK)</b> for collection and isolation of microbial specimens in presence of antiseptics and disinfectants	50 Nos
TMST 005GT	<b>STERILE SWABS W/0.9% SALINE, 0.5% POLYSORBATE 80, 0.05% SOYA LECITHIN &amp; W/STERILE 60 IU/TUBE b-LACTAMASE-II (g-IRRADIATED) (TRIPLE PACK)</b> for transportation of microbial specimens by neutralization and inactivation of first, second, third and fourth generation cephalosporins	50 Nos
TMST 006GT	<b>STERILE SWAB W/ TRYPTONE BROTH AND 10% NaCl (g-IRRADIATED) (TRIPLE PACK)</b> for the selective transportation of <i>Staphylococcus</i>	50 Nos
TMST 007GT	<b>TRANSPORT SWAB FOR ENVIRONMENTAL SAMPLING (g-IRRADIATED) (TRIPLE PACK)</b> for detection of microbial contamination on various surfaces	50 Nos
TMST 008GT	<b>TRANSPORT SWAB W/ SCDM W/ LECITHIN, POLYSORBATE 80 &amp; NORMAL SALINE TUBE (g-IRRADIATED) (TRIPLE PACK)</b> for transporting microbial specimen	50 Nos
TMST 009GT	<b>TRANSPORT SWAB W/ SOYA BEAN CASEIN DIGEST MEDIUM (g-IRRADIATED) (TRIPLE PACK)</b> for transportation of microorganisms from surface	50 Nos
TMST 010GT	<b>TRANSPORT SWAB W/ DEY-ENGLEY NEUTRALIZING BROTH (g-IRRADIATED) (TRIPLE PACK)</b> for transportation of microorganisms from sanitized surface	50 Nos
TMST 011GT	<b>TRANSPORT SWABS W/ SOYA LECITHIN (0.07%W/V) &amp; TWEEN 80 (0.5%V/V) (g-IRRADIATED) (TRIPLE PACK)</b> for transporting microbial specimen	50 Nos
TMST 012	<b>STERILE NEUTRALIZER SWABS W/ 25000 IU/LITRE b-LACTAMASE, 0.9% SALINE W/ 0.5% TWEEN 80 &amp; 0.07% SOYA LECITHIN</b> for isolating microbial specimens in presence of <i>antiseptics</i> and <i>disinfectants</i>	 50 Nos
TMST 013	<b>STERILE VISCOSE SWABS W/ STERILE 0.9% SALINE W/ 0.5% POLYSORBATE 80 &amp; 0.05% SOYA LECITHIN IN TUBES</b> for used as rinse solution for surface, equipment sampling in clean rooms and isolators	 50 Nos
TMST 014GD	<b>STERILE SWABS W/ RINSE SOLUTION (g-IRRADIATED) (DOUBLE PACK)</b> for propagation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	 50 Nos
TMST 015	<b>TM DUO-SNAP SWAB</b> prewetted swab in 0.85% Saline and SCDM	 50 Nos

## Viral Transport Kit

CODE	PRODUCT NAME	PACK SIZE
TMVT 001	<b>VIRAL TRANSPORT KIT (SINGLE NYLON FLOCKED SWAB)</b> w/3 ml Viral Transport Medium in 10-15 ml polypropylene tube and one sterile flocked nylon swab with breakpoint	50 Nos
TMVT 002	<b>VIRAL TRANSPORT KIT (WITH NASAL AND THROAT SWAB)</b> w/3 ml Viral Transport Medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos
TMVT 003	<b>VIRAL TRANSPORT KIT (DOUBLE NYLON FLOCKED SWAB)</b> w/3 ml Viral Transport Medium in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints	50 Nos
TMVT 009	<b>VIRAL TRANSPORT KIT (SINGLE VISCOSE SWAB)</b> w/3 ml Viral Transport Medium in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos
TMVT 010	<b>VIRAL TRANSPORT KIT (NYLON FLOCKED AND POLYESTER SWAB)</b> w/3 ml Viral Transport Medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and one polyester swab with breakpoint	50 Nos



# Viral, Universal & Molecular Transport Kits

## Viral Transport Kit

CODE	PRODUCT NAME	PACK SIZE
TMVT 011	<b>VIRAL TRANSPORT KIT (SINGLE POLYESTER SWAB)</b> w/3 ml Viral Transport Medium in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint	50 Nos
TMVT 006	<b>VIRAL TRANSPORT KIT (NYLON FLOCKED SWAB AND VISCOSE SWAB)</b> w/ 1.3 ml Viral Transport Medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint	50 Nos
TMVT 007	<b>VIRAL TRANSPORT KIT (DOUBLE NYLON FLOCKED SWAB)</b> w/ 1.3 ml Viral Transport Medium in 5-10 ml polystyrene tube with one sterile Nasopharyngeal and one sterile Oropharyngeal nylon flocked swab with breakpoint	50 Nos
TMVT 008	<b>VIRAL TRANSPORT KIT (SINGLE NYLON FLOCKED SWAB)</b> w/ 1.3 ml Viral Transport Medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint	50 Nos

## Universal Transport Kit

CODE	PRODUCT NAME	PACK SIZE
TMUT 001	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (SINGLE NYLON FLOCKED SWAB)</b> w/3ml Universal Transport Medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos
TMUT 002	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (NASAL AND THROAT SWAB)</b> w/3ml Universal Transport Medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos
TMUT 003	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (DOUBLE NYLON FLOCKED SWAB)</b> w/3ml Universal Transport Medium with three glass beads in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints	50 Nos
TMUT 009	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (SINGLE VISCOSE SWAB)</b> w/3ml Universal Transport Medium with three glass beads in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos
TMUT 010	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (NYLON FLOCKED AND POLYESTER SWAB)</b> w/3ml Universal Transport Medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and one polyester swab with breakpoint	50 Nos
TMUT 011	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (SINGLE POLYESTER SWAB)</b> w/3ml Universal Transport Medium with three glass beads in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint	50 Nos
TMUT 006	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (NYLON FLOCKED SWAB)</b> w/ 1.3 ml Universal Transport Medium with three glass beads in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint	50 Nos
TMUT 007	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (DOUBLE NYLON FLOCKED SWAB)</b> w/ 1.3 ml Universal Transport Medium with three glass beads in 5-10 ml polypropylene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint	50 Nos
TMUT 008	<b>UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (SINGLE NYLON FLOCKED SWAB)</b> w/ 1.3 ml Universal Transport Medium with three glass beads in 5-10 ml polypropylene tube with one sterilenylon flocked swab	50 Nos

# Viral, Universal & Molecular Transport Kits

## Molecular Transport Kit

CODE	PRODUCT NAME	PACK SIZE
MTM 001	<b>MOLECULAR TRANSPORT KIT (SINGLE NYLON FLOCKED SWAB)</b> w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint	50 Nos
MTM 002	<b>MOLECULAR TRANSPORT KIT (NASAL AND THROAT SWAB)</b> w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint	50 Nos
MTM 003	<b>MOLECULAR TRANSPORT KIT (DOUBLE NYLON FLOCKED SWAB)</b> w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polystyrene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints	50 Nos
MTM 009	<b>MOLECULAR TRANSPORT KIT (SINGLE VISCOSE SWAB)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos
MTM 010	<b>MOLECULAR TRANSPORT KIT (NYLON FLOCKED AND POLYESTER SWAB)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and one polyester swab with breakpoint	50 Nos
MTM 011	<b>MOLECULAR TRANSPORT KIT (SINGLE POLYESTER SWAB)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint	50 Nos
MTM 006	<b>MOLECULAR TRANSPORT KIT (NASAL AND THROAT SWAB)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint	50 Nos
MTM 007	<b>MOLECULAR TRANSPORT KIT (DOUBLE NYLON FLOCKED SWAB)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints	50 Nos
MTM 008	<b>MOLECULAR TRANSPORT KIT (SINGLE NYLON FLOCKED SWAB)</b> w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint	50 Nos

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain





# Antibiotic Sensitivity Discs

CE Marking Certification 

The assessment of antimicrobial susceptibility in bacterial and fungal isolates is a vital and widespread procedure for determining the most effective antimicrobial agent(s) against infectious organisms.

Antibiotic Sensitivity Discs are an indispensable tool for conducting Antimicrobial Susceptibility Testing. These discs are carefully crafted by impregnating specially selected filter paper with antimicrobial solutions that adhere to the rigorous standards set by WHO, FDA, and CLSI. The impregnation process ensures accurate and uniform application of the solution across the paper.

- Enables precise determination of susceptibility patterns
- Comprehensive range of Discs
- Available in Blister Sets, Cartridges, and Vials
- Comply with International standards, including guidelines from the CLSI



# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 001	AMIKACIN	AK	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 003	AMOXICLAV (AMOXICILLIN/ CLAVULANIC ACID)	AMC	30 mcg (20/10 mcg)	5 ct 1 B. set 1 vl 5 vl
TBD 004	AMPICILLIN	AMP	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 005	AMPICILLIN/ SULBACTAM	A/S	20 mcg (10/10 mcg)	5 ct 1 B. set 1 vl 5 vl
TBD 006	AZITHROMYCIN	AT	15 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 046	AZTREONAM	AZT	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 047	CARBENICILLIN	CB	100 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 007	CEFACTOR	CF	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 009	CEFAZOLIN	CZ	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 048	CEFDINIR	CDR	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 049	CEFEPIME	CPM	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 010	CEFIXIME	CFM	5 mcg	5 ct 1 B. set 1 vl 5 vl

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 011	CEFOPERAZONE	CS	75 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 012	CEFOTAXIME (CEPHOTAXIME)	CTX	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 075	CEFOXITIN	CXN	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 050	CEFPODOXIME	CPD	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 051	CEFPROZIL	CPR	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 014	CEFTAZIDIME	CAZ	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 052	CEFTAZIDIME/ CLAVULANIC ACID	CAC	30/10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 053	CEFTIZOXIME	CZX	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 013	CEFTRIAXONE	CTR	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 015	CEFUROXIME	CXM	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 016	CEPHALOTHIN	CEP	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 017	CHLORAMPHENICOL	C	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 018	CIPROFLOXACIN	CIP	5 mcg	5 ct 1 B. set 1 vl 5 vl



# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 019	CLARITHROMYCIN	CL	15 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 020	CLINDAMYCIN	CD	2 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 054	COLISTIN (METHANE SULPHONATE)	CLM	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 022	CO-TRIMOXAZOLE (SULPHAMETHOXAZOLE/TRIMETHOPRIM)	COT	25 mcg (23.75/1.25 mcg)	5 ct 1 B. set 1 vl 5 vl
TBD 023	DOXYCYCLINE HCl	DO	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 055	ERTAPENEM	ETP	10 mcg	1 vl 5 vl
TBD 024	ERYTHROMYCIN	E	15 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 056	FAROPENEM	FAR	5 mcg	1 vl 5 vl
TBD 057	FLUCONAZOLE (ANTIFUNGAL)	FLC	25 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 058	GATIFLOXACIN	GAT	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 059	GEMIFLOXACIN	GEM	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 025	GENTAMICIN	GEN	10 mcg	5 ct 1 B. set 1 vl 5 vl

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 060	GENTAMICIN	HLG	120 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 061	IMIPENEM	IPM	10 mcg	1 vl 5 vl
TBD 026	KANAMYCIN	K	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 062	LEVOFLOXACIN	LE	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 063	LINEZOLID	LZ	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 027	LOMEFLOXACIN	LOM	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 028	MEROPENEM	MR	10 mcg	1 vl 5 vl
TBD 064	MINOCYCLINE	MI	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 065	MOXIFLOXACIN	MO	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 029	NALIDIXIC ACID	NA	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 030	NETILLIN (NETIMICIN SULPHATE)	NET	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 031	NITROFURANTOIN	NIT	300 mcg	5 ct 1 B. set 1 vl 5 vl

# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 032	NORFLOXACIN	NX	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 033	OFLOXACIN	OF	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 066	OXACILLIN	OX	1 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 067	PEFLOXACIN	PF	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 034	PENICILLIN-G	P	10 units	5 ct 1 B. set 1 vl 5 vl
TBD 035	PIPERACILLIN	PC	100 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 068	PIPERACILLIN / TAZOBACTUM	PIT	100/10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 036	POLYMYXIN-B	PB	300 units	5 ct 1 B. set 1 vl 5 vl
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 037	RIFAMPICIN	R	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 038	SPARFLOXACIN	SPX	5 mcg	5 ct 1 B. set 1 vl 5 vl

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 070	SPECTINOMYCIN	SPT	100 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 039	STREPTOMYCIN	S	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 071	STREPTOMYCIN	HLS	300 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 072	TEICOPLANIN	TEI	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 040	TETRACYCLINE	TE	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 073	TICARCILLIN	TI	75 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 041	TICARCILLIN/ CLAVULANIC ACID	TCC	75/2.5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 042	TOBRAMYCIN	TOB	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 043	TRIMETHOPRIM	TR	5 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 044	VANCOMYCIN	VA	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 074	VORICONAZOLE (Antifungal)	VRC	1 mcg	5 ct 1 B. set 1 vl 5 vl

Concentration of Antibiotics as per Non-CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 002	AMOXICILLIN	AX	10 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 045	AMOXICILLIN	AX	30 mcg	5 ct 1 B. set 1 vl 5 vl

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE
TBD 008	CEFADROXIL (CEPHADROXIL)	CFR	30 mcg	5 ct 1 B. set 1 vl 5 vl
TBD 021	CLOXACILLIN	CX	5 mcg	5 ct 1 B. set 1 vl 5 vl



# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)											
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	Paeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 25913	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 001	<b>AMIKACIN</b> <i>Enterobacteriaceae, Paeruginosa</i> <i>Acientobacter &amp; Staphylococcus</i>	AK	30 mcg	17	15-16	14	19-26	20-26	18-26	-	-	-	-	-	-	-	-	-
TBD 003	<b>AMOXYCLAV (Amoxicillin/Clavulanic)</b> <i>Enterobacteriaceae Staphylococcus spp.</i> <i>Haemophilus influenzae &amp; haemophilus parainfluenzae</i>	AMC	30 mcg	18 20	14-17 -	13 19	18-24 -	28-36 -	-	17-22	-	-	-	15-23	-	-	-	-
TBD 004	<b>AMPICILLIN</b> <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i> <i>Enterococcus spp.</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i> <i>Streptococcus spp. beta haemolytic group</i>	AMP	10 mcg	17 29 17 22 24	14-16 - - 19-21 -	13 28 16 18 -	15-22 - - -	-	27-35	6	-	-	-	-	13-21	-	-	30-36
TBD 005	<b>AMPICILLIN/SULBACTAM</b> <i>Enterobacteriaceae,Acientobacter &amp; Haemophilus influenzae &amp; Haemophilus parainfluenzae</i>	A/S	10/10 mcg	15 20	12-14 -	11 19	19-24 -	29-37 -	-	13-19	-	-	-	-	-	-	-	-
TBD 006	<b>AZITHROMYCIN</b> <i>Staphylococcus,S.pneumoniae, Streptococcus spp.,Viridians group &amp; Streptococcus spp. Beta haemolytic group</i> <i>haemophilus influenzae &amp; Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Salmonella Typhi</i>	AZM	15 mcg	18 12 20 13	14-17 - - -	13 - - -	-	21-26	-	-	-	-	-	-	-	-	19-25	-
TBD 046	<b>AZTREONAM</b> <i>Enterobacteriaceae</i> <i>Paeruginosa</i> <i>haemophilus influenzae &amp; Haemophilus parainfluenzae</i>	AZT	30 mcg	21 22 26	18-20 16-21 -	17 15 -	28-36 -	-	23-29	31-38	-	-	-	-	-	10-16	-	-
TBD 047	<b>CARBENICILLIN</b>	CB	100 mcg	-	-	-	23-29	-	18-24	-	-	-	-	-	-	-	-	-
TBD 007	<b>CEFACLOR</b> <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i>	CF	30 mcg	18 20	15-17 17-19	14 16	23-27 -	27-31 -	-	-	-	-	-	-	-	-	24-32	-
TBD 009	<b>CEFAZOLIN</b> <i>Enterobacteriaceae</i> <i>Enterobacteriaceae (uncomplicated UTIs)</i> <i>Staphylococcus spp.</i>	CZ	30 mcg	23 15 18	20-22 15-17	19 14 14	21-27 -	-	29-35	-	-	-	-	-	-	-	-	-
TBD 048	<b>CEFDINIR</b> <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i>	CDR	5 mcg	20 20	17-19 -	16 -	24-28 -	25-32 -	-	-	-	-	-	-	24-31	-	40-49	26-31
TBD 049	<b>CEFAPIME</b> <i>Enterobacteriaceae</i> <i>Paeruginosa,</i> <i>Acientobacter</i> <i>Haemophilus influenzae &amp; haemophilus parainfluenzae</i> <i>Neisseria gonarhoeae</i> <i>Streptococcus spp. Viridians group</i> <i>Streptococcus spp. beta haemolytic group</i>	CPM	30 mcg	25 18 26 31 24 24	19-24 15-17 - - 22-23 -	18 14 - - 21 -	31-37 -	25-31	-	-	-	-	-	25-31	-	-	37-46	26-31 28-35
TBD010	<b>CEFIXIME</b> <i>Enterobacteriaceae</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i> <i>Neisseria gonarhoeae</i>	CFM	5 mcg	19 21 31	16-18 - -	15 - -	20-26 -	-	-	-	-	-	25-33	-	-	-	37-45	16-23
TBD 011	<b>CEFOPERAZONE</b> <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i>	CS	75 mcg	21	16-20	15	28-34	24-33	23-29	-	-	-	-	-	-	-	-	-
TBD 012	<b>CEFOTAXIME (CEPHOTAXIME)</b> <i>Enterobacteriaceae</i> <i>Acientobacter &amp; Staphylococcus spp.</i> <i>Haemophilus influenza &amp; Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Neisseria gonarhoeae</i> <i>Streptococcus spp. Viridians group</i> <i>Streptococcus spp.</i> <i>Beta haemolytic group</i>	CTX	30 mcg	26 23 26 34 31 28 24	23-25 15-22 - - - 26-27 -	22 14 - - - 25 -	29-35 -	-	25-31	18-22	-	-	-	31-39	-	-	38-48	31-39
TBD 050	<b>CEFPODOXIME</b> <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i> <i>Neisseria gonarhoeae</i>	CPD	10 mcg	21 21 29	18-20 - -	17 - -	23-28 -	19-25 -	-	-	-	-	25-31	-	-	9-16	-	28-34
TBD 051	<b>CEFROZIL</b> <i>Enterobacteriaceae</i> <i>Staphylococcs</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i>	CPR	30 mcg	18	15-17	14	21-27	27-33	-	-	-	-	-	20-27	-	-	25-32	-
TBD 014	<b>CEFTAZIDIME</b> <i>Enterobacteriaceae,B.cepacia</i> <i>Paeruginosa,Acientobacter &amp; Staphylococcus spp.</i> <i>Haemophilus influenza &amp; Haemophilus parainfluenzae</i> <i>Neisseria gonarhoeae</i>	CAZ	30 mcg	21 18 26 31	18-20 15-17 - -	17 14 - -	25-32 -	-	16-20	22-29	-	-	-	27-35	-	10-18	-	35-43
TBD 052	<b>CEFTAZIDIME/CLAVULANIC ACID</b>	CAC	30/10 mcg	22	19-21	19	23-29	-	-	-	-	-	-	-	-	-	-	-

# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)													
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	Paeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 25913	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560		
TBD 053	CEFTIZOXIME <i>Enterobacteriaceae</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	CXZ	30 mcg	25	22-24	21	30-36	27-35	12-17	-	-	-	-	-	-	-	28-34	-		
				26	-	-	-	-	-	-	-	29-39	-	-	-	-	-	-	-	
				38	-	-	-	-	-	-	-	-	-	-	-	-	42-51	-	-	
TBD 013	CEFTRIAXONE <i>Enterobacteriaceae</i> <i>Paeruginosa, Acientobacter</i> & <i>Staphylococcus spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Neisseria gonorrhoeae</i> <i>Streptococcus spp. Viridians group</i> <i>Streptococcus spp.</i> <i>Beta haemolytic group</i>	CTR	30 mcg	23	20-22	19	29-35	-	-	-	-	-	-	-	16-24	-	-	-		
				21	14-20	13	-	22-28	17-23	-	-	-	-	-	-	-	-	-		
				26	-	-	-	-	-	-	-	-	31-39	-	-	-	-	-	-	
				34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				35	-	-	-	-	-	-	-	-	-	-	-	-	39-51	-	-	
				27	25-26	24	-	-	-	-	-	-	-	-	-	-	-	-	30-35	-
				24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TBD 015	CEFURXIME <i>Enterobacteriaceae (Parental)</i> <i>Staphylococcus spp.</i> <i>Enterobacteriaceae (Oral)</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	CXM	30 mcg	18	15-17	14	20-26	27-35	-	-	-	-	-	-	-	-	-	-		
				23	15-22	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
				20	17-19	16	-	-	-	-	-	-	-	-	-	-	28-36	-	33-41	-
31	26-30	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
TBD 016	CEPHALOTHIN	CEP	30 mcg	-	-	-	15-21	29-37	-	-	-	-	-	-	-	-	-	26-32	-	
TBD 017	CHLORAMPHENICOL <i>Enterobacteriaceae, Staphylococcus</i> & <i>Enterococcus spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>S.pneumoniae</i> <i>Streptococcus spp. Viridians group</i> & <i>Streptococcus spp.</i> <i>Beta haemolytic group</i>	C	30 mcg	18	13-17	12	21-27	19-26	-	-	-	-	-	-	-	-	-	-		
				29	26-28	25	-	-	-	-	-	-	31-40	-	-	-	-	-		
				26	20-25	19	-	-	-	-	-	-	-	-	-	-	-	-	-	
				21	-	20	-	-	-	-	-	-	-	-	-	-	-	-	23-27	
				21	18-20	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TBD 018	CIPROFLOXACIN <i>Enterobacteriaceae other than S.typhi</i> & <i>extraintestinal Salmonella spp.,</i> <i>Acientobacter, Staphylococcus</i> & <i>Enterococcus spp.</i> <i>Paeruginosa</i> <i>For S.typhi and extraintestinal</i> <i>Salmonella spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Neisseria gonorrhoeae</i>	CIP	5 mcg	26	22-25	21	29-37	-	-	-	-	-	-	-	-	-	-	-		
				21	16-20	15	-	22-30	-	-	-	-	-	-	-	-	-	-		
				25	19-24	18	-	-	25-33	-	-	-	-	-	-	-	-	-	-	
				31	21-30	20	-	-	-	-	-	-	-	-	-	-	-	-	-	
				21	-	-	-	-	-	-	-	-	-	34-42	-	-	-	-	-	
				35	33-34	32	-	-	-	-	-	-	-	-	-	-	-	-	-	
41	28-40	27	-	-	-	-	-	-	-	-	-	-	-	48-58	-	-				
TBD 019	CLARITHROMYCIN <i>Staphylococcus spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>S.pneumoniae, Streptococcus spp.</i> <i>Viridians group, Streptococcus spp.</i> <i>Beta haemolytic group</i>	CLP	15 mcg	18	14-17	13	-	26-32	-	-	-	-	-	-	-	-	-			
				13	11-12	10	-	-	-	-	-	-	11-17	-	-	-	-			
				21	17-20	18	-	-	-	-	-	-	-	-	-	-	-	25-31		
TBD 020	CLINDAMYCIN <i>Staphylococcus spp.</i> <i>S.pneumoniae, Streptococcus spp.</i> <i>Viridians group, Streptococcus spp.</i> <i>Beta haemolytic group</i>	CD	2 mcg	21	15-20	14	-	24-30	-	-	-	-	-	-	-	-	-			
				19	16-18	15	-	-	-	-	-	-	-	-	-	-	-	19-25		
TBD 054	COLISTIN (METHANE SULPHONSTE) <i>Paeruginosa</i>	CL	10 mcg	-	-	-	11-17	-	11-17	-	-	-	-	-	-	-	-			
TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole) <i>Enterobacteriaceae, Acientobacter,</i> <i>B.cereus, S.maltophilia,</i> <i>staphylococcus, Haemophilus</i> <i>influenzae &amp; Haemophilus</i> <i>parainfluenzae</i> <i>Neisseria meningitidis</i> <i>S.pneumoniae</i>	COT	25 mcg (23.75/ 1.25mcg)	16	11-15	10	23-29	24-32	-	-	-	-	-	>=20	24-32	-	-	-		
				30	26-29	25	-	-	-	-	-	-	-	-	-	-	-	-		
				19	16-18	15	-	-	-	-	-	-	-	-	-	-	-	-	20-28	
				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TBD 023	DOXYCYCLINE HCL <i>Enterobacteriaceae</i> <i>Acientobacter</i> <i>Staphylococcus &amp; Enterococcus spp.</i> <i>S.pneumoniae</i>	DO	30 mcg	14	11-13	10	18-24	23-29	-	-	-	-	-	-	-	-	-			
				13	10-12	9	-	-	-	-	-	-	-	-	-	-	-			
				16	13-15	12	-	-	-	-	-	-	-	-	-	-	-	-		
				28	25-27	24	-	-	-	-	-	-	-	-	-	-	-	25-34		
TBD 055	ERTAPENEM <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i> <i>Neisseria gonorrhoeae</i>	ETP	10 mcg	22	19-21	18	29-36	-	13-21	-	-	-	-	27-33	-	-	28-35			
				19	16-18	15	-	24-31	-	-	-	-	-	-	-	-	-			
				19	-	-	-	-	-	-	-	-	20-28	-	-	-	-			
TBD 024	ERYTHROMYCIN <i>Staphylococcus &amp; Enterococcus spp.</i> <i>S.pneumoniae, Streptococcus spp.</i> <i>Viridians group, Streptococcus spp.</i> <i>Beta haemolytic group</i>	E	15 mcg	23	14-22	13	-	22-30	-	-	-	-	-	-	-	-	-			
				21	16-20	15	-	-	-	-	-	-	-	-	-	-	-	25-30		
TBD 056	FAROPENEM <i>Enterobacteriaceae</i>	FAR	5 mcg	-	-	-	20-26	27-34	-	-	-	-	15-22	-	-	-	27-35			
TBD 058	GATIFLOXACIN <i>Enterobacteriaceae, Paeruginosa,</i> <i>Acientobacter &amp; Enterococcus spp.</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i> <i>S.pneumoniae, Streptococcus spp.</i> <i>Viridians group, Streptococcus spp.</i> <i>Beta haemolytic group</i>	GAT	5 mcg	18	15-17	14	30-37	-	20-28	-	-	-	-	-	-	-	-			
				23	20-22	19	-	27-33	-	-	-	-	-	-	-	-	-			
				18	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
				38	34-37	33	-	-	-	-	-	-	-	33-41	-	-	45-56	-		
21	18-20	17	-	-	-	-	-	-	-	-	-	-	-	-	24-31					

# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)												
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560	
TBD 059	<b>GEMIFLOXACIN</b> Enterobacteriaceae Haemophilus influenzae & Haemophilus parainfluenzae S.pneumoniae	GEM	5 mcg	20 18 23	16-19 - 20-22	15 - 19	29-36 - -	27-33 - -	19-25 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TBD 060	<b>GENTAMICIN</b> Enterococcus spp.	HLG	120 mcg	10	7-9	6	-	-	-	-	-	-	-	16-23	-	-	-	-	-
TBD 025	<b>GENTAMICIN</b> Enterobacteriaceae, P.aeruginosa, Acinetobacter & Staphylococcus spp.	GEN	10 mcg	15	13-14	12	19-26	19-27	17-23	-	-	-	-	-	-	-	-	-	-
TBD 061	<b>IMIPENEM</b> Enterobacteriaceae P.aeruginosa Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae Acinetobacter spp.	IPM	10 mcg	23 19 16 22	20-22 16-18 - 19-21	19 15 - 18	26-32 - - -	- - - -	20-28 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
TBD 026	<b>KANAMYCIN</b> Enterobacteriaceae, Staphylococcus spp.	K	30 mcg	18	14-17	13	17-25	19-26	-	-	-	-	-	-	-	-	-	-	-
TBD 062	<b>LEVOFLOXACIN</b> Enterobacteriaceae, S.typhi, P.aeruginosa, Acinetobacter spp. S.maltophilia, Enterococcus spp., S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae	LE	5 mcg	21 22 17 19 17	17-20 15-21 14-16 16-18 -	16 14 13 15	29-37 - - 25-30 -	- - - 25-30 -	19-26 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
TBD 063	<b>LINEZOLID</b> Staphylococcus spp. Enterococcus spp. Streptococcus group A, B, C & G Corynebacterium spp. S.pneumoniae	LZ	30 mcg	21 23 21	- 21-22 -	20 20 -	- - -	25-32 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 027	<b>LOMEFLOXACIN</b> Enterobacteriaceae, P.aeruginosa & Staphylococcus spp. B.cepacia Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae	LOM	10 mcg	22 22 38	19-21 - 27-37	18 - 26	27-33 -	23-29 -	22-28 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 028	<b>MEROPENEM</b> Enterobacteriaceae P.aeruginosa Staphylococcus spp. B.cepacia Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis Acinetobacter spp.	MRP	10 mcg	23 19 16 20 20 30 18	20-22 16-18 14-15 16-19 - - 5-17	19 15 13 15 - - 14	28-35 - - -	- - 29-37 -	27-33 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 064	<b>MINOCYCLINE</b> Enterobacteriaceae, Acinetobacter B.cepacia, S.maltophilia, Staphylococcus & Enterococcus Neisseria meningitidis	MI	30 mcg	16 19 26	13-15 15-18 -	12 14 -	19-25 -	25-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 065	<b>MOXIFLOXACIN</b> Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae S.pneumoniae	MO	5 mcg	24 18 18	21-23 - 15-17	20 - 14	28-35 -	28-35 -	17-25 -	- -	- -	- -	- -	31-39	- -	- -	- -	- -	- -
TBD 029	<b>NALIDIXIC ACID</b> Enterobacteriaceae	NA	30 mcg	19	14-18	13	22-28	-	-	-	-	-	-	-	-	-	-	-	-
TBD 030	<b>NETILLIN (Netimicin Sulphate)</b> Enterobacteriaceae, P.aeruginosa Staphylococcus spp.	NET	30 mcg	15	13-14	12	22-30	22-31	17-23	-	-	-	-	-	-	-	-	-	-
TBD 031	<b>NITROFURANTOIN</b> Enterobacteriaceae, Staphylococcus & Enterococcus spp.	NIT	300 mcg	17	15-16	14	20-25	18-22	-	-	-	-	-	-	-	-	-	-	23-29
TBD 032	<b>NORFLOXACIN</b> Enterobacteriaceae, P.aeruginosa Staphylococcus & Enterococcus	NX	10 mcg	17	13-16	12	28-35	17-28	22-29	-	-	-	-	-	-	-	-	-	15-21
TBD 033	<b>OFLOXACIN</b> Enterobacteriaceae, P.aeruginosa, S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae	OF	5 mcg	16 18 16 31	13-15 15-17 - 25-30	12 14 - 24	29-33 - - -	- 24-48 -	17-21 -	- -	- -	- -	- -	- -	31-40	- -	- -	- -	16-21 -
TBD 066	<b>OXLOXACIN</b> Staphylococcus (S.pseudintermedius) S.pneumoniae	OX	1 mcg	18 20	- -	17 -	- -	18-24 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -<=12"
TBD 067	<b>PEFLOXACIN</b> Enterobacteriaceae (S.typhi)	PF	5 mcg	24	-	23	25-33	-	-	-	-	-	-	-	-	-	-	-	-
TBD 034	<b>PENICILLIN-G</b> Staphylococcus spp. Enterococcus spp. Neisseria gonorrhoeae Streptococcus spp. Beta haemolytic group	P	10 units	29 15 47 24	- - 27-46 -	28 14 26 -	- - -	26-37 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

# Antibiotic Sensitivity Disc\*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)										
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	Paeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 25913	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619
TBD 035	PIPERACILLIN <i>Enterobacteriaceae &amp; Acinetobacter spp.</i> <i>Paeruginosa</i>	PI	100 mcg	21 21	18-20 15-20	17 14	24-30 -	- -	25-33	12-18	- -	- -	- -	- -	- -	- -	- -
TBD 068	PIPERACILLIN/TOZOBACTAM <i>Enterobacteriaceae &amp; Acinetobacter spp.</i> <i>Paeruginosa</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i>	PIT	100/10 mcg	21 21 21	18-20 15-20 -	17 14 -	24-30 - -	27-36 - -	25-33	24-30	- -	- -	- -	- -	- -	- -	- -
TBD 036	POLYMYXIN-B	PB	300 units	-	-	-	13-19	-	14-18	-	-	-	-	-	-	-	-
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	-	-	-	32-38	20-26	27-33	-	-	-	-	-	-	-	-
TBD 037	RIFAMPICIN <i>Staphylococcus, Enterococcus spp., Haemophilus influenzae &amp; Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>S.pneumoniae</i>	RIF	5 mcg	- 20 25 19	- 17-19 29-24 17-18	- 16 19 16	8-10 -	- 26-34 -	- -	- -	- -	- -	- 22-30	- -	- -	- -	- 25-30
TBD 038	SPARFLOXACIN <i>Enterobacteriaceae</i> <i>Staphylococcus, S.pneumoniae</i>	SPX	5 mcg	- 19	- 16-18	- 15	30-38 -	- 27-33	21-29	- -	- -	- -	32-40	- -	- -	43-51 -	- 21-27
TBD 070	SPECTINOMYCIN <i>Neisseria gonorrhoeae</i>	SPT	100 mcg	18	15-17	14	-	-	-	-	-	-	-	-	-	23-29	-
TBD 039	SPREPTOMYCIN <i>Enterococcus spp.</i>	S	10 mcg	15	12-14	1	12-20	14-22	-	-	-	-	-	-	-	-	-
TBD 071	STREPTOMYCIN <i>Enterobacteriaceae</i>	HLS	300 mcg	15	12-14	11	-	14-22	-	-	-	-	-	-	-	-	-
TBD 072	TEICoplanin <i>Enterococcus spp.</i>	TEI	30 mcg	14	11-13	10	-	15-21	-	-	-	-	-	-	-	-	-
TBD 040	TETRACYCLINE <i>Enterobacteriaceae, Acinetobacter</i> <i>Staphylococcus, Enterococcus &amp; Neisseria meningitidis</i> <i>Haemophilus influenzae &amp; Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i> <i>S.pneumoniae, Streptococcus spp. Beta haemolytic group &amp; Viridians group</i>	TE	30 mcg	15 19 29 38 28 23	12-14 15-18 26-28 31-37 25-27 19-22	11 14 25 30 24 18	18-25 -	- 24-30 -	- -	- -	- -	- -	14-22	- -	- -	30-42 -	- 27-31
TBD 073	TICARICILLIN	TI	75 mcg	-	-	-	24-30	-	21-27	6	-	-	-	-	-	-	-
TBD 041	TICARICILLIN/CLAVULANIC ACID <i>Enterobacteriaceae &amp; Acinetobacter</i> <i>Paeruginosa</i> <i>Staphylococcus spp.</i>	TCC	75/10 mcg	20 24 23	15-19 16-23 -	14 15 22	24-30 -	- 20-28 29-37	- -	21-25	- -	- -	- -	- -	- -	- -	- -
TBD 042	TOBRAMYCIN <i>Enterobacteriaceae, Paeruginosa, Acinetobacter &amp; Staphylococcus spp.</i>	TOB	10 mcg	15	13-14	12	18-26	19-29	20-26	-	-	-	-	-	-	-	-
TBD 043	TRIMETHOPRIM <i>Enterobacteriaceae, Staphylococcus</i>	TR	5 mcg	16	11-15	10	19-26	-	-	-	-	-	-	-	-	-	-
TBD 044	VANCOMYCIN <i>Enterococcus spp.</i> <i>S.pneumoniae, Streptococcus spp.</i> <i>Beta haemolytic group &amp; Streptococcus spp. Viridians</i>	VA	30 mcg	- 17 17	- 15-16 -	- 14 -	- -	17-21	- -	- -	- -	- -	- -	- -	- -	- -	- 20-27

ZONE SIZE INTERPRETATIVE CHART FOR ANTIFUNGAL AGENT										
CODE	ANTIFUNGAL AGENT	SYMBOL	DISC CONTENT	ZONE DIAMETER, NEAREST WHOLE (mm)			QUALITY CONTROL LIMITS (mm)			
				RESISTANT mm or less	S-DD*	SUSCEPTIBLE MM OR MORE	<i>C.albicans</i> ATCC 90028	<i>C.parapsilosis</i> ATCC 22019	<i>C.tropicalis</i> ATCC 750	<i>C.krusei</i> ATCC 6258
TBD 057	FLUCONAZOLE	FLC	25 mcg	14	15-18	19	28-39	22-33	26-37	-
TBD 074	VORICONAZOLE	VRC	1 mcg	13	14-16	17	31-42	28-37	-	16-25

- Zone size interpretative criteria is per as CLSI standard.
- For *E.coli*, *S. aureus*, *P. aeruginosa*: Mueller Hinton agar (MHA). For *Haemophilus spp.*: Haemophilus Test Medium;
- For *S.pneumoniae*: Mueller Hinton Agar with 5% Sheep Blood; For *N.gonorrhoeae*: GC Agar Base with 1% defined growth supplement.

## Differentiation Discs

CODE	PRODUCT NAME	PACK SIZE
TBL 046	<b>BACITRACIN DISCS *</b> for identification of <i>Streptococcus pyogenes</i>	50 Discs/vl
TBL 021	<b>BILE ESCULIN DISCS *</b> for detection of esculin hydrolysis in the presence of bile	50 Discs/vl
TBL 022	<b>DMACA INDOLE DISCS *</b> for indole testing	50 Discs/vl
TBL 027	<b>NITRATE DISCS *</b> substrate for nitrate reduction	50 Discs/vl

CODE	PRODUCT NAME	PACK SIZE
TBL 028	<b>NITRATE REAGENT DISCS *</b> (Double Pack) for detection of nitrate reduction Part I : Discs Part II (a) : Reagent A Part II (b) : Reagent B	50 Discs/vl 2.5 ml/vl
TBL 029	<b>ONPG DISCS *</b> testing for ONPG	50 Discs/vl
TBL 030	<b>OXIDASE DISCS *</b> for detection of oxidase production by microorganisms	50 Discs/vl
TBL 056	<b>STERILE DISCS *</b>	50 Discs/vl

## Differentiation Test Strips

CODE	PRODUCT NAME	PACK SIZE
TBL 023	<b>KOVAC'S REAGENT STRIPS*</b> for indole testing	25 Strips /1 vl

CODE	PRODUCT NAME	PACK SIZE
TBL 024	<b>LEAD ACETATE PAPER STRIPS*</b> for detection of H <sub>2</sub> S production	25 Strips /1 vl

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain



# Staining and Indicator Solutions

CODE	PRODUCT NAME	PACK SIZE
TBL 041	ACID FAST DECOLOURIZER	125 ml 500 ml
TBL 090	BASIC FUCHSIN 0.1%	125 ml 500 ml
TBL 058	EOSIN, 2% W/V	125 ml 500 ml
TBL 025	GRAM'S CRYSTAL VIOLET Bacteriological Stain	125 ml 500 ml
TBL 032	GRAM'S DECOLOURIZER	125 ml 500 ml
TBL 034	GRAM'S IODINE Bacteriological Mordant	125 ml 500 ml
TBL 026	GRAM'S SAFRANINE Counter Stain for Bacteria	125 ml 500 ml
TBL 059	GENTIAN VIOLET	125 ml 500 ml
TBL 016	GIEMSA'S STAIN SOLUTION	100 ml 500 ml
TBL 008	HAEMATOXYLIN STAIN (Delafield) For nuclear staining in histology and cytology	125 ml 500 ml
TBL 042	HARRIS HAEMATOXYLIN (Papanicolaou's Solution 1) Cytological Stain	125 ml 500 ml
TBL 053	JSB STAIN SOLUTION NO. 1	125 ml
TBL 054	JSB STAIN SOLUTION NO. 2	125 ml
TBL 033	LACTOPHENOL COTTON BLUE	100 ml 500 ml
TBL 092	LEISHMAN'S STAIN (Twin Pack)	250 ml 500 ml
TBL 093	LEISHMAN STAIN SOLUTION	250 ml 500 ml

CODE	PRODUCT NAME	PACK SIZE
TBL 051	LITMUS BLUE SOLUTION	125 ml 500 ml
TBL 052	LITMUS RED SOLUTION	125 ml 500 ml
TBL 019	LOEFFLER'S METHYLENE BLUE	125 ml 500 ml
TBL 035	LUGOL'S IODINE	125 ml 500 ml
TBL 060	MALACHITE GREEN, 1% W/V	125 ml 500 ml
TBL 063	METHYLENE BLUE (AQUEOUS)	125 ml 500 ml
TBL 094	NEISSER'S METHYLENE BLUE	100 ml
TBL 089	NEUTRAL RED	125 ml
TBL 039	PAPANICOLAOU'S-EA-36	125 ml 500 ml
TBL 055	PAPANICOLAOU'S EA-50 (Papanicolaou's 3b)	125 ml 500 ml
TBL 049	PAPANICOLAOU'S EA-65	125 ml 500 ml
TBL 038	PAPANICOLAOU'S-OG-6 (Papanicolaou's 2b Orange)	125 ml 500 ml
TBL 070	PHENOLPHTHALEIN, 1% w/v	125 ml 500 ml
TBL 062	POTASSIUM PERMANGANATE SOLUTION	125 ml 500 ml
TBL 095	READYMADE LEISHMAN STAIN WITH BUFFER POUCH /TABLET	500 ml
TBL 040	STRONG CARBOL FUCHSIN (ZN)	125 ml 500 ml
TBL 013	UNIVERSAL INDICATOR SOLUTION PH 4-11	125 ml 500 ml

## Readymade Staining Kits

CODE	PRODUCT NAME	PACK SIZE
TK 005	ALBERT'S METACHROMATIC STAIN-KIT i) ALBERT'S STAIN A-125 ml ii) ALBERT'S STAIN B-125 ml	1 Kit
TK 003	CAPSULE STAIN - KIT for Bacterial Capsule Staining i) METHYLENE BLUE (AQUEOUS)-125 ml ii) NIGROSIN STAIN-100 ml	1 Kit
TK 004	GRAM'S STAIN - KIT Bacteriological Stain i) GRAM'S CRYSTAL VIOLET Bacteriological Stain ii) GRAM'S DECOLOURIZER Bacteriological Stain iii) GRAM'S IODINE Bacteriological Stain iv) GRAM'S SAFRANINE 0.5% w/v Counter Stain for Bacteria	1 Kit (Each 125 ml)  1 Kit (Each 500 ml)

CODE	PRODUCT NAME	PACK SIZE
TK 002	FIELD'S STAIN - KIT for Malarial Parasite i) FIELD'S STAIN A-125 ml ii) FIELD'S STAIN B-125 ml	1 Kit
TK 011	PAPANICOLAOU'S STAIN - KIT i) PAPANICOLAOU'S EA-50-125 ml ii) PAPANICOLAOU'S-OG-6-125 ml iii) HARRIS HAEMATOXYLIN-125 ml (Papanicolaou's Solution 1) Cytological Stain	1 Kit
TK 009	SCHAEFFER & FULTON'S SPORE STAIN-KIT i) SCHAEFFER & FULTON'S SPORE STAIN A-100 ml ii) SCHAEFFER & FULTON'S SPORE STAIN B-100 ml	1 Kit
TK 001	ZN ACID FAST STAIN - KIT for Acid Fast Bacteria i) ACID FAST DECOLOURIZER-125 ml ii) STRONG CARBOL FUCHSIN (ZN)-125 ml iii) LOEFFLER'S METHYLENE BLUE-125 ml	1 Kit (Each 125 ml)  1 Kit (Each 500 ml)



# Analytical Reagent

CODE	PRODUCT NAME	PACK SIZE
TR 002	BARIUM CHLORIDE SOLUTION, 10% W/V	500 ml
TR 105	BARRITT REAGENT A (for VP test)	100 ml
TR 106	BARRITT REAGENT B (for VP test)	100 ml
TR 120	BUTTERFIELD'S PHOSPHATE BUFFERED DILUTION WATER	500 ml
TR 044	C.S.F. DILUTING FLUID	125 ml
TS 207	DMACA REAGENT (10 ml/vl)	1 vl
TR 107	EDTA (di-Sodium) 5%	125 ml
TR 108	EOSINE YELLOW STAIN SOLUTION 2% W/V	125 ml 500 ml
TR 052	FEHLING SOLUTION A	500 ml
TR 053	FEHLING SOLUTION B	500 ml
TR 109	FIELD'S STAIN SOLUTION A	125 ml 500 ml
TR 110	FIELD'S STAIN SOLUTION B	125 ml 500 ml
TR 111	FOLIN & WU'S PHOSPHATE, MOLYBDATE SOLUTION	100 ml 500 ml

CODE	PRODUCT NAME	PACK SIZE
TR 008	KOVAC'S INDOLE REAGENT	100 ml
TR 029	MILLON'S REAGENT (For Protein)	125 ml 500 ml
TR 060	NESSLER'S REAGENT (For detection of Ammonia and Ammonium Salt)	100 ml
TR 113	NESSLER'S REAGENT (For Serum Urea Nitrogen)	100 ml
TR 020	OXIDASE REAGENT	100 ml
TR 114	POTASSIUM CHROMATE 5% W/V	125 ml
TR 115	POTASSIUM OXALATE 5% W/V	125 ml
TS 170	PYR REAGENT (10 ml/vl)	1 vl
TR 013	SODIUM CITRATE 3.8% W/V	500 ml
TR 015	SULPHANILIC ACID 0.8%	100 ml
TR 085	5-SULPHOSALICYLIC ACID 3%	125 ml
TS 208	TDA REAGENT (10 ml/vl)	1 vl
TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml

# Standard Solutions

CODE	PRODUCT NAME	PACK SIZE
TR 102	BUFFER Sol. pH 4.0	500 ml
TR 103	BUFFER Sol. pH 7.0	500 ml
TR 104	BUFFER Sol. pH 9.2	500 ml
TR 048	EDTA 0.1M (0.2N) VOLUMETRIC SOLUTION	500 ml
TR 049	EDTA 0.5M (1N) VOLUMETRIC SOLUTION	500 ml
TR 118	HYDROCHLORIC ACID 0.1N	500 ml 2.5 Ltr
TR 132	IODINE SOLUTION N/10 (0.1 N)	500 ml
TR 112	McFARLAND STANDARD KIT (Each set contains 1 tube of 0.5, 1, 2, 3, 4 Mcfarland Standard)	1 Nos

CODE	PRODUCT NAME	PACK SIZE
TR 028	$\alpha$ -NAPHTHYLAMINE SOLN.	100 ml
TR 070	SILVER NITRATE SOLUTION 0.1N	500 ml
TR 071	SILVER NITRATE SOLUTION 0.05N	500 ml
TR 117	SODIUM HYDROXIDE 1N	500 ml 2.5 Ltr
TR 116	SODIUM HYDROXIDE SOLUTION (N/10)	500 ml 2.5 Ltr
TR 074	SODIUM THIOSULPHATE 0.1N	500 ml 1 Ltr



# Culture Strains

Quality, Convenience, and Reliability  
in Every Dish

## Features

- **Accredited Strain:** ISO certified for unparalleled quality
- **Extensive Collection:** Over 90 strains to suit your specific needs
- **All-in-One Design:** Minimize contamination risks with our innovative packaging
- **Ready-to-Use Format:** Save time and money with pre-prepared discs
- **Online Available Certificate of Analysis:** Access detailed strain information instantly
- **Easy-to-Use:** Discs Liquefy easily

## Benefits

- **Guaranteed Purity:** First-generation derivatives from trusted sources
- **High Viability:** Discs contain at least  $10^6$  organisms at purchase
- **Versatility:** Suitable for both Solid and Liquid cultures
- **Long Shelf Life:** Store easily and maintain viability for extended periods
- **Convenient Packaging:** Available in packs of 10 & 25 discs per vial

## Applications

- **Culture Purposes:** Essential for various microbiology applications
- **Verification and Validation:** Validate equipment, methods, and reagents
- **QC of Identification Systems:** Verify the accuracy of identification tools
- **QC of Antimicrobial Susceptibility Testing:** Assess the effectiveness of antibiotics
- **Daily Quality Control:** Ensure consistent results
- **Quality Control of Media and Reagents:** Ensure optimal growth conditions
- **Quality Control of Antiseptics and Disinfectants:** Evaluate disinfectant efficacy
- **Controlling Staining Reactions:** Maintain consistent staining results

### For Agar Plates

Place disc on suitable growth medium

Leave disc for a few minutes to liquify, then spread plate and incubate to produce isolated colonies

### For Broth Media

Place disc in a small volume of suitable broth medium such as Brain-heart Infusion

Allow disc a few minutes to dissolve, then spread aliquot onto a plate of suitable growth medium

Obtain a stock culture

## Precautions

Warm the vial to ambient temperature before opening. Be sure to use non-selective culture media to revive the organisms. Whereas for more fastidious organisms, such as anaerobes, it is generally better to use agar rather than broth for revival.

# Culture Strains

CODE	PRODUCT NAME	PACK SIZE
TMCS 001	<i>Aspergillus brasiliensis</i> NCPF 2275	10
TMCS 086	<i>Acinetobacter baumannii</i> NCTC 12156	10
TMCS 002	<i>Bacillus cereus</i> (Recently renamed as <i>Bacillus toyonensis</i> ) NCTC 10320	10
TMCS 003	<i>Bacillus cereus</i> NCTC 7464	10 25
TMCS 004	<i>Bacillus subtilis</i> NCTC 10400	10 25
TMCS 005	<i>Bacteroides fragilis</i> NCTC 9343	10
TMCS 006	<i>Burkholderia cepacia</i> NCTC 10661	10
TMCS 007	<i>Camphylobacter jejuni</i> NCTC 11322	10
TMCS 008	<i>Camphylobacter jejuni</i> NCTC 11351	10
TMCS 009	<i>Candida albicans</i> NCPF 3255	10 25
TMCS 010	<i>Candida albicans</i> NCPF 3179	10 25
TMCS 091	<i>Candida guilliermondii</i> NCPF 3099	10
TMCS 011	<i>Candida krusei</i> NCPF 3953	10
TMCS 092	<i>Candida lusitanae</i> NCPF 3954	10
TMCS 088	<i>Candida parapsilosis</i> NCPF 3104	10
TMCS 093	<i>Candida tropicalis</i> NCPF 3111	10
TMCS 013	<i>Citrobacter freundii</i> NCTC 9750	10
TMCS 014	<i>Clostridium perfringens</i> NCTC 8237	10
TMCS 015	<i>Clostridium sporogenes</i> NCTC 532	10
TMCS 016	<i>Enterobacter aerogenes</i> NCTC 10006	10 25
TMCS 017	<i>Enterobacter cloacae</i> NCTC 13380	10
TMCS 018	<i>Enterococcus faecalis</i> NCTC 775	10 25
TMCS 019	<i>Enterococcus faecalis</i> NCTC 12697	10 25
TMCS 020	<i>Enterococcus faecalis</i> NCTC 13379	10
TMCS 085	<i>Enterococcus faecium</i> NCTC 7171	10
TMCS 021	<i>Enterococcus hirae</i> NCTC 13383	10
TMCS 022	<i>Enterobacter cloacae</i> NCTC 13406	10
TMCS 023	<i>Escherichia coli</i> (CRE) NCTC 13476	10
TMCS 024	<i>Escherichia coli</i> NCTC 12241	10 25
TMCS 025	<i>Escherichia coli</i> NCTC 11954	10 25
TMCS 026	<i>Escherichia coli</i> NCTC 10418	10 25
TMCS 027	<i>Escherichia coli</i> NCTC 12923	10 25

CODE	PRODUCT NAME	PACK SIZE
TMCS 028	<i>Escherichia coli</i> NCTC 11560	10
TMCS 029	<i>Escherichia coli</i> NCTC 9001	10
TMCS 030	<i>Escherichia coli</i> (mcr-1) NCTC 13846	10
TMCS 031	<i>Escherichia coli</i> 0157 non-toxigenic NCTC 12900	10
TMCS 032	<i>Haemophilus influenzae</i> NCTC 12699	10
TMCS 033	<i>Haemophilus influenzae</i> NCTC 11931	10
TMCS 034	<i>Haemophilus influenzae</i> NCTC 8468	10
TMCS 035	<i>Haemophilus influenzae</i> NCTC 12975	10
TMCS 036	<i>Klebsiella aerogenes</i> / <i>Raoultella planticola</i> NCTC 9528	10
TMCS 087	<i>Klebsiella aerogenes</i> NCTC 10006	10 25
TMCS 037	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13438	10
TMCS 038	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13440	10
TMCS 039	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13442	10
TMCS 040	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13443	10
TMCS 041	<i>Klebsiella pneumoniae</i> NCTC 9633	10 25
TMCS 042	<i>Klebsiella pneumoniae</i> NCTC 13368	10
TMCS 043	<i>Lactobacillus brevis</i> NCTC 13386	10
TMCS 044	<i>Legionella anisa</i> NCTC 11974	10
TMCS 045	<i>Legionella pneumophila</i> serogroup 1 NCTC 11192	10
TMCS 046	<i>Listeria innocua</i> NCTC 11288	10
TMCS 089	<i>Listeria ivanovii</i> NCTC® 11007	10
TMCS 047	<i>Listeria monocytogenes</i> NCTC 7973	10 25
TMCS 048	<i>Listeria monocytogenes</i> NCTC 13372	10
TMCS 049	<i>Listeria monocytogenes</i> NCTC 11994	10
TMCS 050	<i>Listeria monocytogenes</i> NCTC 10527	10
TMCS 090	<i>Mycobacterium smegmatis</i> NCTC® 8159	10
TMCS 051	<i>Neisseria gonorrhoea</i> NCTC 8375	25
TMCS 052	<i>Neisseria gonorrhoea</i> NCTC 12700	25
TMCS 053	<i>Proteus mirabilis</i> NCTC 13376	10
TMCS 054	<i>Proteus mirabilis</i> NCTC 10975	10

# Culture Strains

CODE	PRODUCT NAME	PACK SIZE
TMCS 055	<i>Proteus mirabilis</i> NCTC 11938	10
TMCS 056	<i>Proteus vulgaris</i> NCTC 4175	10 25
TMCS 057	<i>Pseudomonas aeruginosa</i> NCTC 12903	10 25
TMCS 058	<i>Pseudomonas aeruginosa</i> NCTC 12924	10 25
TMCS 059	<i>Pseudomonas aeruginosa</i> NCTC 13359	10
TMCS 060	<i>Pseudomonas aeruginosa</i> NCTC 10662	10
TMCS 061	<i>Rhodococcus equi</i> NCTC 1621	10
TMCS 062	<i>Saccharomyces cerevisiae</i> NCPF 3178	10
TMCS 063	<i>Saccharomyces cerevisiae</i> NCTC 10716	10
TMCS 064	<i>Salmonella enteritidis</i> NCTC 12694	10
TMCS 065	<i>Salmonella nottingham</i> NCTC 7832	10
TMCS 066	<i>Salmonella poona</i> NCTC 4840	10 25
TMCS 067	<i>Salmonella typhimurium</i> NCTC 12023	10 25
TMCS 068	<i>Serratia marcescens</i> NCTC 13382	10
TMCS 069	<i>Shigella sonnei</i> NCTC 12984	10
TMCS 070	<i>Staphylococcus aureus</i> NCTC 12981	10 25


CODE	PRODUCT NAME	PACK SIZE
TMCS 071	<i>Staphylococcus aureus</i> NCTC 12973	10 25
TMCS 072	<i>Staphylococcus aureus</i> NCTC 7447	10 25
TMCS 073	<i>Staphylococcus aureus</i> NCTC 10788	10 25
TMCS 074	<i>Staphylococcus aureus</i> (MRSA) NCTC 12493	10
TMCS 075	<i>Staphylococcus aureus</i> NCTC 6571	10
TMCS 076	<i>Staphylococcus aureus</i> (MRSA) NCTC 13373	10
TMCS 077	<i>Staphylococcus epidermidis</i> NCTC 13360	10 25
TMCS 078	<i>Streptococcus agalactiae</i> NCTC 8181	10
TMCS 079	<i>Streptococcus dysgalactiae</i> subsp. <i>Equisimilis</i> NCTC 13762	10
TMCS 080	<i>Streptococcus pneumoniae</i> NCTC 12695	10 25
TMCS 081	<i>Streptococcus pneumoniae</i> NCTC 12977	10
TMCS 082	<i>Streptococcus pyogenes</i> NCTC 12696	10 25
TMCS 083	<i>Vibrio parahaemolyticus</i> NCTC 10885	10
TMCS 084	<i>Yersinia enterocolitica</i> NCTC 12982	10 25

**350+**  
Distributors

## Seeking Distributorship ?

Join the strong network of our 350+ distributors worldwide. Partner with us and gain access to a comprehensive product range, excellent customer support, and a trusted brand with a proven track record.

🌐 [www.tmmedia.in](http://www.tmmedia.in) | ✉ [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)



# Microbiological Lab Consumables

## Anaerobic Box Systems



**TMC 011  
ANAEROBIC BOX-L**

Transparent unbreakable poly box, Size: 28.5 cm x 22 cm x 11 cm | Capacity: 7 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 2 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack

**PACK SIZE: 1 Nos**



**TMC 012  
ANAEROBIC BOX-S**

Transparent unbreakable poly box, Size: 24 cm x 17.7 cm x 8 cm | Capacity: 3.5 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 1 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack

**PACK SIZE: 1 Nos**

## Anaerobic Jar Systems



**TMC 001  
ANAEROBIC JAR SYSTEM**

(3.5 Ltr) Poly-carbonate Jar with sturdy Aluminum Lid Clamp and Sealing Ring With built-in safety features, Pressure Valve With Safety Valve & Two Way Pressure Gauge, Petri Plate Carrier, Indicator Tablets & Gas Pack

**PACK SIZE: 1 Nos**



**TMC 013  
ANAEROBIC JAR SYSTEM**

(3.5 Ltr) Poly-carbonate Jar with sturdy Aluminum Lid Clamp and Sealing Ring With built-in safety features, Petri Plate Carrier, Indicator Tablets & Gas Pack

**PACK SIZE: 1 Nos**

## Anaerobic Jar System Accessories

CODE	PRODUCT NAME	PACK SIZE
TMC 001E	<b>POLYCARBONATE JAR</b> Anaerobic system consists of plastic container	1 Nos
TMC 001A	<b>POLYCARBONATE JAR (WITH PRESSURE GAUGE)</b> Anaerobic system consists of plastic container	1 Nos
TMC 001B	<b>PETRI PLATES CARRIER</b> Stainless Steel Carrier for 10 petri plates	1 Nos
TMC 001C	<b>ANAEROBE INDICATOR TABLET</b> Indicator for detection of anaerobic condition in the jar	1*5 Nos 1*10 Nos
TMC 001D	<b>ANAEROBE GAS PACK</b> Carbon dioxide generating pack	1*5 Nos





# Microbiological Lab Consumables

## Spreader/Needle/Inoculating Loops



**TMC 002**  
**L - SHAPED SPREADERS (P.P)**  
For spreading bacterial samples on agar plates

**PACK SIZE: 5\*10 Nos**



**TMC 003**  
**STERILE NEEDLE (P. P.)**  
Straight loop, for stabbing into medium

**PACK SIZE: 5\*10 Nos**



**TMC 004**  
**STERILE DISPOSABLE LOOP (P. P.)**  
Size: Inner Diameter 0.7 mm, Outer Diameter 2.1 mm, Loop calibrated to 1  $\mu$ l

**PACK SIZE: 5\*10 Nos | 1\*50 Nos**



**TMC 005**  
**STERILE DISPOSABLE LOOP (P. P.)**  
Size: Inner Diameter 3.5 mm, Outer Diameter 6.0 mm, Loop calibrated to 10  $\mu$ l

**PACK SIZE: 5\*10 Nos | 1\*50 Nos**



**TMC 006**  
**STERILE DISPOSABLE LOOP (ABS)**  
Size: Inner Diameter 0.7 mm, Outer Diameter 2.1 mm, Loop calibrated to 1  $\mu$ l

**PACK SIZE: 5\*10 Nos**



**TMC 007**  
**STERILE DISPOSABLE LOOP (ABS)**  
Size: Inner Diameter 3.5 mm, Outer Diameter 6.0 mm, Loop calibrated to 10  $\mu$ l

**PACK SIZE: 5\*10 Nos**



**TMC 008**  
**METAL LOOP HOLDER (WITHOUT LOOP)**  
Size: Length 200 mm

**PACK SIZE: 10 Nos**




**TMC 009**  
**NICHROME LOOP**  
Size: Replacement Dia 2.5 mm loop end, length 50 mm

**PACK SIZE: 50 Nos**



**TMC 047**  
**NICHROME LOOP**  
Size: Dia 1.3 double wound , calibrated to 1.0  $\mu$ l

**PACK SIZE: 50 Nos**



**TMC 048**  
**NICHROME LOOP**  
Size: Dia 3 mm, double wound calibrated to 0.06 ml

**PACK SIZE: 50 Nos**



**TMC 049**  
**NICHROME LOOP**  
Size: Dia 4 mm, double wound calibrated to 0.01 ml

**PACK SIZE: 50 Nos**





**TMC 050**  
**ASSORTED NICHROME LOOP**  
Each packet contains 3 pieces of each Nichrome loop having diameter 4 mm (0.01 ml), 2.5 mm (0.05 ml), 1.3 mm (1  $\mu$ l) and straight wire, double wound

**PACK SIZE: 50 Nos**



# Petri Plates



## Reliable Surfaces for Reliable Results

- Crafted from Medical-grade optically clear polystyrene
- Available in standard (90 mm) and speciality (55 mm, 100 mm, 120 mm, and 150 mm) sizes
- Vented and non-vented lid options
- Pre-sterilized by gamma irradiation
- Triple-vented design for better air exchange
- Stackable design for optimized incubation space
- Available in single or compartment (Bi/Tri/Quad) formats

# Microbiological Lab Consumables

## Petri Plates (Culture Vessels & Accessories)

CODE	PRODUCT NAME	PACK SIZE
<b>55 mm Petri Plates</b>		
PP 008	<b>STERILE DISPOSABLE SCORED TOP PETRI PLATES</b> Polystyrene, Optically Clear, Flat Bottom, Clean Room   <b>Size</b> : 65 mm x 12 mm   Pack of 10 Plates	10*50 Nos
PP 007	<b>STERILE DISPOSABLE SCORED TOP PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear, Flat Bottom (g-Irradiated)   <b>Size</b> : 65 mm x 12 mm   Pack of 10 Plates	10*50 Nos
PP 010	<b>STERILE DISPOSABLE SCORED TOP PETRI PLATES</b> Polystyrene, Optically Clear, Domed Bottom, Clean Room   <b>Size</b> : 65 mm x 12 mm   Pack of 10 Plates	10*50 Nos
PP 009	<b>STERILE DISPOSABLE SCORED TOP PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear, Domed Bottom (g-Irradiated)   <b>Size</b> : 65 mm x 12 mm   Pack of 10 Plates	10*50 Nos
<b>90 mm Petri Plates</b>		
PP 004	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 005	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 90 mm Diameter x 15 mm   Pack of 10 Plates	10*60 Nos
PP 001	<b>STERILE DISPOSABLE PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear (g-Irradiated)   <b>Size</b> : 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 002	<b>STERILE DISPOSABLE PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear (g-Irradiated)   <b>Size</b> : 90 mm Diameter x 15 mm   Pack of 10 Plates	10*60 Nos
<b>90 mm Petri Plates ECO</b>		
PP 026	<b>STERILE DISPOSABLE PETRI PLATES ECO</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 027	<b>STERILE DISPOSABLE PETRI PLATES ECO</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 90 mm Diameter x 15 mm   Pack of 10 Plates	10*50 Nos
PP 028	<b>STERILE DISPOSABLE PETRI PLATES ECO (g-Irradiated)</b> Polystyrene, Optically Clear, Clean Room (g-Irradiated)   <b>Size</b> : 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 029	<b>STERILE DISPOSABLE PETRI PLATES ECO (g-Irradiated)</b> Polystyrene, Optically Clear, Clean Room (g-Irradiated)   <b>Size</b> : 90 mm Diameter x 15 mm   Pack of 10 Plates	10*50 Nos
<b>90 mm Petri Plates Non-vented</b>		
PP 032	<b>STERILE DISPOSABLE PETRI PLATES NON-VENTED</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 033	<b>STERILE DISPOSABLE PETRI PLATES NON-VENTED</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 90 mm Diameter x 15 mm   Pack of 10 Plates	10*50 Nos
PP 030	<b>STERILE DISPOSABLE PETRI PLATES NON-VENTED (g-Irradiated)</b> Polystyrene, Optically Clear, Clean Room (g-Irradiated)   <b>Size</b> : 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 031	<b>STERILE DISPOSABLE PETRI PLATES NON-VENTED (g-Irradiated)</b> Polystyrene, Optically Clear, Clean Room (g-Irradiated)   <b>Size</b> : 90 mm Diameter x 15 mm   Pack of 10 Plates	10*50 Nos
<b>100 mm Petri Plates</b>		
PP 011	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 100 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 012	<b>STERILE DISPOSABLE PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear, Clean Room (g-Irradiated)   <b>Size</b> : 100 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 013	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, Clean Room   <b>Size</b> : 100 mm Diameter x 15 mm   Pack of 10 Plates	10*50 Nos
PP 025	<b>STERILE DISPOSABLE PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear, Clean Room (g-Irradiated)   <b>Size</b> : 100 mm Diameter x 15 mm   Pack of 10 Plates	10*50 Nos

# Microbiological Lab Consumables

## Petri Plates (Culture Vessels & Accessories)

CODE	PRODUCT NAME	PACK SIZE
<b>120 mm Petri Plates</b>		
PP 014	<b>STERILE DISPOSABLE SQUARE PETRI PLATES</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test, Clean Room   <b>Size:</b> 120 mm x 120 mm   Individually Packed	1*100 Nos
<b>150 mm Petri Plates</b>		
PP 015	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test, Clean Room   <b>Size:</b> 150 mm Diameter x 20 mm   Individually Packed	1*100 Nos
PP 006	<b>STERILE DISPOSABLE PETRI PLATES</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test, Clean Room   <b>Size:</b> 150 mm Diameter x 20 mm   Set of 10 Plates	10*10 Nos
PP 018	<b>STERILE DISPOSABLE PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test, Clean Room (g-Irradiated)   <b>Size:</b> 150 mm Diameter x 20 mm   Individually Packed	1*100 Nos
PP 003	<b>STERILE DISPOSABLE PETRI PLATES (g-Irradiated)</b> Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test, Clean Room (g-Irradiated)   <b>Size:</b> 150 mm Diameter x 20 mm   Set of 10 Plates.	10*10 Nos
<b>Bi-Petri Plates</b>		
PP 016	<b>STERILE DISPOSABLE PETRI PLATES (BI-PETRI PLATES)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work <b>Size:</b> 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 017	<b>STERILE DISPOSABLE PETRI PLATES (BI-PETRI PLATES)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work <b>Size:</b> 90 mm Diameter x 15 mm   Set of 10 Plates	10*50 Nos
PP 019	<b>STERILE DISPOSABLE PETRI PLATES (BI-PETRI PLATES) (g-Irradiated)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work (g-Irradiated) <b>Size:</b> 90 mm Diameter x 15 mm   Individually Packed	1*500 Nos
PP 020	<b>STERILE DISPOSABLE PETRI PLATES (BI-PETRI PLATES) (g-Irradiated)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work (g-Irradiated) <b>Size:</b> 90 mm Diameter x 15 mm   Set of 10 Plates	10*50 Nos
<b>Tri-Petri Plates</b>		
PP 021	<b>STERILE DISPOSABLE PETRI PLATES (TRI-PETRI PLATES)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work <b>Size:</b> 90 mm Diameter x 15 mm   Set of 10 Plates	10*50 Nos
PP 022	<b>STERILE DISPOSABLE PETRI PLATES (TRI-PETRI PLATES) (g-Irradiated)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work (g-Irradiated) <b>Size:</b> 90 mm Diameter x 15 mm   Set of 10 Plates	10*50 Nos
<b>Quad-Petri Plates</b>		
PP 023	<b>STERILE DISPOSABLE PETRI PLATES (QUAD-PETRI PLATES)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work <b>Size:</b> 90 mm Diameter x 15 mm   Set of 10 Plates	10*50 Nos
PP 024	<b>STERILE DISPOSABLE PETRI PLATES (QUAD-PETRI PLATES) (g-Irradiated)</b> (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work (g-Irradiated) <b>Size:</b> 90 mm Diameter x 15 mm   Set of 10 Plates	10*50 Nos
<b>Mono-Petri Plates</b>		
PP 034	<b>STERILE DISPOSABLE PETRI PLATES (MONO PLATES)</b> Polystyrene, Optically Clear, Clean Room <b>Size :</b> 60 mm x 15 mm   Set of 10 Plates	 10*50 Nos

# Microbiological Lab Consumables

## Stainless Steel Petri Plate Carriers



**TMC 051**  
**PETRI PLATE CARRIER WITH HANDLE**  
Made out of S.S 304, **Size:** Diameter 90 mm petri plates for 12 plates  
**PACK SIZE: 1 Nos**



**TMC 052**  
**PETRI PLATE CARRIER WITH HANDLE**  
Made out of S.S 304, **Size:** Diameter 55 mm petri plates for 15 plates  
**PACK SIZE: 1 Nos**

## Durham Tubes



**TMC 053**  
**DURHAM TUBES**  
Neutral glass, autoclavable, Length: 25 mm-27 mm, Diameter: 6-7 mm,  
**PACK SIZE: 1\*100 Nos**

## Maccartney Bottle



**TMC 032**  
**MCCARTNEY BOTTLE W/ ALUMINIUM CAP**  
Neutral glass, autoclavable  
**PACK SIZE: 1\*100 Nos**



**TMC 054**  
**DISPOSABLE STERILE MEDIA BOTTLES 125 ML**  
Alternative to Glass Media Bottles, Square (PETG),  
graduated bottles, sterilized by g-Irradiation  
**PACK SIZE: 1\*50 Nos**  
**PACK SIZE: 1\*100 Nos**



**TMC 055**  
**DISPOSABLE STERILE MEDIA BOTTLES 250 ML**  
Alternative to Glass Media Bottles, Square (PETG),  
graduated bottles, sterilized by g-Irradiation  
**PACK SIZE: 1\*50 Nos**  
**PACK SIZE: 1\*100 Nos**

## Disposable Sterile Bottles



**TMC 056**  
**DISPOSABLE STERILE MEDIA BOTTLES 500 ML**  
Alternative to Glass Media Bottles, Square (PETG),  
graduated bottles, sterilized by g-Irradiation  
**PACK SIZE: 1\*50 Nos**  
**PACK SIZE: 1\*100 Nos**




# Microbiological Lab Consumables

## High Temperature Liquid Sample Bottles

CODE	PRODUCT NAME	PACK SIZE
TMC 077	STERILE HIGH TEMPERATURE LIQUID SAMPLE BOTTLES (SQUARE) 250 ml (g-Irradiated)	1*50 Nos 1*100 Nos
TMC 078	STERILE HIGH TEMPERATURE LIQUID SAMPLE BOTTLES (SQUARE) 500 ml (g-Irradiated)	1*50 Nos 1*100 Nos



## Swabs

CODE	PRODUCT NAME	PACK SIZE
TMC 036	<b>STERILE COTTON SWAB W/ TUBE</b> in screw capped polypropylene tube, cotton bud w/ polypropylene stick, <b>Size:</b> 75 mm, Packed in 12 mm diameter tube, Individually packed	1*100 Nos
TMC 033	<b>STERILE COTTON SWAB W/ TUBE</b> in polypropylene tube, cotton bud w/ polypropylene stick, <b>Size:</b> 150 mm, Packed in 12 mm diameter tube, Individually packed	1*100 Nos
TMC 037	<b>STERILE COTTON SWAB</b> with polypropylene stick, <b>Size:</b> 150 mm, Individually packed	1*100 Nos
TMC 038	<b>CLEAN SWAB</b> with polypropylene stick, recommended for surface sampling	1*50 Nos 1*100 Nos
TMC 039	<b>STERILE CLEAN SWAB W/ TUBE</b> in polypropylene tube, polyester swab w/ polypropylene stick, recommended for surface sampling, Individually packed	1*100 Nos
TMC 040	<b>CLEAN SWAB</b> with polypropylene stick, sterile (g-Irradiated), recommended for surface sampling, Individually packed	1*100 Nos
TMC 152	<b>CLEAN SWAB W/ BREAKPOINT</b> Polyester foam swab, <b>Size:</b> 125 mm, Non-sterile	 1*100 Nos
TMC 153	<b>CLEAN SWAB W/ BREAKPOINT</b> Polyester foam swab, <b>Size:</b> 125 mm, Individually packed (g-Irradiated)	 1*100 Nos
TMC 154	<b>STERILE DRY SPONGE SWAB STICK</b> <b>Size:</b> 1.5" x 3", Sponge stick	 10*5 Nos
TMC 041	<b>PURE VISCOSE SWAB</b> with polypropylene stick, <b>Size:</b> 150 x 2.5 mm	1*500 Nos
TMC 035	<b>STERILE PURE VISCOSE SWAB</b> with polypropylene stick (g-Irradiated), <b>Size:</b> 150 x 2.5 mm, Individually packed	1*500 Nos
TMC 034	<b>STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED)</b> for nasopharyngeal or urethral specimen collection and viral transport	1*50 Nos 1*100 Nos 1*500 Nos
TMC 042	<b>STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) (RNAse / DNAse free)</b> recommended for viral transport	1*50 Nos
TMC 043	<b>STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT</b> recommended for clinical sampling	1*50 Nos 1*100 Nos 1*500 Nos
TMC 044	<b>STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (RNAse / DNAse FREE)</b> recommended for viral transport	1*50 Nos
TMC 045	<b>STERILE POLYESTER TIPPED SWAB</b> recommended for tracheal specimen collection	1*50 Nos 1*500 Nos
TMC 046	<b>STERILE POLYESTER SWAB WITH BREAKPOINT (SCORED)</b> recommended for tracheal specimen collection	1*50 Nos
TMC 071	<b>STERILE NYLON SWAB W/ TUBE</b> in polypropylene tube, nylon bud w/ polypropylene stick, <b>Size:</b> 150 mm, packed in 12 mm diameter tube, Individually packed	1*100 Nos
TMC 074	<b>STERILE NYLON SWAB FOR HPV SPECIMENT COLLECTION</b> recommended for HPV specimen collection	1*50 Nos
TMC 075	<b>STERILE VISCOSE SWAB W/ TUBE</b> in polypropylene tube, cotton bud w/ polypropylene stick, <b>Size:</b> 150 mm, packed in 12 mm diameter tube	1*100 Nos





# Microbiological Lab Consumables


## TMC 069 Filtration Funnel

Membrane Filtration Funnel is a ready-to-use, pre-sterilized, individually packed disposable filtration device to prevent cross-contamination of samples. These are easy to handle and speed up microbial analysis of up to 70% of water as well as products in the Pharmaceutical, Beverage, and Food processing industries.

### Benefits

- Superior performance
- High total throughput
- Sterilized and ready-to-use
- Easy handling
- Time saving – up to 70%
- Converts into a Petri Dish
- Available with a Membrane Filter
- Gridded

### How to use



CODE	PRODUCT NAME	PACK SIZE
TMC 063	FILTRATION FUNNEL (PC) Dia:47 mm, Funnel Capacity: 300 ml	1 Unit

CODE	PRODUCT NAME	PACK SIZE
TMC 064	FILTRATION FUNNEL (PP) Dia:47 mm, Funnel Capacity: 300 ml	1 Unit

### Membrane Filtration Funnels

CODE	PRODUCT NAME	PACK SIZE
TMC 065	MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE Pore size: 0.45 µM, Dia of membrane: 47 mm, Individually packed, Funnel capacity: 100 ml, Pack size of 100 Nos	100 Nos
TMC 066	MEMBRANE FILTRATION FUNNEL W/ MCE GRIDDED MEMBRANE Pore size: 0.45 µM, Dia of membrane: 47 mm, Individually packed, Funnel capacity: 100 ml, Pack size of 100 Nos	100 Nos
TMC 067	MEMBRANE FILTRATION FUNNEL W/ CN PLAIN MEMBRANE Pore size: 0.45 µM, Dia of membrane: 47 mm, Individually packed, Funnel capacity: 100 ml, Pack size of 100 Nos	100 Nos

CODE	PRODUCT NAME	PACK SIZE
TMC 068	MEMBRANE FILTRATION FUNNEL W/ MCE PLAIN MEMBRANE Pore size: 0.45 µM, Dia of membrane: 47 mm, Individually packed, Funnel capacity: 100 ml, Pack size of 100 Nos	100 Nos
TMC 069	MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE WITH ABSORBANT PAD Pore size: 0.45 µM, Dia of membrane: 47 mm, Individually packed, Funnel capacity: 100 ml, Pack size of 100 Nos	100 Nos



### Membrane Filters

CODE	PRODUCT NAME	PACK SIZE
TMC 125	STERILE MCE GRIDDED MEMBRANE Pore size: 0.45 µm, Dia of membrane: 47 mm, Individually packed	100 Nos

CODE	PRODUCT NAME	PACK SIZE
TMC 127	STERILE MCE GRIDDED MEMBRANE Pore size: 0.22 µm, Dia of membrane: 47 mm, Individually packed	100 Nos



# Microbiological Lab Consumables

## Membrane Filters NEW

CODE	PRODUCT NAME	PACK SIZE
TMC 128	<b>STERILE CN GRIDDED MEMBRANE</b> Pore size: 0.45 µm, Dia of membrane: 47 mm, Individually packed	100 Nos
TMC 130	<b>STERILE MCE PLAIN MEMBRANE</b> Pore size: 0.45 µm, Dia of membrane: 47 mm, Individually packed	100 Nos
TMC 132	<b>STERILE CN PLAIN MEMBRANE</b> Pore size: 0.45 µm, Dia of membrane: 47 mm, Individually packed	100 Nos

CODE	PRODUCT NAME	PACK SIZE
TMC 129	<b>STERILE CN GRIDDED MEMBRANE</b> Pore size: 0.22 µm, Dia of membrane: 47 mm, Individually packed	100 Nos
TMC 131	<b>STERILE MCE PLAIN MEMBRANE</b> Pore size: 0.22 µm, Dia of membrane: 47 mm, Individually packed	100 Nos
TMC 133	<b>STERILE CN PLAIN MEMBRANE</b> Pore size: 0.22 µm, Dia of membrane: 47 mm, Individually packed	100 Nos

## Cold Pack



**TMC 060**  
**ICE COLD PACK**  
Keep colder for a long time  
Content non-toxic and safe

**PACK SIZE:** 10\*100 gm | 10\*200 gm

10\*100 gm | 485 / 10\*200 gm



**TMC 137**  
**CLEANROOM PEN**  
Black, g-Irradiated

**PACK SIZE:** 10 Nos

## Marker Pens




NEW **TMC 138**  
**CLEANROOM MARKER**  
Black, g-Irradiated

**PACK SIZE:** 10 Nos

NEW

## Manifold Systems



CODE	PRODUCT NAME	PACK SIZE
TMC 070	<b>SS. STERILITY TEST MANIFOLD SYSTEM</b> Made of Stainless steel 316 Available with 3 stations with PTFE Valve	1 Unit
TMC 126	<b>SS. STERILITY TEST MANIFOLD SYSTEM</b> Made of Stainless steel 316 Available with 6 stations with PTFE Valve	<span style="color: red;">NEW</span> 1 Unit

# Autoclave Bags

Designed for Biohazardous Waste Containment & Sterilization

## Key Features

- High-grade polypropylene or polyethylene construction
- Withstands temperatures up to 135°C
- Available with biohazard symbols
- Leakproof and tear-resistant
- Self-standing bottom gusset design
- Multiple sizes for different waste volumes
- Color-coded for easy segregation
- Compatible with standard Autoclaves



## How to use



01



02



03



04

# Microbiological Lab Consumables

## Autoclave Accessories/Disposable Autoclave Bags

CODE	PRODUCT NAME	PACK SIZE
	<b>Clear Bags</b>	
TMC 014	<b>DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 11" X (B) 7", Clear, transparent autoclavable disposable bag, Maximum weight holding capacity: 0.8 kg	250 Nos 500 Nos
TMC 015	<b>DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 10" X (B) 6", Clear, transparent autoclavable disposable bag, Maximum weight holding capacity: 0.5 kg	250 Nos 500 Nos
TMC 016	<b>DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 12" X (B) 10", Clear, transparent autoclavable disposable bag, Maximum weight holding capacity: 1 kg	250 Nos 500 Nos
TMC 017	<b>DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 20" X (B) 14", Clear, transparent autoclavable disposable bag, Maximum weight holding capacity: 2.5 kg	250 Nos 500 Nos
TMC 018	<b>DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 32" X (B) 24", Clear, transparent autoclavable disposable bag, Maximum weight holding capacity: 9.5 kg	250 Nos 500 Nos
TMC 019	<b>DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 40" X (B) 20", Clear, transparent autoclavable disposable bag, Maximum weight holding capacity: 14 kg	250 Nos 500 Nos
	<b>Red Color Bags</b>	
TMC 020	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 11" X (B) 7", Red autoclavable disposable bag, Maximum weight holding capacity: 0.8 kg	250 Nos 500 Nos
TMC 021	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 10" X (B) 6", Red autoclavable disposable bag, Maximum weight holding capacity: 0.5 kg	250 Nos 500 Nos
TMC 022	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 12" X (B) 10", Red autoclavable disposable bag, Maximum weight holding capacity: 1 kg	250 Nos 500 Nos
TMC 023	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 20" X (B) 14", Red autoclavable disposable bag, Maximum weight holding capacity: 2.5 kg	250 Nos 500 Nos
TMC 024	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 32" X (B) 24", Red autoclavable disposable bag, Maximum weight holding capacity: 9.5 kg	250 Nos 500 Nos
TMC 025	<b>RED COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 40" X (B) 20", Red autoclavable disposable bag, Maximum weight holding capacity: 14 kg	250 Nos 500 Nos
	<b>Yellow Color Bags</b>	
TMC 026	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 11" X (B) 7", Yellow autoclavable disposable bag, Maximum weight holding capacity: 0.8 kg	250 Nos 500 Nos
TMC 027	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 10" X (B) 6", Yellow autoclavable disposable bag, Maximum weight holding capacity: 0.5 kg	250 Nos 500 Nos
TMC 028	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 12" X (B) 10", Yellow autoclavable disposable bag, Maximum weight holding capacity: 1 kg	250 Nos 500 Nos
TMC 029	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 20" X (B) 14", Yellow autoclavable disposable bag, Maximum weight holding capacity: 2.5 kg	250 Nos 500 Nos
TMC 030	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 32" X (B) 24", Yellow autoclavable disposable bag, Maximum weight holding capacity: 9.5 kg	250 Nos 500 Nos
TMC 031	<b>YELLOW COLOR DISPOSABLE AUTOCLAVABLE BAGS</b> Size: (H) 40" X (B) 20", Yellow autoclavable disposable bag, Maximum weight holding capacity: 14 kg	250 Nos 500 Nos



Pack of 250 / 500 Nos in multiple packing of 50 bags



Pack of 250 / 500 Nos in multiple packing of 50 bags



Pack of 250 / 500 Nos in multiple packing of 50 bags

Recommended for disposal of pathological/clinical or contaminated material & also for sterilization of glasswares or plasticwares

# Microbiological Lab Consumables

## Micropipette Tips



### Precision at Every Drop

- Manufactured using high-quality, virgin polypropylene
- Universal compatibility (fits most Micropipettes)
- DNase, RNase, and pyrogen-free
- Crystal-clear for easy volume verification
- Available in filtered & non-filtered variants
- Sterile and non-sterile options
- Autoclavable and low-retention designs

CODE	PRODUCT NAME	PACK SIZE
<b>Tips with Filter</b>		
TMC 079	10 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 10 µl	1*96 Nos 10*96 Nos
TMC 080	10 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 20 µl	1*96 Nos 10*96 Nos
TMC 081	10 µl MICROPIPETTE LONG TIPS, WITH FILTER Max capacity 20 µl	1*96 Nos 10*96 Nos
TMC 082	20 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 20 µl	1*96 Nos 10*96 Nos
TMC 083	100 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 100 µl	1*96 Nos 10*96 Nos
TMC 084	200 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 200 µl	1*96 Nos 10*96 Nos
TMC 085	300 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 300 µl	1*96 Nos 10*96 Nos
TMC 086	1000 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 1000 µl	1*96 Nos 10*96 Nos
TMC 087	1000 µl MICROPIPETTE TIPS, WITH FILTER Max capacity 1200 µl	1*96 Nos 10*96 Nos
<b>Tips without Filter</b>		
TMC 088	10 µl MICROPIPETTE TIPS Max capacity 10 µl	1*96 Nos 10*96 Nos
TMC 089	200 µl MICROPIPETTE TIPS Max capacity 200 µl	1*96 Nos 10*96 Nos
TMC 090	1000 µl MICROPIPETTE TIPS Max capacity 1000 µl	1*96 Nos 10*96 Nos
<b>Tips in Bulk Pack</b>		
TMC 091	200 µl MICROPIPETTE TIPS Max capacity 200 µl	1*1000 Nos
TMC 092	1000 µl MICROPIPETTE TIPS Max capacity 1000 µl	1*1000 Nos

### Transfer Pipettes

CODE	PRODUCT NAME	PACK SIZE
TMC 093	TRANSFER PIPETTES 3 ML INDIVIDUALLY WRAP STERILE (Pasteur pipette/Dropper)	1*50 Nos 1*500 Nos



# TMFlex™ Bags

## Designed to streamline Lab sampling

Available in various sizes and capacities to meet a wide range of laboratory sampling needs. From compact sizes for small samples to larger sizes for bulk collection, our range ensures strength and reliability.

## TMFlex™ Bags are essential in laboratories for:

**Sample Collection:** Collect and store samples conveniently for further analysis.

**Transportation:** Safely move samples between lab areas or external facilities.

**Storage:** Securely store samples for extended periods, maintaining integrity and quality.

## Why choose TMFlex™ Bags?

**Comprehensive Range:** Various sizes and capacities accommodate your different sampling needs.

**TMFlex™ Technology:** Ensure durability, flexibility, and reliability in sample containment.

**Specialized Variants:** Write-On Bags, Stand-Up Bags, and Homogenizer Blender Filter Bags, providing tailored solutions for specific sampling requirements.

**Sizes Available:** Choose from sizes ranging from 60 ml to over 5000 ml, ensuring there's a bag for every sampling requirement.



## How to use



01



02




03



04

# Microbiological Lab Consumables

## TMFlex™ Sampling Bags/Whirl Bags

CODE	PRODUCT NAME	PACK SIZE
	<b>Homogenizer Blender Filter Sampling Bag</b>	
TMC 115	TMFlex™ HOMOGENIZER BLENDER FILTER SAMPLING BAG Size: 15 x 23 cm, 710 ml capacity	1*100 Nos
TMC 116	TMFlex™ HOMOGENIZER BLENDER FILTER SAMPLING BAG Size: 19 x 30 cm, 1627 ml capacity	1*100 Nos
	<b>Sampling Bag</b>	
TMC 094	TMFlex™ SAMPLING BAG Size: 7.5 x 12.5 cm, 60 ml capacity	1*100 Nos
TMC 095	TMFlex™ SAMPLING BAG Size: 7.5 x 18.5 cm, 120 ml capacity	1*100 Nos
TMC 096	TMFlex™ SAMPLING BAG Size: 9.5 x 18 cm, 207 ml capacity	1*100 Nos
TMC 097	TMFlex™ SAMPLING BAG Size: 13 x 19 cm, 384 ml capacity	1*100 Nos
TMC 098	TMFlex™ SAMPLING BAG Size: 11.5 x 23 cm, 540 ml capacity	1*100 Nos
TMC 099	TMFlex™ SAMPLING BAG Size: 15 x 23 cm, 720 ml capacity, Thickness: 0.07 mm	1*100 Nos
TMC 100	TMFlex™ SAMPLING BAG Size: 15 x 23 cm, 720 ml capacity, Thickness: 0.1 mm	1*100 Nos
TMC 101	TMFlex™ SAMPLING BAG Size: 15 x 38 cm, 1242 ml capacity	1*100 Nos
TMC 102	TMFlex™ SAMPLING BAG Size: 19 x 30 cm, 1650 ml capacity	1*100 Nos
TMC 103	TMFlex™ SAMPLING BAG Size: 19 x 38 cm, 2041 ml capacity	1*100 Nos
TMC 104	TMFlex™ SAMPLING BAG Size: 25.4 x 38 cm, 2721 ml capacity	1*100 Nos
TMC 105	TMFlex™ SAMPLING BAG Size: 38 x 50.8 cm, 5441 ml capacity	1*100 Nos
	<b>Stand-up Sampling Bag</b>	
TMC 112	TMFlex™ STAND-UP SAMPLING BAG Size: 11.5 x 23 cm, 532 ml capacity	1*100 Nos
TMC 113	TMFlex™ STAND-UP SAMPLING BAG Size: 7.5 x 18.5 cm, 118 ml capacity	1*100 Nos
TMC 114	TMFlex™ STAND-UP SAMPLING BAG Size: 15 x 23 cm, 710 ml capacity	1*100 Nos
	<b>Write-on Sampling Bag</b>	
TMC 106	TMFlex™ WRITE-ON SAMPLING BAG Size: 11.5 x 23 cm, 532 ml capacity	1*100 Nos
TMC 107	TMFlex™ WRITE-ON SAMPLING BAG, YELLOW TAPE Size: 15 x 23 cm, 710 ml capacity	1*100 Nos
TMC 108	TMFlex™ WRITE-ON SAMPLING BAG Size: 15 x 23 cm, 710 ml capacity	1*100 Nos
TMC 109	TMFlex™ WRITE-ON SAMPLING BAG Size: 7.5 x 12.5 cm, 58 ml capacity	1*100 Nos
TMC 110	TMFlex™ WRITE-ON SAMPLING BAG Size: 7.5 x 18.5 cm, 118 ml capacity	1*100 Nos
TMC 134	TMFlex™ WRITE-ON SAMPLING BAG Size: 9.5 x 18 cm, 207 ml capacity	 1*100 Nos
TMC 111	TMFlex™ WRITE-ON SAMPLING BAG Size: 19 x 30 cm, 1627 ml capacity	1*100 Nos



# Microbiological Lab Consumables

## Centrifuge Tubes

CODE	PRODUCT NAME	PACK SIZE
<b>15 ml Tubes</b>		
TMC 120	CENTRIFUGE TUBE, 15 ML, NON STERILE, AUTOCLAVABLE, CONICAL BOTTOM, RCF VALUE: 17000G	4*25 Nos 20*25 Nos
TMC 119	CENTRIFUGE TUBE, 15 ML, STERILE, AUTOCLAVABLE, CONICAL BOTTOM, RCF VALUE: 17000G	4*25 Nos 1*100 Nos 20*25 Nos
<b>50 ml Tubes</b>		
TMC 122	CENTRIFUGE TUBE, 50 ML, NON STERILE, AUTOCLAVABLE, CONICAL BOTTOM, RCF VALUE: 20000G	4*25 Nos 20*25 Nos
TMC 124	CENTRIFUGE TUBE, 50 ML, SELF STANDING, NON STERILE, AUTOCLAVABLE, CONICAL BOTTOM, RCF VALUE: 5000G	4*25 Nos 20*25 Nos
TMC 123	CENTRIFUGE TUBE, 50 ML, SELF STANDING, STERILE, AUTOCLAVABLE, CONICAL BOTTOM, RCF VALUE: 5000G	4*25 Nos 1*100 Nos 20*25 Nos
TMC 121	CENTRIFUGE TUBE, 50 ML, STERILE, AUTOCLAVABLE, CONICAL BOTTOM, RCF VALUE: 20000G	4*25 Nos 1*100 Nos 20*25 Nos
<b>Micro Centrifuge Tubes</b>		
TMC 117	MICRO CENTRIFUGE TUBES, AUTOCLAVABLE, WITH GRADUATION, CONICAL BOTTOM, CAPACITY 1.5 ML	1*500 Nos
TMC 118	MICRO CENTRIFUGE TUBES, AUTOCLAVABLE, WITH GRADUATION, 'U' SHAPED BOTTOM, CAPACITY 2.0 ML	1*500 Nos

## Cleanroom Tapes & Location Markers

CODE	PRODUCT NAME	PACK SIZE
TMC 139	CLEANROOM MASKING TAPE Size & Length: 18 mm x 50 Mtr, g-Irradiated, Individually packed	10 Roll
TMC 140	CLEANROOM MASKING TAPE Size & Length: 18 mm x 50 Mtr	10 Roll
TMC 141	CLEANROOM FLOOR MARKING TAPES Size & Length: 24 mm x 20 Mtr-1 inch, g-Irradiated, Individually packed, Yellow	10 Roll
TMC 142	CLEANROOM FLOOR MARKING TAPES Size & Length: 24 mm x 20 Mtr-1 inch, g-Irradiated, Individually packed, Red	10 Roll
TMC 143	CLEANROOM FLOOR MARKING TAPES Size & Length: 24 mm x 20 Mtr-1 inch, g-Irradiated, Individually packed, Green	10 Roll
TMC 144	CLEANROOM FLOOR MARKING TAPES Size & Length: 24 mm x 20 Mtr-1 inch, g-Irradiated, Individually packed, Yellow & Black	10 Roll
TMC 145	CLEANROOM ENVIRONMENTAL MONITORING LOCATION MARKERS WITHOUT NUMBERS Size: 100 mm, g-Irradiated, Individually packed, Yellow	50 Nos
TMC 146	CLEANROOM ENVIRONMENTAL MONITORING LOCATION MARKERS WITHOUT NUMBERS Size: 100 mm, g-Irradiated, Individually packed, Red	50 Nos
TMC 147	CLEANROOM ENVIRONMENTAL MONITORING LOCATION MARKERS WITHOUT NUMBERS Size: 50 mm, g-Irradiated, Individually packed, Yellow	50 Nos
TMC 148	CLEANROOM ENVIRONMENTAL MONITORING LOCATION MARKERS WITHOUT NUMBERS Size: 50 mm, g-Irradiated, Individually packed, Red	50 Nos

# Microbiological Lab Consumables

## NEW Receiver Flasks

CODE	PRODUCT NAME	PACK SIZE
TMC 149	<b>VACUUM FLASK</b> Moc: Glass, Volume: 1000 ml	1 Nos

CODE	PRODUCT NAME	PACK SIZE
TMC 150	<b>VACUUM FLASK</b> Moc: Glass, Volume: 2000 ml	1 Nos

## NEW Spatulas

CODE	PRODUCT NAME	PACK SIZE
TMC 135	<b>SPATULA</b> PP, 200 mm, Non Sterile	50 Nos

CODE	PRODUCT NAME	PACK SIZE
TMC 136	<b>SPATULA</b> PP, 200 mm, Sterile	50 Nos

## NEW Silicon Cork

CODE	PRODUCT NAME	PACK SIZE
TMC 151	<b>SILICON CORK</b> Size: No #8	10 Nos



## NEW Syringe Filters

CODE	PRODUCT NAME	PACK SIZE
	<b>Cellulose Acetate</b>	
TMC 155	<b>SYRINGE FILTER</b> Cellulose Acetate, Pore size: 0.2 µm, 33 mm diameter	100 Nos
TMC 156	<b>SYRINGE FILTER</b> Cellulose Acetate, Pore size: 0.45 µm, 33 mm diameter	100 Nos
	<b>Nylon-66</b>	
TMC 157	<b>SYRINGE FILTER</b> Nylon-66, Hydrophilic membrane, Pore size: 0.2 µm, 13 mm diameter	100 Nos
TMC 158	<b>SYRINGE FILTER</b> Nylon-66, Hydrophilic membrane, Pore size: 0.2 µm, 25 mm diameter	100 Nos
TMC 159	<b>SYRINGE FILTER</b> Nylon-66, Hydrophilic membrane, Pore size: 0.2 µm, 33 mm diameter	100 Nos
TMC 160	<b>SYRINGE FILTER</b> Nylon-66, Hydrophilic membrane, Pore size: 0.45 µm, 25 mm diameter	100 Nos
TMC 161	<b>SYRINGE FILTER</b> Nylon-66, Hydrophilic membrane, Pore size: 0.45 µm, 33 mm diameter	100 Nos

CODE	PRODUCT NAME	PACK SIZE
	<b>PVDF</b>	
TMC 162	<b>SYRINGE FILTER</b> PVDF, Hydrophilic membrane, Pore size: 0.2 µm, 13 mm diameter	100 Nos
TMC 163	<b>SYRINGE FILTER</b> PVDF, Hydrophilic membrane, Pore size: 0.2 µm, 33 mm diameter	100 Nos
TMC 164	<b>SYRINGE FILTER</b> PVDF, Hydrophilic membrane, Pore size: 0.45 µm, 13 mm diameter	100 Nos
TMC 165	<b>SYRINGE FILTER</b> PVDF, Hydrophilic membrane, Pore size: 0.45 µm, 33 mm diameter	100 Nos
	<b>PTFE</b>	
TMC 166	<b>SYRINGE FILTER</b> PTFE, Hydrophilic membrane, Pore size: 0.2 µm, 33 mm diameter	100 Nos
TMC 167	<b>SYRINGE FILTER</b> PTFE, Hydrophilic membrane, Pore size: 0.45 µm, 33 mm diameter	100 Nos
	<b>PES</b>	
TMC 168	<b>SYRINGE FILTER</b> PES, Hydrophilic membrane, Pore size: 0.2 µm, 33 mm diameter	100 Nos
TMC 169	<b>SYRINGE FILTER</b> PES, Hydrophilic membrane, Pore size: 0.45 µm, 33 mm diameter	100 Nos

# Microbiological Lab Equipments

## Loop Sterilizers

### TME 006-IR INFRARED LOOP STERILIZER


- High sterilization temperature (up to 825°C)
- Adjustable time range
- Fast heating time
- Intelligent temperature controller
- Stainless steel body
- Flameless & pollution-free
- Compact & space-saving
- Lightweight



CODE	PRODUCT NAME	PACK SIZE
TME 006	INFRARED LOOP STERILIZER	1 Nos

### TME 007-IR INFRARED STERILIZER FOR INOCULATION LOOPS

- Reaches 900–1300°C in just a few seconds
- Instant sterilization of metal tools like inoculation loops, needles, scissors, tweezers
- Automatic start with sensor detection
- Stops heating automatically after 7 seconds
- Compact and portable weigh 2.6 Kg only
- Ideal for labs where flammable gases are restricted
- Low energy uses with tungsten halogen lamp heating
- Works well in anaerobic chambers
- Durable quartz glass heating zone



CODE	PRODUCT NAME	PACK SIZE
TME 007	INFRARED STERILIZER FOR INOCULATION LOOPS	1 Nos

**NEW**

# Microbiological Lab Equipments

## Microbial Air Monitoring Systems (Air Sampler) & Accessories

### TME 003-MICROBIAL AIR MONITORING SYSTEM

- Validated as per BS EN ISO 14698-Part-I
- Special design prevents re-circulation of air for more accurate results
- Comes with built-in adaptors for 90 mm and 55 mm Petri plates
- Allows custom air volume settings as per your need
- Air Flow Rate: 100 litres per minute
- Easy to carry and handle
- Weigh only 2.68 Kg
- Strong and lightweight aviation-grade aluminium
- Battery runs up to 8 hours



CODE	PRODUCT NAME	PACK SIZE
TME 003	MICROBIAL AIR MONITORING SYSTEM (AIR SAMPLER)	1 Nos
	<b>Add-on Accessories</b>	
TME 003A	COMPRESSED GAS HEAD COMPONENT OF AN ENVIRONMENTAL MONITORING PROGRAM USED FOR EVALUATION OF COMPRESSED GAS	1 Nos
TME 003B	POROUS SAMPLING HEAD AND SAFETY LID	1 Nos
TME 003C	POWER CHARGER	1 Nos
TME 003D	BATTERY	1 Nos
TME 003E	COMPRESSED GAS HEAD COMPONENT WITH FLOW METER TO ACHIEVE THE REQUIRED AIR FLOW DURING SAMPLING	1 Nos

### TME 004-MICROBIAL AIR MONITORING SYSTEM

- Validated as per BS EN ISO 14698-Part-I
- Connects to a PC to meet 21 CFR Part 11 guidelines
- Special design prevents recirculation of air for accurate results
- Comes with built-in adaptors for both 90 mm and 55 mm petri plates
- Nominal air flow rate: 100 liters per minute
- Easy to carry and handle weigh only 3 Kg
- Strong body made of anodized aluminium
- Battery runs up to 8 hours
- Comes in a high-strength carry case
- Infrared remote control for operating from a distance



CODE	PRODUCT NAME	PACK SIZE
TME 004	MICROBIAL AIR MONITORING SYSTEM (AIR SAMPLER)	1 Nos
	<b>Add-on Accessories</b>	
TME 004A	COMPRESSED GAS HEAD COMPONENT OF AN ENVIRONMENTAL MONITORING PROGRAM USED FOR EVALUATION OF COMPRESSED GAS	1 Nos
TME 004B	POROUS SAMPLING HEAD AND SAFETY LID	1 Nos
TME 004C	POWER CHARGER	1 Nos
TME 004D	BATTERY	1 Nos
TME 004E	REMOTE	1 Nos
TME 004F	CORD	1 Nos
TME 004G	COMPRESSED GAS HEAD COMPONENT WITH FLOW METER TO ACHIEVE THE REQUIRED AIR FLOW DURING SAMPLING	1 Nos

# Microbiological Lab Equipments

## Microbial Air Monitoring Systems (Air Sampler) & Accessories

### TME 005-MICROBIAL AIR MONITORING SYSTEM

The equipment uses isokinetic sampling, which delivers uniform airflow across the surface of an agar plate at high velocity for quick analysis. A specified volume of air is passed through small holes or slits onto a Petri Plate containing Culture Medium for a specified period of time. After the cycle is complete, the plate is removed from the Air sampler and incubated, and visible colonies are counted to determine the level of contamination. This will result in the number of viable microorganisms present in each liter of air in the area being calculated.



Easy-to-Use



Lightweight & Portable



Unidirectional airflow



Suitable for 90 mm plates



Easily export & print data



Individual user credentials



Can store up to 10,000 entry logs



3-level authority management



Validated as per BS EN ISO:14698-Part-1



Easily customize sample air volumes or choose from pre-sets



PC connectivity to meet 21 CFR:Part-11 requirements



### SPECIFICATIONS

<b>Nominal Air Flow Rate</b>	100 liters of air per minute
<b>Air Sample Volume</b>	1- 9999 liters can be selected
<b>Recommended Volume of Air per Cycle</b>	1000 liters
<b>Recipe Storage</b>	Upto 6 recipes can be created and stored
<b>User Configuration</b>	Multiple user support with individual username and password
<b>Sample Data Records</b>	10,000 data can be stored
<b>Software Compliance</b>	Comply with 21CFR Part 11
<b>Software Communication</b>	USB output, to wireless data export through Wi-Fi

<b>Levels of Authority</b>	3 Levels of authority management
<b>Audit Trail</b>	Audit trail function available
<b>Alarm Logs</b>	Completed cycle data can be reviewed
<b>Plate Size Compatible</b>	90±5 mm
<b>Battery Pack</b>	Rechargeable Li-Ion (without memory effect). After charging, the battery will work up to 8 hours
<b>Weight of Instrument</b>	2.5 Kg
<b>Add-on Accessories</b>	Bluetooth printer (Range within 10 m)
<b>Accessories</b>	Empty Petri-plate, Air sampler Case, Power Charger



# Microbiological Lab Equipments

NEW

## Petri Dish Revolving Table

### TME 008-PETRI DISH REVOLVING TABLE-MANUAL



- Specially designed for even coating of Agar plates
- Ideal for use in Microbiology and Molecular biology labs
- Manual operation with a smooth and stable rotating base
- Comes with 2 surfaces to support Petri Dishes of different sizes (60-150 mm diameter)
- Made for both Glass and Plastic Petri Dishes
- Rubber non-slip mat ensures Petri Dishes stay secure during rotation
- Lightweight (2.4 Kg) and durable for regular lab use
- Allows easy and uniform spreading of samples using a spreader
- Compact and easy to use on any flat lab bench
- Supports quick and efficient plate preparation for Culture Media
- Double-sided design allows both sides of the surface to be used

CODE	PRODUCT NAME	PACK SIZE
TME 008	PETRI DISH REVOLVING TABLE-MANUAL	1 Nos

### TME 009-PETRI DISH REVOLVING TABLE-ELECTRIC



- Uses infrared sensor technology for contact-free, hand-controlled operation
- Helps with uniform spreading of bacteria on agar media during inoculation
- Adjustable rotation timing from 30 to 180 seconds or continuous operation mode
- Rotates from 25 rpm to 150 rpm, ensuring even and consistent sample coating
- Compatible with Petri dishes sized 60–150 mm in diameter
- Can be autoclaved, making it safe for repeated use in sterile environments
- Ideal for Clinical, Research, and Industrial microbiology labs
- Comes with 2 work plates to support Petri dishes of different sizes
- Lightweight (1.2 Kg) and durable for regular lab use
- Equipped with a non-slip rubber lining for a secure grip of Petri dishes during spinning

CODE	PRODUCT NAME	PACK SIZE
TME 009	PETRI DISH REVOLVING TABLE-ELECTRIC	1 Nos

# Microbiological Lab Equipments

## Colony Counter

### TME 010-COLONY COUNTER



- Digital Display Tool for accurate bacterial colony counting on Petri Dishes
- Clear LED Screen with 4-digit display and easy-to-read results
- Ring Fluorescent Light gives bright, even side lighting to highlight colonies clearly without glare
- Sensitive Probe Pen ensures precise colony marking and correction during counting
- Built-in Counting Pool with 118 mm diameter suitable for standard Petri Dishes
- Compact and light design, easy to place in labs with limited space
- Energy-saving lighting with brightness control for visual comfort and accuracy
- Magnifying Glass (90 mm) enhances view with 3x/6x magnification for better visibility
- Flexible counting options allows adding or removing colony numbers easily
- Sturdy base with anti-slip design keeps the counter stable during use
- Ideal for Clinical Labs, Pharmaceutical Companies, Food Testing, Water Testing, Biological Research, & Educational Institutes
- 100–240 V power supply

CODE	PRODUCT NAME	PACK SIZE
TME 010	COLONY COUNTER	1 Nos


## Vacuum Pumps

CODE	PRODUCT NAME	PACK SIZE
TME 011	VACUUM PUMP 300 ( DIAPHRAGM TYPE-OIL FREE )	1 Nos
TME 012	VACUUM PUMP 400 ( DIAPHRAGM TYPE-OIL FREE )	1 Nos

## Seeking Distributorship ?

Join the strong network of our 350+ distributors worldwide. Partner with us and gain access to a comprehensive product range, excellent customer support, and a trusted brand with a proven track record.

[www.tmmedia.in](http://www.tmmedia.in) | [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)



**350+**  
Distributors

# Biological Indicators & Chemical Indicators

Evident Control of Sterilization Process



- Easy-to-Use & Interpret the result
- Reliable Sensitivity
- Accurate Performance

- Certified in accordance with ISO/IRAM/NS-EN/ANIMAT PM
- Trusted products

**“Your Safety, Our Commitment”**

*(The most trusted partner for ensuring sterility)*

# Biological Indicators \*

## Spore Strips

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 001	<i>Bacillus atrophaeus</i> 10 <sup>6</sup> (formerly <i>Bacillus subtilis</i> ) Spore Strips 10 (ATCC 93722)	Gas & Dry Heat (ETO)	1*100 Nos
TBI 004	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup> Spore Strips 10 (ATCC 7953)	Steam Sterilization	1*100 Nos

## Spore Ampoules

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 006	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup> (Vol. 1 ml)	Steam Sterilization	1*50 Nos
TBI 013	<i>Bacillus subtilis</i> 10 <sup>6</sup>	Steam Sterilization	1*200 Nos

## Self-Contained Biological Indicators (SCBI)

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 010	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup>	Steam Sterilization	1*100 Nos

## Spore Coupon

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBI 011	<i>Geobacillus stearothermophilus</i> 10 <sup>6</sup>	Vaporized Hydrogen Peroxide (H <sub>2</sub> O <sub>2</sub> ) sterilization processes	1*100 Nos

## Culture Media

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TBIM 001	Culture Media Ampoule With pH Indicator	Culture Media for Spore Strips & Spore Coupons	1*50 Nos

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain



# Chemical Indicators \*

## Self Adhesive Sterilization Indicators for Radiation

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 001	RADIATION CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15 mm)	1*1000 Nos 5*1000 Nos

## Self Adhesive Sterilization Indicators for Ethylene Oxide

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 002	ETHYLENE OXIDE (EO) CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15 mm)	1*1000 Nos 5*1000 Nos

## Sterilization Indicators for Steam

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 005	BOWIE & DICK TEST PACK (CLASS 2)	Steam Sterilization Process	1*1 Pack 1*20 Pack
TCI 006	STEAM CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15 mm)	1*1000 Nos 5*1000 Nos
TCI 012	MOVING FRONT INTEGRATOR INDICATOR (CLASS 5)	Steam Sterilization Process	1*250 Nos
TCI 013	UNIQUE POINT CHEMICAL INDICATOR FOR STEAM STERILIZATION (TYPE 5, CLASS 1)	Steam Sterilization Process	200 Nos

## Chemical Indicators Tape

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 007	SELF ADHESIVE AUTOCLAVE TAPE (CLASS 1)	19 mm x 50 mm	1 Nos 1*5 Nos
TCI 008	SELF ADHESIVE ETO TAPE (CLASS 1)	19 mm x 50 mm	1 Nos

## Chemical Indicator Test Strip

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 009	DRY HEAT INDICATOR STRIP (Class 4)	105 mm x 18 mm	1*250 Nos
TCI 014	STEAM INDICATOR STRIP (CLASS 4)	105 mm x 18 mm	2*250 Nos

## Self Adhesive Sterilization Indicators for Vaporized Hydrogen Peroxide (H<sub>2</sub>O<sub>2</sub>)

CODE	PRODUCT NAME	PROCESS	PACK SIZE
TCI 011	VAPORIZED H <sub>2</sub> O <sub>2</sub> STERILIZATION PROCESS INDICATOR (Class 1)	Circular Indicator with Text (15 mm)	1*1000 Nos



# PLANT TISSUE CULTURE

## MEDIA & INGREDIENTS



### Fulfilling the Nutritional Needs of In-Vitro Plants

Plant Tissue Culture Media are specialized nutrient formulations that support the in vitro growth, development, and propagation of plant tissues. These formulations ensure optimal pH, nutrient balance, and sterility for successful Micro-propagation, Callus Formation, and Regeneration.

#### Features:

- Reproducible results
- Batch-to-batch consistency
- In-house Manufacturing
- Fast solubility and high clarity
- Superior stability and shelf life
- Dust-free powder for easy handling
- Optimized powder flowability
- Tailored for different plant species and applications

# MAKE YOUR OWN PTCM

## Macronutrients

Macronutrients are elements such as Nitrogen, Phosphorus, Potassium, Calcium, Magnesium, and Sulphur. These elements are required in large amounts (>0.5 mM) for robust plant structure and metabolism. They comprise at least 0.1% of the dry weight of plants.

## Micronutrients

Micronutrients are elements such as Iron, Manganese, Zinc, Copper, Molybdenum, Boron, Iodine, and Cobalt. These trace elements (<0.5 mM) are essential for enzyme function and metabolic balance.

## Vitamins

Vitamins are added to the plants in several forms and concentrations. Certainly, these compounds are essential for many biochemical reactions. In almost all media for plant cell and tissue culture, Thiamine (Vitamin B1) is included. Other frequently used Vitamins are Nicotinic Acid, Pyridoxine (B6) and Myo-inositol. Although Myo-inositol is a carbohydrate, not a vitamin, it has been shown to stimulate growth in certain cell cultures. It is hard to judge the virtual importance of Vitamins, as their effects on cells vary from species to species.

## Gelling Agents

Gelling agents such as Agar and Gellan Gum provides the right consistency to the medium. Agar (0.5-1.0%) for firm gels Gellan Gum (1.5-2.5 g/L) for transparent, contamination-detectable media.

## Plant Growth Regulators (PGRs)

Plant hormones are added to Plant Tissue Culture Media to regulate growth. In tissue culture, they are mainly used to stimulate adventitious regeneration of roots, shoots and embryos, outgrowth of axillary buds, and formation of callus. Moreover, cytokinin and auxin are often required to achieve quantitative growth (increase of cell number and volume). In tissue culture, usually only cytokinin and auxin are added. Plant hormones are typically added within the range 0.1-10  $\mu\text{M}$ .

## Antibiotics

Antibiotics are used to prevent microbial contamination and eliminate Agrobacterium post-transformation and suppress bacterial infections and mold and yeast infections in cell cultures. They are suitable for sensitive research and genetic modification workflows.

## Other Essential Ingredients



# Plant Tissue Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE		CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	
TP 007	<b>ANDERSON'S RHODODENDRON MEDIUM</b> (W/O Vitamin, Sucrose, Agar) Micro & Macro Element	1.83	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 028	<b>CHEE AND POOL (C2D) VITIS MEDIUM</b> (W/ Vitamins W/O Sucrose, Agar) Micro & Macro Element	4.49	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 008	<b>ANDERSON'S RHODODENDRON MEDIUM</b> (W/ Vitamins, Sucrose, Agar & CaCl <sub>2</sub> W/O IAA & 2iP)	42.17	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 029	<b>CHU (N6) MEDIUM</b> (W/O Vitamins, Sucrose, Agar) Micro & Macro Element	3.95	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 082	<b>ANDERSON'S RHODODENDRON MEDIUM</b> (W/ Vitamins, Sucrose, Gelzan CM & CaCl <sub>2</sub> W/O IAA & 2iP) for micro propagation of Musa species and Daucus species	35.17	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 030	<b>CHU (N) MEDIUM</b> (W/ Vitamins, W/O Sucrose, Agar) Micro & Macro Element	4.03	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 095	<b>AVOCADO-EMBRYO MEDIA</b>	42.31 	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 031	<b>CLC/ IPOMOEA CP MEDIUM</b> (W/O Vitamins) Micro & Macro Element	6.61	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 096	<b>AVOCADO-PROLIFERATION MEDIUM</b>	34.71 	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 032	<b>CLC/ IPOMOEA EP MEDIUM</b> (W/ Vitamins) Micro & Macro Element	3.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 097	<b>AVOCADO-PROPAGATION &amp; MULTIPLICATION MEDIA</b>	42.64 	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 083	<b>CLC/ IPOMOEA BASAL MEDIUM</b> (W/ Vitamins, W/O CaCl Sucrose & Agar)	6.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 071	<b>BANANA MICROPROPAGATION MEDIUM</b> (W/ Vitamins, W/O NH <sub>4</sub> NO <sub>3</sub> , Sucrose, Agar)	2.58	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 078	<b>DATE PALM CALLUS INITIATION MEDIUM</b> (W/ Vitamins, Sucrose, 2,4-D, 2iP, Activated Charcoal, Agar) for in vitro micro propagation of date palm	45.76	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 072	<b>BANANA MULTIPLICATION MEDIUM</b> (W/ Vitamins, Glucose, Plant Growth Regulators & Agar) for in vitro multiplication of Musa species	41.5	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 033	<b>DE GREEF &amp; JACOBS MEDIUM</b> (W/O Vitamins) Micro & Macro Element	3.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 073	<b>BANANA MULTIPLICATION MEDIUM</b> (W/ Vitamins, Tryptone, IAA W/O Sucrose, Agar)	4.77	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 034	<b>DE GREEF &amp; JACOBS MEDIUM</b> (W/ Vitamins W/O SUCROSE, AGAR)	3.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 075	<b>BANANA MULTIPLICATION MEDIUM</b> (W/ Vitamins, Sucrose, Tryptone, Agar & IAA)	42.77	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 094	<b>DKW BASAL MEDIUM</b> (W/ Vitamins)	3.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 076	<b>BANANA MULTIPLICATION MEDIUM</b> (W/ CaCl <sub>2</sub> , Vitamins, Sucrose, Glucose, Ascorbic Acid, IAA, 6-BAP, Agar)	42.47	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 035	<b>DKW MEDIUM</b> (W/O Vitamins) Micro & Macro Element	5.48	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 077	<b>CARROT CALLUS INITIATION MEDIUM</b> (W/ Vitamins, 2,4-D, W/O Sucrose, Agar)	3.21	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 036	<b>DKW MEDIUM</b> (W/ Vitamins)	5.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 027	<b>CHEE AND POOL (C2D) VITIS MEDIUM</b> (W/O Vitamins, Sucrose, Agar) Micro & Macro Element for regeneration and micro propagation of grapevine	4.44	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 009	<b>ERIKSSON (ER) MEDIUM</b> (W/O Vitamins, Sucrose & Agar)	4.00	5x1 Ltr 1x10 Ltr 1x50 Ltr	
					TP 010	<b>ERIKSSON (ER) MEDIUM</b> (W/ Vitamins, Sucrose W/O Agar)	34.14	5x1 Ltr 1x10 Ltr 1x50 Ltr	
					TP 011	<b>GAMBORG MEDIUM</b> (W/ Vitamins, Sucrose, CaCl <sub>2</sub> , W/O IAA, Kinetin & Agar)	23.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	
					TP 017	<b>GAMBORG MEDIUM</b> (W/O Vitamins, Sucrose & Agar)	3.05	5x1 Ltr 1x10 Ltr 1x50 Ltr	
					TP 012	<b>GAMBORG MEDIUM</b> (W/ Vitamins, Sugar & Agar)	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	
					TP 074	<b>GAMBORG'S (VITAMIN 1000X POWDER)</b>	112.0	100 ml	



# Plant Tissue Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE		CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	
TP 085	<b>GAMBORG B5 MEDIUM</b> (W/ CaCl <sub>2</sub> , Vitamins, Agar and Sucrose, W/O IAA & Kinetin)	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 046	<b>MCCOWN WOODY PLANT MEDIUM</b> (W/ Vitamins) Micro & Macro Element	2.46	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 079	<b>GERBERA MULTIPLICATION MEDIUM</b> (W/ CaCl <sub>2</sub> Vitamins, Tyrosine, Sucrose, Adenine Sulphate, Agar, W/O IAA & Kinetin)	59.83	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 087	<b>MURASHIGE &amp; MILLER MEDIUM</b> (W/ Na <sub>2</sub> HPO <sub>4</sub> and Vitamins W/O Sucrose & Agar)	4.69	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 037	<b>GRESSHOFF &amp; DOY (DBM2) MEDIUM</b> (W/O Vitamins) Micro & Macro Element	2.63	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 093	<b>MURASHIGE &amp; SKOOG MICROELEMENT</b>	4.20	1x10 Ltr 1x50 Ltr	
TP 038	<b>GRESSHOFF &amp; DOY (DBM2) MEDIUM</b> (W/ Vitamins) Micro & Macro Element	2.81	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 047	<b>MURASHIGE &amp; SKOOG MEDIUM</b> (W/ Vitamins & Folic Acid)	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 039	<b>HELLER MEDIUM</b> (W/O Vitamins) Micro & Macro Element	1.66	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 048	<b>MURASHIGE &amp; SKOOG MEDIUM</b> (W/ Vitamins & MES Buffer)	5.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 090	<b>HOAGLAND NO.2 BASAL SALT MIXTURE</b>	1.63	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 001	<b>MURASHIGE &amp; SKOOG MEDIUM</b> (W/ Vitamins, W/O Sucrose, Agar & Calcium Chloride)	4.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 040	<b>KAO &amp; MICHAYLUK MEDIUM</b> (W/O Vitamins) Micro & Macro Element	3.80	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 001A	<b>MURASHIGE &amp; SKOOG MEDIUM</b> (W/ Vitamins & Calcium Chloride W/O Sucrose, Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 018	<b>KNUDSON-C ORCHID MEDIUM MOREL MODIFICATION</b> Micro & Macro Element	2.00	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 002	<b>MURASHIGE &amp; SKOOG MEDIUM</b> (W/ Sucrose, & Vitamins, W/O Agar & Calcium Chloride)	34.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 019	<b>KNUDSON-C ORCHID MEDIUM</b> (W/ Sucrose & Vitamins W/O Agar)	21.99	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 089	<b>MURASHIGE &amp; SKOOG MEDIUM</b> W/ Calcium Chloride, Vitamins & Sucrose W/O Agar	34.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 086	<b>KNUDSON-C ORCHID MEDIUM, MOREL MODIFICATION</b> (W/ Sucrose, Vitamins & Agar)	29.99	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 060	<b>MURASHIGE &amp; SKOOG MEDIUM</b> W/ Calcium Chloride, Vitamins, Sucrose & Agar	41.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 041	<b>LINDEMANN ORCHID MEDIUM</b> (W/O Vitamins) Micro & Macro Element	2.60	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 088	<b>MURASHIGE &amp; SKOOG MEDIUM</b> W/ Calcium Chloride, Vitamins, Sucrose and Gellan Gum	37.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 042	<b>LINSMAIER &amp; SKOOG MEDIUM</b> (W/ Vitamins W/O Sucrose & Agar) Micro & Macro Element	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 003	<b>MURASHIGE &amp; SKOOG MEDIUM</b> (W/ Sucrose, Agar, Vitamins, 6-BAP W/O Calcium Chloride, IAA & Kinetin)	42.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 043	<b>LITVAY MEDIUM</b> (W/O Vitamins) Micro & Macro with vitamins	4.95	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 004	<b>MURASHIGE &amp; SKOOG MEDIUM (S.B)</b> (W/O Vitamins and with Calcium Chloride)	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 044	<b>LITVAY MEDIUM</b> (W/ Vitamins) Micro & Macro Element	5.08	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 006	<b>MURASHIGE &amp; SKOOG MEDIUM (S.B)</b> (W/O Calcium Chloride & Vitamins)	4.07	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 045	<b>MCCOWN WOODY PLANT MEDIUM</b> (W/O Vitamins) Micro & Macro Element	2.36	5x1 Ltr 1x10 Ltr 1x50 Ltr						

# Plant Tissue Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE		CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	
TP 020	<b>MURASHIGE &amp; SKOOG MEDIUM</b> MODIFIED (SB) With 1/2 Macronutrient	2.18	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 080	<b>ORCHID MAINTENANCE/ REPLATE MEDIUM</b> (W/ CaCl <sub>2</sub> , Vitamins, Sucrose, Peptone, MES, Agar W/O Activated Charcoal)	33.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 021	<b>MURASHIGE &amp; SKOOG MEDIUM MODIFIED</b> (SB) W/O NH <sub>4</sub> NO <sub>3</sub>	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 081	<b>POTATO MICROPROPAGATION MEDIUM</b> (W/ CaCl <sub>2</sub> , Vitamins, IAA, Kinetin, W/O Sucrose & Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 022	<b>MURASHIGE &amp; SKOOG MEDIUM MODIFIED</b> (SB) ½ x NH <sub>4</sub> NO <sub>3</sub> and KNO <sub>3</sub>	2.53	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 054	<b>QUOIRIN &amp; LEPOIVRE MEDIUM</b> (W/O Vitamins)	3.28	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 023	<b>MURASHIGE &amp; SKOOG MEDIUM MODIFIED</b> (SB) W/ Micro and Macro nutrient W/O Ammonium Salt	4.40	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 055	<b>QUOIRIN &amp; LEPOIVRE MEDIUM</b> (W/ Vitamins W/O Sucrose & Agar)	3.41	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 024	<b>MURASHIGE &amp; SKOOG MEDIUM (SB)</b> W/ minimal organics (MSMO)	4.39	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 057	<b>RUGINI OLIVE MEDIUM</b> (W/ Vitamins, W/O Sucrose & Agar) Micro & Macro Element	4.16	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 025	<b>MURASHIGE &amp; SKOOG MODIFIED MEDIUM</b> W/ Calcium Chloride & Gamborg's Vitamins	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 058	<b>SCHENK &amp; HILDEBRANDT MEDIUM</b> (W/O Vitamins) Micro & Macro with Vitamins	3.18	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 026	<b>MURASHIGE &amp; SKOOG MEDIUM</b> Vitamin (1000x)	103.10	100 ml		TP 059	<b>SCHENK &amp; HILDEBRANDT MEDIUM</b> (W/ Vitamins W/O Sucrose & Agar) Micro & Macro with Vitamins	4.26	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 013	<b>NITSCH MEDIUM</b> (W/ Vitamins, Sucrose & Agar) for anther culture	30.04	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 063	<b>S-MEDIUM (Morel and Wetmore)</b> (W/ Vitamins, MES Buffer & Sucrose)	13.03	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 014	<b>NITSCH MEDIUM</b> (W/ Vitamins and Sucrose W/O Agar) Micro & Macro Element	22.04	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 070	<b>VACIN &amp; WENT MEDIUM</b> (W/ Vitamins, Sucrose & Agar)	29.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 049	<b>NLN MEDIUM</b> W/O CaNO <sub>3</sub> .4H <sub>2</sub> O Micro & Macro Element	0.39	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 069	<b>WEST VACO WU5 MEDIUM</b> (for Embryogenic Culture)	5.22	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 050	<b>NLN MEDIUM (With Vitamins)</b> Micro & Macro Element	1.45	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 015	<b>WHITE MEDIUM</b> Micro & Macro Element	0.94	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 051	<b>ORCHID MAINTENANCE MEDIUM</b> (W/O Vitamins, MES, Sucrose, Tryptone, Charcoal & Agar)	2.17	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 016	<b>WHITE MEDIUM</b> (W/ Vitamins and Sucrose & W/O Agar)	21.06	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 052	<b>ORCHID MAINTENANCE MEDIUM</b> (W/ Vitamins, Buffer MES, Sucrose, Tryptone & Charcoal W/O Agar)	27.36	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 084	<b>WOODY PLANT MEDIUM</b> (W/ CaCl <sub>2</sub> , Vitamins, W/O Sucrose, Agar)	2.43	5x1 Ltr 1x10 Ltr 1x50 Ltr	
TP 053	<b>ORCHID MAINTENANCE MEDIUM</b> (W/ Vitamins, Buffer MES, Sucrose and Tryptone, Charcoal & Agar)	35.36	5x1 Ltr 1x10 Ltr 1x50 Ltr		TP 092	<b>WOODY PLANT MEDIUM</b> (W/ CaCl <sub>2</sub> , Vitamins & Sucrose W/O Agar)	22.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	



# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
	<b>VITAMINS</b>			<b>AMINO ACID</b>	
561	ADENINE 99% (6 Aminopurine, Vitamin B4) CAS 73-24-55 C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> F. Wt. 135.13	5 gm 25 gm 1 Kg	1103	L-ALANINE, 99% + PURITY CRYSTALLINE CAS 56-41-7 C <sub>3</sub> H <sub>7</sub> NO F. Wt. 89.10	25 gm 100 gm 500 gm
233	p-AMINOBENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> F. Wt. 137.14	100 gm 500 gm	1104	L- ARGININE 99% + PURITY (Free Base) CAS 74-79-3 C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> F. Wt. 174.20	25 gm 100 gm 1 Kg
1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> F. Wt. 176.12	100 gm 500 gm	1106	L-ASPARAGINE, 99% + Purity (Mono) CAS 5794-13-8 C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> H <sub>2</sub> O <sub>2</sub> F. Wt. 150.14	25 gm 100 gm 500 gm
1709	D(+)-BIOTIN (Vitamin H) * CAS 58-85-5 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S F. Wt. 244.31	1 gm 10 gm 25 gm	1108	L- ASPARTIC ACID 99% + PURITY, CRYSTALLINE, CAS 56-84-8 C <sub>4</sub> H <sub>7</sub> NO <sub>4</sub> F. Wt. 294.3	25 gm 100 gm 500 gm
1701	CALCIUM-D-PANTOTHENATE (Vitamin B5)* CAS 137-08-6 C <sub>18</sub> H <sub>32</sub> CaN <sub>2</sub> O <sub>10</sub> F. Wt. 476.53	25 gm 100 gm 1 Kg	1138	L-CYSTEINE, (Free Base) 99% + CRYSTALLINE, CAS 52-90-4 C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S F. Wt. 121.17 <sub>2</sub>	5 gm 25 gm 100 gm
335	FOLIC ACID (Vitamin B9)* (Pterogl-L-glutamic acid) CAS 59-30-3 C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub> F. Wt. 441.40	5 gm 25 gm	1139	L-CYSTEINE HCl (Mono) 99% + Purity CAS 7048-04-6 C <sub>3</sub> H <sub>8</sub> ClN <sub>2</sub> O <sub>2</sub> ·S.HO F. Wt. 175.63	25 gm 100 gm 1 Kg 25 Kg
3151	HYPOXANTHINE CAS 68-94-0 C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O F. Wt. 136.112	5 gm 100 gm	1140	L-CYSTINE, 99% + CRYSTALLINE (Free Base) CAS 56-89-3 C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub> F. Wt. 240.3	25 gm 100 gm 1 Kg
604	INOSITOL (Meso-Inositol) CAS 87-89-8 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> F. Wt. 180.2	25 gm 100 gm 1 Kg	1111	L-GLUTAMIC ACID, 99% + CRYSTALLINE, AR GRADE, CAS 56-86-0 C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> F. Wt. 147.13	100 gm 500 gm 25 Kg
685	NICOTINAMIDE (Niacinamide) (Vitamin PP) CAS 98-92-0 C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O F. Wt. 122.1	25 gm 100 gm 1 Kg	1114	L-GLUTAMINE, 99% + Crystalline CAS 56-85-9 C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub> F. Wt. 146.14	25 gm 100 gm 500 gm
759	NICOTINIC ACID (Niacin) (Vitamin B) CAS 59-67-6 C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> F. Wt. 123.1	25 gm 100 gm 1 Kg	4340	GAMMA POLY GLUTAMIC ACID CAS 84960-48-5 C <sub>15</sub> H <sub>21</sub> N <sub>3</sub> O <sub>5</sub> X <sub>2</sub> F. Wt. 387.34	100 gm
4238	PYRROLOQUINOLINE QUINONE (PQQ) CAS 7290-34-3 C <sub>11</sub> H <sub>6</sub> N <sub>2</sub> O <sub>8</sub> F. Wt. 330.21	100 mg 1 gm 5 gm	757	GLUTATHIONE (Reduced) CAS 70-18-8 C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub> S F. Wt. 307.32	1 gm 5 gm 25 gm
4239	PYRROLOQUINOLINE QUINONE DISODIUM CAS 122 628-50-6 C <sub>14</sub> H <sub>4</sub> NA <sub>2</sub> O <sub>8</sub> F. Wt. 347.17	100 mg 1 gm 5 gm	1109	GLYCINE 99% + CRYSTALLINE, AR GRADE CAS 56-40-6 C <sub>2</sub> H <sub>5</sub> N <sub>2</sub> O F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg
1705	PYRIDOXINE HCl (Vitamin B) CAS 58-56-0 C <sub>8</sub> H <sub>11</sub> NO <sub>3</sub> ·HCl F. Wt. 205.64	10 gm 25 gm 100 gm	1115	L-HISTIDINE, 99% + Crystalline CAS 71-00-1 C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> F. Wt. 155.15	25 gm 500 gm
1703	RIBOFLAVIN (Vitamin B2), Vitamin G2 CAS 83-88-5 C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> O <sub>6</sub> F. Wt. 376.36	10 gm 25 gm 100 gm	1119	L-ISOLEUCINE, 99% + Crystalline CAS 73-32-5 C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> F. Wt. 131.17	5 gm 25 gm
1702	THIAMINE HCl (Vitamin B1) CAS 67-03-8 C <sub>12</sub> H <sub>17</sub> ClN <sub>4</sub> OS.HC F. Wt. 337.27	25 gm 100 gm 500 gm	1121	L-LEUCINE, 99% + Crystalline CAS 61-90-5 C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub> F. Wt. 131.17	25 gm 100 gm 500 gm
1701	Vitamin B5 (Calcium-D-pantothenate) CAS 137-08-6 C <sub>18</sub> H <sub>18</sub> CaN <sub>2</sub> O <sub>10</sub> F. Wt. 476.53	25 gm 100 gm 1 Kg	1122	L-LYSINE MONO HCl, 99% + Crystalline CAS 657-27-2 C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> ·HCl F. Wt. 182.65	100 gm 500 gm 25 Kg
1704	Vitamin B12 (Cyanocobalamin) CAS 68-19-9 C <sub>63</sub> H <sub>88</sub> CoN <sub>14</sub> P F. Wt. 1355.38	1 gm 10 gm	1123	L-METHIONINE, 99%+Crystalline CAS 63-68-3 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S F. Wt. 149.21	25 gm 100 gm 500 gm 25 Kg
			1125	L-ORNITHINE MONO HCl, 99% + Crystalline CAS 3184-13-2 C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> ·HCl F. Wt. 168.62	25 gm 100 gm 500 gm

# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
1127	L-PHENYLALANINE, 99% + Crystalline CAS 63-91-2 C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub> F. Wt. 165.2	25 gm 100 gm 500 gm	328	ETHYLENE DIAMINE TETRAACETIC ACID DISODIUM SALT, AR GRADE CAS 6381-92-6 C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O <sub>8</sub> Fe.Na <sub>2</sub> 2H <sub>2</sub> O F. Wt. 372.2	100 gm 500 gm 5 Kg 25 Kg
4339	POLY GLUTAMIC ACID CAS 25513-46-6 C <sub>5</sub> H <sub>7</sub> NO <sub>4</sub> F. Wt. 147.13	100 gm	330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 C <sub>12</sub> H <sub>2</sub> Fe <sub>2</sub> N <sub>3</sub> O <sub>14</sub> F. Wt. 488.16	500 gm 5 Kg 25 Kg
1128	L-PROLINE, 99% + Crystalline CAS 147-85-3 C <sub>5</sub> H <sub>7</sub> NO <sub>2</sub> F. Wt. 115.13	5 gm 25 gm 500 gm	4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS) (2-HYDROXYPHENYLACETATE ACID) FERRIC SODIUM COMPLEX CAS 84539-55-9 C <sub>18</sub> H <sub>18</sub> FeN <sub>2</sub> NaO <sub>6</sub> F. Wt. 437.19	25 gm 100 gm
1130	L-SERINE, 99% + Crystalline CAS 56-45-1 C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub> F. Wt. 105.09	10 gm 25 gm 1 Kg	756	FERRIC CITRATE, (Mono) for Bacteriology CAS 2338-05-8 C <sub>6</sub> H <sub>5</sub> FeO <sub>7</sub> F. Wt. 244.94	500 gm
956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 C <sub>2</sub> H <sub>7</sub> NO <sub>3</sub> S F. Wt. 125.15	25 gm 100 gm	514	FERROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 FeSO <sub>4</sub> .7H <sub>2</sub> O F. Wt. 278.01	500 gm 50 Kg
1131	L-THREONINE, 99% + Crystalline CAS 72-19-5 C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub> F. Wt. 119.12	5 gm 25 gm 500 gm	704	MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE CAS 13446-34-9 MnCl <sub>2</sub> .4H <sub>2</sub> O F. Wt. 197.91	500 gm 50 Kg
1134	L-TRYPTOPHAN, 99% + PURITY, CRYSTALLINE, CAS 73-22-3 C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> F. Wt. 204.23	5 gm 25 gm 500 gm	703	MANGANESE (II) SULPHATE (Mono), AR GRADE CAS 10034-96-5 MnSO <sub>4</sub> .H <sub>2</sub> O F. Wt. 169.02	500 gm 50 Kg
1135	L-TYROSINE, 99 + Crystalline CAS 60-18-4 C <sub>9</sub> H <sub>9</sub> NO <sub>3</sub> F. Wt. 181.19	25 gm 100 gm 500 gm	2131	NICKEL CHLORIDE (Hexa), EXTRA PURE CAS 7791-20-0 NiCl <sub>2</sub> .6H <sub>2</sub> O F. Wt. 237.69	500 gm
674	URACIL CAS 66-22-8 C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> F. Wt. 112.09	5 gm 25 gm	394	POTASSIUM IODIDE (Confirming IP), EXTRA PURE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm 25 Kg
1137	L-VALINE, 99% + PURITY, Crystalline, CAS 72-18-4 C <sub>6</sub> H <sub>11</sub> NO <sub>2</sub> F. Wt. 117.15	25 gm 100 gm	924	SODIUM CHLORIDE, MOLECULAR BIOLOGY GRADE, CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg
<b>MICRONUTRIENTS</b>			449	SODIUM MOLYBDATE, (Dihydrate), EXTRA PURE CAS 10102-40-6 Na <sub>2</sub> MoO <sub>4</sub> .2H <sub>2</sub> O F. Wt. 241.95	100 gm 500 gm 25 Kg
245	AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE CAS 12054-85-2 (NH <sub>4</sub> ) <sub>6</sub> Mo <sub>7</sub> O <sub>24</sub> .4H <sub>2</sub> O F. Wt. 1235.86	100 gm 500 gm 25 Kg	469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> .5H <sub>2</sub> O F. Wt. 248.18	500 gm 5 Kg 50 Kg
282	BORIC ACID, AR GRADE CAS 10043-35-3 H <sub>3</sub> Bo <sub>3</sub> F. Wt. 61.83	500 gm 5 Kg 50 Kg	2325	STRONTIUM NITRATE (ANH.), EXTRA PURE CAS 10042-76-9 Sr(NO <sub>3</sub> ) <sub>2</sub> F. Wt. 211.63	500 gm 50 Kg
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 Co(NO <sub>3</sub> ) <sub>2</sub> .6H <sub>2</sub> O F. Wt. 291.03	100 gm 500 gm	3508	ZINC SULPHATE (Hepta), AR GRADE CAS 7446-20-0 ZnSO <sub>4</sub> .7H <sub>2</sub> O F. Wt. 287.55	500 gm 5 Kg 50 Kg
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 Co <sub>2</sub> SO <sub>4</sub> .7H <sub>2</sub> O F. Wt. 281.10	100 gm 500 gm			
320	CUPRIC SULPHATE (Penta), AR GRADE CAS 7758-99-8 CuSO <sub>4</sub> .5H <sub>2</sub> O F. Wt. 249.68	500 gm 25 Kg			
973	ETHYLENE DIAMINE TETRAACETIC ACID FERRIC-MONO SODIUM, EXTRA PURE CAS 15708-41-5 C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>8</sub> FeNa F. Wt. 367	100 gm 500 gm			

# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
	<b>MACRONUTRIENTS</b>						
242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH <sub>4</sub> Cl F. Wt. 53.49	500 gm 5 Kg 50 Kg		357	MAGNESIUM NITRATE (Hexa), EXTRA PURE CAS 13446-18-9 Mg(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O F. Wt. 256.41	500 gm	
256	AMMONIUM DIHYDROGEN PHOSPHATE, AR GRADE CAS 7722-76-1 NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> F. Wt. 115.02	500 gm		359	MAGNESIUM SULPHATE (Hepta), AR GRADE CAS 10034-99-8 MgSO <sub>4</sub> ·7H <sub>2</sub> O F. Wt. 246.48	500 gm 5 Kg 50 Kg	
238	AMMONIUM HYDROGEN CARBONATE, AR GRADE CAS 1066-33-7 CH <sub>3</sub> NO <sub>3</sub> F. Wt. 79.056	500 gm		386	POTASSIUM CHLORIDE, AR GRADE CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg	
246	AMMONIUM MOLYBDATE (Tetra), AR GRADE CAS 12054-85-2 (NH <sub>4</sub> ) <sub>6</sub> MO <sub>7</sub> O <sub>24</sub> ·4H <sub>2</sub> O F. Wt. 1235.86	100 gm 500 gm 25 Kg		218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-14 K <sub>2</sub> HPO <sub>4</sub> F. Wt. 174.17	500 gm 5 Kg 50 Kg	
258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub> F. Wt. 132.16	500 gm 5 Kg 50 Kg		220	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7778-77-0 KH <sub>2</sub> PO <sub>4</sub> F. Wt. 329.25	500 gm 5 Kg 50 Kg	
289	CALCIUM CARBONATE (Precipitated), (ANH.), AR GRADE CAS 471-34-1 CaCO <sub>3</sub> F. Wt. 100.09	500 gm 50 Kg		511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg	
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 CaCl <sub>2</sub> ·2H <sub>2</sub> O F. Wt. 147.02	500 gm 50 Kg		634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI F. Wt. 166.0	100 gm 500 gm 25 Kg	
828	CALCIUM CITRATE (Tetra), EXTRA PURE CAS 5785-44-4 C <sub>12</sub> H <sub>10</sub> Ca <sub>3</sub> O <sub>14</sub> ·4(H <sub>2</sub> O) F. Wt. 570.50	500 gm 25 Kg		761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 KNO <sub>3</sub> F. Wt. 101.10	500 gm 5 Kg 50 Kg	
4333	COPPER DISODIUM EDTA CAS No.14025-15-1 C <sub>10</sub> H <sub>12</sub> CuN <sub>2</sub> NaO <sub>8</sub> F. Wt. 374.75	100 gm		407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 K <sub>2</sub> SO <sub>4</sub> F. Wt. 176.26	500 gm 50 Kg	
160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 CaH <sub>8</sub> N <sub>2</sub> O <sub>10</sub> F. Wt. 236.15	500 gm 5 Kg		763	SODIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O F. Wt. 156.01	500 gm 5 Kg 50 Kg	
163	triI-CALCIUM PHOSPHATE, EXTRA PURE CAS 7758-87-4 Ca <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub> F. Wt. 310.2	500 gm 5 Kg 50 Kg		451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 NaNO <sub>3</sub> F. Wt. 85.0	500 gm 50 Kg	
614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 MgCl <sub>2</sub> ·6H <sub>2</sub> O F. Wt. 203.3	500 gm 5 Kg 50 Kg		4375	SODIUM NITROPHENOLATE (Sodium Salt) CAS 824-39-5 C <sub>6</sub> H <sub>4</sub> N NaO <sub>3</sub> F. Wt. 161.09	25 gm 100 gm	
4335	CALCIUM DISODIUM EDTA CAS No.62-33-9 C <sub>10</sub> H <sub>12</sub> CaN <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> ·xH <sub>2</sub> O F. Wt. 374.27	500 gm		4334	ZINC DISODIUM EDTA CAS No.14025-21-9 C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> NaO <sub>8</sub> Zn F. Wt. 376.58	500 gm	
4336	MAGNESIUM DISODIUM EDTA CAS No.14402-88-1 C <sub>10</sub> H <sub>12</sub> MgN <sub>2</sub> NaO <sub>8</sub> F. Wt. 335.51	500 gm			<b>ANTIBIOTIC POWDER</b>		
4337	MANGANESE DISODIUM EDTA CAS No.15375-84-5 C <sub>10</sub> H <sub>12</sub> MnN <sub>2</sub> NaO <sub>8</sub> F. Wt. 366.14	500 gm		3300	ACETYSALICYLIC ACID (Aspirin, 2-Acetoxybenzoic Acid) CAS 50-78-2 C <sub>9</sub> H <sub>8</sub> O <sub>4</sub> F. Wt. 180.15	500 gm	
				573	ACTIDIONE (Cycloheximide), AR GRADE CAS 66-81-9 C <sub>12</sub> H <sub>23</sub> NO <sub>4</sub> F. Wt. 281.36	1 gm 5 gm	
				2028	AMOXYCILLIN (Trihydrate)* CAS 61336-70-7 C <sub>16</sub> H <sub>25</sub> N <sub>3</sub> O <sub>8</sub> S F. Wt. 419.5	1 gm	

# Plant Tissue Culture Media Ingredients



CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
3078	AMPHOTERICIN B * CAS 1397-89-3 C <sub>47</sub> H <sub>75</sub> NO <sub>17</sub> F. Wt. 924.1	1 gm 5 gm		2023	ERYTHROMYCIN CAS 114-07-8 C <sub>37</sub> H <sub>67</sub> NO <sub>13</sub> F. Wt. 733.9	1 gm	
2007	AMPICILLIN SODIUM * CAS 69-52-3 C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>5</sub> S F. Wt. 371.4	1 gm 10 gm 25 gm 100 gm		3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 C <sub>20</sub> H <sub>40</sub> N <sub>4</sub> O <sub>10</sub> F. Wt. 692.70	500 mg 1 gm	
4002	AUGMENTIN (Amoxicillin : Clavulanic Acid Potassium 5:1)	1 gm		2025	GENTAMYCIN SULPHATE * CAS 1405-41-0C C <sub>21</sub> H <sub>43</sub> N <sub>5</sub> O <sub>7</sub> .H <sub>2</sub> SO <sub>4</sub> F. Wt. 575.67	1 gm 5 gm	
2008	BACITRACIN (50,000 Units/vl) CAS 1405-87-4 C <sub>66</sub> H <sub>103</sub> N <sub>17</sub> O <sub>16</sub> S F. Wt. 1422.69	1 vl		3357	HYGROMYCIN B CAS 31282-04-9 C <sub>20</sub> H <sub>37</sub> N <sub>3</sub> O <sub>13</sub> F. Wt. 527.60	100 mg 1 gm	
2520	BACITRACIN ZINC CAS 1405-89-6 C <sub>66</sub> H <sub>101</sub> N <sub>17</sub> O <sub>16</sub> SZn F. Wt. 1486.07	1 gm		2035	KANAMYCIN SULPHATE (Mono) * CAS 29701-07-3 C <sub>18</sub> H <sub>37</sub> N <sub>5</sub> O <sub>10</sub> .H <sub>2</sub> O <sub>4</sub> S F. Wt. 581.68	1 gm 5 gm	
4228	CARBENDAZIM CAS 10605-21-7 C <sub>8</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> F. Wt. 191.19	1 gm 5 gm 25 gm		2026	LINCOMYCIN HCl (Mono) * (10,00000 Unit/vl) CAS 7179-49-9 C <sub>18</sub> H <sub>37</sub> ClN <sub>2</sub> O <sub>7</sub> S F. Wt. 461.01	1 vl	
3314	CARBENICILLIN DISODIUM * CAS 4800-94-6 C <sub>17</sub> H <sub>16</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S F. Wt. 422.4	1 gm		4209	METRONIDAZOLE CAS 443-48-1 C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub> F. Wt. 171.2	1 gm	
2016	CEFOTAXIME SODIUM * CAS 64485-93-4 C <sub>16</sub> H <sub>16</sub> N <sub>3</sub> NaO <sub>7</sub> S <sub>2</sub> F. Wt. 477.4	1 gm 5 gm		4210	MINOCYCLINE HCL CAS 10118-90-8 C <sub>23</sub> H <sub>27</sub> N <sub>3</sub> O <sub>7</sub> F. Wt. 457.47	100 mg 1 gm	
2012	CEPHALEXIN (Mono) * CAS 23325-78-2 C <sub>16</sub> H <sub>17</sub> N <sub>3</sub> O <sub>4</sub> .S.H <sub>2</sub> O F. Wt. 365.4	1 gm		1713	NALIDIXIC ACID * CAS 389-08-2 C <sub>12</sub> H <sub>12</sub> N <sub>2</sub> O <sub>3</sub> F. Wt. 232.2	1 gm 5 gm	
2017	CHLORAMPHENICOL * CAS 56-75-7 C <sub>11</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>5</sub> F. Wt. 323.1	5 gm 25 gm 100 gm		2003	NEOMYCIN SULPHATE * CAS 1405-10-3 C <sub>23</sub> H <sub>46</sub> N <sub>6</sub> O <sub>13</sub> .3H <sub>2</sub> SO <sub>4</sub> F. Wt. 908.9	5 gm	
4004	CLINDAMYCIN HCL CAS 18323-44-9 C <sub>18</sub> H <sub>33</sub> ClN <sub>2</sub> O <sub>5</sub> .S.HCl F. Wt. 424.98 g/mole	5 gm		2463	NYSTATINE (10,00,000 u/vl) * CAS 1400-61-9 C <sub>47</sub> H <sub>75</sub> NO <sub>17</sub> F. Wt. 926.10	1 vl	
4207	D-CYCLOSERINE CAS 68-41-7 C <sub>7</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> F. Wt. 102.09	1 gm		2004	OXYTETRACYCLINE HCl * CAS 2058-46-0 C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>9</sub> .HCl F. Wt. 496.9	1 gm	
1805	COLCHICINE CAS 64-86-8 C <sub>22</sub> H <sub>25</sub> NO <sub>6</sub> F. Wt. 399.4 (Store at room temp.)	1 gm 10 gm		4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 C <sub>23</sub> H <sub>47</sub> N <sub>5</sub> O <sub>18</sub> S F. Wt. 713.71	1 gm 5 gm	
2020	COLISTIN SULPHATE SODIUM (2,50,000/VL) * CAS 1264-72-8	1 gm		2005	POLYMYXIN B. SULPHATE (1 million units/vl) CAS 1405-20-5 C <sub>55</sub> H <sub>96</sub> N <sub>16</sub> O <sub>13</sub> .2H <sub>2</sub> SO <sub>4</sub>	1 vl 5 vl	
4369	DA-6 (2-Diethylaminoethyl Hexanoate) 	5 gm 25 gm		3393	PENICILLIN BENZYL SODIUM (PENCILLIN-G) CAS 69-57-8 C <sub>16</sub> H <sub>17</sub> N <sub>2</sub> NaO <sub>4</sub> S(1MU/vl) F. Wt. 356.35	1 gm	
4208	DICAMBA CAS 1918-00-9 C <sub>8</sub> H <sub>8</sub> Cl <sub>2</sub> O <sub>3</sub> F. Wt. 221.04	100 mg 1 gm		2200	RIFAMPICIN CAS 13292-46-1 C <sub>43</sub> H <sub>58</sub> N <sub>4</sub> O <sub>12</sub>	1 gm	
4370	2-(3,4-dichlorophenoxy) TRIETHYLAMINE (DCPTA)  CAS 65202-07-05 C <sub>12</sub> H <sub>17</sub> Cl <sub>2</sub> NO F. Wt. 262.18	25 gm					
3539	DOXYCYCLINE HCl CAS 10592-13-9 C <sub>22</sub> H <sub>24</sub> N <sub>2</sub> O <sub>8</sub> HCl F. Wt. 480.89	1 gm					

# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7 \cdot (H_2SO_4)_3$	5 gm 25 gm		561	ADENINE 99% (6 Aminopurine, Vitamin B) CAS 73-24-5 $C_5H_5N_5$ F. Wt. 135.13	5 gm 25 gm 1 Kg	
3439	SULPHAMETHOXAZOLE CAS 723-46-6 $C_{10}H_{11}N_3O_3S$	5 gm 25 gm		562	ADENINE SULPHATE (Dihydrate) (6 Aminopurine Sulphate) CAS 106-60-5 $C_{10}H_{12}N_{10}O_4S$ F. Wt. 368.34	10 gm 100 gm	
070	TETRACYCLINE CAS 60-54-8 $C_{22}H_{24}N_2O_8$ F. Wt. 444.43	5 gm		4241	5-AMINOLEVULINIC ACID HYDROCHLORIDE * CAS 5451-09-2 $C_5H_9NO_3 \cdot HCl$ F. Wt. 167.59	1 gm 5 gm	
478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_2H_5HgNaO_2S$ F. Wt. 404.81	25 gm 100 gm		816	6-BENZYLADENINE (6BAP) (6-Benzylaminopurine) CAS 1214-39-7 $C_{12}H_{11}N_5$ F. Wt. 225.25	1 gm 5 gm 25 gm 1 Kg 50 Kg	
071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. Wt. 428.39	500 mg		4322	CHLORMEQUAT CHLORIDE CAS 999-81-5 $C_5H_{13}Cl_2N$ F. Wt. 158.07	1 gm 5 gm 25 gm	
3441	TICARCILLIN SODIUM CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. Wt. 428.39	1 gm 5 gm 25 gm		2565	p-CHLOROPHOENOXO ACETIC ACID (4 CPA) CAS 122-88-3 $C_8H_7ClO_3$ F. Wt. 186.6	1 gm 5 gm 25 gm 100 gm 500 gm	
2031	TRIMETHOPRIM CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. Wt. 290.3	5 gm		4242	DAMINOZIDE (Alar) CAS 1596-84-5 $C_6H_{12}N_2O_3$ F. Wt. 160.17	5 gm	
072	TOBRAMYCIN SULPHATE CAS 49842-07-1 $C_{18}H_{37}N_5O_9$ F. Wt. 567.51	100 mg		2590	2,4, DICHLORO PHENOXY ACETIC ACID (2,4-D) CAS 94-75-7 $C_8H_6Cl_2O_3$ F. Wt. 221.04	500 gm	
4211	VALIDAMYCINE CAS 37248-47-8 $C_{20}H_{35}NO_{13}$ F. Wt. 497.49	1 gm		4323	ETHEPHON CAS 16672-87-0 $ClCH_2CH_2P(O)(OH)_2$ F. Wt. 144.49	100 mg 500 mg 1 gm	
2032	VANCOMYCIN HCl CAS 1404-93-9 $C_{66}H_{75}Cl_2N_9O_{24} \cdot HCl$ F. Wt. 1485.7	500 mg		4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 $C_{12}H_{10}ClN_3O$ F. Wt. 247.68	5 gm	
	<b>PLANT GROWTH REGULATORS</b>			4243	GENISTEIN CAS 466-72-0 $C_{15}H_{10}O_5$ F. Wt. 270.24	100 mg	
4213	2, 8 HOMO BRASSINOLIDE CAS 80483-89-2 $C_{29}H_{50}O_6$ F. Wt. 494.70	10 mg 100 mg 1 gm		3547	GIBBERELIC ACID (GA) <sup>4+7</sup> CAS 202467-69-4 $C_{20}H_{19}N_3O_5S$ F. Wt. 445.45	1 gm 5 gm 100 gm	
4372	2, 8 HOMO BRASSINOLIDE 0.01%  CAS 74174-44-0 $C_{29}H_{50}O_6$ F. Wt. 494.70	100 mg		849	GIBBERELIC ACID A3 (GA) <sup>3</sup> CAS 77-06-5 $C_{19}H_{22}O_6$ F. Wt. 346.37	1 gm 10 gm 100 gm 1 Kg	
4371	2, 8 HOMO BRASSINOLIDE 90%  CAS 74174-44-0 $C_{29}H_{50}O_6$ F. Wt. 494.70	1 gm		606	INDOLE-3-ACETIC ACID (3-Indole Acetic Acid, IAA) CAS 87-51-4 $C_{10}H_9NO_2$ F. Wt. 175.18 (Store at 2-15°C)	5 gm 25 gm 100 gm 1 Kg	
4368	2-(3-Chlorophenoxy)-PROPIONIC ACID 99%  CAS 101-10-0 $C_9H_7ClO_3$ F. Wt. 200.62	10 gm 25 gm		606A	INDOLE-3-ACETIC ACID POTASSIUM SALT (IAA-K) CAS 2338-19-4 $C_{10}H_8KNO_2$ F. Wt. 213.27	25 gm 100 gm 1 Kg	
4332	3CPA (2-(3-Chlorophenoxy)-PROPIONIC ACID) CAS 101-10-0 $C_9H_7ClO_3$ F. Wt. 200.62	25 gm 100 gm		607	INDOLE-3-BUTYRIC ACID * (3-Indole Butyric Acid, IBA) CAS 133-32-4 $C_{12}H_{13}NO_2$ F. Wt. 203.33	5 gm 25 gm 100 gm 1 Kg	
3051	ABSCISIC ACID (ABA) CAS 21293-29-8 $C_{15}H_{20}O_4$ F. Wt. 264.3	100 mg 500 mg 1 gm					
3051A	ABSCISIC ACID (ABA) 10%* CAS 21293-29-8 $C_{15}H_{20}O_4$ F. Wt. 264.3	10 gm 25 gm 100 gm					
4240	ACETOSYRINGONE CAS 2478-38-8 $C_{10}H_{12}O_4$ F. Wt. 196.2	1 gm 5 gm					




# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 C <sub>12</sub> H <sub>12</sub> KNO <sub>2</sub> F. Wt. 241.33	25 gm 100 gm 1 Kg		680	SALICYCLIC ACID, AR GRADE (2-Hydroxybenzoic acid) CAS 69-72-7 C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> F. Wt. 138.12	500 gm	
4158	JASMONIC ACID CAS 77026-92-7 C <sub>12</sub> H <sub>16</sub> O <sub>3</sub> F. Wt. 210.27	100 mg 250 mg		3436	SPERMIDINE [N-(3-Aminoopropyl)-1,4-diaminobutane] CAS 124-20-9 C <sub>7</sub> H <sub>19</sub> N <sub>3</sub> F. Wt. 145.2 *	1 gm 5 gm	
4215	N6-(2-ISOPENTENYL) ADENINE; (2IP) [6-(g-g-Dimethylallylamino) purine] CAS 2365-40-4 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> F. Wt. 203.24	1 gm 5 gm		4270	THIABENDAZOLE CAS 148-79-8 C <sub>10</sub> H <sub>7</sub> N <sub>3</sub> S F. Wt. : 201.25	50 gm 100 gm	
4324	N6-(2-ISOPENTENYL) ADENINE; (2IP) RIBOSIDE [6-(g-yy-Dimethylallylamino)purine] CAS 7724-76-7 C <sub>15</sub> H <sub>21</sub> N <sub>5</sub> O <sub>4</sub> F. Wt. 335.4	1 gm 5 gm		3584	THIDIAZURON CAS 51707-55-2 C <sub>9</sub> H <sub>8</sub> N <sub>2</sub> OS F. Wt. 220.25	250 mg 1 gm	
863	KINETIN (6-Furfurylaminopurine), AR GRADE * CAS 525-79-1 C <sub>10</sub> H <sub>9</sub> N <sub>5</sub> O F. Wt. 215.21	1 gm 5 gm		4294	2,3,5-TRIIODOBENZOIC ACID (TIBA)	5 gm	
4214	META-TOPOLINE CAS 75737-38-1 C <sub>12</sub> H <sub>10</sub> N <sub>5</sub> OH F. Wt. 241.25	25 mg 100 mg		3587	2,4,5, TRICHLOROPHENOXY ACETIC ACID CAS 93-76-5 C <sub>8</sub> H <sub>5</sub> Cl <sub>3</sub> O <sub>3</sub> F. Wt. 255.49	5 gm 25 gm	
2122	α-NAPHTHALENE ACETIC ACID (NAA) CAS 86-87-3 C <sub>12</sub> H <sub>10</sub> O <sub>2</sub> F. Wt. 186.21	25 gm 100 gm 500 gm 25 Kg		4246	TRIACONTANOL 25% CAS 593-50-0 C <sub>30</sub> H <sub>62</sub> O F. Wt. 438.81 (Store at 2-4° C)	5 gm 25 gm	
4374	1-NAPHTHYLACETAMIDE (98%)  CAS 86-86-2 C <sub>12</sub> H <sub>11</sub> NO F. Wt. 185.22	5 gm 25 gm		4364	TRIACONTANOL 98%  CAS 593-50-0 C <sub>30</sub> H <sub>62</sub> O F. Wt. 438.81 (Store at 2-4° C)	500 mg 1 gm	
2122A	α-NAPHTHALENE ACETIC ACID POTASSIUM SALT (NAA-K) CAS 15165-79-4 C <sub>12</sub> H <sub>9</sub> O <sub>2</sub> K F. Wt. 224.30	25 gm 100 gm 1 Kg		516	ZEATIN CAS 1637-39-4 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O F. Wt. 219.25 (Store at 2-4° C)	100 mg 500 mg 1 gm	
3565	β-NAPHTHOXY ACETIC ACID (BONA) CAS 120-23-0 C <sub>12</sub> H <sub>10</sub> O <sub>3</sub> F. Wt. 202.21	25 gm 100 gm 500 gm		<b>CARBOHYDRATES</b>			
3570	PACLOBUTRAZOL * CAS 76738-62-0 C <sub>15</sub> H <sub>20</sub> ClN <sub>2</sub> O F. Wt. 293.80	5 gm 25 gm		4326	Trans-ZEATIN RIBOSIDE * CAS 6025-53-2 C <sub>15</sub> H <sub>21</sub> N <sub>5</sub> O <sub>5</sub> F. Wt. 351.36	10 mg 25 gm	
906	PHENYLACETIC ACID (PAA; Benzeneacetic acid) CAS 103-82-2 C <sub>8</sub> H <sub>8</sub> O <sub>2</sub> F. Wt. 136.15	500 gm		3625	β-CYCLODEXTRIN CAS 7585-39-9 C <sub>42</sub> H <sub>70</sub> O <sub>35</sub> F. Wt. 1134.98	500 gm	
2457	PHLOROGLUCINOL, AR GRADE (1,3,5, Trihydroxybenzene) CAS 108-73-6 C <sub>6</sub> H <sub>6</sub> O <sub>3</sub> F. Wt. 126.11	25 gm 100 gm		1315	D(-) FRUCTOSE (Bacteriological Grade) CAS 57-48-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> F. Wt. 180.16	100 gm 500 gm	
3576	PICLORAM CAS 1918-02-1 C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> N <sub>2</sub> O F. Wt. 241.46	1 gm 5 gm		TC 010	D(+)-GALACTOSE CAS 59-23-4 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> F. Wt. 180.16	25 gm 100 gm 500 gm	
4245	PROHEDIONE-CALCIUM CAS 127277-53-6 C <sub>10</sub> H <sub>10</sub> CaO <sub>5</sub> F. Wt. 250.263	100 gm 1 gm		1303	DEXTROSE (Mono), EXTRA PURE CAS 5996-10-1 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> ·H <sub>2</sub> O F. Wt. 198.17	500 gm 5 Kg 25 Kg	
4325	PUTRESCINE DIHYDROCHLORIDE (1,4-Butanediamine dihydrochloride) CAS 333-39-7 (Store below 30° C) C <sub>4</sub> H <sub>12</sub> H <sub>2</sub> ·2HCL F. Wt. 161.07	1 gm 5 gm 25 gm		1304	DEXTROSE (ANH.), EXTRA PURE CAS 50-99-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> F. Wt. 180.16	500 gm 5 Kg 25 Kg	
				1305	LACTOSE (Mono) CAS 10039-26-6 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O F. Wt. 360.31	500 gm 25 Kg	
				1244	MALTOSE (Mono), EXTRA PURE CAS 6363-53-7 C <sub>12</sub> H <sub>24</sub> O <sub>11</sub> ·H <sub>2</sub> O F. Wt. 360.31	100 gm 500 gm 25 Kg	

# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
365	D+MANNOSE CAS 3458-28-4 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> F. Wt. 180.16	25 gm 100 gm		3526	GELATIN CRYSTAL, Bloom Type B (Bacteriological Grade) CAS 9000-70-8	500 gm 5 Kg 50 Kg	
1246	D-MANNITOL, AR GRADE CAS 69-65-8 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> F. Wt. 182.17	100 gm 500 gm 25 Kg		3318	GELLAN GUM Plant Tissue Culture Grade CAS 71010-52-1	100 gm 500 gm 1 Kg	
TC 018	D-RAFFINOSE (Penta) CAS 17629-30-0 C <sub>18</sub> H <sub>32</sub> O <sub>16</sub> .5H <sub>2</sub> O F. Wt. 594.52	10 gm 25 gm		2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 9003-39-8 (C <sub>6</sub> H <sub>9</sub> O) <sub>n</sub> F. Wt. 165.19	100 gm 500 gm 25 Kg	
1306	D-RIBOSE CAS 50-69-1 C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> F. Wt. 150.13	10 gm 25 gm 100 gm			<b>BUFFERING AGENT</b>		
465	D-SORBITOL POWDER (D-Glucitol) CAS 50-70-4 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> F. Wt. 182.17	100 gm 500 gm 25 Kg		3086	BES, SODIUM, EXTRA PURE CAS 66992-27-6 C <sub>6</sub> H <sub>14</sub> NNaO <sub>5</sub> S F. Wt. 235.23	5 gm 25 gm	
1309	STARCH, POTATO (Insoluble) CAS 9005-84-9	500 gm		3088	BIS-TRIS, EXTRA PURE (Bis (2-hydroxyethyl)amino-tris hydroxymethyl methane) * CAS 6976-37-0 C <sub>8</sub> H <sub>19</sub> NO <sub>5</sub> F. Wt. 209.24	25 gm 100 gm	
TC 023	SUCROSE for Tissue Culture & Molecular Biology CAS 57-50-1 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> F. Wt. 342.3	500 gm 5 Kg		503	HEPES, FREE ACID CAS 7365-45-9 C <sub>8</sub> H <sub>19</sub> N <sub>2</sub> O <sub>4</sub> S F. Wt. 238.30	25 gm 100 gm 500 gm 1 Kg	
TC 024	D-TREHALOSE (Dihydrate) CAS 6138-23-4 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .2HO <sub>2</sub> F. Wt. 378.33	5 gm 25 gm		2110	MES, (MONO)(2 (N-MORPHLINO) ETHANE SULFONIC ACID) CAS 4432-31-9 C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> SH <sub>2</sub> O F. Wt. 213.2	25 gm 100 gm 1 Kg	
1312	D(+)-XYLOSE CAS 58-86-6 C <sub>5</sub> H <sub>10</sub> O <sub>5</sub> F. Wt. 150.13	25 gm 100 gm 500 gm		2219	PIPES (Piperazine-N,N-bis (2 Ethane Sulphonic Acid CAS 5625-37-6 C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> F. Wt. 302.4	5 gm 25 gm	
	<b>GELLING AGENT</b>			487	TRIS, 99%+Purity AR GRADE (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> F. Wt. 121.14	100 gm 500 gm 25 Kg	
3500	AGAR AGAR Type I CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg		488	TRIS HYDROCHLORIDE, AR GRADE CAS 1185-53-1 C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> .HCL F. Wt. 157.6	100 gm 500 gm 25 Kg	
243 M	AGAR AGAR Type II CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg			<b>ADSORBING AGENT</b>		
1227	AGAROSE (High EEO) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm		2903	CHAROCAL ACTIVATED, AR GRADE CAS 7740-44-0	500 gm	
1270	AGAROSE SPL (Low EEO) (Counterelectrophoresis) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm			<b>DISINFECTING AGENTS</b>		
4224	CHITOSAN CAS 9012-76-4 (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> ) <sub>n</sub> F. Wt. 309.54	25 gm 100 gm 1 Kg		2632	8-HYDROXYQUINOLINE, AR GRADE, (Oxine) CAS 148-24-3 C <sub>9</sub> H <sub>7</sub> NO F. Wt. 145.2	100 gm 500 gm	
4338	CHITOSAN OLIGOSACCHRIDE CAS No.148411-57-8 C <sub>12</sub> H <sub>22</sub> N <sub>2</sub> O <sub>9</sub> F. Wt. 340.32	100 gm			<b>OTHER ESSENTIAL INGREDIENTS</b>		
				3093	5-BROMO-4-CHLORO-3-INDOLYL-β-D- GALCTOPYRANOSIDE (X-Gal) CAS 7240-90-6 C <sub>14</sub> H <sub>14</sub> BrClNO <sub>6</sub> F. Wt. 408.63	100 mg 500 mg 1 gm	
				3095	5-BROMO-4-CHLORO-3-INDOLYL-β-D- GLUCOPYRANOSIDE (X-Glucoside) CAS 15548-60-4 C <sub>14</sub> H <sub>14</sub> BrClNO <sub>6</sub> F. Wt. 408.63	100 mg	

# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
3300	ACETYLSALICYLIC ACID (Aspirin)	500 gm	4142	MALT EXTRACT POWDER Bacteriological Grade	500 gm 25 Kg
3509	ADENOSINE (9-β-Riboluranosylademine) * CAS 58-61-7 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub> F. Wt. 267.25	5 gm 25 gm 100 gm	4373	MEPIQUAT CHLORIDE  CAS 24307-26-4 C <sub>7</sub> H <sub>16</sub> N <sub>2</sub> Cl F.Wt. 149.66	25 gm
3063	ADENOSINE 5-DIPHOSPHATE DISODIUM (ADP-Na <sub>2</sub> ) CAS 16178-48-6 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>10</sub> P <sub>2</sub> F. Wt. 391.19	1 gm 5 gm	369	MERCURIC CHLORIDE, EXTRA PURE (Mercury (II) Chloride) CAS 7487-94-7 HgCl <sub>2</sub> F. Wt. 271.52	100 gm 250 gm 500 gm
3066	ALCIAN BLUE 8GX	5 gm 25 gm	2651	METHYLENE BLUE, AR GRADE	25 gm 100 gm 1 Kg
1614	BROMO CRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple)	5 gm 25 gm 100 gm	3564	MTT Methylthiazolylidiphenyl Tetrazolium Bromide * CAS 298-93-1 C <sub>18</sub> H <sub>16</sub> N <sub>5</sub> Br F. Wt. 414.3	1 gm
1657	BROMOTHYMOL BLUE (pH 5.8-7.6, Yellow to Blue)	5 gm 25 gm 100 gm	2153	NITRO BLUE TETRAZOLIUM (Nitro Tetrazolium Blue, NBT), AR GRADE CAS 298-83-9 C <sub>40</sub> H <sub>30</sub> Cl <sub>2</sub> N <sub>10</sub> O <sub>6</sub> F. Wt. 817.6	100 mg 250 mg 1 gm
3523	CELLULASE * CAS 9012-54-8, Activity 10,000 U/gm	1 gm	3184	O-NITROPHENYL-b-D- GALACTOPYRANO SIDE * (ONPG) CAS 369-07-3 C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub> F. Wt. 301.25	500 mg 1 gm 5 gm
827	CHITIN [Poly (N-acetyl-1,4-D-glucopyranosamine)]	100 gm 500 gm 25 Kg	3518	PEPTONE (BACTO GRADE) CAS 73049-73-7	500 gm 5 Kg
4224	CHITOSAN CAS 9012-76-4 (C <sub>6</sub> H <sub>11</sub> NO <sub>n</sub> ) <sub>n</sub> F. Wt. 309.54	25 gm 100 gm 1 Kg	908	POLYETHYLENE GLYCOL 4000 (P.E.G. 4000) CAS 25322-68-3	500 gm 25 Kg
310	CITRIC ACID (Mono), AR GRADE CAS 5949-29-1 C <sub>6</sub> H <sub>10</sub> O <sub>8</sub> F. Wt. 210.14	500 gm 5 Kg	1013	POLYETHYLENE GLYCOL 6000 (P.E.G. 6000) CAS 25322-68-3	500 gm 25 Kg
1850	DITHIOERYTHREITOL (D.T.E.) * (1,4 Dithioerythritol) CAS 6892-68-8 C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub> F. Wt. 154.25	1 gm 5 gm	670	POLYOXYETHYLENE SORBITAN MONOLAURATE (Tween 20) CAS 9005-64-5 C <sub>58</sub> H <sub>113</sub> O <sub>26</sub> F. Wt. 1226.5	500 ml 25 Ltr
1852	DITHIOTHREITOL (DTT)* (DL-DITHIOTHREITOL) CAS 3483-12-3 C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub> F. Wt. 154.25	1 gm 5 gm	511	POTASSIUM HYDROXIDE PELLETS, AR GRADE	500 gm 5 Kg 50 Kg
304	ESCULINE (Aesculin) CAS 531-75-9 C <sub>15</sub> H <sub>16</sub> O <sub>9</sub> F. Wt. 340.29	5 gm 25 gm	3258	POTASSIUM SILICATE POWDER	500 gm 50 Kg
597	GLYCEROL (Glycerine), AR GRADE CAS 56-81-5 C <sub>3</sub> H <sub>8</sub> O <sub>3</sub> F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr	673	POLYOXYETHYLENE SORBITAN MONOLEATE (Tween 80) CAS 9005-65-6 C <sub>32</sub> H <sub>60</sub> O <sub>10</sub> F. Wt. 604.8	100 ml 500 ml 25 Ltr
227	GUANIDINE HYDROCHLORIDE, AR GRADE CAS 50-01-1 CH <sub>5</sub> N <sub>3</sub> HCl F. Wt. 95.53	25 gm 100 gm	648	PROPYLENE GLYCOL CAS 57-55-6 C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> F. Wt. 76.09	500 ml 5 ltr 50 ltr
3156	ISOPROPYL-β-D-1-THIOGALACTOPYRANO SIDE (IPTG, DIOXAN FREE) * CAS 367-93-1 C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S F. Wt. 238.3	1 gm 5 gm 25 gm	649	SILVER NITRATE, AR GRADE CAS 7761-88-8 AgNO <sub>3</sub> F. Wt. 169.87	10 gm 25 gm
3556	MALEIC HYDRAZIDE CAS 123-33-1 C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> F. Wt. 112.09	100 gm	4247	SILICON DIOXIDE CAS-7631-86-9 SiO <sub>2</sub> F. Wt. 60.08	100 gm
363	(DL)-MALIC ACID CAS 6915-15-7 C <sub>4</sub> H <sub>6</sub> O <sub>5</sub> F. Wt. 134.09	500 gm 5 Kg	542	tri-SODIUM CITRATE (Dihydrate), AR GRADE CAS 6132-04-3 C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> ·2H <sub>2</sub> O F. Wt. 294.1	500 gm 5 Kg 25 Kg

# Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE
658	di-SODIUM HYDROGEN PHOSPHATE (Dihydrate), AR GRADE CAS 10028-24-7 Na <sub>2</sub> HPO <sub>4</sub> ·2H <sub>2</sub> O F. Wt. 159.97	500 gm 5 Kg 50 Kg
440	SODIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-73-2 NaOH F. Wt. 39.99	500 gm 5 Kg 50 Kg
659	SODIUM PYRUVATE, AR GRADE CAS 113-24-6 C <sub>3</sub> H <sub>3</sub> NaO <sub>3</sub> F. Wt. 110.04	100 gm 500 gm
663	SODIUM THIOSULPHATE (ANH.), AR GRADE CAS 7772-98-2 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> F. Wt. 158.1	500 gm 50 Kg
3436	SPERMIDINE * [N-(3-Aminoopropyl)-1,4-diaminobutane] CAS 124-20-9 C <sub>7</sub> H <sub>19</sub> N <sub>3</sub> F. Wt. 145.2	1 gm 5 gm
1016	SUCCINIC ACID, EXTRA PURE CAS 110-15-6 C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> F. Wt. 118.09	500 gm 25 Kg
2742	TALCUM POWDER (400 mesh) CAS 14807-96-6	500 gm
3226	TALCUM POWDER (700 mesh) CAS 14807-96-6	500 gm
821	TETRAZOLIUM BLUE CHLORIDE, AR GRADE	1 gm 5 gm
3514	TRYPTONE (REGULAR GRADE)	500 gm
492	UREA, AR GRADE (Carbamide) CAS 57-13-6 CH <sub>4</sub> N <sub>2</sub> O F. Wt. 60.06	500 gm 5 kg 50 kg

CODE	PRODUCT NAME	PACK SIZE
<b>Hydroponic Ingredients</b>		
4341	ROOT PEP 6-Benzylaminopurine	25 gm 100 gm 500 gm
4342	pH BUFFER - UP	500 ml
4343	pH BUFFER - DOWN	500 ml
4344	SILONE Silicone oil based adjuvant	100 ml 250 ml
4345	NUTRIENT FOR GREEN LEAF VEGETABLES-LIQUID	500 ml
4346	NUTRIENT FOR GREEN LEAF VEGETABLES-POWDER (TWIN PACK)	500 gm
4347	NUTRIENT FOR FRUITS AND VEGETABLES-LIQUID	500 ml
4348	NUTRIENT FOR FRUITS & VEGETABLES-POWDER (TWIN PACK)	500 gm
4349	NIMPA Azadirachtin	100 ml 500 ml

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain



# Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE		CODE	PRODUCT NAME	PACK SIZE	
3525	ACTINOMYCIN D CAS 50-76-0 C <sub>62</sub> H <sub>86</sub> N <sub>3</sub> O <sub>6</sub> S F. Wt. 1255.42	1 mg 5 mg		2015	CEFAZOLIN SODIUM CAS 27164-46-1 C <sub>14</sub> H <sub>13</sub> NaO <sub>4</sub> S <sub>3</sub> F. Wt. 477.49	1 gm	
2001	AMIKACIN SULPHATE CAS 39831-55-5 C <sub>22</sub> H <sub>43</sub> N <sub>5</sub> O <sub>13</sub> ·2H <sub>2</sub> SO <sub>4</sub> F. Wt. 781.76	1 gm		4003	CEFIXIME CAS 79350-37-1 C <sub>16</sub> H <sub>15</sub> N <sub>5</sub> O <sub>7</sub> S <sub>2</sub> F. Wt. 453.452	1 gm	
4002	AMOXICLAV (AMOXICILLIN/CLAVULANIC ACID) CAS 61336-70-7 C <sub>16</sub> H <sub>25</sub> N <sub>3</sub> O <sub>8</sub> S F. Wt. 419.45 CAS 58001-44-8 C <sub>8</sub> H <sub>9</sub> NO <sub>5</sub> F. Wt. 199.16	1 gm		2016	CEFOTAXIME SODIUM CAS 64485-93-4 C <sub>16</sub> H <sub>16</sub> N <sub>5</sub> NaO <sub>7</sub> S <sub>2</sub> F. Wt. 477.45	1 gm 5 gm	
2028	AMOXYCILLIN CAS 26787-78-0 C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>5</sub> S F. Wt. 365.4	1 gm		3633	CEFOPERAZONE CAS 62893-19-0 C <sub>25</sub> H <sub>27</sub> N <sub>9</sub> O <sub>8</sub> S <sub>2</sub> F. Wt. 645.68	5 gm	
035	AMPICILLIN / SULBACTAM CAS 69388-84-7 CAS 69-52-3 C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> NaO <sub>5</sub> S F. Wt. 371.42 C <sub>8</sub> H <sub>10</sub> NHNaO <sub>5</sub> S F. Wt. 255.22	1 gm		3636	CEFOXITIN CAS 35607-66-0 C <sub>16</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub> S <sub>2</sub> F. Wt. 427.45	100 mg	
2007	AMPICILLIN SODIUM CAS 69-52-3 C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> O <sub>4</sub> SNa F. Wt. 371.39	1 gm 10 gm 25 gm 100 gm		3634	CEFSULODIN SODIUM SALT CAS 52152-93-9 C <sub>22</sub> H <sub>19</sub> NaO <sub>8</sub> S <sub>2</sub> F. Wt. 554.52	10 mg 250 mg 1 gm	
3007	AMPICILLIN (Trihydrate) (Soluble in water) CAS 7177-48-2 C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>4</sub> ·3H <sub>2</sub> O F. Wt. 403.45	1 gm		2010	CEFTAZIDIME (Penta) CAS : 78439-06-2 C <sub>22</sub> H <sub>22</sub> N <sub>6</sub> O <sub>7</sub> S <sub>2</sub> ·5H <sub>2</sub> O F.Wt : 636.65	1 gm	
3078	AMPHOTERICIN B CAS 1397-89-3 C <sub>47</sub> H <sub>73</sub> NO <sub>17</sub> F. Wt. 924.10	1 gm 5 gm		2011	CEFTRIAZONE SODIUM CAS 104376-79-6 C <sub>18</sub> H <sub>16</sub> N <sub>8</sub> Na <sub>2</sub> O <sub>7</sub> S <sub>3</sub> · <sup>1</sup> / <sub>2</sub> H <sub>2</sub> O F. Wt. 598.54	1 gm	
4002	AUGMENTIN (Amoxicillin : Clavulanic Acid Potassium 5:1)	1 gm		3632	CEFUROXIME CAS 55268-75-2 C <sub>16</sub> H <sub>16</sub> N <sub>4</sub> O <sub>8</sub> S F. Wt. 424.38	1 gm	
4138	AZITHROMYCIN SULPHATE CAS 83905-01-5 C <sub>38</sub> H <sub>72</sub> N <sub>2</sub> O <sub>12</sub> F. Wt. 748.99	25 mg		2012	CEPHALEXIN (MONO) CAS 23325-78-2 C <sub>16</sub> H <sub>19</sub> N <sub>3</sub> O <sub>5</sub> S F. Wt. 365.4	1 gm	
2008	BACITRACIN (50,000 Units/vl) CAS 1405-87-4 C <sub>66</sub> H <sub>103</sub> N <sub>17</sub> O <sub>16</sub> S F. Wt. 1422.69	1 vl		3119	CEPHALOTHIN SODIUM CAS 58-71-9 C <sub>16</sub> H <sub>15</sub> N <sub>2</sub> O <sub>5</sub> Na F. Wt. 418.41	1 gm	
2520	BACITRACIN ZINC CAS 1405-89-6 C <sub>66</sub> H <sub>10</sub> 1N <sub>17</sub> O <sub>16</sub> SZn F. Wt. 1486.07	1 gm		3120	CEPHALORIDINE CAS 50-59-9 C <sub>19</sub> H <sub>17</sub> N <sub>3</sub> O <sub>4</sub> S <sub>2</sub> F. Wt. 415.48	500 mg	
4228	CARBENDAZIM CAS 10605-21-7 C <sub>7</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> F. Wt. 191.19	1 gm 5 gm 25 gm		2017	CHLORAMPHENICOL CAS 56-75-7 C <sub>11</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>2</sub> O <sub>5</sub> F. Wt. 323.13	5 gm 25 gm 100 gm	
3314	CARBENICILLIN DISODIUM CAS 4800-94-6 C <sub>17</sub> H <sub>16</sub> N <sub>2</sub> O <sub>6</sub> SNa F. Wt. 422.36	1 gm		2019	CIPROFLOXACIN HCl CAS 86393-32-0 C <sub>17</sub> H <sub>18</sub> FN <sub>3</sub> O <sub>3</sub> ·HCl·H <sub>2</sub> O F. Wt. 385.82	1 gm	
2034	CEFACLOR CAS 53994-73-3 C <sub>15</sub> H <sub>14</sub> CIN <sub>3</sub> O <sub>4</sub> S F. Wt. 367.81	1 gm		4180	CLARITHROMYCIN CAS 81103-11-9 C <sub>38</sub> H <sub>69</sub> NO <sub>13</sub> F. Wt. 474.96	100 mg 500 mg	
2929	CEFADROXIL CAS 50370-12-2 C <sub>16</sub> H <sub>17</sub> N <sub>3</sub> O <sub>5</sub> S F. Wt. 363.39	1 gm		4004	CLINDAMYCIN HCL CAS : 21462-39-5 C <sub>18</sub> H <sub>33</sub> CIN <sub>2</sub> O <sub>5</sub> ·S·HCl F.Wt : 461.44	5 gm	
				4005	CLOXACILLIN CAS 61-72-3 C <sub>19</sub> H <sub>18</sub> CIN <sub>3</sub> O <sub>5</sub> S F. Wt. 435.88	1 gm	



# Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	CODE	PRODUCT NAME	PACK SIZE
2020	COLISTIN SULPHATE SODIUM (2,50,000 Units/vl) CAS 8068-28-8 $C_{58}H_{10}SN_{16}O_{26}S_5Na_5$ F. Wt. 1351.59	1 gm	4210	MINOCYCLINE HCL CAS 13614-98-7 $C_{23}H_{27}N_3O$ , F.Wt : 493.94	100 mg 1 gm
573	CYCLOHEXIMIDE (Actidione), AR GRADE CAS 66-81-9 $C_{15}H_{23}NO_4$ F. Wt. 281.36	1 gm 5 gm	3637	MOXALACTAM CAS 64952-97-2 $C_{20}H_{20}N_6O_9S$ F. Wt. 520.47	500 mg
4207	D-CYCLOSERINE CAS 68-41-7 $C_5H_6N_2O_2$ F. Wt. 102.09	1 gm	2463	MYCOSTATINE (Nystatin) 10,00,000 unit/vl CAS 1400-61-9 $C_{47}H_{75}NO_{17}$ F. Wt. 926.09	1 vl
4208	DICAMBA CAS 1918-00-9 $C_8H_6Cl_2O_3$ F. Wt. 221.04	100 mg 1 gm	1713	NALIDIXIC ACID CAS 389-08-2 $C_{12}H_{12}N_2O_3$ F. Wt. 232.24	1 gm 5 gm
3539	DOXYCYCLINE HCl CAS 10592-13-9 $C_{22}H_{24}N_2O_8HCl$ F. Wt. 480.89	1 gm	3528	NATAMYCIN (Pimaricin) CAS 7681-93-8 $C_{33}H_{47}NO_{13}$ F. Wt. 665.73	100 mg 1 gm
2023	ERYTHROMYCIN CAS 114-07-8 $C_{37}H_{67}N_{13}$ F. Wt. 694.00	1 gm	2003	NEOMYCIN SULPHATE CAS 1405-10-3 $C_{23}H_{52}N_6O_{25}S_3$ F. Wt. 908.88	5 gm
2024	ETHAMBUTOL Di-HCl CAS 1070-11-7 $C_{10}H_{24}N_2O_2 \cdot 2HCl$ F. Wt. 277.23	1 gm	3384	NETILMICIN SULPHATE CAS 56391-57-2 $C_{42}H_{92}N_{10}O_{34}S_5$ F. Wt. 1441.55	100 mg
4006	FLUCONAZOLE CAS 86386-73-4 $C_{13}H_{12}F_2N_6O$ F. Wt. 306.2708	5 gm	3590	NISIN CAS 1414-45-5 $C_{143}H_{230}O_{37}N_{42}S_7$ F. Wt. 3354.07	1 gm 5 gm 25 gm
3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 $C_{20}H_{40}N_4O_{10}$ F. Wt. 692.70	500 mg 1 gm	2962	NORFLOXACIN CAS 70458-96-7 $C_{16}H_{18}FN_3O_3$ F. Wt. 319.33	1 gm
2025	GENTAMYCIN SULPHATE CAS 1405-41-0 $C_{21}H_{43}N_5O_7H_2SO_4$ F. Wt. 575.67	1 gm 5 gm	3529	NOVOBIOCIN SODIUM CAS 1476-53-5 $C_{31}H_{35}N_2NaO_{11}$ F. Wt. 634.62	1 gm
3357	HYGROMYCIN B CAS 31282-04-9 $C_{20}H_{37}N_3O_{13}$ F. Wt. 527.60	100 mg 1 gm	063	OFLOXACIN CAS 82419-36-1 $C_{18}H_{20}FN_3O_4$ F. Wt. 361.41	500 mg 5 gm
2948	ISONIAZIDE 99% CAS 54-85-3 $C_6H_7N_3O$ F. Wt. 137.14	5 gm	3390	OXACILLIN SODIUM CAS 1173-88-2 $C_{19}H_{18}N_3NaO_5S$ F. Wt. 423.42	5 gm
2035	KANAMYCIN SULPHATE CAS 25389-94-0 $C_{18}H_{36}N_{16}N_4O_{11} \cdot H_2SO_4$ F. Wt. 582.58	1 gm 5 gm	2004	OXYTETRACYCLINE HCL * CAS 2058-46-0 $C_{22}H_{24}N_2O_9 \cdot HCl$ F. Wt. 496.9	1 gm
2026	LINCOMYCIN HCl (Mono) (10,00000 Unit/vl) * CAS 7179-49-9 $C_{18}H_{37}ClN_2O_7S$ F. Wt. 461.01	1 vl	4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 $C_{23}H_{47}N_5O_{18}S$ F. Wt. 713.71	1 gm 5 gm
4168	LOMEFLOXACIN HCL CAS 98079-52-8 $C_{17}H_{20}ClF_2N_3O_3$ F. Wt. 387.81	1 gm	3393	PENICILLIN BENZYL SODIUM (Pencilin-G) CAS 69-57-8 $C_{16}H_{17}N_2NaO_4S(1MU/vl)$ F. Wt. 356.35	1 gm
4176	MEROPENEM CAS 96036-03-2 $C_{17}H_{25}N_3O_5S$ F. Wt. 387.81	10 mg	3572	PENICILLIN V POTASSIUM CAS 132-98-9 $C_{16}H_{17}N_2O_5SK$ F. Wt. 388.48	500 mg
4209	METRONIDAZOLE CAS 443-48-1 $C_6H_9N_3O_3$ F. Wt. 171.2	1 gm			

# Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE
3397	PHOSPHOMYCIN DISODIUM CAS 26016-99-9 $C_3H_5O_4PNa_2$ F. Wt. 182.02	1 gm 5 gm
3398	PIPERACILLIN SODIUM CAS 59703-84-3 $C_{23}H_{26}N_5NaO_5S$ F. Wt. 539.54	1 gm 5 gm
2005	POLYMYXIN B. SULPHATE (1 million units/vl) CAS 1405-20-5 $C_{55}H_{99}N_{16}O_{13} \cdot 2H_2SO_4$	1 vl 5 vl
3203	PYRAZINAMIDE CAS 98-96-4 $C_5H_5N_3O$	5 gm
2200	RIFAMPICIN CAS 13292-46-1 $C_{43}H_{58}N_4O_{12}$	1 gm
068	SPARFLOXACIN CAS 110871-86-8 $C_{19}H_{22}FN_4O_3$ F. Wt. 392.40	1 gm
3435	SPECTINOMYCIN DIHYDROCHLORIDE, (Penta), CAS 22189-32-8 $C_{14}H_{24}N_2O_7 \cdot 2HCl \cdot 5H_2O$ F. Wt. 495.3	1 gm
2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7 \cdot (H_2SO_4)_3$	5 gm 25 gm
2033	SULFADIAZINE CAS 68-35-9 $C_{10}H_{10}N_4O_2S$	50 gm
3244	SULPHACETAMIDE SODIUM CAS 127-56-0 $C_8H_9N_2NaO_3S.aq$	5 gm


CODE	PRODUCT NAME	PACK SIZE
3439	SULPHAMETHOXAZOLE CAS 723-46-6 $C_{10}H_{11}N_3O_3S$	5 gm 25 gm
3443	SULPHAMETHAZINE CAS 57-68-1 $C_{12}H_{14}N_4O_2S$ F. Wt. 278.33	25 gm
070	TETRACYCLINE HYDROCHLORIDE CAS : 64-75-5 $C_{22}H_{24}N_2O_8$ F. Wt. 444.43	5 gm
478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_9H_9HgNaO_2S$ F. Wt. 404.81	25 gm 100 gm
3441	TICARCILLIN DISODIUM CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. Wt. 428.39	1 gm 5 gm 25 gm
071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. Wt. 428.39	500 mg
072	TOBRAMYCIN SULPHATE CAS 49842-07-1 $C_{18}H_{37}N_5O_9$ F. Wt. 567.51	100 mg
2031	TRIMETHOPRIM CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. Wt. 290.32	5 gm
4211	VALIDAMYCINE CAS 37248-47-8 $C_{20}H_{35}NO_{13}$ F. Wt. 497.49	1 gm
2032	VANCOMYCIN HYDROCHLORIDE CAS 1404-93-9 $C_{66}H_{76}ClN_9O_{24} \cdot HCl$ F. Wt. 1485.72	500 mg

## Seeking Distributorship ?

Join the strong network of our 350+ distributors world-wide  
Partner with us and gain access to a comprehensive product range,  
excellent customer support, and a trusted brand with a proven track record.

[www.tmmmedia.in](http://www.tmmmedia.in) | [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)

**350+**  
Distributors



# Chemicals

## Pure & Precise

The lab deserves more than just Chemicals  
It deserves the right grade for every breakthrough

### Available Grades:

- **Extra-Pure**
- **AR-Grade**
- **Molecular Biology Grade**
- **HPLC Grade**
- **ACS Grade**
- **Food Grade**
- **Pharmaceutical Grade**

### High-purity Chemicals for



Quality Control



Diagnostics



Research



Drug  
Discovery



Sensitive  
Analytical  
Techniques



Reference  
Standards



Nucleic  
Acid Work



Cell Culture



Enzyme  
Assays



1000 MT/Annum  
Production capacity



# Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE
TMB 001	<b>ACES</b> (N-[2-Acetamido]-2-Aminoethane -Sulfonic Acid) CAS 7365-82-4 <b>C<sub>4</sub>H<sub>10</sub>N<sub>2</sub>O<sub>4</sub>S F. Wt. 182.20</b> Assay : ≥99%	5 gm 25 gm 100 gm
TMB 002	<b>ACETAMIDE (Amide C )</b> CAS 60-35-5 <b>C<sub>5</sub>H<sub>9</sub>NO F. Wt. 59.07</b> Assay : ≥99%	100 gm
TMB 003	<b>ACRYLAMIDE</b> CAS 79-06-1 <b>C<sub>3</sub>H<sub>5</sub>NO F. Wt. 71.08</b> Assay : ≥99%	25 gm 100 gm 500 gm 1 Kg
TMB 004	<b>ADENOSINE DIPHOSPHATE DISODIUM SALT (Dihydrate) *</b> CAS 16178-48-6 <b>C<sub>10</sub>H<sub>13</sub>N<sub>5</sub>Na<sub>2</sub>O<sub>10</sub>P<sub>2</sub>·H<sub>2</sub>O F. Wt. 507.2</b> Assay : ≥95%	1 gm 5 gm
TMB 090	<b>AGAR AGAR</b> CAS 9002-18-0	100 gm 500 gm 1 kg
TMB 005	<b>AGAROSE</b> DNA Grade, Low Melting Point CAS 9012-36-6	10 gm 100 gm
TMB 006	<b>AGAROSE, LOW EEO</b> (Nuclease and Protease Free) CAS 9012-36-6	10 gm 100 gm 500 gm 1 Kg
TMB 007	<b>ALCIAN BLUE 8GX</b> CAS 33864-99-2 <b>C<sub>56</sub>H<sub>68</sub>Cl<sub>4</sub>CuN<sub>16</sub>S<sub>4</sub> F. Wt. 1298.86</b>	25 gm 50 gm
TMB 121	<b>ALUMINIUM AMMONIUM SULPHATE</b> CAS 7784-25-0 <b>AlNH<sub>4</sub>(SO<sub>4</sub>)<sub>2</sub>·12H<sub>2</sub>O F. Wt. 453.32</b> Assay : ≥99.5%	500 gm
TMB 008	<b>AMMONIUM ACETATE</b> CAS 631-61-8 <b>C<sub>2</sub>H<sub>7</sub>NO<sub>2</sub> F. Wt. 77.08</b> Assay : ≥98%	100 gm 500 gm
TMB 009	<b>AMMONIUM CHLORIDE</b> CAS 12125-02-9 <b>NH<sub>4</sub>Cl F. Wt. 53.49</b> Assay : ≥99.5%	500 gm
TMB 010	<b>DI-AMMONIUM HYDROGEN CITRATE</b> CAS 3012-65-5 <b>C<sub>6</sub>H<sub>14</sub>N<sub>2</sub>O<sub>7</sub> F. Wt. 226.18</b> Assay : ≥99%	500 gm
TMB 011	<b>AMMONIUM MOLYBDATE (Tetra)</b> CAS 12054-85-2 <b>(NH<sub>4</sub>)<sub>6</sub>Mo<sub>7</sub>O<sub>24</sub>·4H<sub>2</sub>O F. Wt. 1235.86</b> Assay : ≥99%	100 gm 500 gm

CODE	PRODUCT NAME	PACK SIZE
TMB 012	<b>AMMONIUM PERSULPHATE</b> CAS 7727-54-0 <b>(NH<sub>4</sub>)<sub>2</sub>S<sub>2</sub>O<sub>8</sub> F. Wt. 228.2</b> Assay : ≥98%	25 gm 100 gm 500 gm
TMB 013	<b>AMMONIUM PHOSPHATE DIBASIC</b> CAS 7783-28-0 <b>(NH<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub> F. Wt. 132.06</b> Assay : ≥98%	500 gm
TMB 014	<b>AMMONIUM PHOSPHATE MONOBASIC</b> CAS 7722-76-1 <b>NH<sub>4</sub>H<sub>2</sub>PO<sub>4</sub> F. Wt. 115.03</b> Assay : ≥99%	500 gm
TMB 015	<b>AMMONIUM SULPHATE</b> CAS 7783-20-2 <b>(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub> F. Wt. 132.14</b> Assay : ≥99%	250 gm 500 gm
TMB 016	<b>BES-BUFFER</b> CAS 10191-18-1 <b>C<sub>6</sub>H<sub>15</sub>NO<sub>5</sub>S F. Wt. 213.25</b> Assay : ≥99.5%	25 gm 100 gm
TMB 017	<b>BICINE</b> CAS 150-25-4 <b>C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub> F. Wt. 163.17</b> Assay : ≥99%	25 gm 100 gm 500 gm
TMB 018	<b>BIS-TRIS</b> (Bis[2-hydroxyethyl Amino-Trishydroxymethyl]Methane) CAS 6976-37-0 <b>C<sub>8</sub>H<sub>19</sub>NO<sub>5</sub> F. Wt. 209.24</b> Assay : ≥98%	25 gm 100 gm
TMB 019	<b>BISACRYLAMIDE</b> [N-N'-Methylene-Bis(Acrylamide)] CAS 110-26-9 <b>C<sub>7</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub> F. Wt. 154.17</b> Assay : ≥99%	25 gm 100 gm 250 gm 500 gm
TMB 091	<b>BORAX POWDER (Deca)</b> (Sodium Tetraborate) CAS 1303-96-4 <b>Na<sub>2</sub>B<sub>4</sub>O<sub>7</sub>·10H<sub>2</sub>O F. Wt. 381.37</b> Assay : ≥99.5%	500 gm
TMB 092	<b>BORIC ACID</b> CAS 10043-35-3 <b>H<sub>3</sub>BO<sub>3</sub> F. Wt. 61.83</b> Assay : ≥99.5%	500 gm 1 Kg
TMB 020	<b>BOVINE SERUM ALBUMIN *</b> CAS 9048-46-8 Assay : ≥98% Protein	5 gm 25 gm 100 gm 500 gm
TMB 021	<b>BRILLIANT BLUE R-250</b> (Coomassie Brilliant Blue R-250) CAS 6104-59-2 C.I. No. 42660 <b>C<sub>45</sub>H<sub>44</sub>N<sub>3</sub>NaO<sub>7</sub>S<sub>2</sub> F. Wt. 825.97</b>	5 gm 25 gm 100 gm

# Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE
TMB 024	<b>CALCIUM CHLORIDE (Dihydrate)</b> CAS 10035-04-8 <b>CaCl<sub>2</sub>·2H<sub>2</sub>O F. Wt. 147.01</b> Assay : ≥99%	100 gm 500 gm
TMB 022	<b>CAPS</b> (3-[Cyclohexylamino]-1-Propanesulphonic Acid) CAS 1135-40-6 <b>C<sub>9</sub>H<sub>19</sub>NO<sub>3</sub>S F. Wt. 221.32</b> Assay : ≥99%	25 gm 100 gm 250 gm 1 Kg
TMB 023	<b>CHAPS</b> CAS 75621-03-3 <b>C<sub>32</sub>H<sub>58</sub>N<sub>2</sub>O<sub>7</sub>S F. Wt. 614.88</b> Assay : ≥98%	1 gm 5 gm 10 gm
TMB 025	<b>CITRIC ACID (ANH.)</b> CAS 77-92-9 <b>C<sub>6</sub>H<sub>8</sub>O<sub>7</sub> F. Wt. 192.12</b> Assay : ≥99.5%	500 gm
TMB 093	<b>CITRIC ACID (Mono)</b> CAS 5949-29-1 <b>C<sub>6</sub>H<sub>7</sub>O<sub>7</sub>·H<sub>2</sub>O F. Wt. 210.14</b> Assay : ≥99.5%	500 gm
TMB 026	<b>CITRIC ACID TRISODIUM SALT</b> (Dihydrate), CAS 6132-04-3 <b>C<sub>6</sub>H<sub>7</sub>O<sub>7</sub>Na<sub>3</sub>·2H<sub>2</sub>O F. Wt. 294.1</b> Assay : ≥99%	500 gm
TMB 027	<b>COOMASSIE BRILLIANT BLUE G 250</b> CAS 6104-58-1 C.I. 42655 <b>C<sub>47</sub>H<sub>48</sub>N<sub>3</sub>NaO<sub>7</sub>S<sub>2</sub> F. Wt. 854.02</b>	5 gm 25 gm
TMB 028	<b>COPPER (II) SULPHATE (Penta)</b> CAS 7758-99-8 <b>CuSO<sub>4</sub>·5H<sub>2</sub>O F. Wt. 249.69</b> Assay : ≥99.5%	100 gm 500 gm
TMB 029	<b>CTAB</b> (N-Cetyl-N,N,N-Trimethylammonium Bromide) CAS 57-09-0 <b>CH<sub>19</sub>BrN<sub>4</sub> F. Wt. 364.45</b> Assay : ≥99%	100 gm 500 gm
TMB 030	<b>DL-DTT (DL-Dithiothreitol) *</b> CAS 3483-12-3 <b>C<sub>4</sub>H<sub>10</sub>O<sub>2</sub>S<sub>2</sub> F. Wt. 154.25</b> Assay : ≥99%	5 gm 25 gm
TMB 031	<b>1,4-Dithioerythritol (DTE) *</b> CAS 6892-68-8 <b>C<sub>4</sub>H<sub>10</sub>O<sub>2</sub>S<sub>2</sub> F. Wt. 154.25</b> Assay : ≥99%	1 gm 5 gm
TMB 032	<b>EDTA SODIUM SALT (Dihydrate)</b> (Ethylenediaminetetraacetic Acid Disodium Salt Dehydrate) CAS 6381-92-6 <b>C<sub>10</sub>H<sub>14</sub>N<sub>2</sub>Na<sub>2</sub>O<sub>8</sub>·2H<sub>2</sub>O F. Wt. 372.24</b> Assay : ≥99%	500 gm 1 Kg

CODE	PRODUCT NAME	PACK SIZE
TMB 033	<b>ETHIDIUM BROMIDE</b> CAS 1239-45-8 <b>C<sub>21</sub>H<sub>20</sub>BrN<sub>3</sub> F. Wt. 394.31</b> Assay : ≥95%	1 gm 5 gm
TMB 094	<b>D-FRUCTOSE (Levulose)</b> CAS 57-48-7 <b>C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> F. Wt. 180.16</b> Assay : ≥99%	100 gm 500 gm 1 Kg
TMB 095	<b>D-GALACTOSE</b> CAS 59-23-4 <b>C<sub>6</sub>H<sub>12</sub>O<sub>4</sub> F. Wt. 180.16</b> Assay : ≥99%	100 gm 500 gm 1 Kg
TMB 034	<b>D(+)-GLUCOSE (ANH.)</b> CAS 50-99-7 <b>C<sub>6</sub>H<sub>12</sub>O<sub>6</sub> F. Wt. 180.16</b> Assay : ≥99.5%	100 gm 500 gm
TMB 035	<b>L-GLUTATHIONE REDUCED</b> CAS 70-18-8 <b>C<sub>10</sub>H<sub>17</sub>N<sub>2</sub>O<sub>3</sub>S F. Wt. 307.32</b> Assay : ≥98% Store Below 2-8° C	1 gm 5 gm 25 gm 100 gm
TMB 036	<b>GLYCINE</b> CAS 56-40-6 <b>C<sub>2</sub>H<sub>5</sub>NO<sub>2</sub> F. Wt. 75.07</b> Assay : ≥99%	100 gm 500 gm 1 Kg 5 Kg
TMB 037	<b>GUANIDINE HYDROCHLORIDE</b> CAS 50-01-1 <b>CH<sub>5</sub>N<sub>3</sub>·HCl F. Wt. 95.53</b> Assay : ≥99%	25 gm 100 gm 500 gm
TMB 038	<b>GUANINE</b> CAS 73-40-5 <b>C<sub>5</sub>H<sub>4</sub>N<sub>6</sub>O F. Wt. 151.13</b> Assay : ≥98% Store Below 2-8° C	50 gm
TMB 039	<b>HEPES</b> [N-(2-Hydroxyethyl) Piperazine-N'-(2-Ethanesulphonic Acid)] CAS 7365-45-9 <b>C<sub>8</sub>H<sub>18</sub>N<sub>2</sub>O<sub>4</sub>S F. Wt. 238.3</b> Assay : ≥99%	25 gm 100 gm 500 gm
TMB 040	<b>HEPES SODIUM SALT</b> CAS 75277-39-3 <b>C<sub>8</sub>H<sub>17</sub>N<sub>2</sub>NaO<sub>4</sub>S F. Wt. 260.29</b> Assay : ≥99% Store Below 30° C	25 gm 100 gm 500 gm
TMB 041	<b>ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE *</b> CAS 367-93-1 <b>C<sub>9</sub>H<sub>16</sub>O<sub>5</sub>S F. Wt. 238.30</b> Assay : ≥99%	1 gm 5 gm 10 gm 25 gm
TMB 042	<b>LACTOSE (Monohydrate)</b> CAS 64044-51-5 <b>C<sub>12</sub>H<sub>22</sub>O<sub>11</sub>·H<sub>2</sub>O F. Wt. 360.31</b> Assay : ≥99.5%	500 gm 5 Kg



# Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE
TMB 043	LAURYL SULPHATE SODIUM SALT (Dodecyl Sulphate Sodium Salt, SDS) CAS 151-21-3 C <sub>12</sub> H <sub>25</sub> NaO <sub>4</sub> S F. Wt. 288.38 Assay : ≥99%	25 gm 100 gm 500 gm 1 Kg
TMB 096	LITHIUM CHLORIDE (ANH.) CAS 7447-41-8 LiCl F. Wt. 42.39 Assay : ≥99%	100 gm 500 gm
TMB 044	MAGNESIUM ACETATE (Tetra) CAS 16674-78-5 C <sub>4</sub> H <sub>8</sub> MgO <sub>4</sub> ·4H <sub>2</sub> O F. Wt. 214.45 Assay : ≥99%	100 gm
TMB 045	MAGNESIUM CHLORIDE (Hexa) CAS 7791-18-6 MgCl <sub>2</sub> ·6H <sub>2</sub> O F. Wt. 203.30 Assay : ≥99.5%	100 gm 500 gm
TMB 046	MAGNESIUM SULPHATE (Hepta) CAS 10034-99-8 MgSO <sub>4</sub> ·7H <sub>2</sub> O F. Wt. 246.47 Assay : ≥99.5%	500 gm
TMB 047	DL-MALIC ACID CAS 6915-15-7 C <sub>4</sub> H <sub>6</sub> O <sub>5</sub> F. Wt. 134.09 Assay : ≥99%	500 gm
TMB 048	D-(+)-MALTOSE (Mono) CAS 6363-53-7 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O F. Wt. 360.31 Assay : ≥95%	100 gm 500 gm
TMB 049	MANGANESE (II) CHLORIDE (Tetra) CAS 13446-34-9 MnCl <sub>2</sub> ·4H <sub>2</sub> O F. Wt. 197.91 Assay : ≥98%	100 gm 500 gm
TMB 050	D-MANNITOL CAS 69-65-8 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub> F. Wt. 182.17 Assay : ≥99%	500 gm 1 Kg
TMB 051	2-MERCAPTOETHANOL CAS 60-24-2 C <sub>2</sub> H <sub>6</sub> OS F. Wt. 78.13 Assay : ≥98%	100 ml 500 ml
TMB 052	MES (Monohydrate) [2-(N-Morpholino) Ethanesulphonic Acid Monohydrate] CAS 145224-94-8 C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> ·S·H <sub>2</sub> O F. Wt. 213.25 Assay : ≥90%	25 gm 100 gm
TMB 053	MOPS (3-(N-Morpholino) Propanesulphonic Acid) CAS 1132-61-2 C <sub>7</sub> H <sub>13</sub> NO <sub>4</sub> S F. Wt. 209.26 Assay : ≥99.5%	25 gm 100 gm 500 gm
TMB 054	MOPSO BUFFER CAS 68399-77-9 C <sub>7</sub> H <sub>15</sub> NO <sub>5</sub> S F. Wt. 225.26 Assay : ≥99%	25 gm

CODE	PRODUCT NAME	PACK SIZE
TMB 055	MTT * 3-(4,5-Dimethyl-2-Thiazolyl)-2,5 (Diphenyl -2H-Tetrazolium Bromide); Thiazolyl Blue CAS 298-93-1 C <sub>18</sub> H <sub>16</sub> BrN <sub>5</sub> S F. Wt. 414.32 Assay : ≥98%	100 mg 500 mg 1 gm
TMB 056	NITROBLUE TETRAZOLIUM CHLORIDE (NBT) * CAS 298-83-9 C <sub>40</sub> H <sub>30</sub> N <sub>10</sub> O <sub>6</sub> Cl <sub>2</sub> F. Wt. 817.64 Assay : ≥98%	100 mg 250 mg 1 gm
TMB 057	p-NITROPHENYL PHOSPHATE DISODIUM (Hexa) * CAS 333338-18-4 C <sub>6</sub> H <sub>4</sub> NNa <sub>2</sub> O P.6H <sub>2</sub> O F. Wt. 371.14 Assay : ≥98%	5 gm 25 gm
TMB 058	PHENOL, CRYSTALS (Hydroxybenzene) CAS 108-95-2 C <sub>6</sub> H <sub>6</sub> O F. Wt. 94.11 Assay : ≥99% Store Below 2-8° C	100 gm 500 gm
TMB 059	PIPES (Piperazine-N,N'-Bis) (2-Ethanesulphonic Acid) CAS 5625-37-6 C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> F. Wt. 302.37 Assay : ≥99.5%	100 gm 500 gm
TMB 060	POTASSIUM ACETATE CAS 127-08-2 C <sub>2</sub> H <sub>3</sub> KO <sub>2</sub> F. Wt. 98.14 Assay : ≥99%	100 gm 500 gm
TMB 061	POTASSIUM CHLORIDE CAS 7447-40-7 KCl F. Wt. 74.55 Assay : ≥99%	500 gm
TMB 097	POTASSIUM IODIDE CAS 7681-11-0 KI F. Wt. 166.00 Assay : ≥99.5%	100 gm 250 gm
TMB 062	POTASSIUM NITRATE CAS 7757-79-1 KNO <sub>3</sub> F. Wt. 101.1 Assay : ≥99%	500 gm
TMB 063	POTASSIUM PHOSPHATE DIBASIC (ANH.) CAS 7758-11-4 K <sub>2</sub> HPO <sub>4</sub> F. Wt. 174.18 Assay : ≥99%	100 gm 500 gm
TMB 064	POTASSIUM PHOSPHATE MONOBASIC (ANH.) CAS 7778-77-0 KH <sub>2</sub> PO <sub>4</sub> F. Wt. 136.09 Assay : ≥99%	500 gm
TMB 065	SILVER NITRATE CAS 7761-88-8 AgNO <sub>3</sub> F. Wt. 169.87 Assay : ≥99%	10 gm 25 gm 100 gm
TMB 066	SODIUM ACETATE (Trihydrate) CAS 6131-90-4 C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> Na·3H <sub>2</sub> O F. Wt. 136.08 Assay : ≥99%	500 gm

# Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE
TMB 067	<b>SODIUM BICARBONATE</b> CAS 144-55-8 <b>NaHCO<sub>3</sub> F. Wt. 84.01</b> Assay : ≥99.7%	100 gm 500 gm
TMB 068	<b>SODIUM CARBONATE (ANH.)</b> (Soda Ash) CAS 497-19-8 <b>Na<sub>2</sub>CO<sub>3</sub> F. Wt. 105.99</b> Assay : ≥99.9%	100 gm 500 gm 1 Kg
TMB 069	<b>SODIUM CHLORIDE</b> CAS 7647-14-5 <b>NaCl F. Wt. 58.44</b> Assay : ≥99.5%	500 gm 1 Kg 5 Kg
TMB 070	<b>SODIUM HYDROXIDE PELLETS</b> CAS 1310-73-2 <b>NaOH F. Wt. 40.00</b> Assay : ≥98%	100 gm 500 gm 5 Kg
TMB 071	<b>SODIUM PHOSPHATE DIBASIC</b> (Dihydrate) CAS 10028-24-7 <b>Na<sub>2</sub>HPO<sub>4</sub> .2H<sub>2</sub>O F. Wt. 177.99</b> Assay : ≥99%	500 gm 5 Kg
TMB 072	<b>SODIUM PHOSPHATE MONOBASIC</b> (ANH.) CAS 7558-80-7 <b>NaH<sub>2</sub>PO<sub>4</sub> F. Wt. 119.98</b> Assay : ≥98%	500 gm
TMB 073	<b>SODIUM SULPHATE (ANH.)</b> CAS 7757-82-6 <b>Na<sub>2</sub>SO<sub>4</sub> F. Wt. 142.04</b> Assay : ≥99%	1 Kg
TMB 074	<b>SUCROSE</b> CAS 57-50-1 <b>C<sub>12</sub>H<sub>22</sub>O<sub>11</sub> F. Wt. 342.3</b> Assay : ≥99.5%	500 gm 5 Kg
TMB 075	<b>TEMED *</b> (N,N,N',N'-Tetramethylethylenediamine) CAS 110-18-9 <b>C<sub>6</sub>H<sub>16</sub>N<sub>2</sub> F. Wt. 116.20</b> Assay : ≥99%	100 ml
TMB 076	<b>TES</b> (N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) CAS 7365-44-8 <b>C<sub>6</sub>H<sub>15</sub>NO<sub>6</sub>S F. Wt. 229.25</b> Assay : ≥99%	100 gm
TMB 077	<b>TRICINE</b> CAS 5704-04-1 <b>C<sub>6</sub>H<sub>13</sub>NO<sub>5</sub> F. Wt. 179.17</b> Assay : ≥99%	100 gm
TMB 078	<b>2,3,5-TRIPHENYL-TETRAZOLIUM</b> <b>CHLORIDE</b> CAS 298-96-4 <b>C<sub>19</sub>H<sub>15</sub>N<sub>4</sub>Cl F. Wt. 334.8</b> Assay : ≥99%	10 gm 25 gm



CODE	PRODUCT NAME	PACK SIZE
TMB 079	<b>TRIS, FREE BASE</b> (Tris-[Hydroxymethyl] Aminomethane) CAS 77-86-1 <b>C<sub>4</sub>H<sub>11</sub>NO<sub>3</sub> F. Wt. 121.14</b> Assay : ≥99%	100 gm 500 gm 1 Kg 5 Kg
TMB 080	<b>TRIS HYDROCHLORIDE</b> CAS 1185-53-1 <b>C<sub>4</sub>H<sub>11</sub>NO<sub>3</sub>.HCl F. Wt. 157.6</b> Assay : ≥99%	100 gm 500 gm 1 Kg
TMB 081	<b>TRIS (HYDROXYMETHYL)</b> <b>AMINOMETHANE ACETATE</b> CAS 6850-28-8 <b>C<sub>6</sub>H<sub>15</sub>NO<sub>5</sub> F. Wt. 181.19</b> Assay : ≥99%	100 gm 500 gm
TMB 082	<b>TWEEN 20</b> CAS 9005-64-5 <b>C<sub>58</sub>H<sub>112</sub>O<sub>26</sub> F. Wt. 1226.5</b>	100 ml
TMB 083	<b>TWEEN 80</b> CAS 9005-65-6 <b>C<sub>32</sub>H<sub>60</sub>O<sub>10</sub> F. Wt. 604.8</b>	100 ml
TMB 084	<b>UREA</b> CAS 57-13-6 <b>CH<sub>4</sub>N<sub>2</sub>O F. Wt. 60.06</b> Assay : ≥99.5%	500 gm 1 Kg 5 Kg
TMB 085	<b>X-GAL *</b> (5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside) CAS 7240-90-6 <b>C<sub>14</sub>H<sub>15</sub>BrClN<sub>2</sub>O<sub>6</sub> F. Wt. 408.63</b> Assay : ≥98%	100 mg 500 mg 1 gm
TMB 086	<b>X-GLUCURONO CHA SALT *</b> (5-Bromo-4-chloro-3-indolyl-β-D-glucuronide Cyclohexylammonium Salt) CAS 114162-64-0 <b>C<sub>20</sub>H<sub>26</sub>BrClN<sub>2</sub>O<sub>6</sub> F. Wt. 521.79</b> Assay : ≥98%	100 mg 500 mg 1 gm
TMB 087	<b>X-GLUCURONO SODIUM SALT *</b> (5-Bromo-4-chloro-3-indolyl-β-D-glucuronide Sodium Salt) CAS 129541-41-9 <b>C<sub>14</sub>H<sub>12</sub>BrClN<sub>2</sub>O<sub>6</sub> F. Wt. 444.59</b> Assay : ≥98%	100 mg 500 mg 1 gm
TMB 088	<b>X-GLUCOSIDE *</b> (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside) CAS 15548-60-4 <b>C<sub>14</sub>H<sub>15</sub>BrClNO<sub>6</sub> F. Wt. 408.63</b> Assay : ≥97%	1 mg 5 mg 10 mg
TMB 089	<b>ZINC SULPHATE (Hepta)</b> CAS 7446-20-0 <b>ZnSO<sub>4</sub> .7H<sub>2</sub>O F. Wt. 287.56</b> Assay : ≥99.5%	500 gm

# A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
3051	ABSCISIC ACID (ABA, DORMIVE) * CAS 21293-29-8 C <sub>15</sub> H <sub>20</sub> O <sub>4</sub>   F. Wt. 64.3	100 mg 500 mg 1 gm
3051A	ABSCISIC ACID (ABA) 10%* CAS 21293-29-8 C <sub>15</sub> H <sub>20</sub> O <sub>4</sub>   F. Wt. 264.3	10 gm 25 gm 100 gm
210	ACACIA GUM POWDER (Spray Dried) (PHARMA GRADE) CAS 9000-01-5	500 gm 25 Kg
3599	ACES BUFFER CAS 7365-82-4 C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub> S   F. WT. 182.20	5 gm 25 gm 100 gm
681	ACETAMIDE (for Synthesis) CAS 60-35-5 C <sub>2</sub> H <sub>5</sub> NO   F. Wt. 59.07	500 gm
002	ACETANILIDE (N-Phenylacetamide), AR GRADE CAS 103-84-4 C <sub>9</sub> H <sub>9</sub> NO   F. Wt. 135.17	500 gm
982	ACETYL CHOLINE CHLORIDE, AR GRADE* CAS 60-31-1 C <sub>6</sub> H <sub>16</sub> ClNO <sub>2</sub>   F. Wt. 181.68	5 gm 25 gm
1143	N-ACETYL-L-CYSTEINE* CAS 616-91-1 C <sub>5</sub> H <sub>9</sub> NO <sub>2</sub> S   F. Wt. 163.20	5 gm 25 gm 100 gm
3058	N-ACETYL-L-TYROSINE* CAS 537-55-3 C <sub>11</sub> H <sub>13</sub> NO <sub>4</sub>   F. Wt. 223.23	5 gm
3300	ACETYLSALICYLIC ACID (Aspirin) CAS 50-78-2 C <sub>9</sub> H <sub>8</sub> O <sub>4</sub>   F. Wt. 180.15	500 gm
1681	ACID BLUE 9 (Erioglaucine) (Brilliant Blue FCF) CAS 3844-45-9 C <sub>37</sub> H <sub>34</sub> Na <sub>2</sub> N <sub>2</sub> O <sub>9</sub> S <sub>3</sub>   F. Wt. 792.86	10 gm
1640	ACID FUCHSIN CAS 3244-88-0   C.I. 42685 C <sub>20</sub> H <sub>17</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub>   F. Wt. 585.55	25 gm 100 gm
1610	ACRIDINE ORANGE CAS 65-61-2   C.I. 46005 C <sub>17</sub> H <sub>20</sub> ClN <sub>3</sub>   F. Wt. 301.81	10 gm 25 gm
1695	ACRIFLAVINE (Euflavine) (For Biochemistry) CAS 8048-52-0   C.I. 46000 C <sub>14</sub> H <sub>14</sub> ClN <sub>3</sub>   F. Wt. 259.73	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE
646	ACRIFLAVINE HYDROCHLORIDE CAS 8063-24-9 C <sub>14</sub> H <sub>13</sub> N <sub>3</sub> HCL   F.Wt. 259.73	5 gm 25 gm
201	ACRYLAMIDE, EXTRA PURE CAS 79-06-1 C <sub>3</sub> H <sub>5</sub> NO   F.Wt. 71.80	500 gm
573	ACTIDIONE (Cycloheximide), AR GRADE CAS 66-81-9 C <sub>15</sub> H <sub>23</sub> NO <sub>4</sub>   F. Wt. 281.36	1 gm 5 gm
561	ADENINE 99% (6 Aminopurine, Vitamin B) CAS 73-24-5 C <sub>5</sub> H <sub>5</sub> N <sub>5</sub>   F. Wt. 135.13	5 gm 25 gm 1 Kg
562	ADENINE SULPHATE (Adenine Hemi Sulphate) CAS 321-30-2 C <sub>10</sub> H <sub>12</sub> N <sub>6</sub> O <sub>2</sub> S   F. Wt. 368.34	10 gm 100 gm
3509	ADENOSINE * CAS 58-61-7 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>4</sub>   F. Wt. 267.25	5 gm 25 gm 100 gm
3061	ADENOSINE 5-MONOPHOSPHATE* AMP Free Acid CAS 61-19-8 C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> O <sub>7</sub> P   F. Wt. 347.22	1 gm 5 gm 25 gm
3287	ADENOSINE-5-MONO PHOSPHATE DISODIUM (5'-ADP-Na) * CAS 4578-31-8 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>7</sub> P   F. Wt. 391.18	1 gm 5 gm 25 gm
3063	ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP-Na) * CAS 16178-48-6 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>10</sub> P <sub>2</sub>   F. Wt. 391.19	1 gm 5 gm
3064	ADENOSINE-5-TRIPHOSPHATE DISODIUM (5'-ATP-Na) * CAS 987-65-5 C <sub>10</sub> H <sub>14</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>13</sub> P <sub>3</sub>   F. Wt. 551.15	1 gm 5 gm 25 gm
500	ADIPIC ACID, (Hexanedioic Acid) CAS 124-04-9 C <sub>6</sub> H <sub>10</sub> O <sub>4</sub>   F. Wt. 146.14	500 gm
2506	L-ADRENALINE, AR GRADE (Epinephrine) CAS 51-43-4 C <sub>9</sub> H <sub>13</sub> NO <sub>3</sub>   F. Wt. 183.204	5 gm
304	AESCULIN (Esculin) CAS 531-75-9 C <sub>15</sub> H <sub>16</sub> O <sub>9</sub>   F. Wt. 340.29	5 gm 25 gm
3500	AGAR AGAR Type I CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg

CODE	PRODUCT NAME	PACK SIZE
3628	AGAR AGAR, FOOD GRADE CAS 9002-18-0	100 gm 500 gm
1227	AGAROSE, HIGH EEO (0.23-0.26) CAS 9012-36-6 C <sub>24</sub> H <sub>48</sub> O <sub>19</sub>   F. Wt. 630.547	5 gm 25 gm 100 gm 500 gm
1282	AGAROSE, MEDIUM EEO (0.16-0.19) CAS 9012-36-6 C <sub>24</sub> H <sub>48</sub> O <sub>19</sub>   F. Wt. 630.547	5 gm 25 gm 100 gm 500 gm
1258	AGAROSE, LOW EEO (0.05-0.13) CAS 9012-36-6 C <sub>24</sub> H <sub>48</sub> O <sub>19</sub>   F. Wt. 630.547	5 gm 25 gm 100 gm 500 gm
1270	AGAROSE, LOW EEO spl. for immunoelectrophoresis Counter-electrophoresis CAS 9012-36-6 C <sub>24</sub> H <sub>48</sub> O <sub>19</sub>   F. Wt. 630.547	5 gm 25 gm 100 gm 500 gm
1283	AGAROSE, LOW EEO spl. for routine use CAS 9012-36-6 C <sub>24</sub> H <sub>48</sub> O <sub>19</sub>   F. Wt. 630.547	25 gm 100 gm 500 gm
1101	β-ALANINE, 99% + PURITY Crystalline (L-Aminopropionic Acid) CAS 107-95-9 C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 89.10	25 gm 100 gm 500 gm
1102	DL-ALANINE, 99% + PURITY Crystalline CAS 302-72-7 C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 89.10	25 gm 1 Kg
1103	L-ALANINE, 99% + PURITY Crystalline CAS 56-41-7 C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 89.10	25 gm 100 gm 500 gm
322	ALBUMIN EGG POWDER (Egg Albumin Powder) CAS 9006-59-1	500 gm
3066	ALCIAN BLUE 8GX CAS 33864-99-2   C.I. 74240 C <sub>56</sub> H <sub>68</sub> Cl <sub>4</sub> CuN <sub>6</sub> S <sub>4</sub>   F. Wt. 1298.86	5 gm 25 gm
684	ALGINIC ACID CAS 9005-32-7 (C <sub>6</sub> H <sub>8</sub> O <sub>6</sub> ) <sub>n</sub>   F. Wt. 176.13	500 gm
019	ALIZARIN CYANINE GREEN (Acid Green 25) CAS 4403-90-1   C.I. 61570 C <sub>28</sub> H <sub>20</sub> N <sub>2</sub> O <sub>8</sub> S <sub>2</sub> Na <sub>2</sub>   F. Wt. 622.57	25 gm
020	ALIZARIN RED S (Sodium Alizarin Sulphonate) CAS 130-22-3   C.I. 58005 C <sub>14</sub> H <sub>7</sub> NaO <sub>7</sub> S   F. Wt. 342.26	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
3069	ALLOXAN (Mono) CAS 2244-11-3 C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> O <sub>4</sub> HO <sub>2</sub>   F. Wt. 160.10	25 gm 100 gm
3288	ALLYLTHIOUREA (Thiosinamine) CAS 109-57-9 C <sub>4</sub> H <sub>6</sub> N <sub>2</sub> S.   F. Wt. 116.18	25 gm 100 gm
4355	ALPHA OLEFIN SULFONATE (AOS), AR GRADE  CAS 68439-57-6 C <sub>14</sub> H <sub>27</sub> NaO <sub>3</sub> S   F. Wt. 324.00	500 gm
024	ALUMINIUM METAL POWDER, AR GRADE CAS 7429-90-5 Al   F. Wt. 26.98	500 gm
231	ALUMINIUM AMMONIUM SULPHATE (Ammonium Alum), EXTRA PURE CAS 7784-26-1 AlNH <sub>4</sub> (SO <sub>4</sub> ) <sub>2</sub> .12H <sub>2</sub> O   F. Wt. 453.33	500 gm 50 Kg
232	ALUMINIUM AMMONIUM SULPHATE (Ammonium Alum), AR GRADE CAS 7784-26-1 AlNH <sub>4</sub> (SO <sub>4</sub> ) <sub>2</sub> .12H <sub>2</sub> O   F. Wt. 453.33	500 gm 50 Kg
2404	ALUMINIUM HYDROXIDE GEL  PASTE, AR GRADE CAS 21645-51-2 F. Wt. 78	500 gm 50 Kg
2598	ALUMINIUM NITRATE (Nonahydrate), EXTRA PURE CAS 7784-27-2 Al(NO <sub>3</sub> ) <sub>3</sub> .9H <sub>2</sub> O   F. Wt. 375.134	500 gm
753	ALUMINIUM POTASSIUM SULPHATE (Potash-Alum), EXTRA PURE CAS 7784-24-9 AlK <sub>2</sub> O <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O   F. Wt. 474.39	500 gm 5 Kg 50 Kg
230	ALUMINIUM POTASSIUM SULPHATE (Potash-Alum), AR GRADE CAS 7784-24-9 AlK <sub>2</sub> O <sub>8</sub> S <sub>2</sub> .12H <sub>2</sub> O   F. Wt. 474.39	500 gm 5 Kg 50 Kg
791	ALUMINIUM SULPHATE, EXTRA PURE CAS 7784-31-8 Al <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .18H <sub>2</sub> O   F. Wt. 666.42	500 gm 5 Kg 50 Kg
1601	AMIDO BLACK 10 B (Naphthol Blue Black) CAS 1064-48-8   C.I. 20470 (Acid Black-1) C <sub>22</sub> H <sub>14</sub> N <sub>6</sub> O <sub>9</sub> S <sub>2</sub> Na <sub>2</sub>   F. Wt. 616.50	25 gm 100 gm
TCK 05	AMINO ACID KIT (Biochemistry) (20 Amino Acid 1 gm each & 4 Amino Acid 100 mg each) *	1 Kit

# A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
TCK 06	AMINO ACID KIT * (22 Essential Amino Acid 1 gm each)	1 Kit
4020	1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID, EXTRA PURE CAS 116-63-2 C <sub>10</sub> H <sub>9</sub> NO <sub>4</sub> S   F. Wt. 239.25	25 gm
036	4-AMINOANTIPYRINE (4-Amino Phenazone) CAS 83-07-8 C <sub>11</sub> H <sub>13</sub> N <sub>3</sub> O   F. Wt. 203.25	25 gm 100 gm
233	4-AMINOBENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 137.14	100 gm 500 gm
996	DL-2-AMINO BUTYRIC ACID CAS 2835-81-6 C <sub>4</sub> H <sub>9</sub> NO <sub>2</sub>   F. Wt. 103.12	25 gm 100 gm
796	p-AMINO-N, N-DIMETHYLANILINE OXALATE (N, N-Dimethyl-p-Phenylenediamine Oxalate) (for oxidase reagent) CAS 62778-12-5 C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 226.23	1 gm 5 gm
841	4-AMINO N,N-DIMETHYLANILINE SULPHATE (N, N-Dimethyl-p-Phenylenediamine Sulphate) CAS 536-47-0 C <sub>8</sub> H <sub>14</sub> N <sub>2</sub> SO <sub>4</sub>   F. Wt. 234.87	5 gm 25 gm
042	4-AMINOPHENOL (p-Aminophenol) CAS 123-30-8 C <sub>6</sub> H <sub>7</sub> NO   F. Wt. 109.13	100 gm 500 gm
234	AMMONIUM ACETATE, EXTRA PURE CAS 631-61-8 C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> NH <sub>4</sub>   F. Wt. 77.08	500 gm 50 Kg
235	AMMONIUM ACETATE, AR GRADE CAS 631-61-8 C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> NH <sub>4</sub>   F. Wt. 77.08	500 gm 50 Kg
237	AMMONIUM BICARBONATE, EXTRA PURE (Ammonium Hydrogen Carbonate) CAS 1066-33-7 CH <sub>5</sub> NO <sub>3</sub>   F. Wt. 79.056	500 gm 5 Kg 50 Kg
238	AMMONIUM BICARBONATE, AR GRADE (Ammonium Hydrogen Carbonate) CAS 1066-33-7 CH <sub>5</sub> NO <sub>3</sub>   F. Wt. 79.056	500 gm

CODE	PRODUCT NAME	PACK SIZE
4023	AMMONIUM BIFLUORIDE, EXTRA PURE CAS 1341-49-7 F <sub>2</sub> H <sub>5</sub> N   F. Wt. 57.04	500 gm
240	AMMONIUM CARBONATE, EXTRA PURE CAS 506-87-6 (NH <sub>4</sub> ) <sub>2</sub> CO <sub>3</sub>   F. Wt. 96.09	500 gm
053	AMMONIUM CARBONATE, AR GRADE CAS 506-87-6 (NH <sub>4</sub> ) <sub>2</sub> CO <sub>3</sub>   F. Wt. 96.09	500 gm
054	AMMONIUM CERIC NITRATE, EXTRA PURE CAS 16774-21-3 H <sub>8</sub> N <sub>8</sub> CeO <sub>18</sub>   F. Wt. 548.26	100 gm
4025	AMMONIUM CERIC NITRATE, AR GRADE CAS 16774-21-3 CeH <sub>8</sub> N <sub>8</sub> O <sub>18</sub>   F. Wt. 548.22	100 gm
800	AMMONIUM CERIC SULPHATE (Dihydrate), EXTRA PURE CAS 10378-47-9 CeH <sub>16</sub> N <sub>4</sub> O <sub>16</sub> S <sub>4</sub> .2H <sub>2</sub> O   F. Wt. 632.55	100 gm 500 gm
241	AMMONIUM CHLORIDE, EXTRA PURE CAS 12125-02-9 NH <sub>4</sub> Cl   F. Wt. 53.49	500 gm 5 Kg 50 Kg
242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH <sub>4</sub> Cl   F. Wt. 53.49	500 gm 5 Kg 50 Kg
2514	AMMONIUM CITRATE DIBASIC (di-Ammonium Hydrogen Citrate) CAS 3012-65-5 C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub>   F. Wt. 226.19	500 gm
802	tri-AMMONIUM CITRATE, EXTRA PURE CAS 3458-72-8 C <sub>6</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub>   F. Wt. 243.22	500 gm 50 Kg
686	tri-AMMONIUM CITRATE, AR GRADE CAS 3458-72-8 C <sub>6</sub> H <sub>17</sub> N <sub>3</sub> O <sub>7</sub>   F. Wt. 243.22	500 gm
551	AMMONIUM DICHROMATE, EXTRA PURE CAS 7789-09-5 (NH <sub>4</sub> ) <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub>   F. Wt. 252.07	500 gm
255	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, EXTRA PURE (Ammonium Phosphate, Monobasic) CAS 7722-76-1 NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub>   F. Wt. 115.03	500 gm



CODE	PRODUCT NAME	PACK SIZE
256	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, AR GRADE CAS 7722-76-1 NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub>   F. Wt. 115.03	500 gm
330	AMMONIUM FERRIC CITRATE, (Brown) CAS 1185-57-5 C <sub>12</sub> H <sub>22</sub> FeN <sub>3</sub> O <sub>14</sub>   F. Wt. 488.16	500 gm 5 Kg 25 Kg
243	AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), EXTRA PURE CAS 7783-85-9 (NH <sub>4</sub> ) <sub>2</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> ·6H <sub>2</sub> O   F. Wt. 392.16	500 gm 50 Kg
244	AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), AR GRADE CAS 7783-85-9 (NH <sub>4</sub> ) <sub>2</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> ·6H <sub>2</sub> O   F. Wt. 392.16	500 gm 50 Kg
804	AMMONIUM FLUORIDE, EXTRA PURE CAS 12125-1-8 FH <sub>4</sub> N   F. Wt. 37.04	500 gm
055	AMMONIUM FORMATE, EXTRA PURE CAS 540-69-2 CH <sub>3</sub> NO <sub>2</sub>   F. Wt. 63.06	500 gm
056	AMMONIUM FORMATE, AR GRADE CAS 540-69-2 CH <sub>3</sub> NO <sub>2</sub>   F. Wt. 63.06	500 gm
2514	di-AMMONIUM HYDROGEN CITRATE, EXTRA PURE CAS 3012-65-5 C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub>   F. Wt. 226.19	500 gm
253	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, EXTRA PURE (DiAmmonium phosphate dibasic) CAS 7783-28-0 (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub>   F. Wt. 132.07	500 gm
254	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, AR GRADE CAS 7783-28-0 (NH <sub>4</sub> ) <sub>2</sub> HPO <sub>4</sub>   F. Wt. 132.07	500 gm
806	AMMONIUM META VANADATE, (Ammonium Vanadate), EXTRA PURE CAS 7803-55-6 NH <sub>4</sub> VO <sub>3</sub>   F. Wt. 116.98	100 gm 500 gm
807	AMMONIUM META VANADATE, AR GRADE, CAS 7803-55-6 NH <sub>4</sub> VO <sub>3</sub>   F. Wt. 116.98	100 gm 500 gm
245	AMMONIUM MOLYBDATE (Tetra), EXTRA PURE CAS 12054-85-2 (NH <sub>4</sub> ) <sub>6</sub> MO <sub>7</sub> O <sub>24</sub> ·4H <sub>2</sub> O   F. Wt. 1235.86	100 gm 500 gm 25 Kg




CODE	PRODUCT NAME	PACK SIZE
246	AMMONIUM MOLYBDATE (Tetra), AR GRADE CAS 12054-85-2 (NH <sub>4</sub> ) <sub>6</sub> MO <sub>7</sub> O <sub>24</sub> ·4H <sub>2</sub> O   F. Wt. 1235.86	100 gm 500 gm 25 Kg
057	AMMONIUM NICKEL SULPHATE (Hexa), (Nickel Ammonium Sulphate), EXTRA PURE CAS 7785-20-8 H <sub>3</sub> N <sub>2</sub> NiO <sub>8</sub> S <sub>2</sub> ·6H <sub>2</sub> O   F. Wt. 395.00	500 gm
249	AMMONIUM OXALATE (Mono), EXTRA PURE CAS 6009-70-7 C <sub>2</sub> H <sub>2</sub> N <sub>2</sub> O <sub>4</sub> ·HO <sub>2</sub>   F. Wt. 142.12	500 gm 5 Kg
250	AMMONIUM OXALATE (Mono), AR GRADE CAS 6009-70-7 C <sub>2</sub> H <sub>2</sub> N <sub>2</sub> O <sub>4</sub> ·HO <sub>2</sub>   F. Wt. 142.12	500 gm
251	AMMONIUM PERSULPHATE, EXTRA PURE CAS 7727-54-0 H <sub>8</sub> N <sub>2</sub> O <sub>8</sub> S <sub>2</sub>   F. Wt. 228.20	500 gm 25 Kg
252	AMMONIUM PERSULPHATE, AR GRADE CAS 7727-54-0 H <sub>8</sub> N <sub>2</sub> O <sub>8</sub> S <sub>2</sub>   F. Wt. 228.20	500 gm 25 Kg
060	AMMONIUM PURPURATE (Murexide) CAS 3051-09-0   C.I. 56085 C <sub>6</sub> H <sub>4</sub> N <sub>4</sub> O <sub>6</sub>   F. Wt. 284.19	5 gm 25 gm
236	AMMONIUM SULPHAMATE, EXTRA PURE (Ammonium Amido Sulphonate) CAS 7773-06-0 H <sub>6</sub> N <sub>2</sub> O <sub>3</sub> S   F. Wt. 114.125	100 gm 500 gm
257	AMMONIUM SULPHATE, EXTRA PURE CAS 7783-20-2 (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>   F. Wt. 132.14	500 gm 5 Kg 50 Kg
258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>   F. Wt. 132.16	500 gm 5 Kg 50 Kg
576	AMMONIUM(+)TARTRATE, AR GRADE CAS 3164-29-2 C <sub>4</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub>   F. Wt. 184.15	500 gm
921	AMMONIUM THIOCYANATE, EXTRA PURE (Ammonium Sulphocyanate) (Amonium Rhodanide) CAS 1762-95-4 CH <sub>4</sub> N <sub>2</sub> S   F. Wt. 76.12	500 gm 50 Kg
1417	α-AMYLASE (Diastase) 2000 Anson Unit/gm CAS 9000-90-2	100 gm 500 gm 5 Kg
1617	ANILINE BLUE (Spirit Soluble) CAS 28631-66-5 C.I. 42775 C <sub>32</sub> H <sub>25</sub> N <sub>3</sub> O <sub>9</sub> Na <sub>2</sub> S <sub>3</sub>   F. Wt. 737.73	25 gm 100 gm

# A Laboratory Chemicals (EP & AR Grade)


CODE	PRODUCT NAME	PACK SIZE
1687	ANILINE BLUE (China Blue) (Water Soluble) CAS 28983-56-4   C.I. 42780 C <sub>37</sub> H <sub>27</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub>   F. Wt. 799.80	25 gm 100 gm
3295	ANILINE HYDROCHLORIDE CAS 142-04-1 C <sub>6</sub> H <sub>5</sub> NH <sub>2</sub> .HCL   F. Wt. 129.59	500 gm
3296	ANILINE SULPHATE CAS 542-16-5 C <sub>12</sub> H <sub>14</sub> N <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub>   F. Wt. 284.33	500 gm
076	ANTHRACENE 99%, EXTRA PURE CAS 120-12-7   C.I. 10790 C <sub>14</sub> H <sub>10</sub>   F. Wt. 178.23	100 gm
079	ANTHRAQUINONE CAS 84-65-1 C <sub>14</sub> H <sub>8</sub> O <sub>2</sub>   F. Wt. 208.22	500 gm
080	ANTHRONE (9,10, Dihydro-9-oxoanthracene) CAS 90-44-8 C <sub>14</sub> H <sub>10</sub> O   F. Wt. 194.24	25 gm
2516	ANTIMONY METAL POWDER 99% CAS 7440-36-0 Sb   F. Wt. 121.76	500 gm
2517	ANTIMONY POTASSIUM TARTRATE, EXTRA PURE CAS 28300-74-5 C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 667.87	100 gm 500 gm 25 Kg
811	ANTIMONY POTASSIUM TARTRATE, (Potassium Antimony (III) Oxide Tartrate), AR GRADE CAS 28300-74-5 C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 667.87	100 gm 500 gm
809	ANTIMONY TRICHLORIDE, EXTRA PURE CAS 10025-91-9 SbCl <sub>3</sub>   F. Wt. 228.13	100 gm 500 gm
810	ANTIMONY TRICHLORIDE (Antimony (III) Chloride), AR GRADE CAS 10025-91-9 SbCl <sub>3</sub>   F. Wt. 228.13	100 gm 500 gm
085	ANTIMONY TRIOXIDE, EXTRA PURE CAS 1309-64-4 Sb <sub>2</sub> O <sub>3</sub>   F. Wt. 291.52	100 gm 500 gm
086	ANTIMONY TRIOXIDE, AR GRADE CAS 1309-64-4 Sb <sub>2</sub> O <sub>3</sub>   F. Wt. 291.52	100 gm 500 gm
2519	ANTIPYRINE, (Phenazone) CAS 60-80-0 C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O   F. Wt. 188.23	100 gm 500 gm


CODE	PRODUCT NAME	PACK SIZE
087	D (-) ARABINOSE, AR GRADE CAS 10323-20-3 C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>   F. Wt. 105.13	5 gm 25 gm
259	L (+) ARABINOSE CAS 87-72-9 C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>   F. Wt. 105.13	25 gm 100 gm
1104	L- ARGININE 99% + PURITY (Free Base) CAS 74-79-3 C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub>   F. Wt. 174.20	25 gm 100 gm 1 Kg
1105	L-ARGININE HYDROCHLORIDE (Mono) 99% + PURITY, CRYSTALLINE CAS 1119-34-2 C <sub>6</sub> H <sub>14</sub> N <sub>4</sub> O <sub>2</sub> .HCL   F. Wt. 210.67	25 gm 100 gm 1 Kg
088	ARSENAZO I (Neothorin), AR GRADE CAS 520-10-5 C <sub>16</sub> H <sub>10</sub> AsN <sub>2</sub> Na <sub>3</sub> O <sub>11</sub> S <sub>2</sub>   F. Wt. 614.27	1 gm 5 gm
090	ARSENIC TRIOXIDE, EXTRA PURE CAS 1327-53-3 As <sub>2</sub> O <sub>3</sub>   F. Wt. 197.84	500 gm
1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 C <sub>6</sub> H <sub>8</sub> O <sub>6</sub>   F. Wt. 176.12	100 gm 500 gm
1715	L-ASCORBIC ACID (Vitamin C), AR GRADE CAS 50-81-7 C <sub>6</sub> H <sub>8</sub> O <sub>6</sub>   F. Wt. 176.13	25 gm 100 gm 500 gm
1714	L-ASCORBIC ACID SODIUM (Sodium Ascorbate) CAS 134-03-2 C <sub>6</sub> H <sub>7</sub> NaO <sub>6</sub>   F. Wt. 198.11	100 gm 500 gm
1148	DL-ASPARAGINE (Mono) 98.5% + Purity, Crystalline CAS 3130-87-8 C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> .H <sub>2</sub> O   F. Wt. 150.14	25 gm 100 gm
1106	L- ASPARAGINE (Mono) 99% + Purity Crystalline CAS 5794-13-8 C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub> .H <sub>2</sub> O   F. Wt. 150.14	25 gm 100 gm 500 gm
1107	DL-ASPARTIC ACID 99% + Purity, Crystalline CAS 617-45-8 C <sub>4</sub> H <sub>7</sub> NO <sub>4</sub>   F. Wt. 133.11	25 gm 100 gm 500 gm
1108	L- ASPARTIC ACID 99% + Purity, Crystalline CAS 56-84-8 C <sub>4</sub> H <sub>7</sub> NO <sub>4</sub>   F. Wt. 133.10	25 gm 100 gm 500 gm
1638	AURAMINE CAS 2465-27-2   C.I 41000 C <sub>17</sub> H <sub>21</sub> N <sub>3</sub> ClH   F. Wt. 303.84	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
1022	<b>AZOMETHIN-H-MONOSODIUM SALT</b> CAS 206752-32-1 $C_{17}H_{12}NH_4O_8S_2 \cdot xH_2O$   F. Wt. 445.40	1 gm 5 gm
1699	<b>AZUR A</b> CAS 531-53-3   C.I. 52005 $C_{14}H_{14}ClN_3S$   F. WT. 291.80	5 gm 25 gm 100 gm
1689	<b>AZUR I (AZUR B)</b> CAS 531-55-5 $C_{15}H_{16}ClNS_3$   F. Wt. 305.83	5 gm 25 gm
1697	<b>AZUR II (Azur I and Methylene Blue)</b> CAS 37247-10-2   C.I. 52010/52015 $C_{40}H_{52}Cl_2N_6S_2$   F. Wt. 751.94	25 gm
1694	<b>AZUR II EOSIN</b> CAS 53092-85-6	25 gm
094	<b>BALSAM CANADA (Synthetic)</b> CAS 8007-47-4	500 ml
3301	<b>BARBITURIC ACID</b> CAS 67-52-7 $C_4H_4N_2O_3$   F. Wt. 128.09	100 gm 500 gm
099	<b>BARIUM ACETATE, EXTRA PURE</b> CAS 543-80-6 $C_4H_6BaO_4$   F. Wt. 255.43	500 gm
262	<b>BARIUM ACETATE, AR GRADE</b> CAS 543-80-6 $C_4H_6BaO_4$   F. Wt. 255.43	500 gm
264	<b>BARIUM CARBONATE, EXTRA PURE</b> CAS 513-77-9 $BaCO_3$   F. Wt. 197.34	500 gm
265	<b>BARIUM CARBONATE, AR GRADE</b> CAS 513-77-9 $BaCO_3$   F. Wt. 197.34	500 gm
266	<b>BARIUM CHLORIDE (Dihydrate), EXTRA PURE</b> CAS 10326-27-9 $BaCl_2 \cdot 2H_2O$   F. Wt. 244.27	500 gm 5 Kg
267	<b>BARIUM CHLORIDE (Dihydrate), AR GRADE</b> CAS 10326-27-9 $BaCl_2 \cdot 2H_2O$   F. Wt. 244.27	500 gm
4026	<b>BARIUM DIPHENYLAMINE SULPHONATE, AR GRADE</b> CAS 6211-24-1 $C_{24}H_{20}BaN_2O_6S_2$   F. Wt. 633.88	5 gm 25 gm
268	<b>BARIUM HYDROXIDE (Octa), EXTRA PURE</b> CAS 12230-71-6 $Ba(OH)_2 \cdot 8H_2O$   F. Wt. 315.48	500 gm 5 Kg
270	<b>BARIUM NITRATE, EXTRA PURE</b> CAS 10022-31-8 $Ba(NO_3)_2$   F. Wt. 261.37	500 gm 5 Kg

CODE	PRODUCT NAME	PACK SIZE
4027	<b>BARIUM NITRATE, AR GRADE</b> CAS 10022-31-8 $Ba(NO_3)_2$   F. Wt. 261.37	500 gm
273	<b>BARIUM SULPHATE, EXTRA PURE</b> CAS 7727-43-7 $BaSO_4$   F. Wt. 233.40	500 gm 5 Kg
274	<b>BARIUM SULPHATE, AR GRADE</b> CAS 7727-43-7 $BaSO_4$   F. Wt. 233.40	500 gm
1603	<b>BASIC FUCHSIN (Fuchsin Basic, Margneta Basic)</b> CAS 632-99-5 C.I. 42510 $C_{20}H_{20}ClN_3$   F. Wt. 337.86	25 gm 100 gm 1 Kg
4028	<b>BATHOPHENANTHROLINE, AR GRADE</b> CAS 1662-01-7 $C_{24}H_{16}N_2$   F. Wt. 332.4	250 mg
3501	<b>B. MEAT EXTRACT PASTE (for general purpose, Bacteriological Grade)</b>	500 gm 50 Kg
3502	<b>B. MEAT EXTRACT POWDER (for general purpose, Bacteriological Grade)</b>	500 gm 25 Kg
4356	<b>BENZALKONIUMCHLORIDE 50%</b>  <b>NEW</b> CAS 68424-85-1 $C_{17}H_{30}ClN$   F. Wt. 283.88	500 gm
4357	<b>BENZALKONIUMCHLORIDE 80%</b>  <b>NEW</b> CAS 68424-85-1 $C_{17}H_{30}ClN$   F. Wt. 283.88	500 gm
4029	<b>BENTONITE POWDER</b> CAS 1302-78-9 $Al_2O_3 \cdot 4(SiO_2) \cdot H_2O$   F. Wt. 360.31	500 gm
108	<b>BENZAMIDE</b> CAS 55-21-0 $C_7H_9NO$   F. Wt. 121.14	500 gm
109	<b>BENZANILIDE</b> CAS 93-98-1 $C_{13}H_{11}NO$   F. Wt. 197.24	100 gm 500 gm
4030	<b>BENZENE SULPHONIC ACID, EXTRA PURE</b> CAS 98-11-3 $C_6H_6O_3S$   F. Wt. 158.18	500 gm
4031	<b>BENZETHONIUM CHLORIDE (Hyamine 1622)</b> CAS 121-54-0 $C_{27}H_{42}ClNO_2$   F. Wt. 448.08	25 gm
3085	<b>BENZIL</b> CAS 134-81-6 $C_{14}H_{10}O_2$   F. Wt. 210.24	500 gm
4352	<b>1,2-BENZISOTHIAZOL-(2H)-ONE</b>  <b>NEW</b> CAS 2634-33-5 $C_7H_8NOS$   F. Wt. 151.19	25 gm 100 gm

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
4353	<b>1,2-BENZISOTHAZOLE</b>  CAS 271-61-4 C <sub>7</sub> H <sub>5</sub> NS   F. Wt. 135.19	25 gm 500 gm
276	<b>BENZOIC ACID, EXTRA PURE</b> CAS 65-85-0 C <sub>6</sub> H <sub>5</sub> COOH   F. Wt. 122.12	500 gm 25 Kg
4032	<b>BENZOIC ACID, AR GRADE</b> (Meets Analytical Standards of IP, BP, USP, Ph.Eur) CAS 65-85-0 C <sub>7</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt. 122.12	500 gm 25 Kg
2526	<b>BENZOIN</b> CAS 119-53-9 C <sub>14</sub> H <sub>12</sub> O <sub>2</sub>   F. Wt. 212.25	100 gm 500 gm
817	<b>BENZOIN-α-OXIME (Cupron), AR GRADE</b> CAS 441-38-3 C <sub>14</sub> H <sub>13</sub> NO <sub>2</sub>   F. Wt. 227.27	25 gm 100 gm
3469	<b>BENZOPHENONE (Diphenylketene)</b> CAS 119-61-9 C <sub>13</sub> H <sub>10</sub> O   F. Wt. 182.22	500 gm
117	<b>1,2,3, BENZOTRIAZOLE (Benzotriazole)</b> CAS 95-14-7 C <sub>6</sub> H <sub>5</sub> N <sub>3</sub>   F. Wt. 119.12	100 gm
816	<b>6-BENZYLADENINE (6BAP)</b> (6-Benzylaminopurine), Plant Growth Regulator CAS 1214-39-7 C <sub>12</sub> H <sub>11</sub> N <sub>5</sub>   F. Wt. 225.25	1 gm 5 gm 25 gm 1 Kg 50 Kg
3086	<b>BES, SODIUM, EXTRA PURE</b> (N,N-Bis(2-hydroxyethyl)-2-amino ethane sulphonic acid sodium CAS 66992-27-6 C <sub>6</sub> H <sub>14</sub> NNaO <sub>5</sub> S   F. Wt. 235.23	5 gm 25 gm
2388	<b>BETAINE HYDROCHLORIDE</b> CAS 590-46-5 C <sub>5</sub> H <sub>12</sub> ClNO <sub>2</sub>   F. Wt. 153.61	100 gm
121	<b>BILIRUBIN, AR GRADE</b> CAS 635-65-4 C <sub>33</sub> H <sub>36</sub> N <sub>4</sub> O <sub>6</sub>   F. Wt. 584.68	500 mg 1 gm
1709	<b>D-BIOTIN (Vitamin H) *</b> CAS 58-85-5 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S   F. Wt. 244.31	1 gm 10 gm 25 gm
2533	<b>BIPHENYL (Diphenyl)</b> CAS 92-52-4 C <sub>6</sub> H <sub>5</sub> C <sub>6</sub> H <sub>5</sub>   F. Wt. 154.21	100 gm 500 gm
2534	<b>2-2 BIPYRIDYL (2,2-Dipyridyl), AR GRADE</b> CAS 366-18-7 C <sub>10</sub> H <sub>8</sub> N <sub>2</sub>   F. Wt. 156.18	5 gm 25 gm
3088	<b>BIS-TRIS, EXTRA PURE</b> (Bis(2-hydroxyethyl)amino-trishydroxy methy methane) CAS 6976-37-0 C <sub>8</sub> H <sub>19</sub> NO <sub>5</sub>   F. Wt. 209.24	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
371	<b>BISACRYLAMIDE, AR GRADE</b> (N-N-Meethylene-bisacrylamide) for Electrophoresis CAS 110-26-9 C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 154.17	25 gm 100 gm 500 gm
4033	<b>BISMUTH CARBONATE, EXTRA PURE</b> CAS 5892-10-4 (BiO) <sub>2</sub> CO <sub>3</sub>   F. Wt. 509.97	100 gm 500 gm
4034	<b>BISMUTH CHLORIDE, EXTRA PURE</b> (Bismuth Trichloride) CAS 7787-60-2 BiCl <sub>3</sub>   F. Wt. 315.34	100 gm 500 gm
4035	<b>BISMUTH NITRATE, EXTRA PURE</b> CAS 10035-06-0 BiN <sub>3</sub> O <sub>9</sub>   F. Wt. 394.99	100 gm 500 gm
4036	<b>BISMUTH SUBNITRATE, EXTR APURE</b> (Bismuth Oxynitrate) CAS 10361-46-3 BiNO <sub>4</sub>   F. Wt. 286.99	100 gm 500 gm
4037	<b>BISMUTH OXIDE, EXTRA PURE</b> CAS 1304-76-3 Bi <sub>2</sub> O <sub>3</sub>   F. Wt. 465.65	100 gm 500 gm
682	<b>BISMUTH SULPHATE</b> CAS 7787-68-0 Bi <sub>2</sub> O <sub>12</sub> S <sub>3</sub>   F. Wt. 706.15	100 gm 500 gm
2537	<b>BISPHENOL A</b> CAS 80-05-7 C <sub>15</sub> H <sub>16</sub> O <sub>2</sub>   F. Wt. 228.29	500 gm
4358	<b>BIT-20 (1,2-BENZISOTHAZOLI</b>  <b>-3-ONE 20% SOLUTION) (BONBON 20)</b> CAS 2634-33-5 C <sub>7</sub> H <sub>5</sub> NOS   F. Wt. 151.19	500 ml 1 Ltr
130	<b>BIURET, AR GRADE</b> (Allophanic Acid Amide) CAS 108-19-0 C <sub>2</sub> H <sub>2</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 103.08	25 gm
821	<b>BLUE TETRAZOLIUM CHLORIDE, AR GRADE</b> CAS 1871-22-3 C <sub>40</sub> H <sub>36</sub> Cl <sub>2</sub> N <sub>8</sub> O <sub>2</sub>   F. Wt. 731.67	1 gm 5 gm
279	<b>BORAX POWDER (Deca)</b> (Sodium Tetraborate), EXTRA PURE CAS 1303-96-4 Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> ·10H <sub>2</sub> O   F. Wt. 381.37	500 gm 5 Kg 50 Kg
280	<b>BORAX POWDER (Deca)</b> (Sodium Tetraborate), AR GRADE CAS 1303-96-4 Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> ·10H <sub>2</sub> O   F. Wt. 381.37	500 gm 5 Kg 50 Kg
281	<b>BORIC ACID, EXTRA PURE</b> CAS 10043-35-3 H <sub>3</sub> BO <sub>3</sub>   F. Wt. 61.83	500 gm 5 Kg 50 Kg
282	<b>BORIC ACID, AR GRADE</b> CAS 10043-35-3 H <sub>3</sub> BO <sub>3</sub>   F. Wt. 61.83	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
4170	di-BORON TRIOXIDE, EXTRA PURE CAS 1303-86-2 B <sub>2</sub> O <sub>3</sub>   F. Wt. 69.62	250 gm 500 gm
1226	BOVINE ALBUMIN FRACTION-V * (Albumin Bovine Fraction-V) CAS 9048-46-8	5 gm 25 gm 100 gm
133	BRIJ 35 (Polyoxyethylene Lauryl ether) CAS 9002-92-0 (C <sub>12</sub> H <sub>25</sub> O <sub>2</sub> C <sub>2</sub> H <sub>4</sub> ) <sub>n</sub>	500 ml
1681	BRILLIANT BLUE FCF (Erioglaucine A) CAS 3844-45-9 C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>5</sub> S <sub>3</sub>   F. Wt. 792.86	10 gm
1696	BRILLIANT BLUE G-250 (Coomassie Brilliant Blue G) for Electrophoresis CAS 6104-58-1   C.I. 42655 C <sub>47</sub> H <sub>48</sub> N <sub>3</sub> NaO <sub>7</sub> S <sub>2</sub>   F. Wt. 854.02	5 gm 25 gm
1653	BRILLIANT CRESYL BLUE, AR GRADE CAS 81029-05-2 (C <sub>17</sub> H <sub>20</sub> CIN <sub>4</sub> ) <sub>2</sub> ZnCl <sub>2</sub>   F. Wt. 771.92	25 gm 100 gm
1611	BRILLIANT GREEN CAS 633-03-4   C.I. 42040 C <sub>27</sub> H <sub>33</sub> N <sub>2</sub> .HO <sub>4</sub> S   F. Wt. 482.65	25 gm 100 gm 1 Kg
1630	BRILLIANT GREEN FCF CAS 2353-45-9   C.I. 42053 C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> O <sub>10</sub> S <sub>3</sub> Na <sub>2</sub>   F. Wt. 808.85	5 gm 25 gm
4256	5-BROMO-4-CHLORO-3-INDOLYL- α-D-GALACTOPYRANOSIDE * CAS 107021-38-5 C <sub>14</sub> H <sub>15</sub> BrClNO <sub>6</sub>   F. Wt. 408.63	100 mg
3093	5-BROMO-4-CHLORO-3 INDOLYL- β-D-GALACTOPYRANOSIDE (X-Gal) * CAS 7240-90-6 C <sub>14</sub> H <sub>14</sub> BrClNO <sub>6</sub>   F. Wt. 408.63	100 mg 500 mg 1 gm
4161	5-BROMO-4-CHLORO-3-INDOLYL-β-D- GLUCURONIDE CYCLOHEXYL AMMONIUM SALT * CAS 114162-64-0 C <sub>20</sub> H <sub>26</sub> BrClN <sub>2</sub> O <sub>7</sub>   F. Wt. 521.79	1 gm
3096	5-BROMO-4-CHLORO-3 INDOLYL- PHOSPHATE di-SODIUM (BCIP) * CAS 102185-33-1 C <sub>8</sub> H <sub>7</sub> BrClNO <sub>4</sub> P.Na <sub>2</sub>   F. Wt. 370.43	500 mg 1 gm
275	BROMO CRESOL GREEN SODIUM, AR GRADE CAS 62625-32-5 C <sub>21</sub> H <sub>14</sub> Br <sub>4</sub> NaO <sub>5</sub> S   F. Wt. 720.0	5 gm 25 gm
1612	BROMOCRESOL GREEN, AR GRADE (Bromo Cresol Blue) CAS 76-60-8 C <sub>21</sub> H <sub>14</sub> Br <sub>4</sub> O <sub>5</sub>   F. Wt. 698.01	5 gm 25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
1614	BROMOCRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple) CAS 115-40-2 C <sub>21</sub> H <sub>16</sub> Br <sub>2</sub> O <sub>5</sub> S   F. Wt. 540.24	5 gm 25 gm 100 gm
1656	BROMOPHENOL BLUE INDICATOR, AR GRADE CAS 115-39-9 C <sub>19</sub> H <sub>10</sub> Br <sub>4</sub> O <sub>5</sub> S   F. Wt. 669.96	5 gm 25 gm
4039	BROMOPYROGALLOL RED, AR GRADE CAS 16574-43-9 C <sub>19</sub> H <sub>10</sub> Br <sub>2</sub> O <sub>8</sub> S   F. Wt. 558.15	1 gm 5 gm
1657	BROMOTHYMOL BLUE (pH 5.8-7.6, Yellow to Blue) CAS 76-59-5 C <sub>27</sub> H <sub>28</sub> Br <sub>2</sub> O <sub>5</sub> S   F. Wt. 624.38	5 gm 25 gm 100 gm
3327	BROMOTHYMOL BLUE SODIUM CAS 34722-90-2 C <sub>27</sub> H <sub>27</sub> Br <sub>2</sub> O <sub>5</sub> Na   F. Wt. 646.35	5 gm 25 gm
3308	BRUCINE CAS 357-57-3 C <sub>23</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub>   F. Wt. 394.46	25 gm
3309	BRUCINE SULPHATE (Hepta) CAS 5787-00-8 (C <sub>23</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub> ) <sub>2</sub> .H <sub>2</sub> SO <sub>4</sub> .7H <sub>2</sub> O   F. Wt. 1013.13	25 gm
284	BUFFER CAPSULES pH 4.0	10 Cap. 10x10
285	BUFFER CAPSULES pH 7.0	10 Cap. 10x10
286	BUFFER CAPSULES pH 9.2	10 Cap. 10x10
4041	1-BUTANE SULPHONIC ACID SODIUM SALT (Anhydrous), (For HPLC) CAS 2386-54-1 C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S   F. Wt. 160.16	25 gm
4042	1-BUTANE SULPHONIC ACID SODIUM SALT (Monohydrate), (For HPLC) CAS 2386-54-1 C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S.H <sub>2</sub> O   F. Wt. 178.16	25 gm
581	BUTYLATED HYDROXY ANISOLE (B.H.A.)* CAS 121-00-6 C <sub>11</sub> H <sub>16</sub> O <sub>2</sub>   F. Wt. 180.24	100 gm 500 gm 25 Kg
582	BUTYLATED HYDROXY TOLUENE (B.H.T.), (2,6-di-tert-butyl-p-cresol) CAS 128-37-0 C <sub>15</sub> H <sub>24</sub> O   F. Wt. 220.35	500 gm 5 Kg 25 Kg
144	Tert-BUTYL HYDROQUINONE (TBHQ) CAS 1948-33-0 C <sub>10</sub> H <sub>14</sub> O <sub>2</sub>   F. Wt. 166.22	100 gm 500 gm 25 gm
3109	CADMIUM SULPHATE (Octa), EXTRA PURE CAS 7790-84-3 3CdSO <sub>4</sub> .8H <sub>2</sub> O   F. Wt. 769.50	100 gm 500 gm



# C Laboratory Chemicals (EP & AR Grade)


CODE	PRODUCT NAME	PACK SIZE
3110	CADMIUM SULPHATE (Octa), AR GRADE CAS 7790-84-3 3CdSO <sub>4</sub> .8H <sub>2</sub> O   F. Wt. 769.50	100 gm 500 gm
3111	CAFFEINE (ANH) (as per IP) CAS 58-08-2 C <sub>8</sub> H <sub>10</sub> N <sub>4</sub> O <sub>2</sub>   F. Wt. 194.19	100 gm 500 gm 25 Kg
148	CALAMINE (as per IP) CAS 8011-96-9	500 gm 25 Kg
149	CALCEIN (Fluorescein Complexone), AR GRADE CAS 1461-15-0 C <sub>30</sub> H <sub>26</sub> N <sub>2</sub> O <sub>13</sub> Na <sub>2</sub>   F. Wt. 622.55	1 gm 5 gm
287	CALCIUM ACETATE CAS 62-54-4 C <sub>4</sub> H <sub>6</sub> CaO <sub>4</sub>   F. Wt. 158.17	500 gm 25 Kg
4043	CALCIUM ACETATE, AR GRADE CAS 62-54-4 C <sub>4</sub> H <sub>6</sub> CaO <sub>4</sub>   F. Wt. 158.17	500 gm 25 Kg
4007	CALCIUM BUTYRATE CAS 5743-36-2 C <sub>8</sub> H <sub>14</sub> CaO <sub>4</sub>   F. Wt. 214.27	500 gm 25 Kg
288	CALCIUM CARBONATE (Precipitated), (ANH.), EXTRA PURE CAS 471-34-1 CaCO <sub>3</sub>   F. Wt. 100.09	500 gm 5 Kg 50 Kg
289	CALCIUM CARBONATE (Precipitated), (ANH.), AR GRADE CAS 471-34-1 CaCO <sub>3</sub>   F. Wt. 100.09	500 gm 50 Kg
290	CALCIUM CHLORIDE (Fused), EXTRA PURE CAS 10043-52-4 CaCl <sub>2</sub>   F. Wt. 110.98	500 gm 5 Kg 25 Kg
291	CALCIUM CHLORIDE (Dihydrate), EXTRA PURE CAS 10035-04-8 CaCl <sub>2</sub> .2H <sub>2</sub> O   F. Wt. 147.02	500 gm 5 Kg 50 Kg
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 CaCl <sub>2</sub> .2H <sub>2</sub> O   F. Wt. 147.02	500 gm 50 Kg
587	CALCIUM CHLORIDE (ANH.), EXTRA PURE CAS 10043-52-4 CaCl <sub>2</sub>   F. Wt. 110.98	500 gm
828	CALCIUM CITRATE (Tetra),EXTRA PURE CAS 5785-44-4 Ca <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ) <sub>2</sub> .4(H <sub>2</sub> O)   F. Wt. 570.50	500 gm 25 Kg

CODE	PRODUCT NAME	PACK SIZE
1701	CALCIUM-D-PANTOTHENATE (VITAMIN B) * CAS 137-08-6 C <sub>18</sub> H <sub>32</sub> CaN <sub>2</sub> O <sub>10</sub>   F. Wt. 476.53	25 gm 100 gm 1 Kg
4044	CALCIUM FLUORIDE CAS 7789-75-5 CaF <sub>2</sub>   F. Wt. 78.07	500 gm
823	CALCIUM GLUCONATE (Mono) CAS 18016-24-5 C <sub>12</sub> H <sub>22</sub> CaO <sub>14</sub> .H <sub>2</sub> O   F. Wt. 448.39	500 gm
3113	CALCIUM GLYCEROPHOSPHATE CAS 17603-42-8 C <sub>3</sub> H <sub>8</sub> PO <sub>3</sub> Na   F. Wt. 194.06	500 gm
298	CALCIUM HYDROXIDE (Purified) CAS 1305-62-0 Ca(OH) <sub>2</sub>   F. Wt. 74.09	500 gm 5 Kg 50 Kg
299	CALCIUM HYDROXIDE, AR GRADE CAS 1305-62-0 Ca(OH) <sub>2</sub>   F. Wt. 74.09	500 gm 50 Kg
2915	CALCIUM HYPOPHOSPHITE	500 gm
157	CALCIUM LACTATE, EXTRA PURE CAS 814-80-2 C <sub>6</sub> H <sub>10</sub> CaO <sub>6</sub>   F. Wt. 218.22	500 gm
159	CALCIUM NITRATE (Tetra), EXTRA PURE CAS 13477-34-4 Ca(NO <sub>3</sub> ) <sub>2</sub> .H <sub>2</sub> O   F. Wt. 236.15	500 gm 5 Kg 50 Kg
160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 Ca(NO <sub>3</sub> ) <sub>2</sub> .H <sub>2</sub> O   F. Wt. 236.15	500 gm 5 Kg
695	CALCIUM OXIDE POWDER, EXTRA PURE CAS 1305-78-8 CaO   F. Wt. 56.077	500 gm 25 Kg
4046	di-CALCIUM PHOSPHATE (Dihydrate), EXTRA PURE CAS 7789-77-7 CaHPO <sub>4</sub> .2H <sub>2</sub> O   F. Wt. 172.1	500 gm 25 Kg
296	CALCIUM PHOSPHATE DIBASIC (ANH.), EXTRA PURE CAS 7757-93-9 CaHPO <sub>4</sub>   F. Wt. 136.06	500 gm 5 Kg
163	CALCIUM PHOSPHATE TRIBASIC (tri-Calcium Phosphate), EXTRA PURE CAS 7758-87-4 Ca <sub>3</sub> (PO <sub>4</sub> ) <sub>2</sub>   F. Wt. 310.20	500 gm 5 Kg 50 Kg
933	CALCIUM PROPIONATE, EXTRA PURE CAS 4075-81-4 C <sub>5</sub> H <sub>10</sub> CaO <sub>4</sub>   F. Wt. 186.22	500 gm 5 Kg 25 Kg

CODE	PRODUCT NAME	PACK SIZE
164	CALCIUM SULPHATE (Dihydrate), EXTRA PURE CAS 10101-41-4 CaSO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 172.17	500 gm
165	CALCIUM SULPHATE (Dihydrate), AR GRADE CAS 10101-41-4 CaSO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 172.17	500 gm
5086	CALCIUM SULPHATE (Dihydrate), (FOOD GRADE) CAS 7778-18-9 CaSO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 172.17	500 gm 50 Kg
2995	CALCON (Solo Chrome Dark Blue/ Eriochrome blue dark) CAS 2538-85-4   C.I. 15705 C <sub>20</sub> H <sub>13</sub> N <sub>2</sub> NaO <sub>5</sub> S   F. Wt. 416.38	5 gm 25 gm 100 gm
1025	CALCONCARBOXYLIC ACID, AR GRADE (Patton & Reeder's Reagent) CAS 3737-95-9 C <sub>21</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub> S   F. Wt. 438.42	5 gm 25 gm
4048	CALMAGITE, AR GRADE CAS 3147-14-6 C <sub>17</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub> S   F. Wt. 358.37	1 gm 5 gm
094	CANADA BALSAM (Synthetic) CAS 8007-47-4	500 ml
TCK 002	CARBOHYDRATE KIT (21 items of 1 gm each) Adonitol, L-Arabinose, Cellobiose, Dextrose, Dulcitol, Galactose, Fructose, Inositol, Inulin, Lactose, Maltose, Mannitol, Mannose, Melibiose, Raffinose, Rhamnose, Salicin, Sorbitol, Sucrose Trehalose, Xylose	1 Kit 5 Kit
TCK 003	CARBOHYDRATE KIT, TYPE A (4 Amino Sugars of 1 gm each) N-Acetylgalactosamine, N-Acetylglucosamine D-Galactosamine HCl, D-Glucosamine Hcl	1 Kit
1658	CARBOL FUCHSIN (Para Fuchsin & Phenol) CAS 4197-24-4 C <sub>26</sub> H <sub>26</sub> ClN <sub>3</sub> O   F. Wt. 431.96	25 gm 100 gm
293	CARBOLIC ACID, CRYSTAL (Phenol Crystal), EXTRA PURE CAS 108-95-2 C <sub>6</sub> H <sub>5</sub> OH   F. Wt. 94.11	500 gm
170	CARBOPOL 934® CAS 9003-01-4	500 gm
2546	CARBOPOL 940® CAS 9003-01-4	500 gm
826	CARBOXYMETHYL CELLULOSE Sodium High Viscosity (CMC) (15 mpas) CAS 9000-11-7	500 gm 25 Kg

CODE	PRODUCT NAME	PACK SIZE
1659	CARMINE (Carminic Acid) CAS 1390-65-4   C.I. 75470 C <sub>22</sub> H <sub>20</sub> O <sub>13</sub>   F. Wt. 492.38	5 gm 25 gm
1721	L-CARNITINE (VITAMIN-B)* CAS 541-15-1 C <sub>7</sub> H <sub>15</sub> NO <sub>3</sub>   F. Wt. 161.2	5 gm 25 gm
209	CASEIN (Soluble in Alkali) (Fat Free, Vitamin Free) CAS 9000-71-9	500 gm
510	CATALASE (2000-5000 Unit/Mg) (from Bovine Liver) CAS 9001-05-2	1 gm
4231	CEDARWOOD OIL Optically clear, Nonflouroscent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml
4232	CEDARWOOD OIL, AR GRADE Optically clear, Nonflouroscent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml
939	D-CELLOBIOSE CAS 528-50-7 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 342.29	5 gm 25 gm
3523	CELLULOSE * Activity 10,000 U/gm CAS 9012-54-8	1 gm
TC 005	CELLULOSE POWDER CAS 9004-34-6 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	500 gm 25 Kg
2550	CETOSTEARYL ALCOHOL, EXTRA PURE CAS 8005-44-5	500 gm
584	CETRIMIDE (N-Cetyl N,N,N- Trimethylammonium Bromide), EXTRA PURE CAS 57-09-0 C <sub>19</sub> H <sub>42</sub> NBr   F. Wt. 364.62	100 gm 500 gm 25 Kg
2556	CETRIMIDE (N-Cetyl N,N,N- Trimethylammonium Bromide), AR GRADE CAS 57-09-0 C <sub>19</sub> H <sub>42</sub> NBr   F. Wt. 364.45	100 gm 500 gm
2553	CETYL ALCOHOL (1-Hexadecanol), EXTRA PURE CAS 36653-82-4 C <sub>16</sub> H <sub>34</sub> O   F. Wt. 242.44	500 gm

# C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
3316	CHAPS BUFFER CAS 75621-03-3 C <sub>35</sub> H <sub>58</sub> N <sub>2</sub> O <sub>7</sub> S   F. Wt. 614.9	1 gm 5 gm
203	CHARCOAL ACTIVATED POWDER, EXTRA PURE CAS 7440-44-0 F. Wt. 12.01	500 gm 25 Kg
2903	CHARCOAL ACTIVATED, AR GRADE CAS 7440-44-0 F. Wt. 12.01	500 gm
2931	CHARCOAL ACTIVATED, GRANULAR SPECIAL GRADE 2.0-5.0 mm CAS 7440-44-0 F. Wt. 12.01	500 gm
4255	CHES BUFFER	25 gm 100 gm
827	CHITIN [Poly (N-acetyl-1,4-D-glucopyranosamine)] CAS 1398-61-4 (C <sub>8</sub> H <sub>3</sub> NO <sub>5</sub> ) <sub>n</sub>	100 gm 500 gm 25 Kg
4224	CHITOSAN CAS 9012-76-4 (C <sub>6</sub> H <sub>11</sub> NO <sub>4</sub> ) <sub>n</sub>   F. Wt. 309.54	25 gm 100 gm 1 Kg
183	CHLORAMINE-T (Trihydrate), AR GRADE CAS 7080-50-4 C <sub>7</sub> H <sub>13</sub> N <sub>3</sub> ClNNaO <sub>5</sub> S   F. Wt. 281.69	500 gm
2559	CHLOROACETIC ACID, EXTRA PURE (Monochloroacetic Acid) CAS 79-11-8 C <sub>2</sub> H <sub>3</sub> ClO <sub>2</sub>   F. Wt. 94.50	500 gm
2560	CHLOROAUIC ACID, Min. 49% Au (Gold Chloride) CAS 16961-25-4 HAuCl <sub>4</sub> .3H <sub>2</sub> O   F. Wt. 339.79	1 gm
4354	2-CHLOROETHYL PHOSPHORIC ACID  CAS 16672-87-0 C <sub>2</sub> H <sub>6</sub> ClO <sub>3</sub> P   F. Wt. 144.49	100 ml 500 ml
182	CHLOROPHENOL RED, AR GRADE CAS 4430-20-0 C <sub>19</sub> H <sub>12</sub> Cl <sub>2</sub> O <sub>5</sub> S   F. Wt. 423.27	5 gm 25 gm
2565	p-CHLOROPHENOXY ACETIC ACID (4 CPA) CAS 122-88-3 C <sub>8</sub> H <sub>7</sub> ClO <sub>3</sub>   F. Wt. 186.59	25 gm 100gm 500gm
1707	CHOLECALCIFEROL (Vitamin D) * CAS 67-97-0 C <sub>27</sub> H <sub>44</sub> O   F. Wt. 384.64	1 gm

CODE	PRODUCT NAME	PACK SIZE
305	CHOLESTEROL (as per USP), EXTRA PURE * CAS 57-88-5 C <sub>27</sub> H <sub>46</sub> O   F. Wt. 386.65	100 gm 500 gm
4053	CHOLESTEROL, AR GRADE CAS 57-88-5 C <sub>27</sub> H <sub>46</sub> O   F. Wt. 386.65	5 gm 25 gm 100 gm
307	CHOLIC ACID Purity 99%+ CAS 81-25-4 C <sub>26</sub> H <sub>40</sub> O <sub>5</sub>   F. Wt. 408.57	25 gm 100 gm
4178	CHOLIC ACID SODIUM CAS 361-09-1 C <sub>26</sub> H <sub>39</sub> NaO <sub>5</sub>   F. Wt. 430.56	25 gm 100 gm 5 Kg
3125	CHROMAZUROL-S CAS 1667-99-8 C <sub>23</sub> H <sub>13</sub> Cl <sub>2</sub> Na <sub>3</sub> O <sub>9</sub> S   F. Wt. 605.28	10 gm
3126	CHROMIUM ACETATE, EXTRA PURE CAS 1066-30-4 C <sub>8</sub> H <sub>16</sub> Cr <sub>2</sub> O <sub>10</sub>   F. Wt. 376.2	500 gm
185	CHROMIUM (III) CHLORIDE (Hexa), EXTRA PURE CAS 10060-12-5 Cl <sub>3</sub> Cr.6H <sub>2</sub> O   F. Wt. 266.45	500 gm 25 Kg
187	CHROMIUM (III) NITRATE (Nona), EXTRA PURE CAS 7789-02-8 CrN <sub>3</sub> O <sub>9</sub> .9H <sub>2</sub> O   F. Wt. 400.15	500 gm
189	CHROMIUM PICOLINATE, EXTRA PURE CAS 14639-25-9 C <sub>18</sub> H <sub>12</sub> N <sub>3</sub> O <sub>6</sub> Cr   F. Wt. 418.33	25 gm 100 gm
2570	CHROMIUM (III) SULPHATE BASIC, EXTRA PURE CAS 39380-78-4 Cr <sub>4</sub> (SO <sub>4</sub> ) <sub>5</sub> (OH) <sub>2</sub>   F. Wt. 722.32	500 gm
4054	CHROMIUM OXIDE GREEN, EXTRA PURE CAS 1308-38-9 Cr <sub>2</sub> O <sub>3</sub>   F. Wt. 151.99	500 gm
192	CHROMIUM TRIOXIDE, EXTRA PURE (Chromium (VI) Oxide/Chromic acid) CAS 1333-82-0 CrO <sub>3</sub>   F. Wt. 99.99	500 gm
196	CHROMOTROPIC ACID DISODIUM (Dihydrate), AR GRADE CAS 5808-22-0 C <sub>10</sub> H <sub>6</sub> Na <sub>2</sub> O <sub>8</sub> S <sub>2</sub> .2H <sub>2</sub> O   F. Wt. 400.29	10 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE
199	CINNAMIC ACID, ( $\beta$ -phenyl acrylic acid) EXTRA PURE CAS 140-10-3 $C_9H_8O_2$   F. Wt. 148.05	100 gm 500 gm
309	CITRIC ACID (Mono), EXTRA PURE CAS 5949-29-1 $C_6H_8O_7 \cdot H_2O$   F. Wt. 210.14	500 gm 5 Kg 25 Kg
310	CITRIC ACID (Mono), AR GRADE CAS 5949-29-1 $C_6H_{10}O_8$   F. Wt. 210.14	500 gm 5 Kg 25 Kg
311	CITRIC ACID (ANH.), EXTRA PURE CAS 77-92-9 $C_6H_8O_7$   F. Wt. 192.12	500 gm 5 Kg 25 Kg
312	CITRIC ACID (ANH.), AR GRADE CAS 77-92-9 $C_6H_8O_7$   F. Wt. 192.12	500 gm 5 Kg 25 Kg
975	COBALT (II) ACETATE (Tetra), EXTRA PURE CAS 6147-53-1 $Co(CH_3COO)_4 \cdot 4H_2O$   F. Wt. 249.08	100 gm 500 gm
1801	COBALT (II) CARBONATE BASIC, EXTRA PURE CAS 12602-23-2 $CoCO_3 \cdot x H_2O$   F. Wt. 516.73	100 gm 500 gm
976	COBALT (II) CHLORIDE (Hexa), EXTRA PURE CAS 7791-13-1 $CoCl_2 \cdot 6(H_2O)$   F. Wt. 237.93	100 gm 500 gm
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 $Co(NO_3)_2 \cdot 6H_2O$   F. Wt. 291.03	100 gm 500 gm
1803	COBALT (II) NITRATE (Hexa), AR GRADE CAS 10026-22-9 $Co(NO_3)_2 \cdot 6H_2O$   F. Wt. 291.03	100 gm 500 gm
1804	COBALT (II) OXIDE, EXTRA PURE CAS 1308-06-1 $Co_3O_4$   F. Wt. 240.80	100 gm 500 gm
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 $Co_3SO_4 \cdot 7H_2O$   F. Wt. 281.10	100 gm 500 gm
1805	COLCHICINE CAS 64-86-8 $C_{22}H_{25}NO_6$   F. Wt. 399.44	1 gm 10 gm

CODE	PRODUCT NAME	PACK SIZE
1615	CONGO RED CAS 573-58-0   C.I. 22120 $C_{32}H_{22}N_6Na_2O_6S_2$   F. Wt. 696.67	25 gm 100 gm
1696	COOMASSIE BRILLIANT BLUE G 250 (Brilliant Blue G-250) For electrophoresis CAS 6104-58-1   C.I. 42655 $C_{47}H_{48}NaO_7S_2$   F. Wt. 854.02	5 gm 25 gm
1616	COOMASSIE BRILLIANT BLUE R-250 (Brilliant Blue R-250) CAS 6104-59-2   C.I. 42660 $C_{45}H_{44}N_3NaO_7S_2$   F. Wt. 825.97	5 gm 25 gm
2409	COPPER METAL POWDER 99.5% (325 mesh) Electrolytic Grade CAS 7440-50-8 Cu   F. Wt. 63.55	500 gm
1687	COTTON BLUE, (Water Blue) CAS 28983-56-4   C.I. 42780 $C_{37}H_{27}N_3Na_2O_9S_3$   F. Wt. 799.82	25 gm 100 gm
2574	COUMARIN [1-Benzopyran-2-One] CAS 91-64-5 $C_9H_6O_2$   F. Wt. 146.143	100 gm 500 gm
1807	CREATINE (Mono) CAS 6020-87-7 $C_4H_9N_3O_2 \cdot H_2O$   F. Wt. 149.16	25 gm 100 gm
1808	CREATININE, AR GRADE CAS 60-27-5 $C_4H_7N_3O$   F. Wt. 113.12	25 gm 100 gm 1 Kg
1811	o-CRESOLPHTHALEIN (pH Indicator) CAS 596-27-0 $C_{22}H_{18}O_4$   F. Wt. 346.38	5 gm 25 gm
4137	o-CRESOLPHTHALEIN COMPLEXONE CAS 2411-89-4 $C_{32}H_{32}N_2O_{12}$   F. Wt. 636.6	1 gm 5 gm
1618	m-CRESOL PURPLE CAS 2303-01-7 $C_{21}H_{18}O_5S$   F. Wt. 382.43	1 gm 5 gm
1619	CRESOL RED, AR GRADE CAS 1733-12-6 $C_{21}H_{18}O_5S$   F. Wt. 382.44	5 gm 25 gm
1606	CRYSTAL VIOLET POWDER, EXTRA PURE (Gentian Violet or Methyl Violet) CAS 548-62-9   C.I. 42535 $C_{25}H_{30}ClN_3$   F. Wt. 407.99	25 gm 100 gm 1 Kg

# C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
1620	CRYSTAL VIOLET, AR GRADE (Gentian Violet or Methyl Violet) CAS 548-62-9   C.I. 42555 C <sub>25</sub> H <sub>30</sub> ClN <sub>3</sub>   F. Wt. 407.98	25 gm 100 gm 1 Kg
314	CUPRIC ACETATE (Mono), EXTRA PURE CAS 6046-93-1 C <sub>4</sub> H <sub>6</sub> CuO <sub>4</sub> .H <sub>2</sub> O   F. Wt. 199.64	100 gm 500 gm
1866	CUPRIC CARBONATE BASIC, EXTRA PURE CAS 12069-69-1 CH <sub>2</sub> Cu <sub>2</sub> O <sub>5</sub>   F. Wt. 221.12	500 gm
315	CUPRIC CHLORIDE (Dihydrate), EXTRA PURE CAS 10125-13-0 CuCl <sub>2</sub> .2H <sub>2</sub> O   F. Wt. 170.48	500 gm
316	CUPRIC CHLORIDE (Dihydrate), AR GRADE CAS 10125-13-0 CuCl <sub>2</sub> .2H <sub>2</sub> O   F. Wt. 170.48	500 gm
317	CUPRIC NITRATE (Trihydrate), EXTRA PURE CAS 10031-43-3 Cu(NO <sub>3</sub> ) <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 241.60	500 gm
1818	CUPRIC OXIDE, EXTRA PURE CAS 1317-38-0 CuO   F. Wt. 79.55	100 gm 500 gm
319	CUPRIC SULPHATE (Penta), EXTRA PURE CAS 7758-99-8 CuSO <sub>4</sub> .5H <sub>2</sub> O   F. Wt. 249.68	500 gm 25 Kg
320	CUPRIC SULPHATE (Penta), AR GARDE CAS 7758-99-8 CuSO <sub>4</sub> .5H <sub>2</sub> O   F. Wt. 249.68	500 gm 25 Kg
1819	CUPRIC SULPHATE (ANH.), EXTRA PURE CAS 7758-98-7 CuSO <sub>4</sub>   F. Wt. 159.61	500 gm 25 Kg
837	CUPRIC SULPHATE (ANH.), AR GRADE CAS 7758-98-7 CuSO <sub>4</sub>   F. Wt. 159.61	500 gm 25 Kg
2893	CUPROUS CHLORIDE, EXTRA PURE CAS 7758-89-6 CuCl   F. Wt. 98.999	500 gm
817	CUPRON (Benzoin α-Oxime), AR GRADE CAS 441-38-3 C <sub>14</sub> H <sub>13</sub> NO <sub>2</sub>   F. Wt. 227.27	25 gm 100 gm
2936	CURCUMINE (Turmeric) CAS 458-37-7 C <sub>21</sub> H <sub>20</sub> O <sub>6</sub>   F. Wt. 368.39	5 gm 25 gm


CODE	PRODUCT NAME	PACK SIZE
1704	CYANOCOBALAMIN (Vitamin B) CAS 68-19-9 C <sub>63</sub> H <sub>88</sub> CON <sub>14</sub> O <sub>14</sub> P   F. Wt. 1355.38	1 gm 10 gm
3625	β-CYCLODEXTRIN CAS 7585-39-9 C <sub>42</sub> H <sub>70</sub> O <sub>35</sub>   F. Wt. 1134.98	500 gm
573	CYCLOHEXIMIDE (Actidione), AR GRADE CAS 66-81-9 C <sub>15</sub> H <sub>23</sub> NO <sub>4</sub>   F. Wt. 281.36	1 gm 5 gm
1138	L-CYSTEINE (Free Base) 99% + Crystalline CAS 52-90-4 C <sub>3</sub> H <sub>7</sub> NO <sub>2</sub> S   F. Wt. 121.17	5 gm 25 gm 100 gm
1139	L-CYSTEINE HYDROCHLORIDE (Mono) 99% + Crystalline CAS 7048-04-6 C <sub>3</sub> H <sub>8</sub> NO <sub>2</sub> SCI.H <sub>2</sub> O   F. Wt. 175.63	25 gm 100 gm 1 Kg 25 Kg
1140	L-CYSTINE, 99% + CRYSTALLINE (Free Base) CAS 56-89-3 C <sub>6</sub> H <sub>12</sub> N <sub>2</sub> O <sub>4</sub> S <sub>2</sub>   F. Wt. 240.3	25 gm 100 gm 1 Kg
4056	CYTIDINE (for Biochemistry) CAS 65-46-3 C <sub>9</sub> H <sub>13</sub> N <sub>3</sub> O <sub>5</sub>   F. Wt. 243.22	1 gm 5 gm 25 gm
4057	CYTOSINE (For Biochemistry) CAS 71-30-7 C <sub>4</sub> H <sub>5</sub> N <sub>3</sub> O   F. Wt. 111.1	25 gm 100 gm 500 gm
4058	1-DECANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 13419-61-9 CH <sub>3</sub> (CH <sub>2</sub> ) <sub>9</sub> SO <sub>3</sub> Na   F. Wt. 244.33	25 gm
4059	1-DECANE SULPHONIC ACID SODIUM SALT (Mono), (For HPLC) CAS 13419-61-9 C <sub>4</sub> H <sub>9</sub> NaO <sub>3</sub> S.H <sub>2</sub> O   F. Wt. 178.16	25 gm
666	DETERGENT TABOLENE (Neutral pH, W/O Phosphate) (For glassware cleaning)	500 ml 5 Ltr
1823	DEVARDA'S ALLOY POWDER, EXTRA PURE CAS 8049-11-4	100 gm 500 gm
1313	DEXTRIN WHITE CAS 9004-53-9 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub> .xH <sub>2</sub> O   F. Wt. 414.55	500 gm
1303	DEXTROSE (Mono), EXTRA PURE CAS 5996-10-1 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> .H <sub>2</sub> O   F. Wt. 198.17	500 gm 5 Kg 25 Kg



CODE	PRODUCT NAME	PACK SIZE
1317	DEXTROSE (Mono), AR GRADE CAS 5996-10-1 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> ·H <sub>2</sub> O   F. Wt. 198.17	500 gm 5 Kg 25 Kg
1304	DEXTROSE (ANH.), EXTRA PURE CAS 50-99-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	500 gm 5 Kg 25 Kg
1314	DEXTROSE (ANH.), AR GRADE CAS 50-99-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	500 gm 5 Kg 25 Kg
1825	DIACETYL MONOXIME, AR GRADE (2,3, Butanedione Monoxime) CAS 57-71-6 C <sub>4</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 101.10	25 gm 100 gm
1417	DIASTASE * (α-Amylase, Activity 2000 A U/g) CAS 9000-90-2	100 gm 500 gm 5 Kg
1827	trans-1,2-DIAMINO CYCLOHEXANE N,N,N',N'-TETRA ACETIC ACID (CDTA), EXTRA PURE CAS 13291-61-7 C <sub>14</sub> H <sub>22</sub> N <sub>2</sub> O <sub>8</sub> ·H <sub>2</sub> O   F. Wt. 364.36	25 gm 100 gm
3136	2,7 DICHLORO FLUORESCEIN, AR GRADE CAS 76-54-0 C <sub>20</sub> H <sub>10</sub> Cl <sub>2</sub> O <sub>5</sub>   F. Wt. 401.2	10 gm
2589	2,6-DICHLOROPHENOL INDOPHENOL SODIUM, AR GRADE CAS 620-45-1 C <sub>12</sub> H <sub>6</sub> Cl <sub>2</sub> NNaO <sub>2</sub>   F. Wt. 290.08	1 gm 5 gm 25 gm
2590	2,4-DICHLOROPHENOXY ACETIC ACID (2,4-D) CAS 94-75-7 C <sub>8</sub> H <sub>6</sub> Cl <sub>2</sub> O <sub>3</sub>   F. Wt. 221.04	500 gm
2591	2,6-DICHLOROQUINONE-4-CHLORIMIDE * (Gibbs Reagent) CAS 101-38-2 C <sub>6</sub> H <sub>2</sub> Cl <sub>3</sub> NO   F. Wt. 210.45	5 gm 25 gm
2942	DIETHYLENE GLYCOL, EXTRA PURE CAS 111-46-6 C <sub>4</sub> H <sub>10</sub> O <sub>3</sub>   F. Wt. 106.12	500 ml 25 Kg
2944	DIETHYLENE GLYCOL, AR GRADE CAS 111-46-6 C <sub>4</sub> H <sub>10</sub> O <sub>3</sub>   F. Wt. 106.12	500 ml

CODE	PRODUCT NAME	PACK SIZE
754	DIGITONIN, AR GRADE CAS 11024-24-1 C <sub>56</sub> H <sub>92</sub> O <sub>29</sub>   F. Wt. 1229.31	1 gm
839	L-3, 4-DIHYDROXYPHENYL L-ALANINE (L-DOPA) CAS 59-92-7 C <sub>9</sub> H <sub>11</sub> NO <sub>4</sub>   F. Wt. 197.19	5 gm 25 gm
596	p -DIMETHYLAMINO BENZALDEHYDE (Ehrlich Reagent), EXTRA PURE CAS 100-10-7 C <sub>9</sub> H <sub>11</sub> NO   F. Wt. 149.19	25 gm 100 gm 500 gm 25 Kg
795	p-DIMETHYL AMINO BENZALDEHYDE (Ehrlich Reagent), AR GRADE CAS 100-10-7 C <sub>9</sub> H <sub>11</sub> NO   F. Wt. 149.19	25 gm 100 gm 500 gm
1836	DIMETHYL GLYOXIME, EXTRA PURE (2,3, butanedionedioxime) CAS 95-45-4 C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 116.12	100 gm 500 gm
1840	N,N-DIMETHYL p-PHENYLEDIAMINE di-HCL, AR GRADE CAS 536-46-9 C <sub>8</sub> H <sub>14</sub> Cl <sub>2</sub> N <sub>2</sub>   F. Wt. 209.12	25 gm
796	N,N-DIMETHYL-p-PHENYLENE DIAMINE OXALATE * (p-Amino-N,N dimethylaniline oxalate) CAS 62778-12-5 C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O <sub>4</sub>   F. Wt. 226.23	1 gm 5 gm
841	N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE (4-Amino-N,N dimethylaniline sulphate) CAS 536-47-0 C <sub>8</sub> H <sub>14</sub> N <sub>2</sub> SO <sub>4</sub>   F. Wt. 234.87	5 gm 25 gm
1842	DIMETHYL YELLOW (pH Indicator) CAS 60-11-7   C.I. 11020 C <sub>14</sub> H <sub>15</sub> N <sub>3</sub>   F. Wt. 225.29	25 gm 100 gm
4060	DIMIDIUM BROMIDE 98% (For Tenside Testing) CAS 518-67-2 C <sub>20</sub> H <sub>18</sub> BrN <sub>3</sub>   F. Wt. 380.28	100 mg 1 gm
2941	3,5 DINITROBENZOIC ACID, EXTRA PURE CAS 99-34-3 C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>6</sub>   F. Wt. 212.12	100 gm 500 gm
1844	3,5- DINITROBENZOIC ACID, AR GRADE CAS 99-34-3 C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>6</sub>   F. Wt. 212.12	100 gm 500 gm

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
1845	2,4-DINITROPHENYL HYDRAZINE, EXTRA PURE CAS 119-26-6 C <sub>6</sub> H <sub>6</sub> N <sub>4</sub> O <sub>4</sub>   F. Wt. 198.14	25 gm 100 gm
2599	3,5-DINITROSALICYLIC ACID, AR GRADE CAS 609-99-4 C <sub>7</sub> H <sub>4</sub> N <sub>2</sub> O <sub>7</sub>   F. Wt. 228.12	25 gm 100 gm
4061	DIOCTYL SODIUM SULPHOSUCCINATE 98% (DOSS) (AEROSOL OT) CAS 577-11-7 C <sub>20</sub> H <sub>37</sub> NaO <sub>7</sub> S   F. Wt. 444.56	500 gm
3138	DIPHENYLAMINE, EXTRA PURE CAS 122-39-4 C <sub>12</sub> H <sub>11</sub> N   F. Wt. 169.22	100 gm 500 gm
1849	DIPHENYLAMINE, AR GARDE CAS 122-39-4 C <sub>12</sub> H <sub>11</sub> N   F. Wt. 169.22	100 gm 500 gm
2601	N,N'-DIPHENYL BENZIDINE, AR GRADE CAS 531-91-9 C <sub>24</sub> H <sub>20</sub> N <sub>2</sub>   F. Wt. 336.43	5 gm
2602	1,5-DIPHENYL CARBAZIDE, AR GRADE * CAS 140-22-7 C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O   F. Wt. 242.28	25 gm
4062	1,5-DIPHENYL CARBAZONE, AR GRADE (Reagent For Mercury) CAS 538-62-5 C <sub>13</sub> H <sub>14</sub> N <sub>2</sub> O   F. Wt. 242.26	5 gm 25 gm
4359	DISODIUM OCTABORATE (BORAX 20) CAS 12008-41-2 B <sub>8</sub> Na <sub>2</sub> O <sub>24</sub>   F. Wt. 340.50	 500 gm
1850	1,4-DITHIOERYTHRITOL (D.T.E.) * (Cleland Reagent) CAS 6892-68-8 C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub>   F. Wt. 154.25	1 gm 5 gm
1852	DL-DITHIOTHREITOL (D.T.T.) * CAS 3483-12-3 C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> S <sub>2</sub>   F. Wt. 154.25	1 gm 5 gm
2998	DITHIZONE (Diphenylthiocarbazon), EXTRA PURE CAS 60-10-6 C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> S   F. Wt. 256.33	5 gm 25 gm
1853	DITHIZONE, AR GRADE CAS 60-10-6 C <sub>13</sub> H <sub>12</sub> N <sub>2</sub> S   F. Wt. 256.33	5 gm 25 gm
755	DNA * (Deoxyribonucleic Acid) CAS 9007-49-2	5 gm 25 gm
1023	DODECYL BENZENE SULPHONIC ACID SODIUM SALT CAS 121-65-3 C <sub>18</sub> H <sub>29</sub> NaO <sub>3</sub> S   F. Wt. 326.49	100 gm 500 gm

CODE	PRODUCT NAME	PACK SIZE
3522	DPX MOUNTANT for Histology	250 ml
TC 008	DULCITOL (Galactitol, Dulcitol) CAS 608-66-2 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 182.17	25 gm 100 gm
349	EDTA DIPOTASSIUM, EXTRA PURE CAS 25102-12-9 C <sub>10</sub> H <sub>14</sub> K <sub>2</sub> N <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O   F. Wt. 404.46	100 gm 500 gm
326	EDTA DIPOTASSIUM, AR GRADE CAS 25102-12-9 C <sub>10</sub> H <sub>14</sub> K <sub>2</sub> N <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O   F. Wt. 404.46	100 gm 500 gm 25 Kg
327	EDTA DISODIUM, EXTRA PURE CAS 6381-92-6 C <sub>10</sub> H <sub>14</sub> K <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O   F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg
328	EDTA DISODIUM, AR GRADE CAS 6381-92-6 C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>8</sub> .2H <sub>2</sub> O   F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg
973	EDTA FERRIC MONOSODIUM, EXTRA PURE CAS 15708-41-5 C <sub>10</sub> H <sub>12</sub> FeN <sub>2</sub> NaO <sub>8</sub>   F. Wt. 367.05	100 gm 500 gm
2608	EDTA MAGNESIUM DISODIUM (Tetra), EXTRA PURE CAS 14402-88-1 C <sub>10</sub> H <sub>12</sub> N <sub>2</sub> O <sub>8</sub> MgNa <sub>2</sub>   F. Wt. 358.50	500 gm
596	EHRlich'S REAGENT CAS 100-10-7 C <sub>9</sub> H <sub>11</sub> NO   F. Wt. 149.19	25 gm 100 gm 500 gm 25 Kg
1661	EOSINE (Spirit Soluble) CAS 6359-05-3   C.I. 45386 C <sub>22</sub> H <sub>11</sub> Br <sub>4</sub> KO <sub>5</sub>   F. Wt. 714.03	25 gm 100 gm
1669	EOSINE YELLOW (Water Soluble) CAS 548-26-5   C.I. 45380 C <sub>20</sub> H <sub>6</sub> Br <sub>4</sub> Na <sub>2</sub> O <sub>5</sub>   F. Wt. 691.85	25 gm 100 gm 1 Kg
4065	EOSIN YELLOW (Water Soluble) CAS 17372-87-1   C.I.45380 C <sub>20</sub> H <sub>6</sub> Br <sub>4</sub> Na <sub>2</sub> O <sub>5</sub>   F. Wt. 691.88	25 gm 100 gm
1623	ERIOCHROME BLACK T, EXTRA PURE CAS 1787-61-7   C.I. 14645 C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>7</sub> S   F. Wt. 461.38	25 gm 100 gm
1855	ERIOCHROME BLACK-T, AR GRADE CAS 1787-61-7   C.I. 14645 C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>7</sub> S   F. Wt. 461.38	25 gm 100 gm
1856	ERIOCHROME CYANINE-R, AR GRADE CAS 3564-18-9   C.I. 43820 C <sub>23</sub> H <sub>15</sub> Na <sub>3</sub> O <sub>9</sub> S   F. Wt. 536.39	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE
1681	ERIOGLAUCINE (Acid Blue 9) (Brilliant Blue FCF) CAS 3844-45-9   C.I. 42090 C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>3</sub>   F. Wt. 792.86	10 gm
TC 009	ERYTHRITOL (Meso Erythritol) * CAS 149-32-6 C <sub>4</sub> H <sub>10</sub> O <sub>4</sub>   F. Wt. 122.12	5 gm 25 gm 100 gm
1859	ERYTHROSIN B SODIUM CAS 16423-68-0   C.I. 45430 C <sub>20</sub> H <sub>16</sub> I <sub>4</sub> Na <sub>2</sub> O <sub>5</sub>   F. Wt. 879.86	25 gm
304	ESCULIN (Aesculin) CAS 531-75-9 C <sub>15</sub> H <sub>16</sub> O <sub>9</sub>   F. Wt. 367.30	5 gm 25 gm
3141	ETHIDIUM BROMIDE, EXTRA PURE CAS 1239-45-8 C <sub>21</sub> H <sub>20</sub> BrN <sub>3</sub>   F. Wt. 394.31	1 gm 5 gm
4067	ETHIDIUM BROMIDE, AR GRADE (For Electrophoresis)	1 gm 5 gm
324	ETHYLENEDIAMINE TETRAACETIC ACID, (EDTA), EXTRA PURE CAS 60-00-4 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>8</sub>   F. Wt. 292.24	100 gm 500 gm
325	ETHYLENE DIAMINE TETRA ACETIC ACID, (EDTA), AR GRADE CAS 60-00-4 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>8</sub>   F. Wt. 292.24	100 gm 500 gm
2610	ETHYL-P-HYDROXY BENZOATE (Ethyl Paraben) CAS 120-47-8 C <sub>9</sub> H <sub>10</sub> O <sub>3</sub>   F. Wt. 166.17	500 gm 5 Kg
2940	ETHYLENE GLYCOL, EXTRA PURE CAS 107-21-1 C <sub>2</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt. 62.07	500 ml
2943	ETHYLENE GLYCOL, AR GRADE CAS 107-21-1 C <sub>2</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt. 62.07	500 ml
1625	EVANS BLUE CAS 314-13-6   C.I. 23860 C <sub>34</sub> H <sub>24</sub> N <sub>6</sub> Na <sub>4</sub> O <sub>14</sub> S <sub>4</sub>   F. Wt. 960.80	5 gm 25 gm
2613	FAST BLUE B SALT (for Microscopy) CAS 14263-94-6   C.I. 37235 C <sub>14</sub> H <sub>12</sub> Cl <sub>2</sub> N <sub>4</sub> O <sub>2</sub> .ZnCl <sub>2</sub>   F. Wt. 475.49	25 gm 100 gm
1627	FAST BLUE BB SALT, AR GRADE CAS 5486-84-0   C.I. 37175 C <sub>34</sub> H <sub>36</sub> Cl <sub>4</sub> N <sub>6</sub> O <sub>6</sub> Zn   F. Wt. 831.89	25 gm

CODE	PRODUCT NAME	PACK SIZE
1630	FAST GREEN FCF CAS 2353-45-9   C.I. 42053 C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>3</sub>   F. Wt. 808.85	5 gm 25 gm
4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC-SODIUM COMPLEX CAS 84539-55-9 C <sub>18</sub> H <sub>18</sub> FeN <sub>2</sub> NaO <sub>6</sub>   F. Wt. 437.19	25 gm 100 gm
TR 052	FEHLING SOLUTION A	500 ml
TR 053	FEHLING SOLUTION B	500 ml
330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 C <sub>12</sub> H <sub>22</sub> FeN <sub>3</sub> O <sub>14</sub>   F. Wt. 488.16	500 gm 5 Kg 25 Kg
331	FERRIC CHLORIDE (ANH.), EXTRA PURE CAS 7705-08-0 FeCl <sub>3</sub>   F. Wt. 162.20	500 gm 5 Kg 50 Kg
332	FERRIC CHLORIDE (ANH.), AR GRADE CAS 7705-08-0 FeCl <sub>3</sub>   F. Wt. 162.20	500 gm 50 Kg
756	FERRIC CITRATE (Mono) (for Bacteriology) CAS 2338-05-8 C <sub>6</sub> H <sub>5</sub> FeO <sub>4</sub>   F. Wt. 244.94	500 gm
4068	FERRIC NITRATE, EXTRA PURE CAS 7782-61-8 FeN <sub>3</sub> O <sub>9</sub>   F. Wt. 241.86	500 gm
228	FERRIC ORTHOPHOSPHATE (Tetra), EXTRA PURE CAS 10045-86-0 FePO <sub>4</sub>   F. Wt. 150.82	500 gm
990	FERRIC OXIDE RED (Iron Oxide Red), EXTRA PURE CAS 1309-37-1 Fe <sub>2</sub> O <sub>3</sub>   F. Wt. 159.69	500 gm
845	FERRIC SULPHATE (Hydrate), EXTRA PURE CAS 10028-22-5 Fe <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> .xH <sub>2</sub> O   F. Wt. 399.87	500 gm
243	FEROUS AMMONIUM SULPHATE, EXTRA PURE CAS 7783-85-9 (NH <sub>4</sub> ) <sub>2</sub> Fe(SO <sub>4</sub> ) <sub>2</sub> .6H <sub>2</sub> O   F. Wt. 392.16	500 gm 50 Kg
244	FEROUS AMMONIUM SULPHATE, AR GRADE CAS 7783-85-9 FeH <sub>20</sub> N <sub>2</sub> O <sub>14</sub> S <sub>2</sub>   F. Wt. 392.14	500 gm 50 Kg
513	FEROUS SULPHATE (Hepta), EXTRA PURE CAS 7782-63-0 FeSO <sub>4</sub> .7H <sub>2</sub> O   F. Wt. 278.01	500 gm 5 Kg 50 Kg
514	FEROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 FeSO <sub>4</sub> .7H <sub>2</sub> O   F. Wt. 278.01	500 gm 50 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
1879	FERROUS SULPHIDE STICKS (Iron sulphide sticks) CAS 1317-37-9 FeS   F. Wt. 87.91	1 Kg
1682	FIELD'S STAIN-A, POWDER	25 gm 1 Kg
1683	FIELD'S STAIN-B, POWDER	25 gm 1 Kg
1880	FLUORESCIN CAS 2321-07-5   C.I. 45350 C <sub>20</sub> H <sub>12</sub> O <sub>5</sub>   F. Wt. 332.31	25 gm 100 gm
149	FLUORESCIN COMPLEXONE (Calcein), AR GRADE CAS 1461-15-0 C <sub>30</sub> H <sub>26</sub> N <sub>2</sub> O <sub>13</sub>   F. Wt. 622.55	1 gm 5 gm
2616	FLUORESCIN SODIUM CAS 518-47-8 C <sub>20</sub> H <sub>10</sub> Na <sub>2</sub> O <sub>5</sub>   F. Wt. 376.27	25 gm 100 gm
3147	5-FLUOROURACIL CAS 51-21-8 C <sub>4</sub> H <sub>5</sub> FN <sub>2</sub> O <sub>2</sub>   F. Wt. 130.08	1 gm 5 gm
335	FOLIC ACID (Vitamin B ) * CAS 59-30-3 C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub>   F. Wt. 441.40	5 gm 25 gm
4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 C <sub>12</sub> H <sub>10</sub> ClN <sub>3</sub> O   F. Wt. 247.68	5 gm
1301	D-FRUCTOSE (Levulose), EXTRA PURE CAS 57-48-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	100 gm 500 gm 25 Kg
1315	D-FRUCTOSE (Levulose) (Bacteriological Grade) CAS 57-48-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	100 gm 500 gm
1640	FUCHSIN ACID (Acid Fuchsin) CAS 3244-88-0   C.I. 42685 C <sub>20</sub> H <sub>17</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub>   F. Wt. 585.55	25 gm 100 gm
1603	FUCHSIN BASIC (Rosaniline HCl) (Basic Fuchsin) CAS 632-99-5   C.I. 42510 C <sub>20</sub> H <sub>20</sub> N <sub>3</sub> .HCl   F. Wt. 337.86	25 gm 100 gm 1 Kg
771	FUMARIC ACID, EXTRA PURE CAS 110-17-8 C <sub>4</sub> H <sub>4</sub> O <sub>4</sub>   F. Wt. 116.07	500 gm
4071	FUSION MIXTURE	500 gm

CODE	PRODUCT NAME	PACK SIZE
TC 0 10	D-GALACTOSE CAS 59-23-4 C <sub>6</sub> H <sub>12</sub> O <sub>4</sub>   F. Wt. 180.16	25 gm 100 gm 500 gm
337	GALLIC ACID (Mono) (3,4,5, Trihydroxybenzoic Acid) CAS 5995-86-8 C <sub>7</sub> H <sub>6</sub> O <sub>5</sub> .H <sub>2</sub> O   F. Wt. 188.14	100 gm 500 gm
3318	GELLAN GUM (Plant Tissue Culture Grade) CAS 71010-52-1	100 gm 500 gm 1 Kg
4072	GELATIN POWDER (for Bacteriology) CAS 9000-70-8	500 gm
1606	GENTIAN VIOLET, EXTRA PURE (Crystal violet or Methyl Violet) CAS 548-62-9   C.I. 42555 C <sub>25</sub> H <sub>30</sub> ClN <sub>3</sub>   F. Wt. 407.99	25 gm 100 gm 1 Kg
1620	GENTIAN VIOLET, AR GRADE (Crystal Violet or Methyl Violet) CAS 548-62-9   C.I. 42555 C <sub>25</sub> H <sub>30</sub> ClN <sub>3</sub>   F. Wt. 407.98	25 gm 100 gm 1 Kg
849	GIBBERELIC ACID (GA) (Plant Growth Regulator) CAS 77-06-5 C <sub>19</sub> H <sub>22</sub> O <sub>6</sub>   F. Wt. 346.37	1 gm 10 gm 100 gm 1 Kg
3547	GIBBERELIC ACID (GA) CAS 202467-69-4 C <sub>20</sub> H <sub>19</sub> N <sub>3</sub> O <sub>7</sub> S   F. Wt. 445.45	1 gm 5 gm 100 gm
2591	GIBBS REAGENT * (2,6, Dichloroquinone-4-chlorimide) CAS 101-38-2 C <sub>6</sub> H <sub>2</sub> Cl <sub>3</sub> NO   F. Wt. 210.45	5 gm 25 gm
1672	GIEMSA'S STAIN (Azur Eosin Methylene Blue) CAS 51811-82-6	10 gm 25 gm 100 gm 1 Kg
1303	D-GLUCOSE (Mono) (Dextrose) CAS 5996-10-1 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub> .H <sub>2</sub> O   F. Wt. 198.17	500 gm 5 Kg 25 Kg
1304	D-GLUCOSE (ANH.) (Dextrose) CAS 50-99-7 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.15	500 gm 5 Kg 25 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
1145	L-GLUTAMIC ACID 99%, EXTRA PURE (2- Amino Glutaric Acid) CAS 56-86-0 C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub>   F. Wt. 147.13	100 gm 500 gm
1111	L-GLUTAMIC ACID, 99% + Crystalline, AR GRADE CAS 56-86-0 C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub>   F. Wt. 147.13	100 gm 500 gm 25 Kg
1112	L-GLUTAMIC MONO SODIUM, AR GRADE (Sodium Glutamate) 99% + Crystalline CAS 142-47-2 C <sub>5</sub> H <sub>8</sub> NNaO <sub>4</sub>   F. Wt. 169.11	100 gm 500 gm 25 Kg
1114	L-GLUTAMINE, 99% + Crystalline CAS 56-85-9 C <sub>5</sub> H <sub>10</sub> N <sub>2</sub> O <sub>3</sub>   F. Wt. 146.14	25 gm 100 gm 500 gm
793	GLUTARIC ACID * CAS 110-94-1 C <sub>5</sub> H <sub>8</sub> O <sub>4</sub>   F. Wt. 132.12	100 gm 500 gm
850	GLUTATHIONE (Oxidized) * CAS 27025-41-8 C <sub>20</sub> H <sub>32</sub> N <sub>6</sub> O <sub>12</sub> S <sub>2</sub>   F. Wt. 612.60	500 mg
757	GLUTATHIONE (Reduced) * CAS 70-18-8 C <sub>10</sub> H <sub>17</sub> N <sub>3</sub> O <sub>6</sub> S   F. Wt. 307.32	1 gm 5 gm 25 gm
598	GLYCEROL (Glycerine), EXTRA PURE CAS 56-81-5 C <sub>3</sub> H <sub>8</sub> O <sub>3</sub>   F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr
597	GLYCEROL (Glycerine), AR GRADE CAS 56-81-5 C <sub>3</sub> H <sub>8</sub> O <sub>3</sub>   F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr
851	GLYCEROL TRIBUTYRATE (Tributyrin) CAS 60-01-5 C <sub>15</sub> H <sub>26</sub> O <sub>3</sub>   F. Wt. 302.36	100 ml 500 ml
1110	GLYCINE, EXTRA PURE (Amino Acetic Acid) CAS 56-40-6 C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>   F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg
1109	GLYCINE 99% + CRYSTALLINE, AR GRADE CAS 56-40-6 C <sub>2</sub> H <sub>5</sub> NO <sub>2</sub>   F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg
2560	CHLOROauric ACID, Min. 49% Au (Gold Chloride)	1 gm
4701	GOLD CHLORIDE, ACS GRADE CAS 16903-35-8 HAuCl <sub>4</sub> .3H <sub>2</sub> O   F. Wt. 339.79	1 gm
1672 A	GRAM'S IODINE CAS 12298-68-9 I <sub>2</sub> K   F. Wt. 419.81	25 gm
227	GUANIDINE HYDROCHLORIDE, AR GRADE (2-Amino-6-hydroxypurine HCl) CAS 50-01-1 CH <sub>5</sub> N <sub>3</sub> .HCl   F. Wt. 95.33	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
TK 004	GRAM'S STAIN KIT I Crystal Violet Gram 15-125 ml II Decolourizer Gram 15-125 ml III Iodine Gram 15-125 ml IV Safranin 0.5% w/v OR Basic Fuchsin 0.1%-125 ml	1 Kit (125 ml) 1 Kit (500 ml)
697	GUANINE (2-Amino 6-Hydroxypurine) CAS 73-40-5 C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O   F. Wt. 151.13	5 gm 25 gm
600	GUANINE HCL * (2-Amino 6-Hydroxy Purine HCl) CAS 635-39-2 C <sub>5</sub> H <sub>5</sub> N <sub>5</sub> O.HCl   F. Wt. 187.59	5 gm 25 gm
3346	GUANOSINE CAS 118-00-3 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub> O <sub>5</sub>   F. Wt. 283.241	10 gm 25 gm
210	GUM ACACIA, PHARMA GRADE Spray Dried Powder CAS 9000-01-5	500 gm 25 Kg
5094	GUM XANTHAN (Xanthan Gum), AR GRADE CAS 11138-66-2	100 gm 500 gm 25 Kg
1673	HAEMATOXYLIN CAS 517-28-2   C.I. 75290 C <sub>16</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 302.28	5 gm 25 gm 1 Kg
603	HEMIN (From Bovine) CAS 16009-13-5 C <sub>34</sub> H <sub>32</sub> ClFeN <sub>4</sub> O <sub>4</sub>   F. Wt. 651.95	1 gm
341	HEPARIN SODIUM SALT 20,000 I.U./Vial CAS 9041-08-1	1 vl
1891	HEPARIN SODIUM SALT * 1,00,000 I.U./Vial CAS 9041-08-1	1 vl
503	HEPES, FREE ACID CAS 7365-45-9 C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>4</sub> S   F. Wt. 238.30	25 gm 100 gm 500 gm 1 Kg
599	HEPES SODIUM (for Tissue Culture) CAS 75277-39-3 C <sub>8</sub> H <sub>17</sub> O <sub>4</sub> N <sub>2</sub> SNa   F. Wt. 260.29	25 gm 100 gm 1 Kg
1894	1-HEPTANE SULPHONIC ACID SODIUM (ANH.), (For HPLC), AR GRADE CAS 22767-50-6 C <sub>7</sub> H <sub>13</sub> NaO <sub>3</sub> S   F. Wt. 202.24	25 gm 100 gm
4073	1-HEPTANE SULPHONIC ACID SODIUM SALT (MONO), (for HPLC) CAS 207300-90-1 C <sub>7</sub> H <sub>13</sub> NaO <sub>3</sub> S.H <sub>2</sub> O   F. Wt. 220.24	25 gm 100 gm
3351	HEXAMINE CAS 100-97-0 C <sub>6</sub> H <sub>12</sub> N <sub>4</sub>   F. Wt. 140.19	500 gm 50 Kg



# H Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
4074	1-HEXANE SULPHONIC ACID SODIUM SALT (ANH), (for HPLC) CAS 2832-45-3 C <sub>6</sub> H <sub>13</sub> NaO <sub>3</sub> S   F. Wt. 188.22	25 gm 100 gm
4075	1-HEXANE SULPHONIC ACID SODIUM SALT (Monohydrate), (for HPLC) CAS 207300-91-2 C <sub>6</sub> H <sub>13</sub> NaO <sub>3</sub> S   F. Wt. 188.22	25 gm 100 gm
792	HIPPURIC ACID, 99% + Crystalline CAS 495-69-2 C <sub>9</sub> H <sub>9</sub> NO <sub>3</sub>   F. Wt. 179.17	100 gm 500 gm
1115	L-HISTIDINE, 99% + Crystalline CAS 71-00-1 C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub>   F. Wt. 155.15	25 gm 500 gm
1116	L-HISTIDINE HCl (Mono), 99% + Crystalline CAS 5934-29-2 C <sub>6</sub> H <sub>9</sub> N <sub>3</sub> O <sub>2</sub> ·HCl·H <sub>2</sub> O   F. Wt. 209.63	25 gm 100 gm 1 Kg 25 Kg
4213	2, 8 HOMOBRASSINOLIDE CAS 80483-89-2 C <sub>29</sub> H <sub>50</sub> O <sub>6</sub>   F. Wt. 494.70	10 mg 100 mg
1899	HYDRAZINE SULPHATE, EXTRA PURE CAS 10034-93-2 H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> SO <sub>4</sub>   F. Wt. 130.12	100 gm 500 gm 25 Kg
2631	HYDRAZINE SULPHATE, AR GRADE CAS 10034-93-2 H <sub>4</sub> N <sub>2</sub> ·H <sub>2</sub> SO <sub>4</sub>   F. Wt. 130.12	100 gm 500 gm 25 Kg
1907	HYDROXYLAMINE HYDROCHLORIDE, EXTRA PURE CAS 5470-11-01 NH <sub>2</sub> OH·HCl   F. Wt. 69.49	100 gm 500 gm 25 Kg
1908	HYDROXYLAMINE HYDROCHLORIDE, AR GRADE CAS 5470-11-1 ClH <sub>4</sub> NO   F.Wt. 69.49	100 gm 500 gm
4077	HYDROXYLAMINE SULPHATE, EXTRA PURE (Hydroxylammonium Sulphate) CAS 10039-54-0 H <sub>8</sub> N <sub>2</sub> O <sub>6</sub> S   F. Wt. 164.14	500 gm
4078	HYDROXYLAMINE SULPHATE, AR GRADE (Hydroxylammonium Sulphate) CAS 10039-54-0 H <sub>8</sub> N <sub>2</sub> O <sub>6</sub> S   F. Wt. 164.14	500 gm
1911	HYDROXY NAPHTHOL BLUE (SODIUM), AR GRADE CAS 63451-35-4 C <sub>20</sub> H <sub>12</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>11</sub> S <sub>3</sub>   F. Wt. 598.50	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE
1117	L-HYDROXY-L-PROLINE, 99% + Crystalline CAS 51-35-4 C <sub>5</sub> H <sub>9</sub> NO <sub>3</sub>   F. Wt. 131.13	5 gm 25 gm
1912	HYDROXY PROPYL METHYL CELLULOSE (HPMC) E 15 LV CAS 9004-65-3 C <sub>32</sub> H <sub>60</sub> O <sub>19</sub>   F. Wt. 748.81	500 gm
2632	8-HYDROXYQUINOLINE (Oxine), AR GRADE CAS 148-24-3 C <sub>9</sub> H <sub>7</sub> NO   F. Wt. 145.16	100 gm 500 gm
1015	HYDROQUINONE, EXTRA PURE (Quinol) CAS 123-31-9 C <sub>6</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt.110.11	500 gm
1904	HYDROQUINONE, AR GRADE (Quinol) CAS 123-31-9 C <sub>6</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt.110.11	500 gm
3151	HYPOXANTHINE CAS 68-94-0 C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O   F. Wt. 136.112	5 gm 100 gm
342	IMIDAZOLE, AR GRADE (Buffer Substance for pH 6.0-7.8) CAS 288-32-4 C <sub>3</sub> H <sub>4</sub> N <sub>2</sub>   F. Wt. 68.08	100 gm 500 gm
345	IMMERSION OIL Optically clear non fluorescent for microscopy	25 ml 100 ml 500 ml
346	IMMERSION OIL, AR GRADE Optically clear non fluorescent for microscopy	25 ml 100 ml 500 ml
1915	INDIGO CARMINE, AR GRADE CAS 860-22-0   C.I. 73015 C <sub>16</sub> H <sub>8</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>2</sub>   F. Wt. 466.36	25 gm 100 gm
1916	INDOLE, AR GRADE (1-Benzo-Pyrrole) CAS 120-72-9 C <sub>8</sub> H <sub>7</sub> N   F. Wt. 117.15	10 gm 100 gm
606	INDOLE-3-ACETIC ACID (IAA) * (3-Indole acetic acid) CAS 87-51-4 C <sub>10</sub> H <sub>9</sub> NO <sub>2</sub>   F. Wt. 175.18	5 gm 25 gm 100 gm 1 Kg
606A	INDOLE-3-ACETIC ACID POTASSIUM SALT CAS 2338-19-4 C <sub>10</sub> H <sub>8</sub> KNO <sub>2</sub>   F. Wt. 213.27	25 gm 100 gm 1 Kg
607	INDOLE-3-BUTYRIC ACID (IBA) * (3-Indole butyric acid) CAS 133-32-4 C <sub>12</sub> H <sub>13</sub> NO <sub>2</sub>   F. Wt. 203.33	5 gm 25 gm 100 gm 1 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 C <sub>12</sub> H <sub>12</sub> KNO <sub>2</sub>   F. Wt. 241.33	25 gm 100 gm 1 Kg
604	INOSITOL (Meso Inositol) CAS 87-89-8 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	25 gm 100 gm 1 Kg
TC 014	INULIN, AR GRADE CAS 9005-80-5 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>   F. Wt. 5,000 (Approx)	25 gm 100 gm
347	IODINE (Resublimed), EXTRA PURE CAS 7553-56-2 I <sub>2</sub>   F. Wt. 253.81	100 gm 500 gm 25 Kg
348	IODINE (Resublimed), AR GRADE CAS 7553-56-2 I <sub>2</sub>   F. Wt. 253.81	100 gm 500 gm
4079	2-iodobenzoic acid, Min. 98% CAS 88-67-5 C <sub>7</sub> H <sub>5</sub> IO <sub>2</sub>   F. Wt. 248.02	100 gm
1927	IRON METAL POWDER (300 Mesh) (ELECTROLYTIC GRADE) CAS 7439-89-6 Fe   F. Wt. 55.85	1 Kg
3154	ISATIN (Indole-2,3-dione), AR GRADE CAS 91-56-5 C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub>   F. Wt. 147.13	25 gm 100 gm
1119	L-ISOLEUCINE, 99% + Crystalline CAS 73-32-5 C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>   F. Wt. 131.17	5 gm 25 gm
4215	N <sup>6</sup> -(2-ISOPENTENYL)ADENINE; (2IP) [6-(g-g-Dimethylallylamino)purine] CAS 2365-40-4 C <sub>10</sub> H <sub>13</sub> N <sub>5</sub>   F. Wt. 203.24	1 gm 5 gm
3156	ISOPROPYL β-D-THIOGALACTOPYRANOSIDE * (IPTG Dioxan Free) CAS 367-93-1 C <sub>9</sub> H <sub>18</sub> O <sub>5</sub> S   F. Wt. 238.30	1 gm 5 gm 25 gm
1933	JACK BEAN MEAL (Uric Acid activator) CAS 9002-13-5	100 gm 500 gm
1934	JANUS GREEN-B CAS 2869-83-2 C <sub>30</sub> H <sub>31</sub> CIN <sub>6</sub>   F. Wt. 511.06	5 gm 25 gm
1935	JENNER'S STAIN (Eosin Methylene Blue) CAS 62851-42-7	25 gm 100 gm
4158	JASMONIC ACID CAS 77026-92-7 C <sub>12</sub> H <sub>18</sub> O <sub>3</sub>   F. Wt. 210.27	100 mg 250 mg
1937	KAOLIN LIGHT, EXTRA PURE (as per IP) CAS 1332-58-7 H <sub>2</sub> Al <sub>2</sub> Si <sub>2</sub> O <sub>9</sub> .H <sub>2</sub> O   F. Wt. 258.16	500 gm

CODE	PRODUCT NAME	PACK SIZE
1120	α-KETOGLUTARIC ACID * (2-Oxo-Glutaric Acid) 99% + Purity, Crystalline CAS 328-50-7 C <sub>5</sub> H <sub>6</sub> O <sub>5</sub>   F. Wt. 146.10	25 gm 100 gm
863	KINETIN (6-Furfurylaminopurine) AR GRADE * CAS 525-79-1 C <sub>10</sub> H <sub>9</sub> N <sub>5</sub> O   F. Wt. 215.21	1 gm 5 gm
1938	KOJIC ACID CAS 501-30-4 C <sub>6</sub> H <sub>6</sub> O <sub>4</sub>   F. Wt. 142.11	5 gm 25 gm
TR 008	KOVAC'S INDOLE REAGENT Indole Test for Microbiology	100 ml
1940	LACTIC ACID (Hydroxy Propionic Acid), EXTRA PURE CAS 50-21-5 C <sub>3</sub> H <sub>5</sub> O <sub>3</sub>   F. Wt. 90.08	500 ml 2.5 Ltr 25 Ltr
1305	LACTOSE (Mono) CAS 10039-26-6 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .H <sub>2</sub> O   F. Wt. 360.31	500 gm 25 Kg
1316	LACTOSE (Mono) 99% + Crystalline Bacteriological Grade CAS 10039-26-6 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> .H <sub>2</sub> O   F. Wt. 360.31	500 gm 25 Kg
3158	LAURIC ACID CAS 143-07-7 C <sub>12</sub> H <sub>24</sub> O <sub>2</sub>   F. Wt. 200.32	500 gm
444	LAURYL SULPHATE SODIUM, EXTRA PURE (Sodium Dodecyl Sulphate) CAS 151-21-3 C <sub>12</sub> H <sub>25</sub> NaO <sub>2</sub> S   F. Wt. 288.38	500 gm 25 Kg
445	LAURYL SULPHATE SODIUM, AR GRADE CAS 151-21-3 C <sub>12</sub> H <sub>25</sub> NaO <sub>2</sub> S   F. Wt. 288.38	100 gm 500 gm
1943	LEAD METAL POWDER CAS 7439-92-1 Pb   F. Wt. 207.19	500 gm
351	LEAD ACETATE (Trihydrate), EXTRA PURE CAS 6080-56-4 C <sub>6</sub> H <sub>6</sub> O <sub>4</sub> .Pb <sub>3</sub> (H <sub>2</sub> O)   F. Wt. 379.33	500 gm
352	LEAD ACETATE BASIC (Lead Subacetate Basic) for Sugar Analysis by Horne CAS 51404-69-4 C <sub>2</sub> H <sub>2</sub> O <sub>3</sub> Pb   F. Wt. 283.25	500 gm 2.5 Kg
1944	LEAD CARBONATE BASIC, Min 98% CAS 1344-36-1 C <sub>2</sub> H <sub>2</sub> O <sub>3</sub> Pb   F. Wt. 329.23	500 gm
2639	LEAD (II) CHLORIDE (ANH.) (for Synthesis) CAS 7758-95-4 PbCl <sub>2</sub>   F. Wt. 278.11	500 gm

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
1946	LEAD DIOXIDE, EXTRA PURE (Lead Peroxide) CAS 1309-60-0 O <sub>2</sub> Pb   F. Wt. 239.19	500 gm
1947	LEAD MONOXIDE (Litharge, Lead Oxide Yellow) CAS 1317-36-8 PbO   F. Wt. 223.20	500 gm
864	LEAD NITRATE, EXTRA PURE CAS 10099-74-8 N <sub>2</sub> O <sub>5</sub> Pb   F. Wt. 331.2	500 gm
1674	LEISHMAN'S STAIN C.I. 881038 (Eosin Methylene Blue) CAS 12627-53-1	25 gm 100 gm 1 Kg
1121	L-LEUCINE, 99% + Crystalline CAS 61-90-5 C <sub>6</sub> H <sub>13</sub> NO <sub>2</sub>   F. Wt. 131.17	25 gm 100 gm 500 gm
1950	LIGHT GREEN CAS 7114-03-06   C.I. 42040 C <sub>27</sub> H <sub>34</sub> N <sub>2</sub> O <sub>4</sub> S   F. Wt. 482.63	25 gm 100 gm
1686	LIGHT GREEN-SF, 80% CAS 5141-20-8   C.I. 42095 C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>3</sub> S <sub>3</sub>   F. Wt. 792.85	25 gm 100 gm
1686A	LIGHT GREEN-SF, 65% CAS 5141-20-8   C.I. 42095 C <sub>37</sub> H <sub>34</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>3</sub> S <sub>3</sub>   F. Wt. 792.85	25 gm 100 gm 500 gm
2640	LIPASE * CAS 9001-62-1	25 gm 100 gm
4085	LITHIUM BROMIDE (ANH.), EXTRA PURE CAS 7550-35-8 LiBr   F. Wt. 86.85	500 gm
668	LITHIUM CARBONATE, EXTRA PURE CAS 554-13-2 Li <sub>2</sub> CO <sub>3</sub>   F. Wt. 73.89	100 gm 500 gm 25 Kg
4140	LITHIUM CARBONATE, AR GRADE CAS 554-13-2 Li <sub>2</sub> CO <sub>3</sub>   F. Wt. 73.89	100 gm 500 gm
3322	LITHIUM CHLORIDE (ANH.), EXTRA PURE CAS 7447-41-8 LiCl   F. Wt. 42.39	500 gm
1955	LITHIUM HYDROXIDE (Mono), EXTRA PURE CAS 1310-66-3 LiOH.H <sub>2</sub> O   F. Wt. 41.96	500 gm 25 Kg
4086	LITHIUM NITRATE (ANH.), EXTRA PURE CAS 7790-69-4 LiNO <sub>3</sub>   F. Wt. 68.95	500 gm
613	LITHIUM SULPHATE (Mono), EXTRA PURE CAS 10102-25-7 LiSO <sub>4</sub> .H <sub>2</sub> O   F. Wt. 121.01	100 gm 500 gm

CODE	PRODUCT NAME	PACK SIZE
4087	di-LITHIUM TETRABORATE, AR GRADE CAS 12007-60-2 B <sub>4</sub> Li <sub>2</sub> O <sub>7</sub>   F. Wt. 169.12	100 gm 500 gm
1634	LITMUS BLUE, Indicator paper (10 books of 20 leaves in Box)	200 lvs
1636	LITMUS RED, Indicator paper (10 books of 20 leaves in box)	200 lvs
1688	LITMUS INDICATOR, EXTRA PURE CAS 1393-92-6	10 gm 25 gm 100 gm
1122	L-LYSINE, MONO HCl, 99% + Crystalline CAS 657-27-2 C <sub>6</sub> H <sub>14</sub> N <sub>2</sub> O <sub>2</sub> .HCl   F. Wt. 182.65	100 gm 500 gm 25 Kg
4233	LYSOL (Cresol and Soap Solution) CAS 12772-68-8	500 ml 5 Ltr
2951	LYSOZYME * CAS 12650-88-3	1 gm 5 gm
2950	LYSOZYME CHLORIDE * CAS 52219-07-5	1 gm 5 gm
4088	MAGNESIUM (Metal Turning) CAS 7439-95-4 Mg   F. Wt. 24.31	500 gm
1964	MAGNESIUM ACETATE (Tetra), EXTRA PURE CAS 16674-78-5 C <sub>4</sub> H <sub>4</sub> MgO <sub>8</sub>   F. Wt. 214.45	500 gm
355	MAGNESIUM CARBONATE BASIC (Light), EXTRA PURE CAS 546-93-0 MgCO <sub>3</sub>   F. Wt. 84.31	500 gm
2393	MAGNESIUM CARBONATE (Heavy), EXTRA PURE CAS 546-93-0 MgCO <sub>3</sub>   F. Wt. 84.313	500 gm
2394	MAGNESIUM CHLORIDE (ANH.), EXTRA PURE CAS 7786-30-3 MgCl <sub>2</sub>   F. Wt. 95.21	500 gm
356	MAGNESIUM CHLORIDE (Hexa), EXTRA PURE CAS 7791-18-6 MgCl <sub>2</sub> .6H <sub>2</sub> O   F. Wt. 203.30	500 gm 5 Kg 50 Kg
614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 MgCl <sub>2</sub> .6H <sub>2</sub> O   F. Wt. 203.30	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
758	MAGNESIUM CITRATE (Nonahydrate) CAS 153531-96-5 Mg <sub>3</sub> (C <sub>6</sub> H <sub>5</sub> O <sub>7</sub> ) <sub>2</sub> ·9H <sub>2</sub> O   F. Wt. 613.25	500 gm
357	MAGNESIUM NITRATE (Hexa), EXTRA PURE CAS 13446-18-9 Mg(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O   F. Wt. 256.41	500 gm
1968	MAGNESIUM OXIDE (Light), EXTRA PURE CAS 1309-48-4 MgO   F. Wt. 40.30	500 gm
2953	MAGNESIUM PHOSPHATE DIBASIC, EXTRA PURE CAS 7782-75-4 MgHPO <sub>4</sub> ·3H <sub>2</sub> O   F. Wt. 174.33	500 gm
358	MAGNESIUM SULPHATE (Hepta), EXTRA PURE CAS 10034-99-8 MgSO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 246.48	500 gm 5 Kg 50 Kg
359	MAGNESIUM SULPHATE (Hepta), AR GRADE CAS 10034-99-8 MgSO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 246.48	500 gm 5 Kg 50 Kg
871	MAGNESIUM SULPHATE (ANH.), EXTRA PURE CAS 7487-88-9 MgSO <sub>4</sub>   F. Wt. 120.37	500 gm 50 Kg
1973	MAGNESIUM TRISILICATE (Hydrate) CAS 39365-87-2 2MgO·3SiO <sub>2</sub> ·xH <sub>2</sub> O   F. Wt. 260.86+xH <sub>2</sub> O	500 gm
1974	MAGNESON-I, AR GRADE (Reagent for Mg) CAS 74-39-5 C <sub>12</sub> H <sub>9</sub> N <sub>3</sub> O <sub>3</sub>   F. Wt. 259.22	25 gm 100 gm
1975	MAGNESON-II, AR GRADE (Reagent for Mg) CAS 5290-62-0 C <sub>16</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub>   F. Wt. 293.28	25 gm 100 gm
4360	METHYLSULFONYLMETHANE  CAS 67-71-0 (CH <sub>3</sub> ) <sub>2</sub> SO <sub>2</sub>   F. Wt. 94.13	25 gm
1641	MALACHITE GREEN (Malachite Green Oxalate) CAS 2437-29-8   C.I. 42000 C <sub>25</sub> H <sub>26</sub> N <sub>2</sub> O <sub>4</sub>   F. Wt. 927.03	25 gm 100 gm 500 gm
360	MALEIC ACID, EXTRA PURE CAS 110-16-7 C <sub>4</sub> H <sub>4</sub> O <sub>4</sub>   F. Wt. 116.07	500 gm 25 Kg
362	MALEIC ANHYDRIDE [2,5-Furandione] CAS 108-31-6 C <sub>4</sub> H <sub>2</sub> O <sub>4</sub>   F. Wt. 98.06	500 gm 5 Kg 25 Kg
3556	MALEIC HYDRAZIDE CAS 123-33-1 C <sub>4</sub> H <sub>2</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 112.09	100 gm

CODE	PRODUCT NAME	PACK SIZE
363	DL-MALIC ACID (DL-Hydroxysuccinic Acid) CAS 6915-15-7 C <sub>4</sub> H <sub>6</sub> O <sub>5</sub>   F. Wt. 134.09	500 gm 5 Kg
2955	MALONIC ACID, EXTRA PURE CAS 141-82-2 C <sub>3</sub> H <sub>4</sub> O <sub>4</sub>   F. Wt. 104.06	100 gm 500 gm
446	MALONIC ACID SODIUM CAS 141-95-7 C <sub>3</sub> H <sub>2</sub> Na <sub>2</sub> O <sub>4</sub>   F. Wt. 148.03	25 gm 100 gm
3527	MALT EXTRACT PASTE (Food Grade) CAS 8002-48-0	500 gm 50 Kg
3506	MALT EXTRACT POWDER (Food Grade) CAS 8002-48-0	500 gm 5 Kg 25 Kg
4142	MALT EXTRACT POWDER Bacteriological Grade CAS 8002-48-0	500 gm 25 Kg
1321	MALTODEXTRINE POWDER, (D/E 20) (Maltodextrin) CAS 9050-36-6 C <sub>4</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	500 gm 5 Kg 25 Kg
1244	MALTOSE (Mono), EXTRA PURE (for Bacteriology) CAS 6363-53-7 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O   F. Wt. 360.31	100 gm 500 gm 25 Kg
766	MALTOSE (Mono), AR GRADE (for Bacteriology) CAS 6363-53-7 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·H <sub>2</sub> O   F. Wt. 360.31	100 gm 500 gm
1979	DL-MANDELIC ACID CAS 90-64-2 C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>   F. Wt. 152.15	100 gm 500 gm
2396	MANGANESE CARBONATE, EXTRA PURE CAS 598-62-9 MnCO <sub>3</sub>   F. Wt. 114.95	500 gm 25 Kg
704	MANGANESE (II) CHLORIDE (Tetra), EXTRA PURE CAS 13446-34-9 MnCl <sub>2</sub> ·4H <sub>2</sub> O   F. Wt. 197.91	500 gm 50 Kg
705	MANGANESE (II) CHLORIDE (Tetra), AR GRADE CAS 13446-34-9 MnCl <sub>2</sub> ·4H <sub>2</sub> O   F. Wt. 197.91	500 gm 50 Kg
1980	MANGANESE DIOXIDE (Black), TECH. CAS 1313-13-9 MnO <sub>2</sub>   F. Wt. 86.94	500 gm
702	MANGANESE (II) SULPHATE (Mono), EXTRA PURE CAS 10034-96-5 MnSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 169.02	500 gm 5 Kg 50 Kg

# M Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
703	MANGANESE (II) SULPHATE (Mono), AR GRADE CAS 10034-96-5 MnSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 169.02	500 gm 50 Kg
1245	D-MANNITOL, EXTRA PURE CAS 69-65-8 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 182.17	100 gm 500 gm 5 Kg 25 Kg
1246	D-MANNITOL, AR GRADE CAS 69-65-8 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 182.17	100 gm 500 gm 25 Kg
365	D + MANNOSE CAS 3458-28-4 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	25 gm 100 gm
1982	D-MELIBIOSE 99% (Mono) CAS 585-99-9 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 342.30	5 gm
1710	MENADIONE * (2-Methyl-1-4-nepthoquinone) (VITAMIN K) CAS 58-27-5 C <sub>11</sub> H <sub>8</sub> O <sub>2</sub>   F. Wt. 172.18	25 gm
1716	MENADIONE SODIUM BISULPHITE * (Vitamin K Sodium Sulphate) CAS 130-37-0 C <sub>11</sub> H <sub>9</sub> NaO <sub>5</sub> S   F. Wt. 276.24	25 gm 100 gm
3513	MERCAPTOACETIC ACID SODIUM SALT (Sodium Thioglycollate) CAS 367-51-1 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> S   F. Wt. 114.10	100 gm 500 gm
1988	2-MERCAPTOETHANOL, AR GRADE CAS 60-24-2 C <sub>2</sub> H <sub>6</sub> OS   F. Wt. 78.13	100 ml 500 ml
1989	MERCURIC ACETATE, EXTRA PURE CAS 1600-27-7 C <sub>6</sub> H <sub>8</sub> HgO <sub>4</sub>   F. Wt. 318.70	100 gm 500 gm
1990	MERCURIC ACETATE, AR GRADE CAS 1600-27-7 C <sub>6</sub> H <sub>8</sub> HgO <sub>4</sub>   F. Wt. 318.70	100 gm
369	MERCURIC CHLORIDE, EXTRA PURE (Mercury (II) Chloride) CAS 7487-94-7 HgCl <sub>2</sub>   F. Wt. 271.52	100 gm 250 gm 500 gm
370	MERCURIC CHLORIDE, AR GRADE (Mercury (II) Chloride) CAS 7487-94-7 HgCl <sub>2</sub>   F. Wt. 271.52	100 gm 250 gm

CODE	PRODUCT NAME	PACK SIZE
789	MERCURIC IODIDE RED, EXTRA PURE CAS 7774-29-0 HgI <sub>2</sub>   F. Wt. 454.40	100 gm
880	MERCURIC NITRATE (Mono), EXTRA PURE CAS 7783-34-8 Hg(NO <sub>3</sub> ) <sub>2</sub> ·H <sub>2</sub> O   F. Wt. 342.62	100 gm 250 gm
616	MERCURIC OXIDE RED, EXTRA PURE CAS 21908-53-2 HgO   F. Wt. 216.59	100 gm 500 gm
618	MERCURIC OXIDE YELLOW, EXTRA PURE CAS 21908-53-2 HgO   F. Wt. 216.59	100 gm
882	MERCURIC SULPHATE, EXTRA PURE (Mercury (II) Sulphate) CAS 7783-35-9 HgSO <sub>4</sub>   F. Wt. 296.65	100 gm 250 gm 500 gm
883	MERCURIC SULPHATE, AR GRADE CAS 7783-35-9 HgO <sub>4</sub> S   F. Wt. 296.65	250 gm
4090	MERCURIC THIOCYANATE, EXTRA PURE CAS 592-85-8 C <sub>2</sub> HgN <sub>2</sub> S <sub>2</sub>   F. Wt. 316.75	100 gm
4091	MERCUROUS CHLORIDE, AR GRADE CAS 10112-91-1 Cl <sub>2</sub> Hg <sub>2</sub>   F. Wt. 472.08	100 gm
1996	MERCUROUS NITRATE (Dihydrate), EXTRA PURE CAS 14836-60-3 Hg <sub>2</sub> (NO <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O   F. Wt. 561.22	100 gm
2414	MERCURY (Metal), EXTRA PURE CAS 7439-97-6 Hg   F. Wt. 200.59	100 gm
4214	META-TOPOLINE CAS 75737-38-1 C <sub>12</sub> H <sub>10</sub> N <sub>5</sub> OH   F. Wt. 241.25	25 mg 100 mg
1124	DL-METHIONINE 99% + Purity, Crystalline CAS 59-51-8 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S   F. Wt. 149.21	100 gm 500 gm 1 Kg 25 Kg
1123	L-METHIONINE 99% + Purity, Crystalline CAS 63-68-3 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub> S   F. Wt. 149.21	25 gm 100 gm 500 gm 25 Kg
4260	4-METHYLUMBELLIFERYL-β-D-GALACTOPYRANOSIDE (MUGA:MU-GAL) CAS 6160-78-7 C <sub>16</sub> H <sub>18</sub> O <sub>8</sub>   F. Wt. 338.31	250 mg
1687	METHYL BLUE (Water Blue) CAS 28983-56-4   C.I. 42780 C <sub>37</sub> H <sub>27</sub> N <sub>3</sub> Na <sub>2</sub> O <sub>9</sub> S <sub>3</sub>   F. Wt. 799.82	25 gm 100 gm
2433	METHYL CELLULOSE (High Viscosity) 4000 CPS CAS 9004-67-5	500 gm



CODE	PRODUCT NAME	PACK SIZE
4257	METHYL- $\alpha$ -D-GALACTOPYRANOSIDE (METHYL- $\alpha$ -D-GALACTOSIDE) * CAS 3396-99-4 C <sub>7</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 194.18	1 gm 5 gm
4258	METHYL- $\beta$ -D-GALACTOPYRANOSIDE (METHYL- $\beta$ -D-GALACTOSIDE) * CAS 97-30-3 C <sub>7</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 194.18	1 gm
4259	METHYL- $\alpha$ -D-GLUCOPYRANOSIDE (METHYL- $\alpha$ -D-GLUCOSIDE) * CAS 1824-94-8 C <sub>7</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 194.18	100 gm
4225	METHYL EUGENOL CAS 93-15-2 C <sub>11</sub> H <sub>14</sub> O <sub>2</sub>   F. Wt. 178.23	500 ml
2103	METHYL GREEN, AR GRADE CAS 7114-03-6   C.I. 42590 C <sub>27</sub> H <sub>35</sub> Cl <sub>4</sub> N <sub>3</sub> Zn   F. Wt. 608.79	10 gm 25 gm
1604	METHYL ORANGE (ORANGE-III) CAS 547-58-0   C.I. 13025 C <sub>14</sub> H <sub>14</sub> N <sub>3</sub> NaO <sub>3</sub> S   F. Wt. 327.33	25 gm 100 gm 1 Kg
884	METHYL PARABEN (Methyl 4-Hydroxy Benzoate) CAS 99-76-3 C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>   F. Wt. 152.15	500 gm
619	METHYL PARABEN SODIUM (Methyl-P-Hydroxy Benzoate Sodium) CAS 5026-62-0 C <sub>8</sub> H <sub>7</sub> NaO <sub>3</sub>   F. Wt. 174.13	500 gm 25 Kg
1605	METHYL RED CAS 493-52-7   C.I. 13020 C <sub>15</sub> H <sub>15</sub> N <sub>3</sub> O <sub>2</sub>   F. Wt. 269.30	25 gm 100 gm
1633	METHYL THYMOL BLUE SODIUM (Methyl Red Thymol Blue) CAS 1945-77-3 C <sub>37</sub> H <sub>43</sub> N <sub>2</sub> O <sub>13</sub> NaS   F. Wt. 778.82	5 gm 25 gm
1606	METHYL VIOLET, EXTRA PURE (Crystal Violet or Gentian Violet) CAS 548-62-9   C.I. 42555 C <sub>25</sub> H <sub>30</sub> ClN <sub>3</sub>   F. Wt. 407.99	25 gm 100 gm 1 Kg
1620	METHYL VIOLET (Crystal Violet or Gentian Violet 10B) CAS 548-62-9   C.I. 42555 C <sub>25</sub> H <sub>30</sub> ClN <sub>3</sub>   F. Wt. 407.98	25 gm 100 gm 1 Kg
371	N,N-METHYLENE BISACRYLAMIDE (for Electrophoresis), AR GRADE CAS 110-26-9 C <sub>7</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 154.17	25 gm 100 gm 500 gm
1607	METHYLENE BLUE, EXTRA PURE CAS 61-73-4 C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> SCl   F. Wt. 319.85	25 gm 100 gm 1 Kg
2651	METHYLENE BLUE, AR GRADE CAS 61-73-4 C <sub>16</sub> H <sub>18</sub> N <sub>3</sub> SCl   F. Wt. 319.85	25 gm 100 gm 1 Kg

CODE	PRODUCT NAME	PACK SIZE
4092	METHYL GREEN (for Microscopical Staining) (C.I.42590) CAS 22383-16-0 C <sub>26</sub> H <sub>33</sub> Cl <sub>2</sub> N <sub>3</sub>   F. Wt. 458.47	10 gm 25 gm
4093	MOLYBDENUM DISULPHIDE CAS 1317-33-5 MoS <sub>2</sub>   F. Wt. 160.09	100 gm
4094	MOLYBDENUM TRIOXIDE CAS 1313-27-5 MoO <sub>3</sub>   F. Wt. 143.95	100 gm 500 gm
948	MOLYBDIC ACID (Mono), EXTRA PURE CAS 7782-91-4 MoO <sub>3</sub> H <sub>2</sub> O   F. Wt. 1161.95	100 gm 25 Kg
4095	MOLYBDIC ACID (Hydrate), AR GRADE CAS 7782-91-4 H <sub>2</sub> MoO <sub>4</sub>   F. Wt. 161.95	100 gm 500 gm
1112	MONO SODIUM GLUTAMATE CAS 142-47-2 C <sub>5</sub> H <sub>9</sub> NNaO <sub>4</sub>   F. Wt. 169.11	100 gm 500 gm 25 Kg
1542	MORIN DIHYDRATE, AR GRADE CAS 6472-38-4   C.I. 75660 C <sub>15</sub> H <sub>10</sub> O <sub>7</sub> ·2H <sub>2</sub> O   F. Wt. 338.27	1 gm 5 gm
2110	2-MORPHOLINO ETHANE SULPHONIC ACID (MES) BUFFER CAS 4432-31-9 C <sub>6</sub> H <sub>13</sub> NO <sub>3</sub> S   F. Wt. 195.2	25 gm 100 gm 1 Kg
3596	3-MORPHOLINOPROPANE SULPHONIC ACID (MOPS-BUFFER) CAS 1132-61-2 C <sub>7</sub> H <sub>13</sub> NO <sub>3</sub> S   F. Wt. 209.26	25 gm 1 Kg
3564	MTT (Methyl Thiazolyl Diphenyl Tetrazolium Bromide) * CAS 298-93-1 C <sub>18</sub> H <sub>16</sub> N <sub>5</sub> SBr   F. Wt. 414.32	1 gm
060	MUREXIDE (Ammonium Purpurate) CAS 3051-09-0   C.I. 56085 C <sub>8</sub> H <sub>8</sub> N <sub>6</sub> O <sub>6</sub>   F. Wt. 284.19	5 gm 25 gm
1602	MUREXIDE (Ammonium Purpurate), AR GRADE CAS 3051-09-0   C.I. 56085 C <sub>8</sub> H <sub>8</sub> N <sub>6</sub> O <sub>6</sub>   F. Wt. 284.19	5 gm 25 gm
2379	NAPHTHALENE CAS 91-20-3 C <sub>10</sub> H <sub>8</sub>   F. Wt. 128.17	500 gm
2122	$\alpha$ -NAPHTHALENE ACETIC ACID CAS 86-87-3 C <sub>12</sub> H <sub>10</sub> O <sub>2</sub>   F. Wt. 128.17	25 gm 100 gm 500 gm 25 Kg
2122A	$\alpha$ -NAPHTHALENE ACETIC ACID POTASSIUM SALT CAS 15165-79-4 C <sub>12</sub> H <sub>9</sub> O <sub>2</sub> K   F. Wt. 224.30	25 gm 100 gm 1 Kg

# N Laboratory Chemicals (EP & AR Grade)



CODE	PRODUCT NAME	PACK SIZE
893	1-NAPHTHOL (1-Hydroxynaphthalene) CAS 90-15-3 C <sub>10</sub> H <sub>8</sub> O   F. Wt. 144.17	100 gm 500 gm
2381	2-NAPHTHOL (β-Naphthol) CAS 135-19-3 C <sub>10</sub> H <sub>8</sub> O   F. Wt. 144.17	500 gm
2465	1-NAPHTHOLBENZEIN (pH Indicator) CAS 145-50-6 C <sub>27</sub> H <sub>18</sub> O <sub>2</sub>   F. Wt. 374.43	5 gm 25 gm
1632	α-NAPHTHOLPHTHALEIN CAS 596-01-0 C <sub>27</sub> H <sub>18</sub> O <sub>2</sub>   F. Wt. 418.44	1 gm 5 gm
2656	1,2-NAPHTHOLQUINONE-4 SULPHONIC ACID SODIUM SALT CAS 521-24-4 C <sub>10</sub> H <sub>5</sub> NaO <sub>5</sub> S   F. Wt. 260.19	5 gm 25 gm
3565	β-NAPHTHOXY ACETIC ACID (BONA) CAS 120-23-0 C <sub>12</sub> H <sub>10</sub> O <sub>3</sub>   F. Wt. 202.21	25 gm 100 gm
2121	1-NAPHTHYLACETATE, AR GRADE (Naphthol free) CAS 830-81-9 C <sub>12</sub> H <sub>10</sub> O <sub>2</sub>   F. Wt. 186.21	5 gm 25 gm
2122	1-NAPHTHYLACETIC ACID (α-Naphthalene Acetic Acid) CAS 86-87-3 C <sub>12</sub> H <sub>10</sub> O <sub>2</sub>   F. Wt. 186.21	25 gm 100 gm 500 gm 25 Kg
2124	1-NAPHTHYLAMINE, AR GRADE CAS 134-32-7 C <sub>10</sub> H <sub>9</sub> N   F. Wt. 143.19	100 gm 500 gm
TR 028	α-NAPHTHYLAMINE SOLUTION CAS 134-32-7 C <sub>10</sub> H <sub>9</sub> N   F. Wt. 143.19	100 ml
1913	N-(1-NAPHTHYL) ETHYLENE DIAMINE DIHYDROCHLORIDE (2-NEDA) CAS 1465-25-4 C <sub>12</sub> H <sub>14</sub> N <sub>2</sub>   F. Wt. 259	5 gm 25 gm
2126	NEOCUPROINE, AR GRADE (2,9, Dimethyl-1-10 Phenanthroline) CAS 484-11-7 C <sub>14</sub> H <sub>12</sub> N <sub>2</sub>   F. Wt. 208.26	1 gm 5 gm
2127	NEOCUPROINE HYDROCHLORIDE (Mono) (2,9, Dimethyl-1-10 Phenanthroline Hcl), AR GRADE CAS 7296-20-0 C <sub>14</sub> H <sub>12</sub> N <sub>2</sub> .HCl.H <sub>2</sub> O   F. Wt. 262.72	1 gm 5 gm
1643	NEUTRAL RED (pH Indicator) CAS 553-24-2   C.I.50040 C <sub>15</sub> H <sub>17</sub> ClN <sub>4</sub>   F. Wt. 288.78	5 gm 25 gm 100 gm


CODE	PRODUCT NAME	PACK SIZE
1643 A	NEUTRAL RED, AR GRADE CAS 553-24-2 C <sub>15</sub> H <sub>17</sub> ClN <sub>4</sub>   F. Wt. 288.78	5 gm 25 gm 100 gm
3178	NEW METHYLENE BLUE (Basic Blue 24) CAS 6586-05-0   C.I.52030 C <sub>18</sub> H <sub>22</sub> ClN <sub>3</sub> S.ZnCl <sub>2</sub>   F. Wt. 416.05	5 gm
759	NIACIN (Nicotinic Acid) CAS 59-67-6 C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>   F. Wt. 123.11	25 gm 100 gm 1 Kg
685	NIACINAMIDE (Nicotinamide) CAS 98-92-0 C <sub>6</sub> H <sub>6</sub> N <sub>2</sub> O   F. Wt. 122.12	25 gm 100 gm 1 Kg
2130	NICKEL CARBONATE BASIC PURIFIED CAS 12607-70-4 CH <sub>4</sub> Ni <sub>3</sub> O <sub>7</sub>   F. Wt. 304.18	500 gm
2131	NICKEL CHLORIDE (Hexa), EXTRA PURE CAS 7791-20-0 NiCl <sub>2</sub> .6H <sub>2</sub> O   F. Wt. 237.69	500 gm
3323	NICKEL (II) NITRATE (Hexa), EXTRA PURE CAS 13478-00-7 N <sub>2</sub> NiO <sub>4</sub> .6H <sub>2</sub> O   F. Wt. 290.79	500 gm
2135	NICKEL OXIDE BLACK, EXTRA PURE CAS 1314-06-3 NiO   F. Wt. 74.69	100 gm 500 gm
3324	NICKEL SULPHATE (Hexa) CAS 10101-97-0 NiSO <sub>4</sub> .6H <sub>2</sub> O   F. Wt. 262.85	500 gm
3179	NICOTINAMIDE ADENINE DINUCLEOTIDE (DPN;NAD) * CAS 53-84-9 C <sub>21</sub> H <sub>27</sub> N <sub>7</sub> O <sub>14</sub> P <sub>2</sub>   F. Wt. 663.43	1 gm 5 gm
3180	NICOTINAMIDE ADENINE DINUCLEOTIDE REDUCED SODIUM (NADH Disodium) * CAS 606-68-8 C <sub>21</sub> H <sub>27</sub> N <sub>7</sub> Na <sub>2</sub> O <sub>14</sub> P <sub>2</sub>   F. Wt. 709.41	1 gm 5 gm
3181	NICOTINAMIDE ADENINE DINUCLEOTIDE PHOSPHATE DISODIUM (NADP Disodium) * CAS 24292-60-2 C <sub>21</sub> H <sub>26</sub> N <sub>7</sub> Na <sub>2</sub> O <sub>17</sub> P <sub>3</sub>   F. Wt. 787.37	100 mg 1 gm
1678	NIGROSINE B (A/S) CAS 8005-02-5   C.I. 50415	25 gm 100 gm 1 Kg
1645	NIGROSINE (Water Soluble) CAS 8005-02-5   C.I. 50420	25 gm 100 gm
2143	NILE BLUE CHLORIDE CAS 2381-85-3   C.I. 51180 C <sub>20</sub> H <sub>20</sub> ClN <sub>3</sub> O   F. Wt. 353.85	25 gm

CODE	PRODUCT NAME	PACK SIZE
2144	<b>NILE BLUE SULPHATE (Nile Blue A), AR GRADE</b> CAS 3625-57-8   C.I. 51180 C <sub>40</sub> H <sub>40</sub> N <sub>6</sub> O <sub>6</sub> S   F. Wt. 732.84	25 gm
2145	<b>NINHYDRIN 99%, EXTRA PURE</b> CAS 485-47-2 C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> .H <sub>2</sub> O   F. Wt. 178.14	10 gm 25 gm 100 gm
1608	<b>NINHYDRIN, AR GRADE for detection and assay of Amino Acid</b> CAS 485-47-2 C <sub>9</sub> H <sub>6</sub> O <sub>3</sub> .H <sub>2</sub> O   F. Wt. 178.14	10 gm 25 gm 100 gm
2146	<b>NIOBIUM PENTOXIDE 99.9%, AR GRADE</b> CAS 1313-96-8 Nb <sub>2</sub> O <sub>5</sub>   F. Wt. 265.81	25 gm
2892	<b>2-NITROBENZALDEHYDE, AR GRADE</b> CAS 552-89-6 C <sub>7</sub> H <sub>5</sub> NO <sub>3</sub>   F. Wt. 151.11	10 gm 25 gm
2702	<b>4-(4-NITROBENZYL) PYRIDINE, AR GRADE</b> CAS 1083-48-3 C <sub>12</sub> H <sub>10</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 214.22	5 gm 25 gm
3385	<b>4-NITROBENZOIC ACID</b> CAS 62-23-7 C <sub>7</sub> H <sub>5</sub> NO <sub>4</sub>   F. Wt. 167.12	500 gm
2153	<b>NITRO B.T., AR GRADE * (Nitro Blue Tetrazolium Chloride)</b> CAS 298-83-9 C <sub>40</sub> H <sub>30</sub> Cl <sub>2</sub> N <sub>10</sub> O <sub>6</sub>   F. Wt. 817.64	100 mg 250 mg 1 gm
2155	<b>P-NITROPHENOL, EXTRA PURE</b> CAS 100-02-7 C <sub>6</sub> H <sub>5</sub> NO <sub>3</sub>   F. Wt. 139.12	500 gm 5 Kg 25 Kg
3184	<b>O-NITROPHENYL-β-D GALACOPYRANOSIDE (ONPG) *</b> CAS 369-07-3 C <sub>12</sub> H <sub>15</sub> NO <sub>8</sub>   F. Wt. 301.25	500 mg 1 gm 5 gm
1974	<b>4-(4-NITRO PHENYL AZO)-1-NAPHTHOL (Magneson-I), AR GRADE</b> CAS 74-39-5 C <sub>12</sub> H <sub>9</sub> N <sub>3</sub> O <sub>4</sub>   F. Wt. 259.22	25 gm 100 gm
1975	<b>4-(4-NITROPHENYL AZO) RESORCINOL (Magneson-II), AR GRADE</b> CAS 5290-62-0 C <sub>16</sub> H <sub>11</sub> N <sub>3</sub> O <sub>3</sub>   F. Wt. 293.28	25 gm 100 gm
2158	<b>4-NITROPHENYL PHOSPHATE DISODIUM (Hexa), AR GRADE</b> CAS 333338-18-4 C <sub>6</sub> H <sub>4</sub> NO <sub>6</sub> PNa <sub>2</sub> .6H <sub>2</sub> O   F. Wt. 371.14	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE
2159	<b>1-NITROSO-2-NAPHTHOL, AR GRADE</b> CAS 131-91-9 C <sub>10</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 173.17	25 gm 100 gm
2161	<b>NITROSO-R-SALT, AR GRADE</b> CAS 525-05-3 C <sub>10</sub> H <sub>5</sub> NNa <sub>2</sub> O <sub>6</sub> S <sub>2</sub>   F. Wt. 377.26	25 gm 100 gm
2463	<b>NYSTATIN (10,00,000 Units/vl) *</b> CAS 1400-61-9 C <sub>47</sub> H <sub>75</sub> NO <sub>17</sub>   F. Wt. 926.10	1 vl
3386	<b>1-OCTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC)</b> CAS 207596-29-0 C <sub>8</sub> H <sub>17</sub> NaO <sub>3</sub> S.H <sub>2</sub> O   F. Wt. 234.29	25 gm
3387	<b>1-OCTANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC)</b> CAS 5324-84-5 C <sub>8</sub> H <sub>17</sub> NaO <sub>3</sub> S   F. Wt. 216.28	25 gm
4098	<b>OCTYL SULPHATE SODIUM SALT, AR GRADE, (for HPLC)</b> CAS 142-31-4 C <sub>8</sub> H <sub>17</sub> NaO <sub>4</sub> S   F. Wt. 232.3	5 gm
1693	<b>OIL RED-IV (Sudan-IV) (Seavlet-R)</b> CAS 85-83-6   C.I. 26105 C <sub>24</sub> H <sub>20</sub> N <sub>4</sub> O   F. Wt. 380.44	25 gm 100 gm
2163	<b>OLEIC ACID (Elainic Acid), EXTRA PURE * (for Biochemistry)</b> CAS 112-80-1 C <sub>18</sub> H <sub>34</sub> O <sub>2</sub>   F. Wt. 282.46	500 ml
3520	<b>OLIVE OIL</b> CAS 8001-25-0	100 ml 500 ml
1639	<b>ORANGE G (Acid Orange 10)</b> CAS 1936-15-8   C.I. 16230 C <sub>16</sub> H <sub>10</sub> N <sub>2</sub> O <sub>7</sub> S <sub>2</sub> Na <sub>2</sub>   F. Wt. 452.38	25 gm 100 gm 1 Kg
2165	<b>ORCEIN (for Microscopy)</b> CAS 1400-62-0 C <sub>28</sub> H <sub>24</sub> N <sub>2</sub> O <sub>7</sub>   F. Wt. 500.49	5 gm 10 gm
1125	<b>L-ORNITHINE MONOHYDROCHLORIDE 99% + PURITY, CRYSTALLINE</b> CAS 3184-13-2 C <sub>5</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub> .HCl   F. Wt. 168.62	25 gm 100 gm 500 gm
2166	<b>ORCINOL (Mono) (3,5-Dihydroxytoluence Mono)</b> CAS 6153-39-5 C <sub>7</sub> H <sub>6</sub> O <sub>2</sub> .H <sub>2</sub> O   F. Wt. 142.15	10 gm 25 gm


# 0 Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
372	<b>OXALIC ACID (Dihydrate), EXTRA PURE</b> CAS 6153-56-6 C <sub>2</sub> H <sub>2</sub> O <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 126.07	500 gm 5 Kg 50 Kg
TR 020	<b>OXIDASE REAGENT (Gorden-McLeod Reagent)</b>	100 ml
3570	<b>PACLOBUTRAZOL</b> CAS 76738-62-0 C <sub>15</sub> H <sub>20</sub> ClN <sub>3</sub> O   F. Wt. 293.80	5 gm 25 gm
3186	<b>PAN, INDICATOR 1-(2-Pyridylazo)-2-Naphthol</b> CAS 85-85-8 C <sub>15</sub> H <sub>11</sub> N <sub>3</sub> O   F. Wt. 249	1 gm 5 gm
4100	<b>PAR INDICATOR, AR GRADE</b> CAS 16593-81-0 C <sub>11</sub> H <sub>8</sub> N <sub>3</sub> NaO <sub>2</sub> ·H <sub>2</sub> O   F. Wt. 255.21	1 gm 5 gm
1401	<b>PANCREATIN 1NF</b> CAS 8049-47-6	100 gm 500 gm
1403	<b>PANCREATIN 4 NF *</b> CAS 8049-47-6	100 gm
1404	<b>PAPAIN (SPRAY DRIED) (Activity 100 T.U./gm or 6,000 USP/gm)</b> CAS 9001-73-4	100 gm 500 gm
609	<b>PARAFFIN LIQUID (HEAVY)</b> CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr
622	<b>PARAFFIN LIQUID (LIGHT)</b> CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr
375	<b>PARAFFIN WAX (Block Form) Congealing point about 58-60°C (Packed in SS Box)</b> CAS 8002-74-2	1 Kg
375A	<b>PARAFFIN WAX (Pellet Form)  Congealing point about 58-60°C</b> CAS 8002-74-2	1 Kg
4173	<b>PARAFFIN WAX (Solid) Congealing point about 58-60°C (Packed in SS Box)</b> CAS 8002-74-2	1 Kg
4174	<b>PARAFFIN WAX (Block Form) Congealing point about 60-62°C (Packed in SS Box)</b> CAS 8002-74-2	1 Kg
4174A	<b>PARAFFIN WAX (Pellet Form)  Congealing point about 60-62°C</b> CAS 8002-74-2	1 Kg

CODE	PRODUCT NAME	PACK SIZE
2175	<b>PARAFFIN WAX (Solid) Congealing point about 60-62°C (Packed in SS Box)</b> CAS 8002-74-2	1 Kg 2 Kg
4175	<b>PARAFFIN WAX (With Ceresin) (Block Form) Congealing point about 60°-62°C (Packed in SS Box)</b> CAS 8002-74-2	1 Kg
4350	<b>PARAFFIN WAX (With Ceresin)  (Block Form) Congealing point about 58-60°C</b> CAS 8002-74-2	1 Kg
376	<b>PARAFFIN WAX (With Ceresin) (Solid) Congealing point about 60°-62°C (Packed in SS Box)</b> CAS 8002-74-2	500 gm 1 Kg 2 Kg
623	<b>PARAFORMALDEHYDE 96% (For Synthesis)</b> CAS 30525-89-4 (CH <sub>2</sub> O) <sub>4</sub>   F. Wt. 90.08	500 gm
2178	<b>PARAROSANILINE (BASE) (Para Fuchsin)</b> CAS 25620-78-4   C.I. 42500 C <sub>15</sub> H <sub>19</sub> N <sub>3</sub> O   F. Wt. 305.37	25 gm
2179	<b>PARAROSANILINE HYDROCHLORIDE (Para Fuchsin HCl)</b> CAS 569-61-9   C.I. 42500 C <sub>15</sub> H <sub>17</sub> N <sub>3</sub> ·HCl   F. Wt. 323.82	25 gm 100 gm
1025	<b>PATTON &amp; REEDER'S REAGENT, AR GRADE (Calcon Carboxylic Acid)</b> CAS 3737-95-9 C <sub>21</sub> H <sub>14</sub> N <sub>2</sub> O <sub>7</sub> S   F. Wt. 438.42	5 gm 25 gm
1405	<b>PECTIN, PURE GRADE (Poly-D-galaeturonic acid methyl ester)</b> CAS 9000-69-5	100 gm 500 gm
3392	<b>PECTINASE *</b> CAS 9032-75-1	25 gm
3188	<b>1-PENTANE SULPHONIC ACID SODIUM SALT (ANH.), (For HPLC)</b> CAS 22767-49-3 C <sub>5</sub> H <sub>11</sub> NaO <sub>3</sub> S   F. Wt. 192.21	25 gm
3395	<b>1-PENTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC)</b> CAS 207605-40-1 C <sub>5</sub> H <sub>11</sub> NaO <sub>3</sub> S·H <sub>2</sub> O   F. Wt. 192.2	25 gm
1406	<b>PEPSIN 1:3,000 *</b> CAS 9001-75-6	100 gm 500 gm 5 Kg
2185	<b>PEPSIN 1:10,000 *</b> CAS 9001-75-6	25 gm 100 gm
1266	<b>PEPTONE, PHARMA GRADE (See more Peptones in Biological Media Base)</b>	500 gm 25 Kg
3518	<b>PEPTONE, BACTO GRADE (See more Peptones in Biological Media Base)</b>	500 gm 5 Kg 25 Kg
3521	<b>PEPTONE PASTE Bacteriological Grade</b>	500 gm 50 Kg




# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
3519	PEPTONE GR (Granular), BACTO GRADE	500 gm 5 Kg 25 Kg
2197	1,10, PHENANTHROLINE (Mono), AR GRADE CAS 5144-89-8 C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> .H <sub>2</sub> O   F. Wt. 198.22	5 gm 25 gm
2198	1,10, PHENANTHROLINE HYDROCHLORIDE, AR GRADE CAS 3829-86-5 C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> .H <sub>2</sub> O   F. Wt. 234.69	5 gm 25 gm
2519	PHENAZONE (Antipyrine) CAS 60-80-0 C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O   F. Wt. 188.23	100 gm 500 gm
293	PHENOL CRYSTAL, EXTRA PURE CAS 108-95-2 C <sub>6</sub> H <sub>6</sub> O   F. Wt. 94.11	500 gm
1670	PHENOLPHTHALEIN (White) (pH 8.2-10.0) CAS 77-09-8 C <sub>20</sub> H <sub>14</sub> O <sub>4</sub>   F. Wt. 318.32	25 gm 100 gm 500 gm 25 Kg
TBL 070	PHENOLPHTHALEIN, 1% W/V CAS 77-09-8 C <sub>20</sub> H <sub>14</sub> O <sub>4</sub>   F. Wt. 318.32	125 ml 500 ml
1671	PHENOL RED (pH Indicator) CAS 143-74-8 C <sub>19</sub> H <sub>14</sub> O <sub>5</sub> S   F. Wt. 354.38	5 gm 25 gm 100 gm
1671A	PHENOL RED SODIUM (Water Soluble), AR GRADE CAS 34487-61-1 C <sub>19</sub> H <sub>13</sub> NaO <sub>5</sub> S F. Wt. 376.36	25 gm
906	PHENYLACETIC ACID (α-Tolylic Acid) CAS 103-82-2 C <sub>8</sub> H <sub>8</sub> O <sub>2</sub>   F. Wt. 136.15	500 gm
1126	DL-PHENYLALANINE 99% + Crystalline CAS 150-30-1 C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 165.19	25 gm 100 gm
1127	L-PHENYLALANINE 99%+Crystalline CAS 63-91-2 C <sub>9</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 165.19	25 gm 100 gm 500 gm
2669	N-PHENYLANTHRANILIC ACID, AR GRADE (Redox Indicator) CAS 91-40-7 C <sub>13</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 213.23	25 gm 100 gm
2208	PHENYLHYDRAZINE HYDROCHLORIDE, EXTRA PURE CAS 59-88-1 C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> .HCl   F. Wt. 144.60	100 gm 250 gm
903	PHENYL MERCURIC ACETATE CAS 62-38-4 C <sub>8</sub> H <sub>8</sub> HgO <sub>2</sub>   F. Wt. 336.74	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
904	PHENYL MERCURIC NITRATE, AR GRADE CAS 8003-05-02 C <sub>6</sub> H <sub>5</sub> HgNO <sub>3</sub>   F. Wt. 634.40	25 gm 100 gm
2457	PHLOROGLUCINOL, AR GRADE (1,3,5, Trihydroxybenzene) CAS 108-73-6 C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>   F. Wt. 126.11	25 gm 100 gm
2211	PHLOXIN B (Cyanosine, Eosin 10 B) CAS 18472-87-2 C <sub>20</sub> H <sub>2</sub> Br <sub>4</sub> Cl <sub>4</sub> Na <sub>2</sub> O <sub>5</sub>   F. Wt. 829.64	25 gm 100 gm
2972	PHOSPHOMOLYBDIC ACID, EXTRA PURE CAS 51429-74-4 H <sub>3</sub> PO <sub>4</sub> .12MoO <sub>3</sub> .xOH <sub>2</sub> O   F. Wt. 1825.25	25 gm
773	PHOSPHOMOLYBDIC ACID, AR GRADE CAS 51429-74-4 H <sub>3</sub> PO <sub>4</sub> .12MoO <sub>3</sub> .xOH <sub>2</sub> O   F. Wt. 1825.25	25 gm
2000	PHOSPHOROUS PENTOXIDE, AR GRADE CAS 1314-56-3 P <sub>2</sub> O <sub>5</sub>   F. Wt. 283.89	500 gm
981	PHOSPHOTUNGSTIC ACID, EXTRA PURE CAS 12501-23-4 H <sub>3</sub> PO <sub>4</sub> .12WO <sub>3</sub> .XH <sub>2</sub> O   F. Wt. 2880.05	100 gm 500 gm
2673	PHTHALIC ACID, EXTRA PURE CAS 88-99-3 C <sub>8</sub> H <sub>6</sub> O <sub>4</sub>   F. Wt. 166.13	500 gm
907	PHTHALIC ANHYDRIDE, EXTRA PURE CAS 85-44-9 C <sub>8</sub> H <sub>4</sub> O <sub>3</sub>   F. Wt. 148.1	500 gm 25 Kg
2450	PHTHALIMIDE CAS 85-41-6 C <sub>8</sub> H <sub>5</sub> NO <sub>2</sub>   F. Wt. 147.13	500 gm
3576	PICLORAM CAS 1918-02-1 C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 241.46	1 gm 5 gm
4101	PICRIC ACID, EXTRA PURE (Moistened With Water) CAS 88-89-1 C <sub>6</sub> H <sub>3</sub> N <sub>3</sub> O <sub>7</sub>   F. Wt. 229.10	500 gm
770	PIPERAZINE (ANH.) CAS 110-85-0 C <sub>4</sub> H <sub>10</sub> N <sub>2</sub>   F. Wt. 86.14	100 gm 500 gm 25 Kg
2219	PIPES (Buffer) (Piperazine-N, N-bis (2-ethane Sulphonic Acid) CAS 5625-37-6 C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub>   F. Wt. 302.4	5 gm 25 gm
4367	γ-PGA (poly-γ-glutamic acid)  CAS 49717-32-0 (C <sub>5</sub> H <sub>9</sub> NO <sub>4</sub> ) <sub>x</sub>   F. Wt. 147.13	25 gm 100 gm



# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
908	POLYETHYLENE GLYCOL-4000 (PEG-4000) CAS 25322-68-3	500 gm 25 Kg
1013	POLYETHYLENE GLYCOL-6000 (PEG-6000) CAS 25322-68-3	500 gm 25 Kg
4361	POLYSORBATE 20 (Commercial Grade) CAS 9005-64-5	 500 ml 25 Ltr
4362	POLYSORBATE 80 (Commercial Grade) CAS 9005-65-6	 500 ml 25 Ltr
4363	POLYSORBATE 85 (Commercial Grade) CAS 9005-70-3	 500 ml 25 Ltr
2224	POLYVINYL ALCOHOL M.W. 125,000 CAS 9002-89-5 (C <sub>2</sub> H <sub>4</sub> O) <sub>n</sub>   F. Wt. 165.19	500 gm
2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 9003-39-8 (C <sub>6</sub> H <sub>9</sub> O) <sub>n</sub>   F. Wt. 165.19	100 gm 500 gm 25 Kg
1675	PONCEAU-S, Sodium Salt CAS 6226-79-5   C.I 27195 C <sub>22</sub> H <sub>12</sub> N <sub>4</sub> Na <sub>4</sub> O <sub>13</sub> S <sub>4</sub>   F. Wt. 760.57	25 gm
380	POTASSIUM ACETATE, EXTRA PURE CAS 127-08-2 C <sub>2</sub> H <sub>3</sub> KO <sub>2</sub>   F. Wt. 98.15	500 gm 50 Kg
381	POTASSIUM ACETATE, AR GRADE CAS 127-08-2 C <sub>2</sub> H <sub>3</sub> KO <sub>2</sub>   F. Wt. 98.15	500 gm 50 Kg
753	POTASSIUM ALUM, EXTRA PURE CAS 7784-24-9 ALKO <sub>9</sub> S <sub>2</sub> .12H <sub>2</sub> O   F. Wt. 474.39	500 gm 5 Kg 50 Kg
230	POTASSIUM ALUM, AR GARDE CAS 7784-24-9 ALKO <sub>9</sub> S <sub>2</sub> .12H <sub>2</sub> O   F. Wt. 74.39	500 gm 5 Kg 50 Kg
2517	POTASSIUM ANTIMONY TARTRATE (Trihydrate), EXTRA PURE CAS 28300-74-5 C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 667.87	100 gm 500 gm 50 Kg
811	POTASSIUM ANTIMONY TARTRATE (Trihydrate), AR GRADE CAS 28300-74-5 C <sub>8</sub> H <sub>4</sub> K <sub>2</sub> O <sub>12</sub> Sb <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 667.87	100 gm 500 gm
382	POTASSIUM BICARBONATE, EXTRA PURE (Potassium Hydrogen Carbonate) CAS 298-14-6 KHCO <sub>3</sub>   F. Wt. 100.115	500 gm 50 Kg
4226	POTASSIUM BICARBONATE, AR GRADE CAS 298-14-6 KHCO <sub>3</sub>   F. Wt. 100.12	500 gm

CODE	PRODUCT NAME	PACK SIZE
3511	POTASSIUM BICARBONATE (R.O. SPL), For R.O. Water CAS 298-14-6 KHCO <sub>3</sub>   F. Wt. 100.12	500 gm 5 Kg 50 Kg
2686	POTASSIUM BISULPHATE, EXTRA PURE (Potassium Hydrogen Sulphate) CAS 7646-93-7 KHSO <sub>4</sub>   F. Wt. 136.17	500 gm
3128	POTASSIUM BISULPHITE, EXTRA PURE (Potassium Hydrogen Sulphite) CAS 7773-03-7 KHSO <sub>3</sub>   F. Wt. 120.16	500 gm 5 Kg
919	POTASSIUM BITARTRATE (Potassium Hydrogen Tartrate) CAS 868-14-4 Kc <sub>4</sub> H <sub>6</sub> O <sub>6</sub>   F. Wt. 188.18	500 gm
711	POTASSIUM BROMATE, EXTRA PURE CAS 7758-01-2 KBrO <sub>3</sub>   F. Wt. 167.00	500 gm 50 Kg
628	POTASSIUM BROMIDE, EXTRA PURE CAS 7758-02-03 Kbr   F. Wt. 119.002	500 gm 50 Kg
2680	POTASSIUM BROMIDE, AR GRADE CAS 7758-02-03 Kbr   F. Wt. 119.002	500 gm
4102	POTASSIUM BROMIDE IR (for Spectroscopy) CAS 7758-02-3 Kbr   F. Wt. 119.00	100 gm
383	POTASSIUM CARBONATE (ANH.), EXTRA PURE CAS 584-08-7 K <sub>2</sub> CO <sub>3</sub>   F. Wt. 138.21	500 gm 50 Kg
384	POTASSIUM CARBONATE (ANH.), AR GRADE CAS 584-08-7 K <sub>2</sub> CO <sub>3</sub>   F. Wt. 138.21	500 gm 50 Kg
385	POTASSIUM CHLORIDE, EXTRA PURE CAS 7447-40-7 KCl   F. Wt. 74.55	500 gm 5 Kg 50 Kg
386	POTASSIUM CHLORIDE, AR GRADE CAS 7447-40-7 KCl   F. Wt. 74.55	500 gm 5 Kg 50 Kg
2226	POTASSIUM CHLOROPLATINATE (Hexa) (40% Platinum) CAS 16921-30-5 K <sub>2</sub> PtCl <sub>6</sub>   F. Wt. 485.98	1 gm
911	POTASSIUM CHROMATE, EXTRA PURE CAS 7789-00-6 K <sub>2</sub> CrO <sub>4</sub>   F. Wt. 194.19	500 gm 50 Kg
912	POTASSIUM CHROMATE, AR GRADE CAS 7789-00-6 K <sub>2</sub> CrO <sub>4</sub>   F. Wt. 194.19	500 gm
913	tri-POTASSIUM CITRATE (Mono) CAS 6100-05-6 C <sub>6</sub> H <sub>8</sub> K <sub>3</sub> O <sub>7</sub> .H <sub>2</sub> O   F. Wt. 324.41	500 gm 50 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
387	POTASSIUM DICHROMATE, EXTRA PURE CAS 7778-50-9 $K_2Cr_2O_7$   F. Wt. 294.18	500 gm 5 Kg 50 Kg
388	POTASSIUM DICHROMATE, AR GRADE CAS 7778-50-9 $K_2Cr_2O_7$   F. Wt. 294.18	500 gm 50 Kg
389	POTASSIUM DIHYDROGENORTHOPH PHOSPHATE (Mono Potassium Phosphate), (ANH.), EXTRA PURE CAS 7778-77-0 $KH_2PO_4$   F. Wt. 136.09	500 gm 5 Kg 50 Kg
220	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate), (ANH.), AR GRADE CAS 7778-77-0 $KH_2PO_4$   F. Wt. 136.09	500 gm 5 Kg 50 Kg
737	POTASSIUM FERRICYANIDE, EXTRA PURE CAS 13746-66-2 $K_3Fe(CN)_6$   F. Wt. 329.25	100 gm 500 gm 50 Kg
631	POTASSIUM FERROCYANIDE, EXTRA PURE CAS 13943-58-3 $K_4Fe(CN)_6$   F. Wt. 368.35	500 gm 50 Kg
4327	POTASSIUM FLUORIDE (ANH.) 97.0%, AR GRADE CAS 7789-23-3 F.Wt. 58.10	500 gm 25 Kg
4328	POTASSIUM FLUORIDE (ANH) 97.0%, EXTRA PURE CAS 7789-23-3 F.Wt. 58.10	500 gm 25 Kg
916	POTASSIUM FLUORIDE (ANH.), EXTRA PURE CAS 7789-23-3 KF   F. Wt. 58.10	500 gm
2229	POTASSIUM FORMATE, EXTRA PURE CAS 590-29-4 $CHKO_2$   F. Wt. 84.12	100 gm 500 gm
636	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE CAS 7758-11-4 $K_2HPO_4$   F. Wt. 174.17	500 gm 5 Kg 50 Kg
218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-4 $K_2HPO_4$   F. Wt. 174.17	500 gm 5 Kg 50 Kg
509	POTASSIUM HYDROGEN PHTHALATE (Potassium Biphthalate), EXTRA PURE CAS 877-24-7 $C_8H_4KO_4$   F. Wt. 204.22	500 gm 50 Kg
877	POTASSIUM HYDROGEN PHTHALATE, AR GRADE CAS 877-24-7 $C_8H_4KO_4$   F. Wt. 204.22	500 gm 50 Kg
2686	POTASSIUM HYDROGEN SULPHATE, EXTRA PURE CAS 7646-93-7 $KHSO_4$   F. Wt. 136.17	500 gm 50 Kg

CODE	PRODUCT NAME	PACK SIZE
392	POTASSIUM HYDROGEN SULPHATE, AR GRADE CAS 7646-93-7 $KHSO_4$   F. Wt. 136.17	500 gm 50 Kg
919	POTASSIUM HYDROGEN TARTRATE, (Potassium Bitartrate) CAS 868-14-4 $C_4H_5KO_6$   F. Wt. 188.18	500 gm 50 Kg
2230	POTASSIUM HYDROXIDE FLAKES, EXTRA PURE CAS 1310-58-3 KOH   F. Wt. 56.11	500 gm 5 Kg 50 Kg
504	POTASSIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-58-3 KOH   F. Wt. 56.11	500 gm 5 Kg 50 Kg
511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH   F. Wt. 56.11	500 gm 5 Kg 50 Kg
393	POTASSIUM IODATE, EXTRA PURE CAS 7758-05-6 $KIO_3$   F. Wt. 214.001	100 gm 500 gm 25 Kg
2231	POTASSIUM IODATE, AR GRADE CAS 7758-05-06 $KIO_3$   F. Wt. 214.001	100 gm 500 gm 25 Kg
394	POTASSIUM IODIDE (Confirming IP), EXTRA PURE CAS 7681-11-0 KI   F. Wt. 166.00	100 gm 500 gm 25 Kg
634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI   F. Wt. 166.00	100 gm 500 gm 25 Kg
3200	POTASSIUM LACTATE 50% CAS 996-31-6 $C_3H_5KO_3$   F. Wt. 128.17	500 ml
3128	POTASSIUM METABISULPHITE, (Potassium Pyrosulphite), EXTRA PURE CAS 16731-55-8 $K_2S_2O_5$   F. Wt. 222.32	500 gm 5 Kg 50 Kg
397	POTASSIUM METAPERIODATE, AR GRADE CAS 7790-21-8 $KIO_4$   F. Wt. 230	100 gm 500 gm
761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 $KNO_3$   F. Wt. 101.10	500 gm 5 Kg 50 Kg
399	POTASSIUM NITRATE, AR GRADE CAS 7757-79-1 $KNO_3$   F. Wt. 101.1	500 gm 50 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
505	POTASSIUM OXALATE (Mono), (Dipotassium Oxalate), EXTRA PURE CAS 6487-48-5 $C_2K_2O_4 \cdot H_2O$   F. Wt. 85.10	500 gm 50 Kg
920	POTASSIUM OXALATE, AR GRADE CAS 6487-48-5 $C_2K_2O_4 \cdot H_2O$   F. Wt. 85.10	500 gm 50 Kg
400	POTASSIUM PERMANGANATE, EXTRA PURE CAS 7722-64-7 KMnO <sub>4</sub>   F. Wt. 158.03	500 gm 5 Kg 50 Kg
2236	POTASSIUM PERMANGANATE, AR GRADE CAS 7722-64-7 KMnO <sub>4</sub>   F. Wt. 158.03	500 gm
2237	POTASSIUM PERSULPHATE, EXTRA PURE (Potassium Peroxodisulphate) CAS 7727-21-1 $K_2S_2O_8$   F. Wt. 270.32	500 gm 50 Kg
2238	POTASSIUM PERSULPHATE, AR GRADE CAS 7727-21-1 $K_2S_2O_8$   F. Wt. 270.32	500 gm
636	POTASSIUM PHOSPHATE DIBASIC (ANH.) (Dipotassium Hydrogen Orthophosphate), EXTRA PURE CAS 7758-11-4 $K_2HPO_4$   F. Wt. 174.18	500 gm 5 Kg 50 Kg
218	POTASSIUM PHOSPHATE DIBASIC (ANH.) (Dipotassium Hydrogen Orthophosphate), AR GRADE CAS 7758-11-4 $K_2HPO_4$   F. Wt. 174.18	500 gm 5 Kg 50 Kg
389	POTASSIUM PHOSPHATE MONOBASIC, EXTRA PURE CAS 7778-77-0 $KH_2PO_4$   F. Wt. 174.18	500 gm 5 Kg 50 Kg
3259	tri-POTASSIUM PHOSPHATE CAS 7778-53-2 $K_3PO_4$   F. Wt. 212.27	500 gm
3258	POTASSIUM SILICATE POWDER CAS 1312-76-1 $K_2O_3Si$   F. Wt. 154.28	500 gm 50 Kg
403	POTASSIUM SODIUM TARTRATE (Tetra), EXTRA PURE CAS 6381-59-5 $C_4H_4KNaO_6 \cdot 4H_2O$   F. Wt. 282.22	100 gm 500 gm 25 Kg
404	POTASSIUM SODIUM TARTRATE (Tetra), AR GRADE CAS 6381-59-5 $C_4H_4KNaO_6 \cdot 4H_2O$   F. Wt. 282.22	100 gm 500 gm 25 Kg
405	POTASSIUM SORBATE (Granular), AR GRADE CAS 24634-61-5 $C_6H_7KO_2$   F. Wt. 150.22	500 gm 25 Kg

CODE	PRODUCT NAME	PACK SIZE
2687	POTASSIUM NITRITE, EXTRA PURE CAS 7758-09-0 $KNO_2$   F. Wt. 85.10	500 gm 50 Kg
4018	POTASSIUM STEARATE CAS 593-29-3 $C_{18}H_{35}KO_2$   F. Wt. 322.57	500 gm
406	POTASSIUM SULPHATE, EXTRA PURE CAS 7778-80-5 $K_2SO_4$   F. Wt. 174.26	500 gm 50 Kg
407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 $K_2SO_4$   F. Wt. 176.26	500 gm 50 Kg
408	POTASSIUM TELLURITE, EXTRA PURE (for Bacteriology) CAS 7790-58-1 $K_2TeO_3$   F. Wt. 253.81	25 gm 100 gm
2225	POTASSIUM TERT-BUTOXIDE (for Synthesis) CAS 865-47-4 $C_4H_9KO$   F. Wt. 112.21	100 gm 500 gm 25 Kg
699	POTASSIUM TETRAOXALATE (Dihydrate) CAS 6100-20-5 $C_4H_3KO_8 \cdot 2H_2O$   F. Wt. 254.19	500 gm
409	POTASSIUM THIOCYANATE, EXTRA PURE (Potassium Sulphocyanide) CAS 333-20-0 KSCN   F. Wt. 97.18	500 gm 50 Kg
410	POTASSIUM THIOCYANATE, AR GRADE CAS 333-20-0 KSCN   F. Wt. 97.18	500 gm
2694	POTASSIUM TITANIUM OXALATE, AR GRADE CAS 14402-67-6 $C_4K_2O_7Ti \cdot 2H_2O$   F. Wt. 354.13	100 gm 500 gm
1309	POTATO STARCH (Insoluble) CAS 9005-84-9	500 gm
1128	L-PROLINE, 99% + Purity, Crystalline CAS 147-85-3 $C_5H_9NO_2$   F. Wt. 115.13	5 gm 25 gm 500 gm
211	n-PROPYL GALLATE (Antioxidant & Preservative) CAS 121-79-9 $C_{10}H_{12}O_5$   F. Wt. 212.20	100 gm 500 gm
922	PROPYL PARABEN (Propyl-P-Hydroxybenzoate) CAS 94-13-3 $C_{10}H_{12}O_3$   F. Wt. 180.2	500 gm
637	PROPYL PARABEN SODIUM (Propyl-P-Hydroxy Benzoate Sodium) CAS 35285-69-9 $C_{10}H_{11}NaO_3$   F. Wt. 202.00	500 gm
648	PROPYLENE GLYCOL (1,2-Propanediol) CAS 57-55-6 $C_3H_8O_2$   F. Wt. 76.09	500 ml 5 Ltr 50 Ltr

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
639	<b>PYRIDOXAL HYDROCHLORIDE</b> CAS 65-22-5 C <sub>8</sub> H <sub>9</sub> NO <sub>3</sub> .HCl   F. Wt. 203.62	1 gm 5 gm
1705	<b>PYRIDOXINE HYDROCHLORIDE (VITAMIN B)</b> CAS 58-56-0 C <sub>8</sub> H <sub>11</sub> NO <sub>3</sub> .HCl   F. Wt. 205.64	10 gm 25 gm 100 gm
171	<b>PYROCATECHOL (1,2 Dihydroxybenzene)</b> CAS 120-80-9 C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>   F. Wt. 110.10	100 gm 500 gm
2148	<b>PYROGALLOL, EXTRA PURE</b> CAS 87-66-1 C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>   F. Wt. 126.11	100 gm 500 gm
925	<b>PYROGALLOL, AR GRADE (Pyrogallic Acid, 1,2,3, Trihydroxybenzene)</b> CAS 87-66-1 C <sub>6</sub> H <sub>6</sub> O <sub>3</sub>   F. Wt. 126.11	100 gm 500 gm
3204	<b>PYRONINE-G (PYRONINE)</b> CAS 92-32-0   C.I. 45005 C <sub>17</sub> H <sub>19</sub> ClN <sub>2</sub> O   F. Wt. 302.8	5 gm
659	<b>PYRUVIC ACID SODIUM, AR GRADE (Sodium Pyruvate)</b> CAS 113-24-6 C <sub>3</sub> H <sub>3</sub> NaO <sub>3</sub>   F. Wt. 110.0	100 gm 500 gm
3207	<b>QUININE HYDROCHLORIDE (Dihydrate)</b> CAS 6119-47-7 C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>2</sub> .HCl.2H <sub>2</sub> O   F. Wt. 396.92	25 gm
2632	<b>8-QUINOLINOL (8-Hydroxyquinoline) (Oxine)</b> CAS 148-24-3 C <sub>9</sub> H <sub>7</sub> NO   F. Wt. 145.16	100 gm 500 gm
2252	<b>QUINOLINE YELLOW (Water Soluble)</b> CAS 8004-92-0   C.I. 47005 C <sub>10</sub> H <sub>7</sub> NNa <sub>2</sub> O <sub>6</sub> S <sub>6</sub>   F. Wt. 477.38	5 gm 25 gm
698	<b>RNA (From Torula Yeast)</b> CAS 63231-63-0	25 gm 100 gm 500 gm
TC 018	<b>D-RAFFINOSE (Penta)</b> CAS 17629-30-0 C <sub>18</sub> H <sub>32</sub> O <sub>16</sub> .5H <sub>2</sub> O   F. Wt. 594.52	10 gm 25 gm
507	<b>RESAZURIN SODIUM</b> CAS 62758-13-8 C <sub>12</sub> H <sub>6</sub> NO <sub>4</sub> Na   F. Wt. 251.18	1 gm 5 gm
2981	<b>RESORCINOL (1,3 Dihydroxybenzene), EXTRA PURE</b> CAS 108-46-3 C <sub>6</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt. 110.1	250 gm 500 gm

CODE	PRODUCT NAME	PACK SIZE
411	<b>L-RHAMNOSE 99% PURITY</b> CAS 10030-85-0 C <sub>6</sub> H <sub>12</sub> O <sub>5</sub> .H <sub>2</sub> O   F. Wt. 182.17	5 gm 25 gm 1 Kg
1609	<b>RHODAMINE-B</b> CAS 81-88-9   C.I. 45170 C <sub>28</sub> H <sub>31</sub> ClN <sub>2</sub> O <sub>3</sub>   F. Wt. 479.02	25 gm 100 gm
1703	<b>RIBOFLAVIN (Vitamin B), Vitamin G</b> CAS 83-88-5 C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> O <sub>6</sub>   F. Wt. 376.36	10 gm 25 gm 100 gm
929	<b>RIBOFLAVIN-5-PHOSPHATE, EXTRA PURE *</b> CAS 130-40-5 C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> NaO <sub>9</sub> P.2H <sub>2</sub> O   F. Wt. 514.36	5 gm 25 gm
1306	<b>D-RIBOSE</b> CAS 50-69-1 C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>   F. Wt. 150.13	10 gm 25 gm 100 gm
1603	<b>ROSANILINE HCl</b> CAS 632-99-5 C <sub>20</sub> H <sub>20</sub> N <sub>3</sub> .HCl   F. Wt. 337.86	25 gm 100 gm 1 Kg
1677	<b>ROSE BENGAL (Acid red 94)</b> CAS 632-69-9   C.I. 45440 C <sub>20</sub> H <sub>2</sub> Cl <sub>2</sub> I <sub>4</sub> Na <sub>2</sub> O <sub>5</sub>   F. Wt. 1017.64	25 gm 100 gm
1664	<b>p-ROSOLIC ACID (Aurin)</b> CAS 603-45-2   C.I. 43800 C <sub>19</sub> H <sub>14</sub> O <sub>3</sub>   F. Wt. 290.32	25 gm
2435	<b>RUTIN (Trihydrate) (Vitamin P) (for Biochemistry)</b> CAS 153-18-4 C <sub>27</sub> H <sub>30</sub> O <sub>16</sub> .3H <sub>2</sub> O   F. Wt. 628.50	25 gm 100 gm 1 Kg
1646	<b>SAFRANINE-T (Safranin-O)</b> CAS 477-73-6   C.I. 50240 C <sub>20</sub> H <sub>19</sub> ClN <sub>4</sub>   F. Wt. 350.85	25 gm 100 gm 500 gm
TC 019	<b>D-SALICIN</b> CAS 4138-52-3 C <sub>13</sub> H <sub>18</sub> O <sub>7</sub>   F. Wt. 286.28	5 gm 10 gm 25 gm
691	<b>SALICYLIC ACID, EXTRA PURE (2-Hydroxy Benzoic Acid)</b> CAS 69-72-7 C <sub>7</sub> H <sub>6</sub> O <sub>3</sub>   F. Wt. 138.12	500 gm 25 Kg
680	<b>SALICYCLIC ACID, AR GRADE (2-Hydroxy Benzoic Acid)</b> CAS 69-72-7 C <sub>7</sub> H <sub>6</sub> O <sub>3</sub>   F. Wt. 138.12	500 gm
4227	<b>SAPONIN</b> CAS 8047-15-2	100 gm 500 gm
553	<b>SELENIUM DIOXIDE</b> CAS 7446-08-4 SeO <sub>2</sub>   F. Wt. 110.96	100 gm 500 gm

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
3620	L-SELENOMETHIONINE CAS 3211-76-5 C <sub>6</sub> H <sub>11</sub> No <sub>2</sub> Se   F. Wt. 196.11	1 gm
1130	L-SERINE 99% + Purity, Crystalline CAS 56-45-1 C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub>   F. Wt. 105.09	10 gm 25 gm 1 Kg
412	SILICA GEL (Self Indicating Blue) 5-8 mm CAS 63231-67-4	500 gm 5 Kg 50 Kg
2257	SILICA GEL (Self Indicating White) 5-8 mm CAS 63231-67-4	500 gm 5 Kg
414	SILICA GEL, 60-120 Mesh (for Column Chromatography) for CC CAS 63231-67-4	500 gm
2258	SILICA GEL, 100-200 Mesh CAS 63231-67-4	500 gm
2259	SILICA GEL, 60-200 Mesh CAS 63231-67-4	500 gm
2260	SILICA GEL, 200-400 Mesh For TLC CAS 63231-67-4	500 gm
415	SILICA GEL-G For TLC CAS 112926-00-8	500 gm
416	SILICA GEL HF 254 For TLC CAS 112926-00-8	500 gm
417	SILICA GEL-H for TLC W/O Binder CAS 63231-67-4	500 gm
418	SILICA GEL GF 254 for TLC W/O Binder CAS 63231-67-4	500 gm
642	SILICONE, High Vacuum Grease (Vacuum Grease)	500 gm
932	SILICONE ANTIFOAMING AGENT (NON IONIC)	100 ml 500 ml 35 Ltr
644	SILICONE OIL (for Oil Bath, upto 250°C) CAS 63148-62-9 C <sub>6</sub> H <sub>18</sub> OSi <sub>2</sub>   F. Wt. 162.38	100 ml 500 ml
645	SILICOTUNGSTIC ACID, EXTRA PURE CAS 12027-38-2 H <sub>4</sub> O <sub>40</sub> SiW <sub>12</sub>   F. Wt. 2878.17	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
2708	SILICOTUNGSTIC ACID, 99.5%, AR GRADE CAS 12027-38-2 H <sub>4</sub> O <sub>40</sub> SiW <sub>12</sub>   F. Wt. 2878.17	25 gm 100 gm
2709	SILVER ACETATE (Acetic Acid Silver Salt), EXTRA PURE CAS 563-63-3 C <sub>2</sub> H <sub>3</sub> AgO <sub>2</sub>   F. Wt. 166.91	25 gm
954	SILVER CARBONATE, EXTRA PURE CAS 534-16-7 C <sub>2</sub> Ag <sub>2</sub> O <sub>3</sub>   F. Wt. 275.75	25 gm
512	SILVER CHLORIDE, EXTRA PURE CAS 7783-90-6 AgCl   F. Wt. 143.32	25 gm
2982	SILVER IODIDE CAS 7783-96-2 AgI   F. Wt. 234.77	25 gm
419	SILVER NITRATE, EXTRA PURE CAS 7761-88-8 AgNO <sub>3</sub>   F. Wt. 169.87	10 gm 25 gm
649	SILVER NITRATE, AR GRADE CAS 7761-88-8 AgNO <sub>3</sub>   F. Wt. 169.87	10 gm 25 gm
2266	SILVER OXIDE, EXTRA PURE CAS 20667-12-3 Ag <sub>2</sub> O   F. Wt. 123.87	25 gm
2267	SILVER SULPHATE, EXTRA PURE CAS 10294-26-5 Ag <sub>2</sub> SO <sub>4</sub>   F. Wt. 311.80	25 gm
650	SILVER SULPHATE, AR GRADE CAS 10294-26-5 Ag <sub>2</sub> SO <sub>4</sub>   F. Wt. 311.80	25 gm
651	SKIM MILK POWDER (Fat Free)	500 gm
422	SODIUM ACETATE (ANH.), EXTRA PURE CAS 127-09-3 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub>   F. Wt. 82.03	500 gm 5 Kg 50 Kg
221	SODIUM ACETATE (ANH.), AR GRADE CAS 127-09-3 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub>   F. Wt. 82.03	500 gm 5 Kg 50 Kg
420	SODIUM ACETATE (Trihydrate), EXTRA PURE CAS 6131-90-4 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 100.04	500 gm 5 Kg 50 Kg
2270	SODIUM ACETATE (Trihydrate), AR GRADE CAS 6131-90-4 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> .3H <sub>2</sub> O   F. Wt. 136.08	500 gm 5 Kg 50 Kg



# Laboratory Chemicals (EP & AR Grade)

S

CODE	PRODUCT NAME	PACK SIZE
435	SODIUM ACID PHOSPHATE (Sodium dihydrogen orthophosphate) CAS 13472-35-0 NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 156.01	500 gm 5 Kg 50 Kg
3623	SODIUM ACID PYROPHOSPHATE (SAPP), (Food Grade) CAS 7758-16-9 Na <sub>2</sub> H <sub>2</sub> P <sub>2</sub> O <sub>7</sub>   F. Wt. 221.94	500 gm 5 Kg
423	SODIUM ALGINATE, EXTRA PURE (Sodium Polymannuronate) CAS 9005-38-3	500 gm 5 Kg 25 Kg
2983	SODIUM ALGINATE (Alginic Acid Sodium Salt), AR GRADE CAS 9005-38-3 C <sub>14</sub> H <sub>22</sub> O <sub>13</sub>   F. Wt. 101.1	500 gm
3424	SODIUM ARSENATE (Hepta), EXTRA PURE CAS 10048-95-0 Na <sub>2</sub> HAsO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 312.01	25 gm 100 gm
4104	SODIUM ARSENATE (Hepta), AR GRADE CAS 10048-95-0 Na <sub>2</sub> HAsO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 312.01	25 gm 100 gm
2273	SODIUM ARSENITE, AR GRADE CAS 7784-46-5 NaAsO <sub>2</sub>   F. Wt. 129.91	100 gm 500 gm
1714	SODIUM ASCORBATE (Ascorbic Acid Sodium) CAS 134-03-2 C <sub>2</sub> H <sub>7</sub> NaO <sub>6</sub>   F. Wt. 198.11	100 gm 500 gm
424	SODIUM AZIDE, EXTRA PURE CAS 26628-22-8 NaN <sub>3</sub>   F. Wt. 65.01	100 gm 500 gm
425	SODIUM AZIDE, AR GRADE CAS 26628-22-8 NaN <sub>3</sub>   F. Wt. 65.01	100 gm 500 gm
426	SODIUM BENZOATE, EXTRA PURE CAS 532-32-1 C <sub>7</sub> H <sub>5</sub> NaO <sub>2</sub>   F. Wt. 144.11	500 gm 25 Kg
427	SODIUM BENZOATE, AR GRADE CAS 532-32-1 C <sub>7</sub> H <sub>5</sub> NaO <sub>2</sub>   F. Wt. 144.11	500 gm 25 Kg
429	SODIUM BICARBONATE, EXTRA PURE (Sodium Hydrogen Carbonate) CAS 144-55-8 NaHCO <sub>3</sub>   F. Wt. 84.01	500 gm 5 Kg 50 Kg
430	SODIUM BICARBONATE, AR GRADE CAS 144-55-8 NaHCO <sub>3</sub>   F. Wt. 84.01	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
2984	SODIUM BICARBONATE 'SPL' (for R.O. Water) CAS 144-55-8 NaHCO <sub>3</sub>   F. Wt. 84.01	500 gm 5 Kg 50 Kg
428	SODIUM BIASELENITE (Sodium Hydrogen Selenite) CAS 7782-82-3 NaHSeO <sub>3</sub>   F. Wt. 150.95	100 gm 1 Kg
780	SODIUM BISULPHATE, EXTRA PURE (Sodium Hydrogen Sulphate) CAS 10034-88-5 NaHSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 138.07	500 gm
2292	SODIUM BISULPHATE, AR GRADE (Sodium Hydrogen Sulphate) CAS 10034-88-5 NaHSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 138.07	500 gm
946	SODIUM BISULPHITE, EXTRA PURE (Sodium Hydrogen Sulphite) CAS 7631-90-5 NaHSO <sub>3</sub>   F. Wt. 104.06	500 gm
655	SODIUM BISULPHITE, AR GRADE (Sodium Hydrogen Sulphite) CAS 7631-90-5 NaHSO <sub>3</sub>   F. Wt. 104.06	500 gm
2275	SODIUM BROMATE, EXTRA PURE CAS 7789-38-0 NaBrO <sub>3</sub>   F. Wt. 150.89	500 gm 50 Kg
936	SODIUM BROMIDE, EXTRA PURE CAS 7647-15-6 NaBr   F. Wt. 102.89	500 gm 50 Kg
2276	SODIUM BROMIDE, AR GRADE CAS 7647-15-6 NaBr   F. Wt. 102.89	500 gm 50 Kg
4008	SODIUM BUTYRATE CAS 156-54-7 C <sub>4</sub> H <sub>7</sub> NaO <sub>2</sub>   F. Wt. 110.09	100 gm 500 gm 25 Kg
2278	SODIUM CACODYLATE (Trihydrate) CAS 6131-99-3 C <sub>2</sub> H <sub>6</sub> AsNaO <sub>2</sub> ·3H <sub>2</sub> O   F. Wt. 214.03	25 gm 100 gm
431	SODIUM CARBONATE (ANH.), EXTRA PURE CAS 497-19-8 Na <sub>2</sub> CO <sub>3</sub>   F. Wt. 105.99	500 gm 5 Kg 50 Kg
432	SODIUM CARBONATE (ANH.), AR GRADE CAS 497-19-8 Na <sub>2</sub> CO <sub>3</sub>   F. Wt. 105.99	500 gm 5 Kg 50 Kg
938	SODIUM CARBONATE (Mono), EXTRA PURE CAS 5968-11-6 Na <sub>2</sub> CO <sub>3</sub> ·H <sub>2</sub> O   F. Wt. 124.00	500 gm 50 Kg
2280	SODIUM CARBONATE (Mono), AR GRADE CAS 5968-11-6 Na <sub>2</sub> CO <sub>3</sub> ·H <sub>2</sub> O   F. Wt. 124.00	500 gm 50 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
215	SODIUM CHLORIDE, EXTRA PURE CAS 7647-14-5 NaCl   F. Wt. 58.44	500 gm 5 Kg 50 Kg
216	SODIUM CHLORIDE, AR GRADE CAS 7647-14-5 NaCl   F. Wt. 58.44	500 gm 5 Kg 50 Kg
924	SODIUM CHLORIDE (for Tissue Culture), MOLECULAR BIOLOGY GRADE CAS 7647-14-5 NaCl   F. Wt. 58.44	500 gm 5 Kg 50 Kg
4178	SODIUM CHOLATE (Cholic Acid Sodium) CAS 361-09-1 C <sub>24</sub> H <sub>39</sub> NaO <sub>5</sub>   F. Wt. 430.56	25 gm 100 gm 25 Kg
2281	SODIUM CHROMATE (Tetra), EXTRA PURE CAS 10034-82-9 Na <sub>2</sub> CrO <sub>4</sub> ·4H <sub>2</sub> O   F. Wt. 234.03	500 gm 25 Kg
2882	SODIUM CHROMATE (Tetra), AR GRADE CAS 10034-82-9 Na <sub>2</sub> CrO <sub>4</sub> ·4H <sub>2</sub> O   F. Wt. 234.03	500 gm
541	tri-SODIUM CITRATE (Dihydrate), EXTRA PURE CAS 6132-04-3 C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> ·2H <sub>2</sub> O   F. Wt. 294.10	500 gm 5 Kg 25 Kg
542	tri-SODIUM CITRATE (Dihydrate), AR GRADE CAS 6132-04-3 C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub> ·2H <sub>2</sub> O   F. Wt. 294.10	500 gm 5 Kg 25 Kg
653	tri-SODIUM CITRATE (ANH.), EXTRA PURE CAS 68-04-2 C <sub>6</sub> H <sub>5</sub> Na <sub>3</sub> O <sub>7</sub>   F. Wt. 258.07	500 gm 5 Kg 25 Kg
2291	SODIUM CITRATE DIBASIC, EXTRA PURE (di-Sodium Hydrogen Citrate) CAS 6132-05-4 C <sub>6</sub> H <sub>5</sub> Na <sub>2</sub> O <sub>7</sub>   F. Wt. 236.09	500 gm 50 Kg
2283	SODIUM COBALTINITRIDE, EXTRA PURE CAS 13600-98-1 Na <sub>3</sub> Co(NO <sub>2</sub> ) <sub>6</sub>   F. Wt. 403.94	100 gm
434	SODIUM DICHROMATE (Dihydrate), EXTRA PURE CAS 7789-12-0 Na <sub>2</sub> Cr <sub>2</sub> O <sub>7</sub> ·2H <sub>2</sub> O   F. Wt. 298.00	500 gm 50 Kg
2286	SODIUM DIETHYLDITHIOCARBAMATE, AR GRADE CAS 20624-25-3 (C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NCS <sub>2</sub> Na·3H <sub>2</sub> O   F. Wt. 225.31	100 gm 500 gm
435	SODIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Sodium Phosphate Dihydrate), EXTRA PURE CAS 13472-35-0 NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 156.01	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
763	SODIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 NaH <sub>2</sub> PO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 156.01	500 gm 5 Kg 50 Kg
688	SODIUM DIPHENYLAMINE SULPHONATE, AR GRADE CAS 6152-67-6 C <sub>12</sub> H <sub>10</sub> NNaO <sub>3</sub> S   F. Wt. 271.27	5 gm 25 gm
436	SODIUM DITHIONITE, EXTRA PURE CAS 7775-14-6 Na <sub>2</sub> S <sub>2</sub> O <sub>4</sub>   F. Wt. 174.11	500 gm
444	SODIUM DODECYL SULPHATE (Sodium Lauryl Sulphate), EXTRA PURE CAS 151-21-3 C <sub>12</sub> H <sub>25</sub> NaO <sub>4</sub> S   F. Wt. 288.38	500 gm 25 Kg
445	SODIUM DODECYL SULPHATE, AR GRADE CAS 151-21-3 C <sub>12</sub> H <sub>25</sub> NaO <sub>4</sub> S   F. Wt. 298.38	100 gm 500 gm
777	SODIUM FLUORIDE, EXTRA PURE CAS 7681-49-4 NaF   F. Wt. 41.99	500 gm 50 Kg
706	SODIUM FLUORIDE, AR GRADE CAS 7681-49-4 NaF   F. Wt. 41.99	500 gm
2289	SODIUM FORMATE, EXTRA PURE CAS 141-53-7 CHNaO <sub>2</sub>   F. Wt. 68.01	500 gm
4105	SODIUM FORMATE, AR GRADE CAS 141-53-7 CHNaO <sub>2</sub>   F. Wt. 68.01	500 gm
941	SODIUM GLUCONATE (D-Gluconic Acid Sodium Salt) CAS 527-07-1 C <sub>6</sub> H <sub>11</sub> NaO <sub>7</sub>   F. Wt. 218.14	500 gm 50 Kg
943	SODIUM β-GLYCEROPHOSPHATE, AR GRADE CAS 819-83-0 C <sub>3</sub> H <sub>5</sub> O <sub>6</sub> P <sub>2</sub> Na   F. Wt. 306.11	25 gm 100 gm 500 gm
944	SODIUM HEXAMETAPHOSPHATE, 62% (Sodium Polyphosphate, Graham's Salts), EXTRA PURE CAS 68915-31- (NaPO <sub>3</sub> ) <sub>12-13</sub> NaO <sub>2</sub>   F. Wt. 611.78	500 gm 5 Kg 50 Kg
429	SODIUM HYDROGEN CARBONATE, EXTRA PURE CAS 144-55-8 NaHCO <sub>3</sub>   F. Wt. 84.01	500 gm 5 Kg 50 Kg
430	SODIUM HYDROGEN CARBONATE, AR GRADE CAS 144-55-8 NaHCO <sub>3</sub>   F. Wt. 84.01	500 gm 5 Kg 50 Kg
2984	SODIUM HYDROGEN CARBONATE 'SPL' for R.O Water CAS 144-55-8 NaHCO <sub>3</sub>   F. Wt. 84.01	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
2291	di-SODIUM HYDROGEN CITRATE, EXTRA PURE CAS 6132-05-4 C <sub>6</sub> H <sub>8</sub> Na <sub>2</sub> O <sub>7</sub>   F. Wt. 236.09	500 gm 25 Kg
460	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate), EXTRA PURE CAS 10028-24-7 Na <sub>2</sub> HPO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 177.99	500 gm 5 Kg 50 Kg
658	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate), AR GRADE CAS 10028-24-7 Na <sub>2</sub> HPO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 177.99	500 gm 5 Kg 50 Kg
459	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH.), EXTRA PURE CAS 7558-79-4 Na <sub>2</sub> HPO <sub>4</sub>   F. Wt. 141.96	500 gm 5 Kg 50 Kg
217	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7558-79-4 Na <sub>2</sub> HPO <sub>4</sub>   F. Wt. 141.96	500 gm 5 Kg 50 Kg
446	SODIUM MALONATE CAS 141-95-7 C <sub>3</sub> H <sub>2</sub> Na <sub>2</sub> O <sub>4</sub>   F. Wt. 148.03	25 gm 100 gm
4221	di-SODIUM OCTABORATE TETRAHYDRATE CAS 12280-03-4 Na <sub>2</sub> B <sub>8</sub> O <sub>13</sub> ·4H <sub>2</sub> O   F. Wt. 412.53	500 gm
2309	di-SODIUM TARTRATE (Dihydrate) CAS 6106-24-7 C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>6</sub> ·2H <sub>2</sub> O   F. Wt. 230.08	500 gm 50 Kg
428	SODIUM HYDROGEN SELENITE for Bacteriology CAS 7782-82-3 NaHSeO <sub>3</sub>   F. Wt. 150.95	100 gm 1 Kg
780	SODIUM HYDROGEN SULPHATE (Mono), EXTRA PURE CAS 10034-88-5 NaHSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 138.07	500 gm
2292	SODIUM HYDROGEN SULPHATE (Mono), AR GRADE CAS 10034-88-5 NaHSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 138.07	500 gm
946	SODIUM HYDROGEN SULPHITE, EXTRA PURE (SODIUM BISULPHITE) CAS 7631-90-5 NaHSO <sub>3</sub>   F. Wt. 104.061	500 gm
655	SODIUM HYDROGEN SULPHITE, AR GRADE (SODIUM BISULPHITE) CAS 7631-90-5 NaHSO <sub>3</sub>   F. Wt. 104.061	500 gm
779	SODIUM HYDROXIDE FLAKES CAS 1310-73-2 NaOH   F. Wt. 40.00	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
439	SODIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-73-2 NaOH   F. Wt. 40.00	500 gm 5 Kg 50 Kg
440	SODIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-73-2 NaOH   F. Wt. 40.00	500 gm 5 Kg 50 Kg
2718	SODIUM HYPOPHOSPHITE (Mono), CAS 10039-56-2 NaH <sub>2</sub> PO <sub>2</sub> ·H <sub>2</sub> O   F. Wt. 105.99	500 gm
544	SODIUM IODIDE, EXTRA PURE CAS 7681-82-5 NaI   F. Wt. 149.89	100 gm 250 gm
2294	SODIUM LACTATE 60% CAS 72-17-3 C <sub>3</sub> H <sub>5</sub> NaO <sub>3</sub>   F. Wt. 112.06	500 ml
444	SODIUM LAURYL SULPHATE, EXTRA PURE (Sodium Dodecyl Sulphate) CAS 151-21-3 C <sub>12</sub> H <sub>25</sub> NaO <sub>2</sub> S   F. Wt. 288.38	500 gm 25 Kg
445	SODIUM LAURYL SULPHATE 99%, AR GRADE CAS 151-21-3 NaC <sub>12</sub> H <sub>25</sub> SO <sub>4</sub>   F. Wt. 288.38	100 gm 500 gm
447	SODIUM METABISULPHITE, EXTRA PURE (Sodium Pyrosulfite) CAS 7681-57-4 Na <sub>2</sub> S <sub>2</sub> O <sub>5</sub>   F. Wt. 190.11	500 gm 5 Kg 50 Kg
448	SODIUM METABISULPHITE, AR GRADE CAS 7681-57-4 Na <sub>2</sub> S <sub>2</sub> O <sub>5</sub>   F. Wt. 190.11	500 gm 5 Kg 50 Kg
2296	SODIUM METABORATE (Tetra) CAS 10555-76-7 BNaO <sub>2</sub> ·4H <sub>2</sub> O   F. Wt. 137.86	500 gm
2722	SODIUM METAPERIODATE, EXTRA PURE CAS 7790-28-5 NaIO <sub>4</sub>   F. Wt. 213.89	100 gm 500 gm 25 Kg
4106	SODIUM METAPERIODATE, AR GRADE (Sodium Periodate) CAS 7790-28-5 INaO <sub>4</sub>   F. Wt. 213.89	100 gm 500 gm
2298	SODIUM METAVANADATE (ANH.), AR GRADE CAS 13718-26-8 NaVO <sub>3</sub>   F. Wt. 121.93	100 gm 500 gm
2299	SODIUM METHOXIDE, EXTRA PURE CAS 124-41-4 NaOCH <sub>3</sub>   F. Wt. 54.02	500 gm 5 Kg 25 Kg
449	SODIUM MOLYBDATE (Dihydrate), EXTRA PURE CAS 10102-40-6 Na <sub>2</sub> MoO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 241.95	100 gm 500 gm 25 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
656	SODIUM MOLYBDATE (Dihydrate), AR GRADE CAS 10102-40-6 Na <sub>2</sub> MoO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 241.9	100 gm 500 gm 25 Kg
450	SODIUM NITRATE, EXTRA PURE CAS 7631-99-4 NaNO <sub>3</sub>   F. Wt. 84.99	500 gm 5 Kg 50 Kg
3430	SODIUM NITRATE, FOOD GRADE CAS 7631-99-4 NaNO <sub>3</sub>   F. Wt. 84.99	500 gm 5 Kg 50 Kg
451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 NaNO <sub>3</sub>   F. Wt. 85.0	500 gm 50 Kg
452	SODIUM NITRITE, EXTRA PURE CAS 7632-00-0 NaNO <sub>2</sub>   F. Wt. 68.99	500 gm 5 Kg
772	SODIUM NITROPRUSSIDE, EXTRA PURE (Sodium Nitroferricyanide dihydrate) CAS 13755-38-9 Na <sub>2</sub> [Fe(CN) <sub>5</sub> NO]·2H <sub>2</sub> O   F. Wt. 297.95	100 gm 500 gm 10 Kg
2720	SODIUM OLEATE (Pure), EXTRA PURE CAS 143-19-1 C <sub>18</sub> H <sub>33</sub> NaO <sub>2</sub>   F. Wt. 304.44	500 gm 50 Kg
2300	tri-SODIUM ORTHOPHOSPHATE (ANH.), EXTRA PURE CAS 7601-54-9 Na <sub>3</sub> PO <sub>4</sub>   F. Wt. 163.94	500 gm 50 Kg
4107	tri-SODIUM ORTHO-PHOSPHATE (Dodecahydrate), EXTRA PURE CAS 10101-89-0 H <sub>21</sub> Na <sub>3</sub> O <sub>16</sub> P   F. Wt. 380.12	500 gm 5 Kg 50 Kg
4108	tri-SODIUM ORTHO-PHOSPHATE (Dodecahydrate), AR GRADE CAS 10101-89-0 H <sub>21</sub> Na <sub>3</sub> O <sub>16</sub> P   F. Wt. 380.12	500 gm 5 Kg 50 Kg
455	SODIUM OXALATE (di-Sodium Oxalate), EXTRA PURE CAS 62-76-0 Na <sub>2</sub> C <sub>2</sub> O <sub>4</sub>   F. Wt. 133.999	500 gm
456	SODIUM OXALATE, AR GRADE CAS 62-76-0 C <sub>2</sub> Na <sub>2</sub> O <sub>4</sub>   F. Wt. 133.999	500 gm
2721	SODIUM PENTACHLOROPHENATE CAS 131-52-2 C <sub>6</sub> Cl <sub>5</sub> NaO   F. Wt. 288.32	500 gm 50 Kg
2301	SODIUM PERBORATE (Tetra), EXTRA PURE CAS 10486-00-7 NaBO <sub>3</sub> ·4H <sub>2</sub> O   F. Wt. 153.86	500 gm 50 Kg


CODE	PRODUCT NAME	PACK SIZE
4154	SODIUM PERCARBONATE (Granules) CAS 15630-89-4 Na <sub>2</sub> CO <sub>3</sub> ·1.5H <sub>2</sub> O   F. Wt. 156.98	1 Kg
4097	SODIUM PERCARBONATE (Tablet) CAS 15630-89-4 Na <sub>2</sub> CO <sub>3</sub> ·1.5H <sub>2</sub> O   F. Wt. 157.01	1 Kg
2304	SODIUM PERSULPHATE, EXTRA PURE CAS 7775-27-1 Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>   F. Wt. 238.03	500 gm 50 Kg
459	SODIUM PHOSPHATE DIBASIC (ANH.) (Disodium Hydrogen Orthophosphate), EXTRA PURE CAS 7558-79-4 Na <sub>2</sub> HPO <sub>4</sub>   F. Wt. 141.96	500 gm 5 Kg 50 Kg
217	SODIUM PHOSPHATE DIBASIC (ANH.) (Disodium Hydrogen Orthophosphate), AR GRADE CAS 7558-79-4 Na <sub>2</sub> HPO <sub>4</sub>   F. Wt. 141.96	500 gm 5 Kg 50 Kg
460	SODIUM PHOSPHATE DIBASIC (Dihydrate) (Disodium Hydrogen Orthophosphate), EXTRA PURE CAS 10028-24-7 Na <sub>2</sub> HPO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 177.99	500 gm 5 Kg 50 Kg
658	SODIUM PHOSPHATE DIBASIC (Dihydrate) (Disodium Hydrogen Orthophosphate), AR GRADE CAS 10028-24-7 Na <sub>2</sub> HPO <sub>4</sub> ·2H <sub>2</sub> O   F. Wt. 177.99	500 gm 5 Kg 50 Kg
692	SODIUM POLYANETHOL SULPHONATE (SPS), AR GRADE CAS 55963-78-5	1 gm 5 gm
403	SODIUM POTASSIUM TARTRATE (Tetra), EXTRA PURE CAS 6381-59-5 C <sub>4</sub> H <sub>4</sub> KNaO <sub>6</sub> ·4H <sub>2</sub> O   F. Wt. 282.22	100 gm 500 gm 25 Kg
404	SODIUM POTASSIUM TARTRATE (Tetra), AR GRADE CAS 6381-59-5 C <sub>4</sub> H <sub>4</sub> KNaO <sub>6</sub> ·4H <sub>2</sub> O   F. Wt. 282.22	100 gm 500 gm 25 Kg
955	SODIUM PROPIONATE, EXTRA PURE CAS 137-40-6 C <sub>3</sub> H <sub>5</sub> NaO <sub>2</sub>   F. Wt. 96.07	500 gm 50 Kg
2724	tetra-SODIUM PYROPHOSPHATE (ANH.), (TSPP), EXTRA PURE CAS 7722-88-5 Na <sub>4</sub> P <sub>2</sub> O <sub>7</sub>   F. Wt. 265.90	500 gm 50 Kg
659	SODIUM PYRUVATE, AR GRADE CAS 113-24-6 C <sub>3</sub> H <sub>3</sub> NaO <sub>3</sub> F. Wt. 110.0	100 gm 500 gm
4110	SODIUM RHODIZONATE, AR GRADE (Sensitivity To BA 1:200000)	1gm 5gm

CODE	PRODUCT NAME	PACK SIZE
2727	SODIUM SALICYLATE, EXTRA PURE CAS 54-21-7 C <sub>7</sub> H <sub>5</sub> NaO <sub>3</sub>   F. Wt. 160.11	500 gm 25 Kg
2728	SODIUM SELENATE (ANH.), AR GRADE CAS 13410-01-0 Na <sub>2</sub> SeO <sub>4</sub>   F. Wt. 188.94	100 gm
683	SODIUM SELENITE (ANH.) (Culture Media Ingredient) CAS 10102-18-8 Na <sub>2</sub> SeO <sub>3</sub>   F. Wt. 172.96	25 gm 100 gm 500 gm
2240	SODIUM SUCCINATE (Hexa), EXTRA PURE CAS 6106-21-4 C <sub>4</sub> H <sub>4</sub> Na <sub>2</sub> O <sub>4</sub> ·6H <sub>2</sub> O   F. Wt. 270.15	100 gm 500 gm
701	SODIUM SULPHATE (ANH.), EXTRA PURE CAS 7757-82-6 Na <sub>2</sub> SO <sub>4</sub>   F. Wt. 142.04	500 gm 5 Kg 50 Kg
543	SODIUM SULPHATE (ANH.), AR GRADE CAS 7757-82-6 Na <sub>2</sub> SO <sub>4</sub>   F. Wt. 142.04	500 gm 5 Kg 50 Kg
661	SODIUM SULPHIDE FLAKES (Iron Free) CAS 1313-84-4 Na <sub>2</sub> S   F. Wt. 78.05	500 gm
952	SODIUM SULPHITE (ANH.), EXTRA PURE CAS 7757-83-7 Na <sub>2</sub> SO <sub>3</sub>   F. Wt. 126.04	500 gm 5 Kg 50 Kg
662	SODIUM SULPHITE (ANH.), AR GRADE CAS 7757-83-7 Na <sub>2</sub> SO <sub>3</sub>   F. Wt. 126.04	500 gm 5 Kg 50 Kg
3260	SODIUM STEARATE (Stearic Acid Sodium Salt) CAS 822-16-2 C <sub>18</sub> H <sub>35</sub> NaO <sub>2</sub>   F. Wt. 306.46	500 gm
279	SODIUM TETRABORATE (Decahydrate) (BORAX), EXTRA PURE CAS 1303-96-4 Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> ·10H <sub>2</sub> O   F. Wt. 381.37	500 gm 5 Kg 50 Kg
280	SODIUM TETRABORATE (Decahydrate) (BORAX), AR GRADE CAS 1303-96-4 Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> ·10H <sub>2</sub> O   F. Wt. 381.37	500 gm 5 Kg 50 Kg
4083	SODIUM TETRAPHENYL BORON, AR GRADE (Kalignost) CAS 143-66-8 C <sub>24</sub> H <sub>20</sub> BNa   F. Wt. 342.22	10 gm 25 gm
464	SODIUM THIOCYANATE, EXTRA PURE CAS 540-72-7 NaSCN   F. Wt. 81.07	500 gm 50 Kg

CODE	PRODUCT NAME	PACK SIZE
2730	SODIUM THIOCYANATE, AR GRADE CAS 540-72-7 NaSCN   F. Wt. 81.07	500 gm 50 Kg
3513	SODIUM THIOGLYCOLLATE (for Bacteriology) * CAS 367-51-1 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> S   F. Wt. 114.10	100 gm 500 gm 10 Kg
469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ·5H <sub>2</sub> O   F. Wt. 248.18	500 gm 5 Kg 50 Kg
4111	SODIUM THIOSULPHATE (Penta), AR GRADE CAS 10102-17-7 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> ·5H <sub>2</sub> O   F. Wt. 248.18	500 gm
2235	SODIUM THIOSULPHATE (ANH.), EXTRA PURE CAS 7772-98-2 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>   F. Wt. 158.11	500 gm 50 Kg
663	SODIUM THIOSULPHATE (ANH.), AR GRADE CAS 7772-98-2 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>   F. Wt. 158.11	500 gm 50 Kg
2895	SODIUM TRIPOLYPHOSPHATE (STPP) (ANH.) CAS 7758-29-4 Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>   F. Wt. 367.86	500 gm 50 Kg
953	SODIUM TUNGSTATE (Dihydrate), EXTRA PURE CAS 10213-10-2 Na <sub>2</sub> O <sub>4</sub> W.2H <sub>2</sub> O   F. Wt. 329.86	100 gm 500 gm 10 Kg
1623	SOLOCHROME BLACK-T, EXTRA PURE (ERICHROME BLACK-T) CAS 1787-61-7 C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>7</sub> S   F. Wt. 461.38	25 gm 100 gm
1855	SOLOCHROME BLACK-T, AR GRADE CAS 1787-61-7   C.I. 14645 C <sub>20</sub> H <sub>12</sub> N <sub>3</sub> NaO <sub>7</sub> S   F. Wt. 461.38	25 gm 100 gm
1856	SOLOCHROME CYANINE-R, AR GRADE CAS 3564-18-9   C.I. 43820 C <sub>23</sub> H <sub>15</sub> Na <sub>3</sub> O <sub>9</sub> S   F. Wt. 536.40	5 gm 25 gm
2995	SOLOCHROME DARK BLUE, (Calcon) CAS 2538-85-4   C.I. 15705 C <sub>20</sub> H <sub>13</sub> N <sub>2</sub> NaO <sub>5</sub> S   F. Wt. 416.38	5 gm 25 gm 100 gm
2732	SORBIC ACID, EXTRA PURE * CAS 110-44-1 C <sub>6</sub> H <sub>8</sub> O <sub>2</sub>   F. Wt. 112.12	500 gm
465	D-SORBITOL POWDER (D-Glucitol) CAS 50-70-4 C <sub>6</sub> H <sub>14</sub> O <sub>6</sub>   F. Wt. 182.17	100 gm 500 gm 25 Kg



# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	
3065	L-SORBOSE CAS 87-79-6 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	25 gm 100 gm	
466	SOYABEAN MEAL (Defatted) (Non GMO Powder)	500 gm 25 Kg	
467	SOYA LECITHIN POWDER * (L- $\alpha$ -phosphatidyl Choline 22%) CAS 8002-43-5 C <sub>36</sub> H <sub>72</sub> NO <sub>8</sub> P   F. Wt. 677.93	100 gm 500 gm	
4351	SOYA LECITHIN LIQUID  CAS 8002-43-5 C <sub>36</sub> H <sub>72</sub> NO <sub>8</sub> P   F. Wt. 677.93	500 ml	
4205	SOYA PEPTONE (REGULAR GRADE) (for general purpose for bactriological work) CAS 91079-38-8	500 gm 50 Kg	
2733	SPADNS, AR GRADE CAS 23647-14-5 C <sub>16</sub> H <sub>9</sub> N <sub>2</sub> O <sub>11</sub> S <sub>3</sub> Na <sub>3</sub>   F. Wt. 570.41	1 gm 5 gm	
4329	SPAN 20 CAS 1338-39-2 C <sub>18</sub> H <sub>34</sub> O <sub>6</sub>   F. Wt. 346.46	500 ml	
4330	SPAN 80 CAS 1338-43-8 C <sub>24</sub> H <sub>44</sub> O <sub>6</sub>   F. Wt. 428.6	500 ml	
3436	SPERMIDINE * CAS 124-20-9 C <sub>7</sub> H <sub>13</sub> N <sub>3</sub>   F. Wt. 145.25	1 gm 5 gm	
2317	STANNOUS CHLORIDE (Dihydrate), EXTRA PURE CAS 10025-69-1 SnCl <sub>2</sub> ·2H <sub>2</sub> O   F. Wt. 225.63	100 gm 250 gm	
2318	STANNOUS CHLORIDE (Dihydrate), AR GRADE CAS 10025-69-1 SnCl <sub>2</sub> ·2H <sub>2</sub> O   F. Wt. 225.63	100 gm 250 gm	
3006	STANNOUS FLOURIDE (ANH.) CAS 7783-47-3 SnF <sub>2</sub>   F. Wt. 156.69	500 gm	
2734	STANNOUS OXIDE, EXTRA PURE CAS 21651-19-4 SnO   F. Wt. 134.71	500 gm	
1310	STARCH CORN (Maize) (Insoluble) CAS 9005-84-9 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>   F. Wt. 162.14	500 gm 25 Kg	
1309	STARCH POTATO (Insoluble) CAS 9005-84-9 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>   F. Wt. 162.14	500 gm	
1311	STARCH SOLUBLE, EXTRA PURE CAS 9000-84-9 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	500 gm 25 Kg	
1318	STARCH SOLUBLE, AR GRADE CAS 9004-84-9 (C <sub>6</sub> H <sub>10</sub> O <sub>5</sub> ) <sub>n</sub>	500 gm	
2321	STEARIC ACID, FLAKES (Carboxylic Acid) CAS 57-11-4 C <sub>18</sub> H <sub>36</sub> O <sub>2</sub>   F. Wt. 284.48	500 gm 25 Kg	

CODE	PRODUCT NAME	PACK SIZE	
2322	STRONTIUM CARBONATE CAS 1633-05-2 SrCO <sub>3</sub>   F. Wt. 147.63	500 gm 50 Kg	
2323	STRONTIUM CHLORIDE (Hexa), EXTRA PURE CAS 10025-70-4	500 gm 50 Kg	
2325	STRONTIUM NITRATE (ANH.), EXTRA PURE CAS 10042-76-9 Sr(NO <sub>3</sub> ) <sub>2</sub>   F. Wt. 211.63	500 gm 50 Kg	
2735	STRONTIUM SULPHATE (ANH.) CAS 7759-02-6 SrSO <sub>4</sub>   F. Wt. 183.68	500 gm	
1016	SUCCINIC ACID, EXTRA PURE CAS 110-15-6 C <sub>4</sub> H <sub>6</sub> O <sub>4</sub>   F. Wt. 118.09	500 gm 25 Kg	
2328	SUCCINIC ANHYDRIDE CAS 108-30-5 C <sub>4</sub> H <sub>4</sub> O <sub>3</sub>   F. Wt. 100.07	100 gm 500 gm 25 Kg	
4702	SUCROSE, ACS GRADE CAS 57-50-1 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 342.30	500 gm	
1307	SUCROSE, EXTRA PURE CAS 57-50-1 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 342.30	500 gm 5 Kg 50 Kg	
1308	SUCROSE, AR GRADE (Bacto Grade, Reducing Sugar Absent) CAS 57-50-1 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 342.30	500 gm 5 Kg 50 Kg	
TC 023	SUCROSE for Tissue Culture & Molecular Biology CAS 57-50-1 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 342.30	500 gm 5 Kg	
3503	SUCRALOSE (600 Times Sweeter than Sugar) CAS 56038-13-2 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>   F. Wt. 397.64	25 gm 100 gm	
2737	SUDAN (I) CAS 842-07-9 C <sub>16</sub> H <sub>12</sub> N <sub>2</sub> O   F. Wt. 248.28	25 gm 100 gm	
1692	SUDAN (III) CAS 85-86-9   C.I. 26100 C <sub>22</sub> H <sub>16</sub> N <sub>4</sub> O   F. Wt. 352.39	25 gm 100 gm	
1693	SUDAN (IV) (Oil Red IV) (Seavlet-R) CAS 85-83-6   C.I. 26105 C <sub>22</sub> H <sub>20</sub> N <sub>4</sub> O   F. Wt. 380.44	25 gm 100 gm	
1647	SUDAN BLACK-B (for Microscopy) CAS 4197-25-5   C.I. 26150 C <sub>29</sub> H <sub>24</sub> N <sub>6</sub>   F. Wt. 456.54	10 gm 25 gm	
2333	SULPHAMIC ACID (Amido Sulfonic Acid), EXTRA PURE CAS 5329-14-6 NH <sub>2</sub> SO <sub>3</sub> H   F. Wt. 97.10	500 gm 50 Kg	

CODE	PRODUCT NAME	PACK SIZE
2407	SULPHANILAMIDE, EXTRA PURE CAS 63-74-1 C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> S   F. Wt. 172.20	500 gm
2741	SULPHANILAMIDE, AR GRADE CAS 63-74-1 C <sub>6</sub> H <sub>8</sub> N <sub>2</sub> O <sub>2</sub> S   F. Wt. 172.20	100 gm 500 gm
468	SULPHANILIC ACID, EXTRA PURE CAS 121-57-3 C <sub>6</sub> H <sub>7</sub> NO <sub>3</sub> S   F. Wt. 173.19	100 gm 500 gm 50 Kg
470	SULPHANILIC ACID, AR GRADE (4-Aminobenzene Sulphonic Acid) CAS 121-57-3 C <sub>6</sub> H <sub>7</sub> NO <sub>3</sub> S   F. Wt. 173.19	100 gm 500 gm 50 Kg
776	5-SULPHOSALICYLIC ACID DIHYDRATE, EXTRA PURE CAS 5965-83-3 C <sub>7</sub> H <sub>6</sub> O <sub>6</sub> S.2H <sub>2</sub> O   F. Wt. 254.22	100 gm 500 gm 50 Kg
2412	SULPHUR POWDER, EXTRA PURE CAS 7704-34-9 S   F. Wt. 32.07	500 gm
665	TABOLENE GL (With Dispenser) for Glass & Computer Equipment Cleaning	500 ml 5 Ltr 50 Ltr
666	TABOLENE GLW (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) for Glassware Cleaning	500 ml 5 Ltr
667	TABOLENE GP General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr
2742	TALCUM POWDER (400 mesh) (Magnesium Silicate) CAS 14807-96-6 3MgO.4SiO <sub>2</sub> .H <sub>2</sub> O   F. Wt. 379.29	500 gm
3226	TALCUM POWDER (700 mesh) CAS 14807-96-6 3MgO.4SiO <sub>2</sub> .H <sub>2</sub> O   F. Wt. 379.29	500 gm
2782	TANNIC ACID, (Gallotannin), EXTRA PURE CAS 1401-55-4 C <sub>76</sub> H <sub>52</sub> O <sub>46</sub>   F. Wt. 1701.20	100 gm 500 gm 25 Kg
4112	TANNIC ACID, AR GRADE CAS 1401-55-4 C <sub>76</sub> H <sub>52</sub> O <sub>46</sub>   F. Wt. 1701.2	100 gm 250 gm
4261	TAPS BUFFER (N-[TRIS(HYDROXYMETHYL) METHYL] -3-AMINOPROPANESULPHONIC ACID) CAS 29915-38-6 C <sub>7</sub> H <sub>17</sub> NO <sub>6</sub> S   F. Wt. 243.28	25 gm 100 gm
472	L (+) TARTARIC ACID, EXTRA PURE CAS 87-69-4 C <sub>4</sub> H <sub>6</sub> O <sub>6</sub>   F. Wt. 150.09	100 gm 500 gm 25 Kg


CODE	PRODUCT NAME	PACK SIZE
4262	L-(+)-TARTARIC ACID, AR GRADE CAS 87-69-4 C <sub>4</sub> H <sub>6</sub> O <sub>6</sub>   F. Wt. 150.09	500 gm
474	DL-TARTARIC ACID (SYNTHETIC) CAS 133-37-9 C <sub>4</sub> H <sub>6</sub> O <sub>6</sub>   F. Wt. 150.09	500 gm 50 Kg
1648	TARTRAZINE, (for Microscopy) CAS 1934-21-0   C.I. 19140 C <sub>16</sub> H <sub>9</sub> N <sub>4</sub> Na <sub>3</sub> O <sub>9</sub> S <sub>2</sub>   F. Wt. 534.3	25 gm 100 gm
956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 C <sub>2</sub> H <sub>7</sub> NO <sub>3</sub> S   F. Wt. 125.15	25 gm 100 gm
4113	TBTU (2-(1H-Benzotriazole-1-yl)-1,1,3,3 Tetramethyluronium Tetrafluoroborate) CAS 125700-67-6 C <sub>11</sub> H <sub>16</sub> N <sub>5</sub> O.BF <sub>4</sub>   F. Wt. 321.08	5 gm 25 gm
4263	TEICOPLANIN * CAS 61036-62-2	1 gm
4264	TELLURIUM DIOXIDE CAS 7446-07-3 TeO <sub>2</sub>   F. Wt. 159.60	50 gm
4265	TELLURIUM (IV) CHLORIDE CAS 10026-07-0 TeCl <sub>4</sub>   F. Wt. 269.41	25 gm
775	TEMED, AR GRADE (N,N,N,N-Tetra-Methylethylene Diamine) CAS 110-18-9 C <sub>6</sub> H <sub>16</sub> N <sub>2</sub>   F. Wt. 116.21	100 ml 500 ml
4266	TERGITOL-7 CAS 68131-40-8	100gm 500gm
2743	TERPINEOL (Mixture of Isomers), PHARMA GRADE CAS 8006-39-1 C <sub>10</sub> H <sub>18</sub> O   F. Wt. 154.25	500 ml 2.5 Ltr
4114	TETRABUTYL AMMONIUM BROMIDE, AR GRADE CAS 1643-19-2	500 gm
4117	TETRABUTYL AMMONIUM FLUORIDE CAS 87749-50-6 C <sub>16</sub> H <sub>36</sub> FN   F. Wt. 261.46	25 gm 100 gm
4118	TETRABUTYL AMMONIUM IODIDE, AR GRADE CAS 311-28-4 C <sub>16</sub> H <sub>36</sub> IN   F. Wt. 369.37	25 gm 100 gm
4119	TETRABUTYL-R (for HPLC) CAS 32503-27-8 (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> ) <sub>4</sub> N(HSO <sub>4</sub> ) F. Wt. 339.53	100 gm
144	Tert-BUTYL HYDROQUINONE (TBHQ) CAS 1948-33-0 C <sub>10</sub> H <sub>14</sub> O <sub>2</sub>   F. Wt. 166.22	100 gm 500 gm 25 Kg

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
775	N,N,N,N-TETRA METHYLETHYLENEDIAMINE (TEMED), AR GRADE CAS 110-18-9 C <sub>6</sub> H <sub>16</sub> N <sub>2</sub>   F. Wt. 116.21	100 ml 500 ml
4267	N,N,N,N'-TETRA ACETYLETHYLENEDIAMINE (TAED) CAS 10543-57-4 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>4</sub> F. Wt. 228.25	50 gm 100 gm
654	N,N,N,N-TETRAMETHYL-p-PHENYLENEDIAMINE DIHYDROCHLORIDE, AR GRADE CAS 637-01-4 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> .2HCl   F. Wt. 237.17	5 gm 25 gm
4268	TETRABUTYL AMMONIUM CHLORIDE CAS 1112-67-0 C <sub>16</sub> H <sub>36</sub> ClN   F. Wt. 261.46	25 gm
821	TETRAZOLIUM BLUE CHLORIDE, AR GRADE CAS 1871-22-3 C <sub>40</sub> H <sub>32</sub> Cl <sub>2</sub> N <sub>8</sub> O <sub>8</sub>   F. Wt. 731.67	1 gm 5 gm
475	TETRAZOLIUM RED SALT (TTC), AR GRADE (2,3,5-Triphenyl Tetrazolium Chloride) CAS 298-96-4 C <sub>19</sub> H <sub>15</sub> ClN <sub>4</sub>   F. Wt. 334.81	10 gm 25 gm
4269	TETRAZOLIUM VIOLET CAS 1719-71-7 C <sub>23</sub> H <sub>17</sub> ClN <sub>4</sub>   F. Wt. 384.86	1 gm
4270	THIABENDAZOLE CAS 148-79-8 C <sub>10</sub> H <sub>7</sub> N <sub>3</sub> S   F. Wt. 201.25	50 gm 100 gm
1702	THIAMINE HYDROCHLORIDE * (Vitamin B1 Hydrochloride) CAS 67-03-8 C <sub>12</sub> H <sub>17</sub> ClN <sub>4</sub> OS.HCl   F. Wt. 337.27	25 gm 100 gm 500 gm
3584	THIDIAZURON * CAS 51707-55-2 C <sub>9</sub> H <sub>8</sub> N <sub>4</sub> OS   F. Wt. 220.25	250 mg 1 gm
4272	THIOACETAMIDE (Ethanethioamide), AR GRADE CAS 62-55-5 C <sub>2</sub> H <sub>5</sub> NS   F. Wt. 75.13	100gm
959	THIOACETAMIDE (Ethanethioamide), EXTRA PURE * CAS 62-55-5 C <sub>2</sub> H <sub>5</sub> NS   F. Wt. 75.13	100 gm
4273	THIOACETIC ACID CAS 507-09-5 C <sub>2</sub> H <sub>3</sub> OS   F. Wt. 76.12	100gm
2750	2-THIOBARBITURIC ACID, AR GRADE CAS 504-17-6 C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub> S   F. Wt. 144.15	25 gm 100 gm
4274	THIOGLYCOLIC ACID, 80% SOLUTION IN WATER CAS 68-11-1 C <sub>2</sub> H <sub>2</sub> O <sub>2</sub> S   F. Wt. 92.12	100 ml 500 ml

CODE	PRODUCT NAME	PACK SIZE
2341	1-THIOGLYCEROL 98% (Mono Thioglycerol) CAS 96-27-5 C <sub>3</sub> H <sub>8</sub> O <sub>2</sub> S   F. Wt. 108.15	100 ml 500 ml
4275	2-THIOURACIL (4-HYDROXY-2-MERCAPTOPYRIMIDINE) CAS 141-90-2 C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> OS   F. Wt. 128.15	25 gm 100 gm
3513	THIOGLYCOLLIC ACID SODIUM SALT (for Bacteriology) CAS 367-51-1 C <sub>2</sub> H <sub>3</sub> NaO <sub>2</sub> S   F. Wt. 114.1	100 gm 500 gm 10 Kg
478	THIOMERSAL, EXTRA PURE CAS 54-64-8 C <sub>9</sub> H <sub>8</sub> HgNaO <sub>2</sub> S   F. Wt. 404.81	25 gm 100 gm
2751	THIOSEMICARBAZIDE, AR GRADE CAS 79-19-6 CH <sub>3</sub> N <sub>3</sub> S   F. Wt. 91.14	25 gm 100 gm
479	THIOUREA, EXTRA PURE CAS 62-56-6 CH <sub>4</sub> N <sub>2</sub> S   F. Wt. 76.12	500 gm 50 Kg
4120	THIOUREA, AR GRADE CAS 62-56-6 C <sub>7</sub> H <sub>7</sub> ClN <sub>2</sub> S   F. Wt. 186.66	500 gm
4276	THORIN INDICATOR OCTAHYDRATE, AR GRADE CAS 3688-92-4 C <sub>16</sub> H <sub>11</sub> AsN <sub>2</sub> Na <sub>2</sub> O <sub>10</sub> S <sub>2</sub>   F. Wt. 576.3	5 gm 10 gm
1131	L-THREONINE, 99%+ Crystalline CAS 72-19-5 C <sub>4</sub> H <sub>9</sub> NO <sub>3</sub>   F. Wt. 119.12	5 gm 25 gm 500 gm
4277	THROMBIN From Bovine plasma CAS 9002-04-4	1 gm
961	THYMIDINE (2-Deoxyriboside Thymidine) CAS 50-89-5 C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> O <sub>5</sub>   F. Wt. 242.22	1 gm 5 gm
963	THYMINE (5-Methyluracil) CAS 65-71-4 C <sub>5</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 126.11	5 gm 25 gm
1668	THYMOL BLUE CAS 76-61-9 C <sub>27</sub> H <sub>30</sub> O <sub>5</sub> S   F. Wt. 466.59	5 gm 25 gm
4278	THYMOL BLUE SODIUM SALT CAS 62625-21-2 C <sub>27</sub> H <sub>29</sub> NaO <sub>5</sub> S   F. Wt. 488.57	5 gm
2343	THYMOL CRYSTAL, EXTRA PURE CAS 89-83-8 C <sub>10</sub> H <sub>14</sub> O   F. Wt. 150.22	100 gm 500 gm 50 Kg
4123	THYMOLPHTHALEIN, AR GRADE CAS 125-20-2 C <sub>28</sub> H <sub>30</sub> O <sub>4</sub>   F. Wt. 430.53	5 gm 25 gm

CODE	PRODUCT NAME	PACK SIZE
964	THYMOLPHTHALEIN COMPLEXONE for E.D.T.A. Titration CAS 1913-93-5 C <sub>38</sub> H <sub>38</sub> N <sub>2</sub> Na <sub>4</sub> O <sub>12</sub>   F. Wt. 808.71	1 gm 5 gm
1667	THYMOLPHTHALEIN (pH Indicator) CAS 125-20-2 C <sub>20</sub> H <sub>30</sub> O <sub>4</sub>   F. Wt. 430.53	5 gm 25 gm
2752	THYMOL VIOLET (Indicator) CAS 7512-38-1 C <sub>40</sub> H <sub>39</sub> N <sub>2</sub> NaO <sub>3</sub> S   F. Wt. 746.8	5 gm 25 gm
2988	TIN (METAL) GRANULATED CAS 7440-31-5 Sn   F. Wt. 118.71	100 gm 500 gm
760	TIN (METAL) POWDER CAS 7440-31-5 Sn   F. Wt. 118.71	100 gm 500 gm
2317	TIN (II) CHLORIDE DIHYDRATE, EXTRA PURE CAS 10025-69-1 SnCl <sub>2</sub> ·2H <sub>2</sub> O   F. Wt. 225.63	100 gm 250 gm
2318	TIN (II) CHLORIDE DIHYDRATE, AR GRADE CAS 10025-69-1 SnCl <sub>2</sub> ·2H <sub>2</sub> O   F. Wt. 225.63	100 gm 250 gm
4281	TIN (IV) CHLORIDE PENTAHYDRATE CAS 10026-06-9 SnCl <sub>4</sub> ·5H <sub>2</sub> O   F. Wt. 350.60	500 gm
4282	TIN(IV) OXIDE, AR GRADE CAS 18282-10-5 SnO <sub>2</sub>   F. Wt. 150.71	250 gm
4283	TIRON, AR GRADE (4,5-Dihydroxy-1,3-benzenedisulfonic Acid Disodium Salt) CAS 149-45-1 C <sub>6</sub> H <sub>4</sub> O <sub>8</sub> S <sub>2</sub> Na <sub>2</sub>   F. Wt. 314.2	10 gm 25 gm
4284	TITANIUM (IV) BUTOXIDE CAS 5593-70-4 C <sub>16</sub> H <sub>36</sub> O <sub>4</sub> Ti   F. Wt. 340.30	500 gm
482	TITANIUM DIOXIDE, EXTRA PURE CAS 13463-67-7 TiO <sub>2</sub>   F. Wt. 79.87	500 gm 5 Kg 25 Kg
4285	TITANIUM METAL POWDER CAS 7440-32-6 Ti   F. Wt. 47.87	100 gm
483	TITANIUM DIOXIDE, AR GRADE CAS 13463-67-7 TiO <sub>2</sub>   F. Wt. 79.87	100 gm
1650	TITAN YELLOW CAS 1829-00-1   C.I. 19540 C <sub>28</sub> H <sub>19</sub> N <sub>5</sub> Na <sub>2</sub> O <sub>6</sub> S <sub>4</sub>   F. Wt. 695.71	10 gm 25 gm
1666	O-TOLIDINE, AR GRADE (Reagent for Halogen & Gold) CAS 119-93-7 C <sub>14</sub> H <sub>16</sub> N <sub>2</sub>   F. Wt. 212.29	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
2345	O-TOLIDINE DIHYDROCHLORIDE, AR GRADE CAS 612-82-8 C <sub>14</sub> H <sub>16</sub> N <sub>2</sub> ·2HCl   F. Wt. 285.22	25 gm 100 gm
4286	TOLUENE-3,4-DITHIOL, AR GRADE CAS 496-74-2 C <sub>7</sub> H <sub>6</sub> S <sub>2</sub>   F. Wt. 156.27	5 gm
4287	p-TOLUENESULPHONIC ACID MONOHYDRATE, AR GRADE CAS 6192-52-5 C <sub>7</sub> H <sub>8</sub> SO <sub>3</sub> ·H <sub>2</sub> O   F. Wt. 190.22	100 gm 500 gm
TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml
4288	p-TOLUIDINE, EXTRA PURE CAS 106-49-0 C <sub>7</sub> H <sub>9</sub> N   F. Wt. 107.15	500 gm
4290	TOMATO POWDER	250 gm
1676	TOLUIDINE BLUE CAS 92-31-9   C.I. 52040 (C <sub>15</sub> H <sub>16</sub> C <sub>3</sub> N <sub>3</sub> S) <sub>2</sub> ZnCl <sub>2</sub>   F. Wt. 305.83	25 gm 100 gm
TC 024	D-TREHALOSE DIHYDRATE CAS 6138-23-4 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·2H <sub>2</sub> O   F. Wt. 378.33	5 gm 25 gm
4703	D-TREHALOSE DIHYDRATE, ACS GRADE CAS 6138-23-4 C <sub>12</sub> H <sub>22</sub> O <sub>11</sub> ·2H <sub>2</sub> O   F. Wt. 378.33	5 gm 25 gm
4364	TRIACONTANOL (TRIA), 98%  CAS 593-50-0 C <sub>30</sub> H <sub>62</sub> O   F. Wt. 438.81	500 mg 1 gm
4124	1,2,4-TRIAZOLE (for Synthesis) CAS 288-88-0 C <sub>2</sub> H <sub>3</sub> N <sub>3</sub>   F. Wt. 69.07	100 gm 500 gm
851	TRIBUTYRIN (Glycerol Tributryrate) CAS 60-01-5 C <sub>15</sub> H <sub>26</sub> O <sub>6</sub>   F. Wt. 302.36	100 ml 500 ml
484	TRICHLORO ACETIC ACID, EXTRA PURE CAS 76-03-9 C <sub>2</sub> HCl <sub>3</sub> O <sub>2</sub>   F. Wt. 163.39	100 gm 500 gm 25 Kg
4292	2,4,6-TRICHLOROPHENOL CAS 88-06-2 C <sub>6</sub> H <sub>3</sub> Cl <sub>3</sub> O   F. Wt. 197.45	500 gm
3587	2,4,5 TRICHLOROPHENOXY ACETIC ACID CAS 93-76-5 C <sub>8</sub> H <sub>2</sub> Cl <sub>3</sub> O <sub>3</sub>   F. Wt. 255.49	5 gm 25 gm
966	TRICINE (N-[Tris(Hydroxymethyl Methyl) Glycine]) CAS 5704-04-1 C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub>   F. Wt. 179.17	25 gm 100 gm
4293	TRICLOSAN CAS 3380-34-5 C <sub>12</sub> H <sub>7</sub> Cl <sub>3</sub> O <sub>2</sub>   F. Wt. 289.54	100 gm
2354	TRIEHTANOLAMINE 85% CAS 102-71-6 C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub>   F. Wt. 149.19	500 ml 5 Ltr 50 Ltr

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
2356	TRIETHYLAMINE 99% CAS 121-44-8 C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub>   F. Wt. 101.19	500 ml 2.5 Ltr 25 Ltr
4294	2,3,5-TRIIODOBENZOIC ACID (TIBA)	5 gm
4125	TRIETHYLBENZYLAMMONIUM CHLORIDE, EXTRA PURE CAS 56-37-1 C <sub>13</sub> H <sub>22</sub> CIN   F. Wt. 227.77	500 gm
2031	TRIMETHOPRIM CAS 738-70-5 C <sub>14</sub> H <sub>18</sub> N <sub>4</sub> O <sub>3</sub>   F. Wt. 290.30	5 gm
4101	2,4,6-TRINITROPHENOL CAS 88-89-1 C <sub>6</sub> H <sub>3</sub> N <sub>3</sub> O <sub>7</sub>   F. Wt. 229.1	500 gm
4129	TRIMETHYL SULPHOXONIUM IODIDE, Min 99% (for Synthesis) CAS 1774-47-6 C <sub>3</sub> H <sub>9</sub> IOS   F. Wt. 220.07	100 gm 500 gm
486	TRIS, EXTRA PURE (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 C <sub>14</sub> H <sub>19</sub> N <sub>3</sub> O <sub>3</sub>   F. Wt. 121.14	100 gm 500 gm 25 Kg
487	TRIS, 99.9% + PURITY (Biological Buffer), AR GRADE CAS 77-86-1 C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub>   F. Wt. 121.14	100 gm 500 gm 25 Kg
4130	TRIS ULTRAPURE (for HPLC) CAS 77-86-1 C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub>   F. Wt. 121.14	500 gm
672	TRIS-HYDROCHLORIDE, EXTRA PURE (Tris-Hydroxymethyl Aninomethane HCl) CAS 1185-53-1 C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> .HCL   F. Wt. 157.60	100 gm 500 gm 25 Kg
488	TRIS-HYDROCHLORIDE, AR GRADE CAS 1185-53-1 C <sub>4</sub> H <sub>17</sub> NO <sub>3</sub> .HCL   F. Wt. 157.60	100 gm 500 gm 25 Kg
4297	TRIS(HYDROXYMETHYL) AMINOMETHANE SULPHATE CAS 6992-38-7 C <sub>4</sub> H <sub>11</sub> NO <sub>3</sub> 0.5H <sub>2</sub> SO   F. Wt. 170.17	25 gm 100 gm
4261	N-[TRIS(HYDROXYMETHYL) METHYL] -3-AMINOPROPANESULPHONIC ACID (TAPS BUFFER) CAS 29915-38-6 C <sub>7</sub> H <sub>17</sub> NO <sub>6</sub> S   F. Wt. 243.28	25 gm 100 gm

CODE	PRODUCT NAME	PACK SIZE
669	TRITON X 100® CAS 9002-93-1 C <sub>34</sub> H <sub>62</sub> O <sub>11</sub>   F. Wt. 646.86	100 ml 500 ml
4298	TROPAEOLIN-O CAS 547-57-9 C <sub>12</sub> H <sub>9</sub> N <sub>2</sub> NaO <sub>5</sub> S   F. Wt. 316.27	25 gm
1651	TRYPAN BLUE CAS 72-57-1   C.I. 23850 C <sub>34</sub> H <sub>28</sub> N <sub>6</sub> O <sub>14</sub> S <sub>4</sub>   F. Wt. 872.88	25 gm 100 gm
4300	TRYPSIN INHIBITOR * (From Soya Bean) CAS 9035-81-8	500 mg
489	TRYPSIN 2000 U/G (0.2 anson U/G) * CAS 9002-07-7 C <sub>6</sub> H <sub>15</sub> O <sub>12</sub> P <sub>3</sub>   F. Wt. 372.10	100 gm 500 gm
490	TRYPSIN 1: 250 * CAS 9002-07-7 C <sub>6</sub> H <sub>15</sub> O <sub>12</sub> P <sub>3</sub>   F. Wt. 372.10	25 gm 100 gm
4301	TRYPSIN 1: 250 * (γ-Irradiated) CAS 9002-07-7 C <sub>6</sub> H <sub>15</sub> O <sub>12</sub> P <sub>3</sub>   F. Wt. 372.10	25 gm 100gm 500 gm
3514	TRYPTONE (Regular Grade) General Purpose for Bacteriology	500 gm
1133	DL-TRYPTOPHAN, 99% + PURITY, CRYSTALLINE CAS 54-12-6 C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 204.22	5 gm 25 gm
1134	L-TRYPTOPHAN, 99% + PURITY, CRYSTALLINE CAS 73-22-3 C <sub>11</sub> H <sub>12</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 204.23	5 gm 25 gm 500 gm
4131	TUNGSTIC ACID 99%, AR GRADE CAS 7783-03-1 H <sub>2</sub> O <sub>7</sub> W   F. Wt. 249.85	100 gm
4302	DODECA-TUNGSTOPHOSPHORIC ACID HYDRATE, AR GRADE CAS 12501-23-4 H <sub>3</sub> PO <sub>4</sub> .12WO <sub>3</sub> .XH <sub>2</sub> O   F. Wt. 2880.05	100 gm 500 gm
981	TUNGSTOPHOSPHORIC ACID, EXTRA PURE CAS 12501-23-4 H <sub>3</sub> PO <sub>4</sub> .12WO <sub>3</sub> .XH <sub>2</sub> O   F. Wt. 2880.05	100 gm 500 gm



CODE	PRODUCT NAME	PACK SIZE
4156	TWEEN 20, EXTRA PURE CAS 9005-64-5 C <sub>58</sub> H <sub>113</sub> O <sub>26</sub>   F. Wt. 1226.5	500 ml 25 Ltr
670	TWEEN 20 (Regd. Trademark ICI UK) CAS 9005-64-5 C <sub>58</sub> H <sub>113</sub> O <sub>26</sub>   F. Wt. 1226.5	500 ml 25 Ltr
4155	TWEEN 80, EXTRA PURE CAS 9005-65-6 C <sub>32</sub> H <sub>60</sub> O <sub>10</sub>   F. Wt. 604.8	100 ml 500 ml
673	TWEEN 80 (Regd. Trademark ICI UK) <sup>®</sup> CAS 9005-65-6 C <sub>32</sub> H <sub>60</sub> O <sub>10</sub>   F. Wt. 604.8	100 ml 500 ml 25 Ltr
4331	TWEEN 85 CAS 9005-70-3 CH <sub>4</sub>   F. Wt. 16.04246	500 ml
3234	DL-TYROSINE CAS 556-03-6 C <sub>5</sub> H <sub>11</sub> NO <sub>3</sub>   F. Wt. 181.19	5 gm
1135	L-TYROSINE, 99% + Crystalline CAS 60-18-4 C <sub>5</sub> H <sub>11</sub> NO <sub>3</sub>   F. Wt. 181.19	25 gm 100 gm 500 gm
4303	UNIVERSAL INDICATOR	100 ml 500 ml
1663	UNIVERSAL INDICATOR POWDER * (pH 2 to 10)	25 gm 100 gm
674	URACIL CAS 66-22-8 C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> O <sub>2</sub>   F. Wt. 112.09	5 gm 25 gm
4304	UREA (Meets USP/EP/JP/BP Testing specifications) CAS 57-13-6 N <sub>2</sub> H <sub>4</sub> CO   F. Wt. 60.06	500 gm 1 Kg 5 Kg
491	UREA, EXTRA PURE CAS 57-13-6 CH <sub>4</sub> N <sub>2</sub> O   F. Wt. 60.06	500 gm 5 Kg 50 Kg
492	UREA, AR GRADE CAS 57-13-6 CH <sub>4</sub> N <sub>2</sub> O   F. Wt. 60.06	500 gm 5 Kg 50 Kg
4305	UREA PHOSPHATE CAS 4861-19-12 CN <sub>2</sub> H <sub>7</sub> PO <sub>5</sub>   F. Wt. 158.05	500 gm
1933	UREASE (Jackbean Meal) CAS 9002-13-5	100 gm 500 gm 25 Kg
2768	URIC ACID, AR GRADE CAS 69-93-2 C <sub>5</sub> H <sub>4</sub> N <sub>4</sub> O <sub>3</sub>   F. Wt. 168.0	25 gm 100 gm
3451	URIDINE 99% (for Biochemistry) CAS 58-96-8 C <sub>9</sub> H <sub>12</sub> N <sub>2</sub> O <sub>6</sub>   F. Wt. 244.2	1 gm 5 gm 25 gm
642	VACCUM GREASE SILICONE (High Vaccum Grease)	500 gm
4306	D-VALINE CAS 640-68-6 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 117.15	1 gm 5 gm 25 gm



CODE	PRODUCT NAME	PACK SIZE
4307	L-VALINE (From non-animal source) CAS 72-18-4 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 117.15	25 gm 100 gm 1 Kg
1136	DL-VALINE CAS 516-06-3 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 117.15	25 gm 100 gm
1137	L-VALINE, 99% + Purity, Crystalline CAS 72-18-4 C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>   F. Wt. 117.15	25 gm 100 gm
4308	VANADIUM (III) CHLORIDE CAS 7718-98-1 VCl <sub>3</sub>   F. Wt. 157.3	10 gm
2769	VANADIUM PENTOXIDE, EXTRA PURE CAS 1314-62-1 V <sub>2</sub> O <sub>5</sub>   F. Wt. 181.88	100 gm 500 gm
4309	VANADYL SULPHATE HYDRATE CAS 27774-13-6 VO <sub>2</sub> .xH <sub>2</sub> O   F. Wt. 163.00	100 gm
2770	VANILLIN (4-Hydroxy-3-Methoxy Benzaldehyde) CAS 121-33-5 C <sub>8</sub> H <sub>8</sub> O <sub>3</sub>   F. Wt. 152.15	100 gm 500 gm
1711	VITAMIN A ACETATE (Retinol acetate) * CAS 127-47-9 C <sub>22</sub> H <sub>32</sub> O <sub>2</sub>   F. Wt. 328.5	25 gm 100 gm
1702	VITAMIN B1 (Thiamine hydrochloride) * CAS 67-03-8 C <sub>12</sub> H <sub>17</sub> ClN <sub>4</sub> OS.HCL <sub>2</sub>   F. Wt. 337.27	25 gm 100 gm 500 gm
1703	VITAMIN B2 (Riboflavin), Vitamin G CAS 83-88-5 C <sub>17</sub> H <sub>20</sub> N <sub>4</sub> O <sub>6</sub>   F. Wt. 376.36	10 gm 25 gm 100 gm
759	NIACIN (Nicotinic Acid) CAS 59-67-6 C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub>   F. Wt. 123.11	25 gm 100 gm 1 Kg
561	VITAMIN B4 (Adenine 99%) (6-Aminopurine) CAS 73-24-5 C <sub>5</sub> H <sub>5</sub> N <sub>5</sub>   F. Wt. 135.13	5 gm 25 gm 1 Kg
1701	VITAMIN B5 (Calcium-D-Pantothenate) * CAS 137-08-6 C <sub>18</sub> H <sub>32</sub> CaN <sub>2</sub> O <sub>10</sub>   F. Wt. 476.53	25 gm 100 gm 1 Kg
1705	VITAMIN B6 (Pyridoxine Hydrochloride) * CAS 58-56-0 C <sub>8</sub> H <sub>11</sub> NO <sub>3</sub> .HCl   F.Wt. 205.64	10 gm 25 gm 100 gm
1709	VITAMIN B7 Coenzyme (D-Biotin) * CAS 58-85-5 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S   F.Wt. 244.31	1 gm 10 gm 25 gm
604	VITAMIN B8 (Inositol) CAS 61-19-8 C <sub>6</sub> H <sub>12</sub> O <sub>6</sub>   F. Wt. 180.16	25 gm 100 gm 1 Kg
335	VITAMIN B9 (Folic Acid) * CAS 59-30-3 C <sub>19</sub> H <sub>19</sub> N <sub>7</sub> O <sub>6</sub>   F. Wt. 441.40	5 gm 25 gm

# Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE
233	VITAMIN B10 (PABA) CAS 150-13-0 C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub>   F. Wt. 137.14	100 gm 500 gm
1704	VITAMIN B12 (Cyanocobalamin) * CAS 68-19-9 C <sub>63</sub> H <sub>88</sub> CoN <sub>14</sub> O <sub>14</sub> P   F. Wt. 1355.38	1 gm 10 gm
1721	VITAMIN BT (L-Carnitine) * CAS 541-15-1 C <sub>7</sub> H <sub>15</sub> NO <sub>3</sub>   F. Wt. 161.20	5 gm 25 gm
1706	VITAMIN C (Ascorbic Acid) CAS 50-81-7 C <sub>6</sub> H <sub>8</sub> O <sub>6</sub>   F. Wt. 176.12	100 gm 500 gm
1715	VITAMIN C, AR GRADE CAS 50-81-7 C <sub>6</sub> H <sub>8</sub> O <sub>6</sub>   F. Wt. 176.13	25 gm 100 gm 500 gm
1707	VITAMIN D3 (Cholecalciferol) * CAS 67-97-0 C <sub>27</sub> H <sub>44</sub> O   F. Wt. 384.64	1 gm
1708	VITAMIN E POWDER * (DL-Tocopherol Acetate) 50% Powder CAS 10191-41-0 C <sub>29</sub> H <sub>50</sub> O <sub>2</sub>   F. Wt. 430.71	50 gm
1709	VITAMIN H (D-Biotin) * CAS 58-85-5 C <sub>10</sub> H <sub>16</sub> N <sub>2</sub> O <sub>3</sub> S   F. Wt. 244.31	1 gm 10 gm 25 gm
1710	VITAMIN K3 (Menadione) CAS 58-27-5 C <sub>11</sub> H <sub>8</sub> O <sub>2</sub>   F. Wt. 172.18	25 gm
1716	VITAMIN K SODIUM BISULPHITE * Water Soluble CAS 130-37-0 C <sub>11</sub> H <sub>9</sub> NaO <sub>3</sub> S   F. Wt. 276.24	25 gm 100 gm
1665	WRIGHT'S STAIN (Wright's Eosin Methylene Blue) CAS 68988-92-1	25 gm 100 gm
3004	XYLENE CYANOL FF (ACID BLUE 147) CAS 2650-17-1 C <sub>25</sub> H <sub>27</sub> N <sub>2</sub> NaO <sub>6</sub> S <sub>2</sub>   F. Wt. 538.61	5 gm 25 gm
4310	XYLENOL ORANGE TETRASODIUM SALT, PRACTICAL GRADE CAS 3618-43-7 C <sub>31</sub> H <sub>28</sub> N <sub>2</sub> O <sub>13</sub> SNa   F. Wt. 760.58	5 gm 10 gm
4311	XYLIDINE PONCEAU CAS 3761-53-3 C <sub>18</sub> H <sub>14</sub> N <sub>2</sub> Na <sub>2</sub> O <sub>2</sub> S <sub>2</sub>   F. Wt. 480.42	25 gm
4312	XYLIDYL BLUE I SODIUM SALT, EXTRA PURE CAS 14936-97-1 C <sub>25</sub> H <sub>20</sub> N <sub>3</sub> NaO <sub>6</sub> S   F.Wt. 513.50	1 gm
3093	X-GAL (5-BROMO-4-CHLORO-3 INDOLYL-b-D-GALACTOPYRANOSIDE) * CAS 7240-90-6 C <sub>14</sub> H <sub>15</sub> BrClNO <sub>6</sub>   F. Wt. 408.63	100 gm 500 gm 1 gm

CODE	PRODUCT NAME	PACK SIZE
3095	X-GLUCOSIDE * CAS 15548-60-4 C <sub>14</sub> H <sub>15</sub> BrClNO <sub>6</sub>   F. Wt. 408.63	100 mg
4146	XANTHAN GUM, EXTRA PURE CAS 11138-66-2	100 gm 500 gm 25 Kg
5094	XANTHAN GUM, AR GRADE CAS 11138-66-2	100 gm 500 gm 25 Kg
3237	XANTHINE (2,4 Dihydropyentane) CAS 69-89-6 C <sub>5</sub> H <sub>8</sub> N <sub>4</sub> O <sub>2</sub>   F. Wt. 152.11	5 gm 25 gm
2772	XYLENOL ORANGE, AR GRADE CAS 1611-35-4 C <sub>31</sub> H <sub>32</sub> N <sub>2</sub> O <sub>13</sub> S   F. Wt. 672.67	5 gm 10 gm
1312	D (+) XYLOSE CAS 58-86-6 C <sub>5</sub> H <sub>10</sub> O <sub>5</sub>   F. Wt. 150.13	25 gm 100 gm 500 gm
3515	YEAST EXTRACT PASTE for bacteriology	500 gm
4204	YEAST EXTRACT POWDER, BACTO GRADE for general purpose for bacteriology	500 gm
4132	YTTRIUM OXIDE 99.9% AR CAS 1314-36-9 Y <sub>2</sub> O <sub>3</sub>   F. Wt. 225.81	10 gm 25 gm
516	ZEATIN (Plant Growth Regulator) * CAS 1637-39-4 C <sub>10</sub> H <sub>13</sub> N <sub>3</sub> O   F. Wt. 219.25	100 mg 500 mg 1 gm
4313	TRANS-ZEATIN RIBOSIDE CAS 6025-53-2 C <sub>15</sub> H <sub>21</sub> N <sub>3</sub> O <sub>5</sub>   F. Wt. 351.36	10 mg
493	ZINC ACETATE (Dihydrate), EXTRA PURE CAS 5970-45-6 C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> Zn.2H <sub>2</sub> O   F. Wt. 219.51	500 gm 50 Kg
494	ZINC ACETATE (Dihydrate), AR GRADE CAS 5970-45-6 C <sub>4</sub> H <sub>6</sub> O <sub>4</sub> Zn.2H <sub>2</sub> O   F. Wt. 219.51	500 gm 50 Kg
4314	ZINC BORATE, EXTRA PURE CAS 1332-07-6 2ZnO.3B <sub>2</sub> O <sub>3</sub> .3.5H <sub>2</sub> O   F. Wt. 434.62	1 Kg
677	ZINC CARBONATE BASIC CAS 5970-47-8 3Zn(OH) <sub>2</sub> .2ZnCO <sub>3</sub>   F. Wt. 549.01	500 gm
2369	ZINC CHLORIDE (ANH.), EXTRA PURE CAS 7646-85-7 ZnCl <sub>2</sub>   F. Wt. 136.30	500 gm 50 Kg
4315	ZINC CHLORIDE (ANH) Meets USP/EP/JP/BP CAS 7646-85-7 ZnCl <sub>2</sub>   F. Wt. 136.30	100 gm 500 gm 1 Kg
2371	ZINC METAL (Granules) CAS 7440-66-6 Zn   F. Wt. 65.37	500 gm 50 Kg

CODE	PRODUCT NAME	PACK SIZE
700	ZINC METAL (Powder) (325 Mesh) CAS 7440-66-6 Zn   F. Wt. 65.38	500 gm 50 Kg
4133	ZINC (METAL) DUST 325 MESH, EXTRA PURE CAS 7440-66-6 Zn   F. Wt. 65.38	500 gm
4134	ZINC (METAL) DUST 325 MESH, AR GRADE CAS 7440-66-6 Zn   F. Wt. 65.38	500 gm
3507	ZINC CHLORIDE DRY, AR GRADE CAS 7646-85-7 ZnCl <sub>2</sub>   F. Wt. 136.28	500 gm
4316	ZINC CITRATE TRIBASIC (Dihydrate) CAS 5990-32-9 C <sub>12</sub> H <sub>10</sub> O <sub>14</sub> Zn <sub>3</sub> ·2H <sub>2</sub> O   F. Wt. 610.4	500 gm
4317	ZINC DIBENZYLDITHIOCARBAMATE, AR GRADE CAS 14726-36-4 C <sub>30</sub> H <sub>28</sub> N <sub>2</sub> S <sub>2</sub> Zn   F. Wt. 610.19	25 gm
4318	ZINC GLUCONATE CAS 4468-02-4 C <sub>12</sub> H <sub>22</sub> O <sub>14</sub> Zn   F. Wt. 455.68	500 gm
4136	ZINC NITRATE (Hexa), EXTRA PURE CAS 10196-18-6 Zn(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O   F. Wt. 297.49	500 gm
4319	ZINC OXALATE (Hydra), EXTRA PURE CAS 547-68-2 ZnC <sub>2</sub> O <sub>4</sub> ·xH <sub>2</sub> O   F. Wt. 153.41	500 gm
495	ZINC OXIDE, EXTRA PURE CAS 1314-13-2 ZnO   F. Wt. 81.38	500 gm 5 Kg 50 Kg

CODE	PRODUCT NAME	PACK SIZE
496	ZINC OXIDE, AR GRADE CAS 1314-13-2 ZnO   F. Wt. 81.38	500 gm
2785	ZINC PICOLINATE CAS 17949-65-4 C <sub>12</sub> H <sub>8</sub> N <sub>2</sub> O <sub>4</sub> Zn <sub>2</sub>   F. Wt. 309.61	100 gm
2445	ZINCON SODIUM, AR GRADE CAS 62625-22-3 C <sub>20</sub> H <sub>15</sub> N <sub>4</sub> NaO <sub>6</sub> S   F. Wt. 480.43	1 gm 5 gm
2777	ZINC STEARATE CAS 557-05-21 2(C <sub>18</sub> H <sub>35</sub> O <sub>2</sub> ) <sub>2</sub> Zn   F. Wt. 632.33	500 gm
497	ZINC SULPHATE (Hepta), EXTRA PURE CAS 7446-20-0 ZnSO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 287.55	500 gm 5 Kg 50 Kg
3508	ZINC SULPHATE (Hepta), AR GRADE CAS 7446-20-0 ZnSO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 287.55	500 gm 5 Kg 50 Kg
4365	ZINC SULPHATE (Hepta), TECHNICAL GRADE  CAS 7446-20-0 ZnSO <sub>4</sub> ·7H <sub>2</sub> O   F. Wt. 287.54	500 gm 5 Kg
499	ZINC SULPHATE (Mono), PHARMA GRADE CAS 7446-19-7 ZnSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 179.48	500 gm 5 Kg 50 Kg
4366	ZINC SULPHATE (Mono), TECHNICAL GRADE  CAS 7446-19-7 ZnSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 179.42	500 gm 5 Kg
4001	ZINC SULPHATE (Mono), AR GRADE CAS 7446-19-7 ZnSO <sub>4</sub> ·H <sub>2</sub> O   F. Wt. 179.48	500 gm 5 Kg

CODE	PRODUCT NAME	PACK SIZE
TBL 031	pH INDICATOR PAPER 1.0-14.0	200 lvs
TBL 036	pH INDICATOR PAPER 2.0-10.5	200 lvs
TBL 037	pH INDICATOR PAPER 2.0-4.5	200 lvs
TBL 044	pH INDICATOR PAPER 3.8-5.3	200 lvs
TBL 047	pH INDICATOR PAPER 3.5-6.0	200 lvs
TBL 048	pH INDICATOR PAPER 5.0-7.5	200 lvs

CODE	PRODUCT NAME	PACK SIZE
TBL 057	pH INDICATOR PAPER 6.5-9.0	200 lvs
TBL 061	pH INDICATOR PAPER 8.0-10.5	200 lvs
1634	LITMUS PAPER-BLUE	200 lvs
1636	LITMUS PAPER-RED	200 lvs
1635	STARCH IODIDE PAPERS	200 lvs

CODE	PRODUCT NAME	PACK SIZE
284	BUFFER CAPSULES pH 4.0	10 Cap. 10*10
285	BUFFER CAPSULES pH 7.0	10 Cap. 10*10

CODE	PRODUCT NAME	PACK SIZE
286	BUFFER CAPSULES pH 9.2	10 Cap. 10*10

## pH Indicator Paper Strips

## pH Buffer Capsules

# Acids & Solvents

CODE	PRODUCT NAME	PACK SIZE
569	ACETIC ACID, Glacial CAS 64-19-7 CH <sub>3</sub> .COOH   F. Wt. 60.05	500 ml 2.5 Ltr 5 Ltr 25 Ltr
568	ACETONE CAS 67-64-1 (CH <sub>3</sub> ) <sub>2</sub> CO   F. Wt. 58.08	500 ml 2.5 Ltr 25 Ltr
049	AMMONIA SOLUTION 25% CAS 1336-21-6 NH <sub>3</sub>   F. Wt. 17.03	500 ml 2.5 Ltr 5 Ltr 25 Ltr
133	BRIJ 35 (Polyoxyethylene Lauryl ether) CAS 9002-92-0 C <sub>12</sub> H <sub>25</sub> O <sub>2</sub> .(C <sub>2</sub> H <sub>4</sub> O) <sub>n</sub>	500 ml
023	BENZALKONIUM CHLORIDE 50% CAS 63449-41-2	500 ml 5 Ltr 25 Ltr
4169	BENZALKONIUM CHLORIDE 80% CAS 63449-41-2	25 Ltr 50 Ltr
1861	ETHYL ACETATE CAS 141-78-6 CH <sub>3</sub> COO <sub>2</sub> H <sub>5</sub>   F. Wt. 88.11	500 ml 2.5 Ltr 25 Ltr
718	FORMALDEHYDE SOLUTION 37-41% CAS 50-00-0 CH <sub>2</sub> O   F. Wt. 30.03	500 ml 2.5 Ltr 5 Ltr 30 Ltr
353	ISO PROPYL ALCOHOL CAS 67-63-0 C <sub>3</sub> H <sub>8</sub> O   F. Wt. 60.10	500 ml 2.5 Ltr 5 Ltr 25 Ltr
2163	OLEIC ACID (Elainic Acid), EXTRA PURE (For Biochemistry) * CAS 112-80-1 C <sub>18</sub> H <sub>34</sub> O <sub>2</sub>   F. Wt. 282.46	500 ml
876	ORTHO-PHOSPHORIC ACID CAS 7664-38-2 H <sub>3</sub> PO <sub>4</sub>   F. Wt. 98.00	500 ml 2.5 Ltr 5 Ltr 25 Ltr
1940	LACTIC ACID (Hydroxy Propionic Acid), EXTRA PURE CAS 50-21-5 C <sub>3</sub> H <sub>5</sub> O <sub>3</sub>   F. Wt. 90.08	500 ml 2.5 Ltr 25 Ltr

CODE	PRODUCT NAME	PACK SIZE
3200	POTASSIUM LACTATE 50% CAS 996-31-6 C <sub>3</sub> H <sub>5</sub> KO <sub>3</sub>   F. Wt. 128.17	500 ml
4143	PROPIONIC ACID CAS 79-09-4 C <sub>3</sub> H <sub>6</sub> O <sub>2</sub>   F. Wt. 74.08	500 ml 2.5 Ltr 25 Ltr
2401	SODIUM HYPOCHLORITE 4% CAS 7681-52-9 NaClO   F. Wt. 74.44	500 ml 1 Ltr 5 Ltr 25 Ltr
2294	SODIUM LACTATE 60% CAS 72-17-3 C <sub>3</sub> H <sub>5</sub> NaO <sub>3</sub>   F. Wt. 112.06	500 ml
696	SOLUTION FOR LEISHMAN STAIN (S.F.L) CAS 67-56-1 CH <sub>4</sub> O   F. Wt. 32.04	500 ml 2.5 Ltr 25 Ltr
665	TABOLENE GL (W/ Dispenser) for Glass & Computer Equipment Cleaning	500 ml 5 Ltr 50 Ltr
666	TABOLENE GLW (DETERGENT TABOLENE) (W/ Neutral pH Phosphate Free Detergent) for Glassware Cleaning	500 ml 5 Ltr 50 Ltr
667	TABOLENE GP General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr
2743	TERPINEOL (Mixture of Isomers), (PHARMA GRADE) CAS 8006-39-1 C <sub>10</sub> H <sub>18</sub> O   F. Wt. 154.25	500 ml 2.5 Ltr
2354	TRIETHANOLAMINE 85% CAS 102-71-6 C <sub>3</sub> H <sub>7</sub> NO <sub>3</sub>   F. Wt. 149.19	500 ml 5 Ltr 50 Ltr
2356	TRIETHYLAMINE 99% CAS 121-44-8 C <sub>6</sub> H <sub>15</sub> NO <sub>3</sub>   F. Wt. 101.19	500 ml 2.5 Ltr 25 Ltr
670	TWEEN 20® (Regd. Trademark ICI UK) CAS 9005-64-5 C <sub>58</sub> H <sub>113</sub> O <sub>26</sub>   F. Wt. 1226.5	500 ml 25 Ltr
673	TWEEN 80® (Regd. Trademark ICI UK) CAS 9005-65-6 C <sub>32</sub> H <sub>60</sub> O <sub>10</sub>   F. Wt. 604.8	100 ml 500 ml 25 Ltr

## We love seeing our users in action!

- Join our growing community of satisfied customers worldwide. Follow our handles for daily dose of Microbiology.
- Share your photos using TM Media products at [marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com).
- You can also share your experience on social media using #TMMedia tag and we will feature your profile.



@tmmediain





# Pharma Grade Chemicals

## Precise for From Acetic Acid to Citric Acid, meeting every need

A comprehensive range designed to lift the standards of Pharmaceutical inputs. Made in strict accordance with **USP/BP/IP** standards, our chemicals ensure uncompromising quality and reliability in your manufacturing processes.

### Why choose

- **Compliance Assurance:** Our chemicals stick to strict guidelines set by USP, BP, and IP, ensuring consistency and reliability in lab operations.
- **Exceptional Performance:** Made with precision, these chemicals deliver superior purity and performance, enabling correct and trusted results.
- **Versatile Applications:** From formulation to quality control testing, these chemicals provide diverse pharmaceutical applications, ensuring efficiency in the lab processes.
- **Quality Assured:** Each product undergoes rigorous quality control to ensure adherence to industry standards.
- **FDA Approved & ISO 9001 Certified:** Reflecting our commitment to maintaining the highest standards of quality management in the production and distribution of our chemicals.

CODE	PRODUCT NAME	PACK SIZE	
7000	ACETIC ACID USP	25 Kg	
7001	CALCIUM SULPHATE DIHYDRATE BP	25 Ltr	
7002	CITRIC ACID ANHYDROUS IP	25 Kg	
7003	CITRIC ACID MONOHYDRATE IP	25 Kg	
7004	DISODIUM PHOSPHATE DIHYDRATE	50 Kg	

CODE	PRODUCT NAME	PACK SIZE	
7005	METHYL SULFONYL METHANE USP	50 Kg	
7006	MONO POTASSIUM PHOSPHATE	50 Kg	
7007	PHOSPHORIC ACID IP	25 Ltr	
7008	SODIUM DIHYDROGEN ORTHOPHOSPHATE IP	50 Kg	



# Food & Water

# Chemicals

Tailored to meet the strict requirements set of the Food and Beverage industry, providing you with the assurance of quality, safety, and regulatory compliance

## Food Grade Chemicals

Enhancing food processing and production

- Preservatives
- Flavor Enhancers
- Antioxidants
- Emulsifiers
- Acidity Regulators

## Water Industry Minerals

Elevate drinking water quality with our premium minerals, including:

- Calcium
- Potassium
- Magnesium
- Sodium

## Certified Quality Assurance

Our chemicals and minerals undergo strict quality control for purity, consistency and reliability, ensuring superior food and water products.



Certified



Certified



Certified



13485:2016



11133:2014



9001:2015

CODE	PRODUCT NAME	PACK SIZE
5000	ACETIC ACID	25 Ltr
5100	ACETIC ACID GLACIAL	25 Ltr
5122	ACETIC ACID (9000)	25 Ltr
5001	ACETONE	25 Ltr
TBF 095	AGAR AGAR (TYPE-I)	25 Kg
TBF 104	AGAR AGAR (TYPE-II)	25 Kg
5002	AMMONIUM BICARBONATE, (Ammonium Hydrogen Carbonate)	50 Kg
5003	AMMONIUM CHLORIDE	50 Kg
5132	tri-AMMONIUM CITRATE	25 Kg
5123	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE	50 Kg
5021	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE (DAP)	50 Kg
5004	AMMONIUM PERSULPHATE (For Distillery)	50 Kg
5139	L-ARABINOSE	25 Kg

CODE	PRODUCT NAME	PACK SIZE
5113	L-ASCORBIC ACID	25 Kg
5005	BENZOIC ACID	25 Kg
5006	BUTYLATED HYDROXY ANISOLE, (B.H.A.)	25 Kg
5007	BUTYLATED HYDROXY TOLUENE, (B.H.T.)	25 Kg
5008	CAFFEINE (ANH) (Food Grade)	25 Kg
5009	CALCIUM ACETATE (Dried) (For Atorvastatin)	25 Kg
5112	CALCIUM BUTYRATE	25 Kg
5010	CALCIUM CARBONATE (Precipitated)	50 Kg
5011	CALCIUM CHLORIDE (ANH.)	50 Kg
5096	CALCIUM CHLORIDE (Dihydrate)	50 Kg
5012	CALCIUM CITRATE (Tetra)	50 Kg
TBF 155	CALCIUM DIACETATE	25 Kg
5124	CALCIUM GLUCONATE (Mono)	50 Kg
5013	CALCIUM HYDROXIDE (Purified)	50 Kg
5014	CALCIUM LACTATE POWDER (Penta)	25 Kg

Our all food products are produced under FSSC and FSSAI approved facilities

For more Laboratory Chemicals, please turn to page no. 280-326



# Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE
TBF 137	CALCIUM LIQUID (VICTORY NA)	50 Kg
5088	CALCIUM PEROXIDE	25 Kg
5118	MONO CALCIUM PHOSPHATE (Monobasic) (MCP)	25 Kg
5022	di-CALCIUM PHOSPHATE (Dihydrate) (DCP)	25 Kg
5015	tri-CALCIUM PHOSPHATE (ANH.)	25 Kg
5016	CALCIUM PHOSPHATE (TCP)	25 Kg
5017	CALCIUM PROPIONATE	25 Kg
TBF 128	CALCIUM PROPIONATE POWDER (VICTORY CAP)	25 Kg
5109	CALCIUM SULPHATE (ANH.)	50 Kg
5086	CALCIUM SULPHATE (Dihydrate)	50 Kg
5019	CITRIC ACID (ANH.)	25 Kg
5020	CITRIC ACID (Mono)	25 Kg
5098	COPPER SULPHATE (Penta)	25 Kg
5125	DEGREASER	25 Kg
TBF 016	DRIED YEAST INACTIVE (for Biscuits)	25 Kg
5024	EDTA DISODIUM	25 Kg
5025	FERRIC CHLORIDE (ANH.)	50 Kg
5026	FERROUS SULPHATE (Hepta)	50 Kg
5027	FOLIC ACID (Vitamin B)	25 Kg
5137	GALACTOSE	25 Kg
5028	GLYCEROL (Glycerine)	25 Ltr
TBF 157	GELLAN GUM (Uses Milk, Juice Thicker & Smoother)	25 Kg
TBF 158	GLYCINE (Amino Acetic Acid)	25 Kg
5126	GLUCO DELTA LACTONE (For Cheese)	25 Kg
5133	HYDROGEN PEROXIDE 35%	25 Kg
5099	ISOPROPYL ALCOHOL	25 Ltr
5030	LACTIC ACID (Hydroxy Propionic Acid)	25 Ltr
5143	LACTIC ACID (Hydroxy Propionic Acid) (88%) (FOOD GRADE)	25 Ltr
5031	MAGNESIUM CHLORIDE (Hexa)	50 Kg
5032	MAGNESIUM SULPHATE (Hepta)	50 Kg
5134	MANGANESE CHLORIDE	25 Kg
5033	DL-MALEIC ACID	25 Kg
3527	MALT EXTRACT PASTE (Food Grade)	50 Kg
3506	MALT EXTRACT POWDER (Food Grade)	25 Kg
5034	MANGANESE (II) SULPHATE (Mono)	50 Kg

CODE	PRODUCT NAME	PACK SIZE
5138	MANNOSE	25 Kg
5127	METHYL PARABEN	10 Kg 25 Kg
5035	METHYL PARABEN SODIUM	10 Kg 25 Kg
5128	MICROSIL (Food Grade Sterilizer)	25 Ltr
5036	NIACIN (Nicotinic Acid) (Vitamin B)	25 Kg
5037	NIACINAMIDE (Nicotinamide) (Vitamin PP)	25 Kg
TBF 224	NISIN	25 Kg
5038	n-PROPYL GALLATE	25 Kg
5039	ortho PHOSPHORIC ACID	25 Ltr
5040	POLYVINYL PYRROLIDINE K-25 (PVP)	25 Kg
5041	POLYVINYL PYRROLIDINE K-30 (PVP)	25 Kg
5042	POTASSIUM ACETATE	25 Kg
5101	POTASSIUM BENZOATE	25 Ltr
5043	POTASSIUM BICARBONATE	50 Kg
5090	POTASSIUM BROMATE	50 Kg
5044	POTASSIUM CARBONATE (ANH.)	50 Kg
5045	POTASSIUM CHLORIDE	50 Kg
5079	tri-POTASSIUM CITRATE (Mono)	25 Kg
5046	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate) (ANH.)	50 Kg
5141	POTASSIUM FLUORIDE	25 Kg
5063	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg
5047	POTASSIUM HYDROXIDE FLAKES	50 Kg
5048	POTASSIUM HYDROXIDE PELLETS	50 Kg
5135	POTASSIUM HYDROXIDE POWDER	25 Kg
5049	POTASSIUM IODATE	25 Kg
5050	POTASSIUM IODIDE	25 Kg
5051	POTASSIUM METABISULPHITE	50 Kg
5052	POTASSIUM NITRATE	50 Kg
5091	POTASSIUM PERSULPHATE	50 Kg
5107	POTASSIUM PROPIONATE	25 Kg
5092	POTASSIUM SODIUM TARTRATE	25 Kg
TBF 197	POTASSIUM SORBATE (Granular)	25 Kg
5054	POTASSIUM SULPHATE	50 Kg
5055	PROPYLENE GLYCOL (1,2-Propanediol)	25 Ltr
5103	PROPYLENE GLYCOL ALGINATE (PGA)	25 Kg
5056	PROPYL PARABEN	25 Kg
5057	PROPYL PARABEN SODIUM	25 Kg

Our all food products are produced under FSSC and FSSAI approved facilities

# Qwikzee

The smarter way to Perfect Paneer!

A synergistic blend of Organic Acidulants

## Benefits

- Highly soluble
- Retains fat & protein content
- Mild acidulants with a rapid drop in pH
- Helps spoilage control
- Provides additional shelf life
- Improves texture
- Maintains milk's natural sweetness
- Maintains softness
- Maintains sensory characteristics
- 5% Yield increase
- Long-term profitability



CODE	PRODUCT NAME	PACK SIZE
5148	QWIKZEE (Paneer Coagulant)	1 Kg*20 25 Kg
5058	SODIUM ACETATE (ANH.)	50 Kg
5059	SODIUM ACETATE (Trihydrate)	50 Kg
5060	SODIUM ACID PYROPHOSPHATE (SAPP)	50 Kg
5114	SODIUM ALGINATE	50 Kg
5149	SODIUM ALGINATE HQ	25 Kg
5102	SODIUM ASCORBATE	25 Kg
5061	SODIUM BENZOATE	25 Kg
5062	SODIUM BICARBONATE	50 Kg
5064	SODIUM BUTYRATE	25 Kg
5065	SODIUM CARBONATE (ANH.)	50 Kg
5066	SODIUM CARBONATE (Mono)	50 Kg
TBF 105	SODIUM CASEINATE (Protein 90%)	25 Kg
5067	SODIUM CHLORIDE	50 Kg
5068	SODIUM CITRATE DIBASIC (di-Sodium Hydrogen Citrate)	50 Kg
5080	tri-SODIUM CITRATE (ANH.)	50 Kg
5115	tri-SODIUM CITRATE (Dihydrate)	50 Kg
TBF 006	SODIUM DIACETATE (Dry Vinegar)	25 Kg
5069	SODIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Sodium Phosphate Dihydrate)	50 Kg
5142	SODIUM FLUORIDE	25 Kg
5023	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate)	50 Kg
5119	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg
5085	SODIUM HYDROSULPHITE	50 Kg

CODE	PRODUCT NAME	PACK SIZE
5104	SODIUM HYPOCHLORITE 4%	25 Ltr
5070	SODIUM HYDROXIDE FLAKES	50 Kg
5071	SODIUM HYDROXIDE PELLETS	50 Kg
5117	SODIUM LAURYL SULPHATE	25 Kg
TBF 066	SOYA LECITHIN POWDER	25 Kg
5072	SODIUM METABISULPHITE	50 Kg
5073	SODIUM NITRATE	50 Kg
5074	SODIUM NITRITE	50 Kg
5121	SODIUM OLEATE	25 Kg
5075	SODIUM POTASSIUM TARTRATE (Tetra)	25 Kg
TBF 127	SODIUM PROPIONATE POWDER (VICTORY NAP)	25 Kg
5120	SODIUM SULPHATE (ANH.)	50 Kg
5076	SODIUM SULPHITE (ANH.)	50 Kg
5136	SODIUM TRIPOLYPHOSPHATE	25 Kg
TBF 2732	SORBIC ACID POWDER	25 Kg
5110	SORBITOL LIQUID	25 Kg
5093	SORBITOL POWDER	25 Kg
5078	TITANIUM DIOXIDE	25 Kg
5082	TWEEN 20 (POLYSORBATE 20)	50 Kg
5083	TWEEN 80 (POLYSORBATE 80)	50 Kg
5108	UREA	50 Kg
5094	XANTHAN GUM	25 Kg
5129	YEAST EXTRACT	25 Kg
5130	ZINC CARBOANTE	50 Kg
5131	ZINC CHLORIDE	50 Kg
5084	ZINC SULPHATE (Hepta)	50 Kg
5105	ZINC SULPHATE (Mono)	50 Kg

Our all food products are produced under FSSC and FSSAI approved facilities

For more Laboratory Chemicals, please turn to page no. 280-326

Issue	Possible Cause	Solutions
<b>Dehydrated Culture Media</b>		
<b>Clumping or Agglomeration</b>	<ul style="list-style-type: none"> <li>Moisture exposure or improper storage</li> </ul>	<ul style="list-style-type: none"> <li>Discard any clumps or agglomerated media</li> <li>Ensure proper storage in a cool and dry place</li> <li>Use fresh dehydrated media</li> </ul>
<b>Media Not Dissolving Properly</b>	<ul style="list-style-type: none"> <li>Insufficient mixing or improper water temperature</li> </ul>	<ul style="list-style-type: none"> <li>Follow the instructions for media preparation</li> <li>Mix the media and water thoroughly using a sterile magnetic stirrer or vortex mixer</li> <li>Check the water temperature, as some media may require specific temperature conditions for dissolution</li> </ul>
<b>Media Contamination</b>	<ul style="list-style-type: none"> <li>Contaminated equipment or improper aseptic technique</li> </ul>	<ul style="list-style-type: none"> <li>Sterilize all equipment, including containers, measuring tools, and water used for media preparation</li> <li>Practice proper aseptic technique, including working in a laminar flow hood or sterile environment</li> <li>Monitor the media for signs of contamination, such as discoloration, growth, or off-odours. Discard contaminated media</li> </ul>
<b>Inadequate Growth Results</b>	<ul style="list-style-type: none"> <li>Repeated Remelting</li> <li>pH Drift</li> <li>Storage at incorrect temperature</li> </ul>	<ul style="list-style-type: none"> <li>Avoid repeated remelting</li> <li>Check the pH of distilled water prior to media preparation</li> <li>Store according to the instructions on product TD</li> </ul>
<b>Colour Issue in Prepared Media</b>	<ul style="list-style-type: none"> <li>Overheating</li> </ul>	<ul style="list-style-type: none"> <li>Avoid overheating as it causes accumulation of carbohydrate causing the medium to become darker</li> </ul>
<b>Discoloration of Media</b>	<ul style="list-style-type: none"> <li>Repeated remelting</li> </ul>	<ul style="list-style-type: none"> <li>Avoid repeated remelting, only reconstitute the amount needed</li> </ul>
<b>Improper Gelling</b>	<ul style="list-style-type: none"> <li>Low pH</li> <li>Excessive heating of the media</li> </ul>	<ul style="list-style-type: none"> <li>Check the pH of the water before dissolution</li> <li>Do not over sterilize</li> </ul>
<b>Darkening</b>	<ul style="list-style-type: none"> <li>Overheating</li> <li>Incorrect weighing of the medium, excess amount of dehydrated powder</li> <li>Incorrect pH</li> <li>Repeated remelting</li> </ul>	<ul style="list-style-type: none"> <li>Do not overheat</li> <li>Weigh the correct quantity</li> <li>Check pH</li> <li>Avoid remelting</li> </ul>
<b>Ready-to-Use Culture Media Plates</b>		
<b>Dry or Cracked Media Surface</b>	<ul style="list-style-type: none"> <li>Insufficient moisture during storage or drying out of the media</li> </ul>	<ul style="list-style-type: none"> <li>Ensure proper storage conditions, including temperature and humidity</li> <li>Store plates in a sealed bag or container to maintain moisture</li> <li>If the plates are already dry or cracked, discard them and use fresh ones</li> </ul>
<b>Contamination on Media Surface</b>	<ul style="list-style-type: none"> <li>Improper storage</li> <li>Handling</li> <li>Aseptic technique</li> </ul>	<ul style="list-style-type: none"> <li>Store plates in a sterile environment and avoid exposure to contaminants</li> <li>Follow aseptic techniques during handling and avoid touching the media surface</li> <li>Monitor plates for signs of contamination, and discard any contaminated plates</li> </ul>
<b>Inadequate Growth Results</b>	<ul style="list-style-type: none"> <li>Improper storage</li> <li>Handling</li> <li>Aseptic technique</li> </ul>	<ul style="list-style-type: none"> <li>Store plates in a sterile environment and avoid exposure to contaminants</li> <li>Follow aseptic techniques during handling and avoid touching the media surface</li> </ul>
<b>Darkening of Medium on Storage</b>	<ul style="list-style-type: none"> <li>If media contains high concentration of sugars and exposed to continual heating or stored at high temperatures</li> </ul>	<ul style="list-style-type: none"> <li>Do not overheat</li> <li>Avoid exposure to high temperatures for long durations</li> </ul>

Issue	Possible Cause	Solutions
<b>Ready-to-Use Culture Media Bottles</b>		
<b>Media pH Deviation</b>	<ul style="list-style-type: none"> <li>Contamination</li> <li>Exposure to air</li> <li>Improper storage</li> </ul>	<ul style="list-style-type: none"> <li>Ensure the bottles are properly sealed and stored under appropriate conditions</li> <li>Check the expiration date and use media bottles within the specified period</li> <li>Perform pH testing of the media before use, and discard any bottles with deviated pH</li> </ul>
<b>Mold Growth or Contamination</b>	<ul style="list-style-type: none"> <li>Improper storage or contamination during handling</li> </ul>	<ul style="list-style-type: none"> <li>Store media bottles in a cool and dry place, away from direct light</li> <li>Follow aseptic techniques during handling and avoid introducing contaminants</li> <li>Inspect the media visually before use, and discard any bottles showing signs of contamination</li> </ul>
<b>Inadequate Growth Results</b>	<ul style="list-style-type: none"> <li>Improper storage</li> <li>Handling</li> <li>Aseptic technique</li> </ul>	<ul style="list-style-type: none"> <li>Store media in a sterile environment and avoid exposure to contaminants</li> <li>Follow aseptic techniques during handling and avoid touching the media surface</li> </ul>
<b>Darkening of Medium on Storage</b>	<ul style="list-style-type: none"> <li>If media contains high concentration of sugars and exposed to continual heating or stored at high temperatures</li> </ul>	<ul style="list-style-type: none"> <li>Do not overheat</li> <li>Avoid exposure to high temperatures for long durations</li> </ul>
<b>Biological Media Bases</b>		
<b>Precipitation or Crystallization</b>	<ul style="list-style-type: none"> <li>Improper dissolution or reaction with other components</li> </ul>	<ul style="list-style-type: none"> <li>Follow the instructions for media preparation</li> <li>Ensure thorough mixing and proper dissolution of the biological media base</li> <li>If precipitation or crystallization occurs, discard the media and prepare a fresh batch</li> </ul>
<b>Growth Inhibition or Poor Performance</b>	<ul style="list-style-type: none"> <li>Contaminated components, incorrect ratios, or expired materials</li> </ul>	<ul style="list-style-type: none"> <li>Follow the instructions for media preparation</li> <li>Mix the media and water thoroughly using a sterile magnetic stirrer or vortex mixer</li> <li>Check the water temperature, as some media may require specific temperature conditions for dissolution</li> </ul>
<b>Incomplete Solubility</b>	<ul style="list-style-type: none"> <li>Insufficient mixing or improper water temperature</li> </ul>	<ul style="list-style-type: none"> <li>Follow the instructions</li> <li>Mix the media base and water thoroughly using a sterile magnetic stirrer or vortex mixer</li> <li>Check the water temperature, as some media base may require specific temperature conditions for dissolution</li> </ul>
<b>Antibiotic Sensitivity Discs</b>		
<b>No Zones of Inhibition</b>	<ul style="list-style-type: none"> <li>Inoculum too heavy</li> <li>Incorrect antibiotic disc (e.g., wrong concentration, expired)</li> <li>Resistant organism</li> <li>Incorrect media (e.g. pH incorrect)</li> <li>Antibiotic degradation (e.g., improper storage, exposure to heat)</li> <li>Test performed incorrectly (e.g., discs not properly adhered, incubation conditions wrong)</li> <li>Contamination of the disc.</li> </ul>	<ul style="list-style-type: none"> <li>Verify disc expiry date, antibiotic type, and concentration</li> <li>Perform additional tests to confirm resistance</li> <li>Correct agar pH</li> <li>Store discs as per instructions (usually refrigerated or frozen)</li> <li>Follow CLSI guidelines for disc placement, incubation time, and temperature</li> <li>Use sterile technique</li> </ul>



Issue	Possible Cause	Solutions
<b>Small or Indistinct Zones of Inhibition</b>	<ul style="list-style-type: none"> <li>Inoculum too light</li> <li>Antibiotic disc potency reduced</li> <li>Reading zones prematurely</li> <li>Some slow growing organisms</li> <li>Some antibiotics diffuse slowly</li> </ul>	<ul style="list-style-type: none"> <li>Verify disc expiry date and storage conditions</li> <li>Verify incubator temperature (usually 35°C)</li> <li>Read zones after the recommended incubation time (usually 16-18 hours)</li> <li>Extend the incubation time if the organism is known to be slow-growing</li> <li>Consult CLSI guidelines for specific antibiotic diffusion characteristics</li> </ul>
<b>Mold Growth or Contamination</b>	<ul style="list-style-type: none"> <li>Improper storage or contamination during handling</li> </ul>	<ul style="list-style-type: none"> <li>Store media bottles in a cool and dry place, away from direct light</li> <li>Follow aseptic techniques during handling and avoid introducing contaminants</li> <li>Inspect the media visually before use, and discard any bottles showing signs of contamination</li> </ul>
<b>Large, Irregular Zones of Inhibition</b>	<ul style="list-style-type: none"> <li>Confluent growth (too many colonies)</li> <li>Moisture on the agar surface</li> <li>Discs placed too close together</li> <li>Spread of swarming organisms (e.g., <i>Proteus</i>)</li> <li>Some antibiotics may produce irregular zones naturally</li> </ul>	<ul style="list-style-type: none"> <li>Ensure a lawn of confluent growth, not individual colonies</li> <li>Dry agar plates before inoculation</li> <li>Space discs according to CLSI guidelines</li> <li>Use appropriate swarming inhibition techniques</li> <li>Consult CLSI guidelines for specific antibiotic zone interpretations</li> </ul>
<b>Satellite Colonies within the Zone of Inhibition</b>	<ul style="list-style-type: none"> <li>Beta-lactamase production by the organism</li> <li>Mixed culture contamination</li> <li>Resistant mutants emerging</li> </ul>	<ul style="list-style-type: none"> <li>Perform beta-lactamase testing</li> <li>Repeat the test with a pure culture</li> <li>Repeat the test and observe for consistent satellite colony growth</li> </ul>
<b>Inconsistent Zone Sizes Between Tests</b>	<ul style="list-style-type: none"> <li>Variations in inoculum density</li> <li>Variations in media preparation</li> <li>Variations in disc placement</li> <li>Variations in incubation conditions</li> <li>Variations in reading technique</li> <li>Disc degradation</li> </ul>	<ul style="list-style-type: none"> <li>Use consistent media preparation procedures</li> <li>Use a disc dispenser to ensure consistent placement</li> <li>Monitor and maintain consistent incubation conditions</li> <li>Train personnel on proper zone reading techniques</li> <li>Verify disc expiration date and storage</li> </ul>
<b>Presence of Bubbles in the Agar</b>	<ul style="list-style-type: none"> <li>Improper pouring of the agar</li> <li>Aerobic bacteria producing gas</li> </ul>	<ul style="list-style-type: none"> <li>Pour agar carefully to avoid bubbles</li> <li>Identify and address the gas-producing bacteria</li> </ul>
<b>Contamination of the Agar Plate</b>	<ul style="list-style-type: none"> <li>Non-sterile technique during preparation or inoculation</li> <li>Contaminated media</li> <li>Contaminated discs</li> <li>Airborne contamination</li> </ul>	<ul style="list-style-type: none"> <li>Use aseptic technique throughout the process</li> <li>Prepare fresh media or use quality-controlled media</li> <li>Store discs as per instructions (usually refrigerated or frozen)</li> <li>Work in a clean environment or biosafety cabinet</li> </ul>
<b>Incorrect Reading of the Zone Size</b>	<ul style="list-style-type: none"> <li>Subjectivity of measurement</li> <li>Incorrect interpretation of zone endpoints</li> <li>Parallax error</li> </ul>	<ul style="list-style-type: none"> <li>Use a calibrated ruler or automated zone reader</li> <li>Refer to CLSI guidelines for zone interpretation</li> <li>Read zones from directly above the plate</li> </ul>
<h2>Staining Kits</h2>		
<b>Weak or Faded Staining</b>	<ul style="list-style-type: none"> <li>Expired reagents</li> <li>Insufficient staining time</li> <li>Excessive washing</li> <li>Thick smear</li> <li>Fixation issues</li> <li>Incorrect pH</li> <li>Old cultures</li> </ul>	<ul style="list-style-type: none"> <li>Check expiration dates</li> <li>Follow staining times</li> <li>Gentle washing</li> <li>Thinner smears</li> <li>Proper fixation</li> <li>Verify pH</li> <li>Use fresh cultures</li> </ul>

Issue	Possible Cause	Solutions
<b>Uneven Staining</b>	<ul style="list-style-type: none"> <li>• Uneven smear</li> <li>• Uneven reagent application</li> <li>• Air drying</li> <li>• Lipids in sample</li> </ul>	<ul style="list-style-type: none"> <li>• Uniform smears</li> <li>• Even reagent application</li> <li>• Prevent drying</li> <li>• Degreasing step if necessary</li> </ul>
<b>Gram-Variable Staining</b>	<ul style="list-style-type: none"> <li>• Over-decolorization</li> <li>• Old cultures</li> <li>• Thick smears</li> <li>• Inadequate fixation</li> <li>• Natural variability</li> </ul>	<ul style="list-style-type: none"> <li>• Careful decolorization</li> <li>• Fresh cultures</li> <li>• Thinner smears</li> <li>• Proper fixation</li> <li>• Consult reference material</li> </ul>
<b>Precipitate on Slide</b>	<ul style="list-style-type: none"> <li>• Contaminated reagents</li> <li>• Inadequate filtering</li> <li>• Dried reagents</li> <li>• Hard water</li> </ul>	<ul style="list-style-type: none"> <li>• Filter reagents</li> <li>• Replace contaminated reagents</li> <li>• Thorough rinsing</li> <li>• Use distilled/deionized water</li> </ul>
<b>No Staining (Clear Smear)</b>	<ul style="list-style-type: none"> <li>• No bacterial smear</li> <li>• Excessive washing</li> <li>• Fixation failure</li> <li>• Missed steps</li> </ul>	<ul style="list-style-type: none"> <li>• Ensure smear is present</li> <li>• Gentle washing</li> <li>• Repeat fixation/staining</li> <li>• Follow protocol</li> </ul>
<b>Background Staining</b>	<ul style="list-style-type: none"> <li>• Inadequate washing</li> <li>• Contaminated reagents</li> <li>• Excessive staining time</li> <li>• Dirty slides</li> </ul>	<ul style="list-style-type: none"> <li>• Thorough washing</li> <li>• Replace contaminated reagents</li> <li>• Reduce staining times</li> <li>• Use clean slides</li> </ul>











From  **TITAN BIOTECH LTD.**

Over **10,000** Products

**6** Automated  
Manufacturing Plants

**BSE** Listed

## From Raw to Prepared-Fulfilling Every Needs

Dehydrated Culture Media  
Ready-to-Use Culture Media  
Chromogenic Culture Media

Plant Tissue Culture Media  
Antibiotic Sensitivity Discs  
Lab Consumables & Equipments

Lab Chemicals  
Media Supplements  
Biological Media Bases



**TITAN BIOTECH LTD.**

Manufacturer & Exporter, Since 1992

Corporate Office: 903-909, 9th Floor, Big Jo's Tower, Netaji Subhash Place, Delhi-110034

[www.tmmedia.in](http://www.tmmedia.in)



[marketing@titanbiotechltd.com](mailto:marketing@titanbiotechltd.com)

