

MTM 007 – MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab)

INTENDED USE

For the stabilization, transportation and inactivation of infectious viral agents.

PRODUCT SUMMARY AND EXPLANATION

Molecular Transport Kit is intended for the safe collection, stabilization, transportation and inactivation of infectious of viral agents from the collection site to the testing laboratory. This ready to use kit contains a Molecular Transport Medium (Viral Lysis Transport Medium) and one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints. The peculiar design of the flocked swab ensures optimal elution of thespecimen into the transport medium.

Molecular Transport Medium (Viral Lysis Transport Medium) is a self-contained, ready-to-use system designed for stabilization, inactivation and transportation of potentially infectious, unprocessed nasal and throat swab samples suspected of containing infectious viruses. It is designed to kill the viruses whilst preserving the released intact nucleic acids for molecular diagnostics. The composition of the medium has been optimized in such a way that it disturbs/lyse lipid membranes, destroy proteins including enzymes and nucleases which helps in keeping the naked RNA stable and well preserved within the sample.

Molecular Transport Medium (Viral Lysis Transport Medium) makes the sample safe for transportation, shipment and processing at ambient temperature and allows accurate detection of microbial DNA/RNA using molecular method. Unlike traditional transport medium, molecular transport medium do not keep the viruses viable, rather only maintain the integrity of viral genome. This leads to improved test performance with better turn-around time, sensitivity, specificity, precision and reproducibility as compared to traditional tests. Moreover, considering potential infectivity of the suspected samples and risk involved in handling them during collection and transport, sampleinactivation is desired for ensuring safety. This kit has been customized for inactivation of potentially infectious biological pathogens ensuring safety during handling, transport and processing. Thereby, assuring safe and risk-free handling of suspected samples.

The Swab provided, contains short perpendicular nylon fiber strands attached to flexible molded plastic that results in efficient collection and release of particular matter. The flocked specimen yields more sample which helps to maximize sensitivity of cell culture and molecular technique assay. Flexible plastic shaft delivers better patient comfort

KIT INCLUDES

Components	Composition	
Molecular Transport Medium (Viral Lysis Transport Medium)*	Proprietary	
Single Nasopharyngeal Nylon flocked swab with breakpoint	-	
Single Oropharyngeal Nylon flocked swab with		
breakpoint		
*1.5ml medium in 10-15 ml tube		

f (°) in 🔰

QUALITY CONTROL SPECIFICATIONS

Appearance	:	Colorless
pH (at 25°C)	:	8.0







Sterility Check

: Passes release criteria

INSTRUCTION FOR USE

- 1. Open the pouch to remove the nylon flocked swabs.
- 2. Collect throat and nasopharyngeal secretions using the Oropharyngeal Nylon flocked swab & Nasopharyngeal Nylon flocked swab respectively with prescribed method.
- 3. After collection, insert the swab containing collected sample directly into Molecular Transport Medium (Viral Lysis Transport Medium).
- 4. Break-off or cut-off excess swab handle at the scored mark.
- 5. Alternatively upto 0.5 ml of clinical material (nasal wash/ sputum sample or other bodily fluids including blood) can be pipetted directly into a Molecular Transport Medium (Viral Lysis Transport Medium).
- 6. Place cap back on the tube and close tightly.
- 7. Label the samples and transport as specified.

STORAGE AND SHELF LIFE:

Store at room temperature, away from bright light. Use before the expiry date. Sample collected can be stored at ambient temperature for 7 days, 2-8°C for 15 days, -20°C for 1 monthand -80°C for 1 year.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices. *For Lab Use Only Revision: 11 March., 2022

