

TM 2047 - CRONOBACTER SELECTIVE BROTH (CSB) (ISO 22964:2017)

INTENDED USE

For screening Cronobacter (formerly Enterobacter sakazakii) from food.

PRODUCT SUMMARY AND EXPLANATION

Cronobacter (formerly Enterobacter sakazakii) are gram-negative rod-shaped Enterobacteriaceae that have been implicated in outbreaks of disease causing sepsis, meningitis and necrotising enterocolitis. Cronobacter species have also been isolated from powdered infant formula as high tolerance to desiccation provides a competitive advantage in dry environments increasing the risk of contamination. Cronobacter Screening Broth was specifically designed by Iversenetal. Cronobacter Selective Broth is recommended by ISO Committee for the isolation of Cronobacter species from food samples.

COMPOSITION

| Ingredients | Gms / Ltr | |
|--------------------|-----------|--|
| Peptone | 10.000 | |
| Meat extract | 3.000 | |
| Sodium chloride | 5.000 | |
| Bromocresol purple | 0.040 | |
| Sucrose | 10.000 | |

PRINCIPLE

Peptone and meat extract provide carbonaceous, nitrogenous and growth nutrients. Sodium chloride maintains osmotic equilibrium. Sucrose is the fermentable carbohydrate and bromocresol purple is the indicator. Sucrose is fermented by Cronobacter. Consequently, the broth turns yellow after incubation.

INSTRUCTION FOR USE

- Dissolve 28.04 grams in 1000 ml distilled water.
- Heat if necessary to dissolve the medium completely.
- Sterilize by autoclaving at 15 psi pressure (121°C) for 15 minutes. Cool to 45-50°C.
- Aseptically add the contents of 1 vial of Vancomycin supplement.
- Mix well and dispense 10ml into sterile test tubes.

QUALITY CONTROL SPECIFICATIONS

Appearance of Powder : Cream to yellow homogeneous free flowing powder. : Purple coloured clear solution forms in tubes. Appearance of prepared medium

: 7.4±0.2 pH (at 25°C)

INTERPRETATION

Cultural characteristics observed with added Vancomycin Supplement, after an incubation at 41.5 ± 1°C for 24±2 hours. The broth is recovered on chromogenic Cronobacter Isolation Agar (CCI Agar) and incubated at 41.5±1°C for 24±2 hours.









| Microorganism | ATCC | Inoculum (CFU/ml) | Growth | Recovery | Colour of medium | Colour of colony on Cronobacter Isolation agar (CCI) |
|---|-------|----------------------|--------------------|----------|------------------|--|
| Cronobacter sakazakii | 29544 | 50-100 | Good- luxuriant | >=50% | Yellow | Blue-green |
| Cronobacter muytjensii | 51329 | 50-100 | Good- luxuriant | >=50% | Yellow | Blue-green |
| Staphylococcus aureus subsp. aureus | 25923 | 50-100 | None-poor | 0-10% | Purple | - |
| Staphylococcus aureus subsp. aureus | 6538 | 50-100 | None-poor | 0-10% | Purple | - |

PACKAGING:

In pack size of 100 gm and 500 gm bottles.

STORAGE

Dehydrated powder, hygroscopic in nature, store in a dry place, in tightly-sealed containers between 25-30°C and protect from direct sunlight. Under optimal conditions, the medium has a shelf life of 4 years. When the container is opened for the first time, note the time and date on the label space provided on the container. After the desired amount of medium has been taken out replace the cap tightly to protect from hydration.


Product Deterioration: Do not use if they show evidence of microbial contamination, discoloration, drying or any other signs of deterioration.

DISPOSAL

After use, prepared plates, specimen/sample containers and other contaminated materials must be sterilized before discarding.

REFERENCES

- 1. Mullane et al. 2007. Minerva Pediatr. 59.137-148.
- 2. Lai.2001.Medicine.80.113-122. 3. Iversen et al.2008.Appl.Environ.Microbiol.74, 2550-2552.
- 4.International Organization for Standardization. Microbiology of the food chain- Horizontal method for the detection of Cronobacter spp. Draft ISO/ TS 22964, 2017 (E).
- 5. Salfinger Y., and Tortorello M.L. Fifth (Ed.), 2015, Compendium of Methods for the Microbiological Examination of Foods, 5th Ed., American Public Health Association, Washington, D.C.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices. *For Lab Use Only













PRODUCT DATA SHEET

Revision: 08 Nov., 2019









