

TMV 204 - MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE (VEG.)

INTENDED USE

For detection, isolation and enumeration of yeasts and molds.

PRODUCT SUMMARY AND EXPLANATION

Malt Extract Veg Media are specially developed using Veg Peptone No. 4 to avoid BSE/TSE risks associated with animal origin peptone. Malt Extract Veg Media are similar to the formula of Galloway and Burgess used for the detection, isolation and enumeration of yeasts and moulds. For mycological count, it is advisable to adjust the reaction of medium to more acidic with addition of 10% lactic acid or antibiotics may be added as sterile solutions to the molten medium immediately before pouring into the sterile petri plates in order to suppress bacterial growth. Malt extract solids provide an acidic environment and nutrients required for metabolism by yeasts and moulds. Veg peptone No.4 rapidly gives a luxuriant growth with typical morphology and pigmentation.

COMPOSITION

Ingredients	Gms / Ltr
Malt extract	30.00
Veg peptone No. 4	5.00
Agar	15.00

PRINCIPLE

Malt extract provides an acidic environment and nutrients favorable for growth and metabolism of yeasts and moulds. Veg peptone no. 4 rapidly gives a luxuriant growth with typical morphology and pigmentation. For mycological count, it is advisable to adjust the reaction of medium more acidic with addition of 10% lactic acid. Antibiotics may be added as sterile solutions to the molten medium immediately before pouring into sterile Petri plates in order to suppress bacterial growth.

INSTRUCTION FOR USE

- Dissolve 50.0 grams in 1000 ml purified/distilled water and soak for 15 minutes.
- Sterilize by autoclaving at 115°C (10 psi pressure) for 10 minutes.
- Mix well before dispensing. Avoid overheating.

QUALITY CONTROL SPECIFICATIONS

Appearance of Powder : Yellow coloured, may have slightly greenish tinge, homogeneous, free flowing

powder.

Appearance of prepared medium : Light brown coloured, slightly opalescent gel forms in petri plates, clear to

slightly opalescent solution in tubes.

pH (at 25°C) : 5.4±0.2

INTERPRETATION

Cultural characteristics observed after an incubation.

Microorganism A ⁻	rcc Inoculum (CFU/ml)	Growth	Recovery	Incubation Temperature	Incubation Period	
------------------------------	--------------------------	--------	----------	---------------------------	----------------------	--









Aspergillus brasiliensis	16404	10-100	Luxuriant	>=70 %	25-30°C	48-72 Hours
Candida albicans	10231	10-100	Luxuriant	>=70 %	25-30°C	48-72 Hours
Saccharomyces cerevisiae	9763	10-100	Luxuriant	>=70 %	25-30°C	48-72 Hours

PACKAGING:

In pack size of 500 gm bottles.

STORAGE

Dehydrated powder, hygroscopic in nature, store in a dry place, in tightly-sealed containers between 25-30°C and protect from direct sunlight. Under optimal conditions, the medium has a shelf life of 4 years. When the container is opened for the first time, note the time and date on the label space provided on the container. After the desired amount of medium has been taken out replace the cap tightly to protect from hydration.

Product Deterioration: Do not use if they show evidence of microbial contamination, discoloration, drying or any other signs of deterioration.

DISPOSAL

After use, prepared plates, specimen/sample containers and other contaminated materials must be sterilized before discarding.

REFERENCES

- 1. Gallowey L.D. and Burgess R., 1952, Applied Mycology and Bacteriology, 3rd ed., Leonard Hill, London, pg. 54and 57.
- 2. Harrigan W.F. and McCane ME ,1976, Laboratory Methods in Food and Dairy Microbiology, Academic Press, N.Y.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only
Revision: 08 Nov., 2019







