

TMV 350 – NUTRIENT BROTH (VEG.)

INTENDED USE

For general cultivation of less fastidious microorganisms, can be enriched with blood.

PRODUCT SUMMARY AND EXPLANATION

Nutrient media are basic culture media used for maintaining microorganisms, cultivating fastidious organisms by enriching with serum or blood and are also used for purity checking prior to biochemical or serological testing. Nutrient Broth(Veg) is prepared by completely replacing animal based peptone with vegetable peptones to avoid BSE/TSE risks associate with animal peptones. It can be used for the cultivation and enumeration of bacteria which are not particularly fastidious. Addition of different biological fluids such as horse or sheep blood, serum, egg yolk etc. makes it suitable for the cultivation of related fastidious organisms.

COMPOSITION

Ingredients	Gms / Ltr
Veg Peptone	5.000
Sodium chloride	5.000
Veg extract	1.500
Yeast extract	1.500

PRINCIPLE

The medium consists of Veg Peptone, Veg extract and yeast extract that provide the necessary nitrogen compounds, carbon, vitamins and also some trace ingredients necessary for the growth of bacteria. Sodium chloride maintains the osmotic equilibrium of the medium.

INSTRUCTION FOR USE

- Dissolve 13.0 grams in 1000 ml purified / distilled water.
- Heat to boiling to dissolve the medium completely.
- Dispense as desired and sterilize by autoclaving at 15 psi pressure (121°C) for 15 minutes.
- If desired, the medium can be enriched with 5-10% blood or other biological fluids.

QUALITY CONTROL SPECIFICATIONS

Appearance of Powder	: Yellow coloured, may have slightly greenish tinge, homogeneous, free flowing powder.
Appearance of prepared medium	: Light amber coloured, clear solution in tubes.
pH (at 25°C)	: 7.4 ± 0.2

INTERPRETATION

Cultural characteristics observed after incubation.

Microorganism	ATCC	Inoculum (CFU/ml)	Growth	Incubation Temperature	Incubation Period
<i>Pseudomonas aeruginosa</i>	27853	50-100	Good-luxuriant	35-37°C	18-48 Hours
<i>Staphylococcus aureus</i>	25923	50-100	Good-luxuriant	35-37°C	18-48 Hours
<i>Streptococcus pyogenes</i>	19615	50-100	Good-luxuriant	35-37°C	18-48 Hours
<i>Escherichia coli</i>	25922	50-100	Good-luxuriant	35-37°C	18-48 Hours

PACKAGING:

In pack size of 100 gm and 500 gm bottles.

STORAGE

Dehydrated powder, hygroscopic in nature, store in a dry place, in tightly-sealed containers between 25-30°C and protect from direct sunlight. Under optimal conditions, the medium has a shelf life of 4 years. When the container is opened for the first time, note the time and date on the label space provided on the container. After the desired amount of medium has been taken out replace the cap tightly to protect from hydration.













Product Deterioration: Do not use if they show evidence of microbial contamination, discoloration, drying or any other signs of deterioration.

DISPOSAL

After use, prepared plates, specimen/sample containers and other contaminated materials must be sterilized before discarding.

REFERENCES

- Lapage S., Shelton J. and Mitchell T., 1970, 'Methods in Microbiology', Norris J. and Ribbons D. (Eds.), Vol. 3A., Academic Press, London.
- MacFaddin J.F., 2000(ed), Biochemical Tests for Identification of Medical Bacteria, 3rd edition, Lippincott Williams and Wilkins, New York.

 GMP Good Manufacturing Practices Certified	 IVD For In Vitro Diagnostic Use	 QTY. Quantity	 LOT/ B. NO. Lot / Batch Number	 REF Catalogue Number	 Manufacturer
 Temperature Unit	 EC REP Authorized Representative <small>MedNet GmbH Barkstrasse 10, 48163 Moenster, Germany</small>	 European Conformity	 QR Code	 Consults Instructions for Use	 Best Before

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.



***For Lab Use Only**
Revision: 08 Nov., 2019

