

TS 026 – CAMPYLOBACTER SELECTIVE SUPPLEMENT

INTENDED USE

For the selective isolation of *Helicobacter pylori* (*Campylobacter pylori*).

COMPOSITION

Ingredients	Concentration
Vancomycin	5mg
Trimethoprim	2.500mg
Cefsulodin	2.500mg
Amphotericin B	2.500mg

(Per vial sufficient for 500 ml medium)

Applied in Medium

TM 071 - COLUMBIA BLOOD AGAR BASE

TMV 071 - COLUMBIA BLOOD AGAR BASE (VEG.)


TM 2044 - COLUMBIA BLOOD AGAR BASE W/ 1% AGAR

INSTRUCTION FOR USE

Rehydrate the contents of 1 vial aseptically with 2 ml of sterile distilled water. Mix well and aseptically add to 500 ml of sterile, molten, cooled (45-50°C) TM 071 - COLUMBIA BLOOD AGAR BASE / TMV 071 - COLUMBIA BLOOD AGAR BASE (VEG.) / TM 2044 - COLUMBIA BLOOD AGAR BASE W/ 1% AGAR with 10% v/v defibrinated sheep blood or 5 - 7% v/v laked horse blood and rehydrated contents of 1 vial of Campylobacter Growth Supplement. Mix well and pour into sterile petri plates.

STORAGE

Vials should be stored in sealed container at 2-8°C.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only
Revision: 9 March., 2022