

TS 034 – FRASER SUPPLEMENT

INTENDED USE

For selective isolation and enumeration of *Listeria monocytogenes* from food, animal feeds etc.

COMPOSITION

Ingredients	Concentration
Ferric ammonium citrate	250mg

(per vial sufficient for 500 ml medium)

Applied in Medium

TM 2093 - FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH)

TM 1472 - FRASER BROTH BASE (ISO 11290-1: 2017)

TM 1937 - HALF FRASER BROTH BASE (ISO 11290-1:2017)


TM 2092 - FRASER BROTH BASE

INSTRUCTION FOR USE

Rehydrate the contents of 1 vial aseptically with 1-2 ml of sterile distilled water. Mix well and for primary enrichment aseptically add 1 vial of TS 034 to 500 ml, sterile, cooled (45-50°C) TM 2093 - FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH) / TM 1472 - FRASER BROTH BASE (ISO 11290-1: 2017) / TM 1937 - HALF FRASER BROTH BASE (ISO 11290-1:2017) / TM 2092 - FRASER BROTH BASE along with rehydrated contents of 1 vial of Fraser Selective Supplement TS 035. Mix well and dispense as desired.

STORAGE

Vials should be stored in sealed container at 2-8°C.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only
Revision: 28 Feb., 2022