

TS 067 – CAMPYLOBACTER SUPPLEMENT-IV (Preston)

INTENDED USE

For isolation of *Campylobacter* species.

COMPOSITION

Ingredients	Concentration
Polymyxin B sulphate	2500IU
Rifampicin	5mg
Trimethoprim	5mg
Cycloheximide	50mg

(Per vial sufficient for 500 ml medium)

Applied in Medium

TM 603 - CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE)

TM 956 - CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE)

TM 1590 - PRESTON AGAR BASE


TMV 1590 - PRESTON AGAR BASE (VEG.)

INSTRUCTION FOR USE

Rehydrate the contents of 1 vial aseptically with 5 ml of 50% aqueous acetone. Mix well and aseptically add it to 475 ml of sterile, molten, cooled (45-50°C) TM 603 - CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE) / TM 956 - CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE) / TM 1590 - PRESTON AGAR BASE / TMV 1590 - PRESTON AGAR BASE (VEG.) alongwith 25 ml sterile, lysed horse blood. Mix well and dispense into sterile tubes / petri plates.

STORAGE

Vials should be stored in sealed container at 2-8°C.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

***For Lab Use Only**
Revision: 9 March., 2022