

TS 070 – NOVOBIOCIN SELECTIVE SUPPLEMENT

INTENDED USE

For the presumptive detection of *Salmonella* species in foods and feed materials.

COMPOSITION

Ingredients	Concentration
Novobiocin	15mg

(per vial sufficient for 1000 ml medium)

Applied in Medium

TM 770 - LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE)

TM 2056 - DOUBLE MODIFIED LYSINE IRON AGAR BASE


TM 546 - SOYABEAN BILE BROTH BASE

INSTRUCTION FOR USE

Rehydrate the content of 1 vial aseptically with 5 ml of sterile distilled water and aseptically add to 1000 ml of sterile, cooled TM 770 - LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE)/ TM 2056 (DOUBLE MODIFIED LYSINE IRON AGAR BASE)/ TM 546 (SOYABEAN BILE BROTH BASE). Mix well and dispense as desired.

STORAGE

Vials should be stored in sealed container at 2-8°C.



NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only Revision: 08 July., 2023





