

## TS 309 – TYCSB SUPPLEMENT

### INTENDED USE

Recommended for the selective isolation of *S.mutans*.

### COMPOSITION

Ingredients	Concentration
Bacitracin	200.0

(per vial sufficient for 1000 ml medium)

### Applied in Medium













TM 2398 - TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE & W/O BACITRACIN AGAR BASE (TYCSB AGAR BASE)

### INSTRUCTION FOR USE

Rehydrate the contents of 1 vial aseptically with 1 ml of 0.2 N Sodium hydroxide, further add 9 ml of sterile distilled water. Mix well and aseptically add to 1000 ml of sterile, molten, cooled (45-50°C) TM 2398 - TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE & W/O BACITRACIN AGAR BASE (TYCSB AGAR BASE). Mix well and pour into sterile Petri plates.

### STORAGE

Vials should be stored in sealed container at 2-8°C.

 GMP Good Manufacturing Practices Certified	 IVD For In Vitro Diagnostic Use	 QTY. Quantity	 LOT/ B. NO. Lot / Batch Number	 REF Catalogue Number	 Manufacturer
 Temperature Unit	 EC REP Authorized Representative MedWor GmbH Buckhorn 10 48147 Münster, Germany	 CE European Conformity	 QR Code	 Consults Instructions for Use	 Best Before

**NOTE:** Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

**\*For Lab Use Only**  
Revision: 3 March., 2022